MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

# SEVENTH

# DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES

# IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.




EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1865.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. wellMsec
Call No. 361
WA

# REPORT.

TO THE

## RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

*Her Majesty's Principal Secretary of State for the Home Department.*

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *April* 3, 1865.

SIR,

I HAVE the honour to submit to you my Detailed Annual Report for the year 1861.

It was during that year that the great war now going on between the Federal and Confederate States of North America commenced,—a war which to no small extent deranged our commerce, and, by stopping the supplies of raw cotton, threw idle immense numbers of the manufacturing population, and those dependent on them.

The year was also one with peculiar features in its meteorological phenomena in so far as Scotland was concerned, as it was the wettest of which we have certain records. The fall of rain greatly exceeded that of previous years, the sky was almost continually dripping, the moisture of the air was greater than usual; while on the Continent of Europe, to the south of the latitude of Great Britain, extreme drought prevailed—drought which even partially affected England.

Notwithstanding these apparently adverse influences, the Births were above their usual proportion, the Deaths were below the average, while the Marriages very nearly attained the average of former years.

I would desire to direct your attention to an inquiry made for the first time into the comparative mortality of the married and the unmarried women at each quinquennial period of life. The results arrived at are startling; and particularly merit the consideration of those engaged in Life Assurance.

A few remarks have been hazarded as to the bearings which these vital statistics appear to have on the question of the contagion of the Epidemic Diseases. They seem to afford a possible explanation of the conflicting evidence which has been given by even the highest authorities as to whether Epidemic Diseases are contagious or not.

The Tables printed in this Report generally correspond with those of former years; an additional Table has, however, been added to show the connection which exists between the proportion of legitimate Births and of married women in each County; and another to show the comparative mortality of married and unmarried women at each quinquennial period of life.

The state of elementary education, as exhibited in the proportion of men and women able to sign their names in the Marriage Register, continues satisfactory, seeing that 89·39 per cent. of the men, and 78·67 per cent. of the women who married in Scotland in 1861 were able to sign their names. Year after year, it appears that as many women are able to sign their names in the Marriage Register in Scotland as men in England.

I have the honour to be,

Sir,

Your faithful Servant,

W. P. DUNDAS,

*Registrar-General.*

# CONTENTS.


Page

Report of Registrar-General to the Secretary of State, . . . . . iii
Report to the Registrar-General, . . . . . ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland in each year, 1855 to 1861 inclusive, and their proportion to the Population also showing the excess of Births over Deaths, . . . . . ix
Table showing the Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the years 1855 to 1861, . x
Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the estimated Population to the middle of the year 1861, distinguishing the Sexes, . . . . . x
Table of the Births, Deaths, and Marriages in Scotland and in its Three Great Groups of Districts, in 1861, and the proportion to the estimated Population; also the number of the Illegitimate Births, and their proportion to the total Births, . . . xi
Table showing Population, Number, and Proportion of Births, Deaths, and Marriages in every Division and County of Scotland, during the year 1861, . . . xii

BIRTHS IN 1861.

Number of Births in Scotland in 1861, and their Proportion to the Population, . . x
Birth-rates in the several Counties, and the probable cause of the great difference, . . xi
Table showing the annual Legitimate Births in each of the Counties of Scotland for a period of three years, and their close relation to the proportion of Married Women in the Population of each County, . . . . . xiii
Number and Proportion of Legitimate and Illegitimate Births, . . . . xiv
Proportion of Sexes, Twins, Triplets, etc., . . . . . xv
Table showing in every Division and County of Scotland the Number and Proportion of the Sexes in the total Births, and in the Legitimate and Illegitimate Births; also the number of Illegitimate Births, and their proportion to the total Births, . . xvi
Increase of the Population, . . . . . xvii

MARRIAGES IN 1861.

Number of Marriages, and their Proportion to the Population, . . . . xvii
Fecundity of Married Women in Scotland, . . . . . xviii
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations, with Table, . . . . . xix
Number and Proportion of Men and Women who marry under and above 21 and 25 years of age, . . . . . xx
Number and Proportion of the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows, in the Divisions and Counties of Scotland, . . . . . xxii
Number and Proportion of Men and Women in the Groups of Districts, Divisions, and Counties of Scotland, and also in Edinburgh and Glasgow, who signed the Marriage Register by Mark, . . . . . xxiv

Page

DEATHS IN 1861.

Number of Deaths, and their Proportion to the Population, . . . . . xxvi
Male Deaths exceed those of the Female at almost all ages, with a Table showing a seven years' average at every quinquennial period of life, . . . . xxvii
Comparative Mortality of the Married and the Unmarried Females at every quinquennial period of life, with relative Table, . . . . . xxix
Table showing the number of Mothers at different ages bearing Children in Edinburgh and Glasgow; also the number of Mothers at each quinquennial period of life who bore their first Child, and the proportion of Mothers bearing their first Child, to the total number of Mothers at each age, . . . . . xxxv
Different Proportion of Deaths in the Insular, Mainland-Rural, and Town Districts of Scotland, . . . . . xxxvii
Table giving the per-centage of Deaths to the Population in each of the Eight Principal Towns of Scotland for a period of seven years, 1855 to 1861 inclusive, . . xxvi

CAUSES OF DEATHS.

Some Facts relative to Zymotic Diseases, and their bearing on the Doctrine of Contagion, . xl
Table showing the Proportion of Deaths from different Diseases in every 100,000 Persons of the estimated Population, and also the proportion in each Sex, in Scotland and its Three Great Groups of Districts, the Insular, Mainland-Rural, and Town, . . xlii
Table showing in Scotland, in the Insular, the Mainland-Rural, and Town Districts, the proportion of Deaths from different Diseases in every 10,000 Specified Causes, . xliii
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Small-pox, Scarlatina, Measles, Typhus, etc., . . . . . xlv
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., . . . . xlvi
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Hydrocephalus, and Consumption, . . . . . xlvi
Facts which throw light on one of the causes of Consumption, . . . . xlviii
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, etc., . xlix
Deaths from Diseases of the Heart and Organs of the Circulation, . . . . xlix
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, etc., . . xlix
Deaths from Diseases of the Organs of Digestion, . . . . . li
Deaths from Infantile Debility and Old Age, . . . . . li
Deaths of Mothers in Child-Birth, . . . . . li
Deaths from Violent Causes, and Suicides, . . . . . li
Table showing the 16 most fatal Diseases in Scotland and England in 1861, . . lii

*Influence of External Agencies.*

Table showing the influence of Season on the Births and Marriages, . . . liii
Extraordinary number of Marriages in Scotland on the last day of the year, . . liii
Influence of Season on the Deaths, and illustrative Table, . . . . . liv
Atmospheric Agencies and Character of the Year, . . . . . liv
Table of the Meteorology of each month of the year 1861, . . . . . lv
Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce imported into Great Britain in 1860, 1861, and 1862; the average Price of Grain and of the 4lb. Loaf, the Amount of Deposits in Savings Banks; the number of Paupers, Emigrants, etc., . . . . . lvi

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1861, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, . . . . . 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District during the year 1861, . 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1861, in the Insular, the Mainland-Rural, and Town Districts of Scotland, . 23

Page

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1861; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . . 24
Table of the Civil Condition of the Parties who married in 1861; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1861, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1861, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1861, together with the Population of these Counties and Towns in 1851 and 1861, . . . . . 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1861, together with the Male Population of these Counties and Towns in 1851 and 1861, . . . . . 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1861, together with the Female Population of these Counties and Towns in 1851 and 1861, . . . . . 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1861, . . . . . 36–39
Do. Males, . . . . . 40–43
Do. Females, . . . . . 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1861, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, . . . . . 48–51
Do. Males, . . . . . 52–55
Do. Females, . . . . . 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, . . . . . 64–67
Do. Females, . . . . . 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, . . . . . 72–75
Do. Males, . . . . . 76–79
Do. Females, . . . . . 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, . . . . . 84–87
Do. Males, . . . . . 88–91
Do. Females, . . . . . 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, . . . . . 96–99
Do. Males, . . . . . 100–103
Do. Females, . . . . . 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, . . . . . 112–115
Do. Females, . . . . . 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, . . . . . 120–123
Do. Males, . . . . . 124–127
Do. Females, . . . . . 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, . . . . . 136–139
Do. Females, . . . . . 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, . . . . . 148–151
Do. Females, . . . . . 152–155

Page
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, . . . . . 160–163
Do. Females, . . . . . 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Do. Males, . . . . . 172–175
Do. Females, . . . . . 176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 180–183
Do. Males, . . . . . 184–187
Do. Females, . . . . . 188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 192–195
Do. Males, . . . . . 196–199
Do. Females, . . . . . 200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 204–207
Do. Males, . . . . . 208–211
Do. Females, . . . . . 212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1861, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1861, . . . . . 216
Constitution of the Compound Districts, . . . . . 217
Index to Districts, . . . . . 218

# REPORT TO THE REGISTRAR-GENERAL.

Sir,

The year 1861, to which this Report refers, was one of checkered commercial prosperity, the depression during the latter half of the year being caused by the war in the States of North America. On the 9th of February of that year certain of the Southern States declared their independence of the Union, and adopted a Constitution under the name of the Confederate States. The depression of trade thereby induced, combined, perhaps, with the higher price of provisions, led to fewer Marriages being contracted in Scotland during the year, so that they fell below the average of former years. The price of provisions, which had been rising during 1860, continued to increase during 1861, so that the four pound loaf was nearly twopence dearer in 1861 than it had been in 1860. The demand for labour, however, was, on the whole, good, while wages were high. The Births attained a higher rate than during the previous year, but not so high as during the year 1859, while the Deaths were considerably below those of the previous year, and nearly the mean rate for Scotland. Pauperism, however, increased, and emigration diminished.

On the 8th of April the Census of the population was taken, when it appeared that the total population of Scotland, including the army in Scotland, the navy in Scottish harbours or firths, and the mercantile navy in Scottish harbours or waters, amounted to 3,062,294 persons, of whom

Table I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each year, 1855 to 1861; and their Proportion to the Population; showing also the excess of Births over Deaths.

| Year. | Estimated Population. | Births. | Deaths. | Marriages. | Excess of Births over Deaths. | Proportion to every 100 Persons living. | | |
|---|---|---|---|---|---|---|---|---|
| | | | | | | Births. | Deaths. | Marriages. |
| 1855 | 2,962,500 | 93,349 | 62,004 | 19,680 | 31,345 | 3·151 | 2·093 | 0·664 |
| 1856 | 2,979,855 | 101,821 | 58,529 | 20,740 | 42,291 | 3·417 | 1·964 | 0·696 |
| 1857 | 2,997,210 | 103,415 | 61,906 | 21,369 | 41,509 | 3·450 | 2·065 | 0·713 |
| 1858 | 3,014,565 | 104,018 | 63,539 | 19,655 | 40,479 | 3·455 | 2·107 | 0·652 |
| 1859 | 3,031,921 | 106,543 | 61,714 | 21,201 | 44,829 | 3·514 | 2·035 | 0·699 |
| 1860 | 3,049,277 | 105,629 | 68,170 | 21,225 | 37,459 | 3·464 | 2·235 | 0·695 |
| 1861 | 3,066,633 | 107,009 | 62,341 | 20,896 | 44,668 | 3·484 | 2·032 | 0·681 |

1,449,848 were males, and 1,612,446 females. These numbers, if brought to the middle of the year, in order to render them strictly comparable with the Births and Deaths, would be raised to 3,066,633 persons of both sexes, consisting of 1,451,707 males, and 1,614,926 females. These distributed among the Three Great Groups into which we divide the population would furnish 160,589 persons for the Insular Districts, 1,764,705 persons for the Mainland-Rural Districts, and 1,141,339 persons for the Town Districts. (See Table III.)

---

## BIRTHS.

107,009 Births were registered in Scotland during the year 1861, indicating a proportion of 348 Births to every 10,000 persons of the population, estimated to the middle of the year. With a single exception, this is the highest proportion of Births which has been registered in Scotland during any year since the Registration Act came into operation, the Births in 1859 alone exceeding it, when the proportion rose to 351 Births to every 10,000 persons of the estimated population. (See Table I.)

By comparing the proportion of Births in the several Divisions and Counties of Scotland for the years 1859, 1860, and 1861 (see Table V. in

TABLE II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during the years 1855, 1856, 1857, 1858, 1859, 1860, and 1861.—The Population being estimated to the middle of each year.

| Years. | Insular Districts. | | | Mainland Districts. | | | Town Districts. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. | Births. | Deaths. | Marriages. |
| 1855 | 2·275 | 1·641 | 0·441 | 3·078 | 1·782 | 0·580 | 3·403 | 2·668 | 0·834 |
| 1856 | 2·643 | 1·325 | 0·514 | 3·204 | 1·661 | 0·599 | 3·783 | 2·554 | 0·869 |
| 1857 | 2·738 | 1·415 | 0·585 | 3·301 | 1·743 | 0·628 | 3·794 | 2·667 | 0·866 |
| 1858 | 2·822 | 1·464 | 0·544 | 3·299 | 1·804 | 0·576 | 3·790 | 2·682 | 0·787 |
| 1859 | 2·860 | 1·627 | 0·562 | 3·384 | 1·707 | 0·617 | 3·803 | 2·519 | 0·848 |
| 1860 | 2·846 | 1·684 | 0·503 | 3·346 | 1·896 | 0·610 | 3·735 | 2·843 | 0·856 |
| 1861 | 2·801 | 1·595 | 0·572 | 3·297 | 1·746 | 0·582 | 3·883 | 2·537 | 0·848 |

TABLE III.—POPULATION of SCOTLAND and its Three Great Groups of Districts in 1851 and 1861; also the Estimated Population to the middle of the year in 1861, distinguishing the Sexes.

| Districts. | Census 1851. | | | Census 1861. | | | Estimated to 30th June 1861. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Insular . . | 76,760 | 89,727 | 166,487 | 73,409 | 87,324 | 160,733 | 73,325 | 87,264 | 160,589 |
| Mainland-Rural . | 829,259 | 883,293 | 1,712,552 | 849,381 | 913,996 | 1,763,377 | 849,905 | 914,800 | 1,764,705 |
| Town . . | 469,460 | 540,243 | 1,009,703 | 527,058 | 611,126 | 1,138,184 | 528,477 | 612,862 | 1,141,339 |
| SCOTLAND . | 1,375,479 | 1,513,263 | 2,888,742 | 1,449,848 | 1,612,446 | 3,062,294 | 1,451,707 | 1,614,926 | 3,066,633 |

the Detailed Report for 1860, and Table V. in this Report), it will be seen that the proportion of Births to the population of each of these Divisions and Counties, though differing greatly from each other, fluctuates very little from year to year in each County or Division. This circumstance proves, as was attempted to be shown in last Report, that the cause which determines the proportion of Births to the population is a fixed cause; and when that cause was investigated, the proportion of Births in every County and Division was found to correspond with the proportion of Married women in the population of each County and Division.

To illustrate this interesting point, which throws great light on several important questions in vital statistics, Table VI. has been drawn up, showing the mean annual number of legitimate Births in the several Divisions and Counties of Scotland for the years 1859, 1860, and 1861, their per-centage to the population in each of these Divisions and Counties, and, with a view to their comparison with the proportion of Married women in each of these, two columns have been added as to the proportion of Wives; the first of these showing the proportion of Wives in every 100 females above 15 years of age, the other showing the proportion of Wives among the women at the child-bearing ages, viz., from 15 to 45 years of age. It was necessary to confine this Table to the legitimate children alone, inasmuch as, had the illegitimate children been included, it would have vitiated the results, as some of the Counties which have the smallest number of legitimate children, and the smallest proportion of Wives, have also the largest proportion of illegitimate Births.

By this Table it is seen that the Counties which have the highest proportion of legitimate Births are also those which have the highest proportion of women in the Married state, while those which have the smallest proportion of legitimate Births have also the lowest proportion of Married women.

For instance, in the Northern Division for Scotland, for every 100 persons in the population, only 2·5 legitimate Births occurred, but then only 32·8 in every 100 women between the ages of 15 and 45 were Wives. In the South-Western Division, on the other hand, for every 100 persons in the population, 3·7 legitimate Births occurred, and to correspond with this high proportion of Births, 46·4 of every 100 women between the ages of 15 and 45 were Wives.

---

TABLE IV.—Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland, and in its Three Great Groups of Districts, in 1861, and their proportion to the Estimated Population; also the Number of the Illegitimate Births, and their proportion to the Total Births.

| 1861. Districts. | Births. | | Illegitimate Births. | | Deaths. | | | | | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | No. of Deaths. | | | Per Cent. to Pop. | | | | |
| | No. | Per cent. to Pop. | No. | Per cent. to Total Births | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | No. | Per cent. to Pop. |
| Insular . | 4,499 | 2·801 | 227 | 5·0 | 1,235 | 1,327 | 2,562 | 1·684 | 1·520 | 1·595 | 919 | 0·572 |
| Mainland -Rural | 58,191 | 3·297 | 5,646 | 9·7 | 15,329 | 15,485 | 30,814 | 1·803 | 1·692 | 1·746 | 10,288 | 0·582 |
| Town . | 44,319 | 3·883 | 4,056 | 9·1 | 14,326 | 14,639 | 28,965 | 2·710 | 2·387 | 2·537 | 9,689 | 0·848 |
| SCOTLAND | 107,009 | 3·484 | 9,929 | 9·28 | 30,890 | 31,451 | 62,341 | 2·127 | 1·947 | 2·032 | 20,896 | 0·681 |

The same fact is manifested if the Counties be taken separately. Thus, in Inverness, for every 100 persons of the estimated population, only 2·5 legitimate Births occurred, and corresponding with this low proportion of Births only 33 in every 100 women between the ages of 15 and 45 were in the Married state, or were Wives. In Linlithgow, on the other hand, for every 100 persons of the population, the very high proportion of 3·8 legiti-

TABLE V.—Number of BIRTHS, DEATHS, and MARRIAGES in 1861, and their proportion to the Population estimated to the middle of the Year.

| | Divisions and Counties. | Estimated Population to middle of Year. | Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|
| | | | Number. | per cent. | Number. | per cent. | Number. | per cent. |
| | SCOTLAND . . . | 3,066,633 | 107,009 | 3·484 | 62,341 | 2·032 | 20,896 | 0·681 |
| | Insular Districts . . | 160,589 | 4,499 | 2·801 | 2,562 | 1·595 | 919 | 0·572 |
| | Mainland-Rural Dists. | 1,764,705 | 58,191 | 3·297 | 30,814 | 1·746 | 10,288 | 0·582 |
| | Town Districts . . . | 1,141,339 | 44,319 | 3·883 | 28,965 | 2·537 | 9,689 | 0·848 |
| | *Divisions.* | | | | | | | |
| I. | NORTHERN . . . . | 130,506 | 3,462 | 2·652 | 1,936 | 1·483 | 677 | 0·511 |
| II. | NORTH-WESTERN . . | 167,119 | 4,627 | 2·768 | 2,604 | 1·558 | 887 | 0·530 |
| III. | NORTH-EASTERN . . | 367,243 | 11,951 | 3·254 | 6,592 | 1·795 | 2,419 | 0·658 |
| IV. | EAST-MIDLAND . . . | 524,017 | 17,143 | 3·268 | 10,241 | 1·954 | 3,457 | 0·659 |
| V. | WEST-MIDLAND . . | 242,533 | 7,966 | 3·284 | 4,435 | 1·828 | 1,367 | 0·563 |
| VI. | SOUTH-WESTERN . . | 1,011,435 | 40,873 | 4·042 | 24,134 | 2·386 | 77,36 | 0·764 |
| VII. | SOUTH-EASTERN . . | 409,605 | 14,117 | 3·446 | 8,430 | 2·058 | 3,097 | 0·756 |
| VIII. | SOUTHERN . . . . | 214,175 | 6,870 | 3·207 | 3,969 | 1·853 | 1,256 | 0·581 |
| | *Counties.* | | | | | | | |
| 1 | Shetland . . . . . | 31,685 | 835 | 2·635 | 488 | 1·539 | 166 | 0·523 |
| 2 | Orkney . . . . . | 32,418 | 840 | 2·591 | 510 | 1·573 | 210 | 0·684 |
| 3 | Caithness. . . . . | 42,259 | 1,220 | 2·887 | 588 | 1·391 | 208 | 0·492 |
| 4 | Sutherland . . . . | 24,144 | 567 | 2·307 | 350 | 1·449 | 93 | 0·385 |
| 5 | Ross and Cromarty . | 82,394 | 2,307 | 2·800 | 1,231 | 1·493 | 426 | 0·517 |
| 6 | Inverness . . . . | 84,725 | 2,320 | 2·738 | 1,373 | 1·620 | 461 | 0·544 |
| 7 | Nairn . . . . . | 8,353 | 230 | 2·753 | 174 | 2·083 | 55 | 0·658 |
| 8 | Elgin . . . . . | 44,310 | 1,427 | 3·220 | 699 | 1·577 | 242 | 0·546 |
| 9 | Banff . . . . . | 56,137 | 1,883 | 3·354 | 889 | 1·583 | 377 | 0·671 |
| 10 | Aberdeen. . . . . | 223,591 | 7,347 | 3·281 | 4,301 | 1·923 | 1,529 | 0·683 |
| 11 | Kincardine . . . . | 34,852 | 1,064 | 3·052 | 529 | 1·518 | 216 | 0·619 |
| 12 | Forfar . . . . . | 207,077 | 7,386 | 3·567 | 4,515 | 2·177 | 1,490 | 0·719 |
| 13 | Perth . . . . . | 133,094 | 3,673 | 2·758 | 2,506 | 1·882 | 825 | 0·619 |
| 14 | Fife. . . . . | 155,051 | 5,098 | 3·287 | 2,685 | 1·731 | 980 | 0·632 |
| 15 | Kinross . . . . . | 8,709 | 256 | 2·939 | 157 | 1·802 | 36 | 0·413 |
| 16 | Clackmannan . . . | 20,086 | 730 | 3·634 | 378 | 1·881 | 126 | 0·627 |
| 17 | Stirling . . . . . | 88,246 | 3,258 | 3·692 | 1,619 | 1·834 | 613 | 0·694 |
| 18 | Dumbarton . . . . | 54,359 | 1,994 | 3·668 | 1,079 | 1·985 | 328 | 0·603 |
| 19 | Argyll . . . . . | 83,605 | 2,279 | 2·726 | 1,400 | 1·674 | 351 | 0·419 |
| 20 | Bute . . . . . | 16,323 | 435 | 2·664 | 337 | 2·064 | 75 | 0·459 |
| 21 | Renfrew . . . . . | 169,017 | 6,369 | 3·767 | 3,795 | 2·245 | 1,294 | 0·765 |
| 22 | Ayr. . . . . | 199,291 | 7,713 | 3·870 | 4,304 | 2·169 | 1,343 | 0·673 |
| 23 | Lanark . . . . . | 643,127 | 26,791 | 4·165 | 16,035 | 2·493 | 5,099 | 0·792 |
| 24 | Linlithgow . . . . | 39,256 | 1,600 | 4·075 | 738 | 1·854 | 239 | 0·608 |
| 25 | Edinburgh . . . . | 274,458 | 9,433 | 3·436 | 6,126 | 2·251 | 2,287 | 0·832 |
| 26 | Haddington . . . . | 37,658 | 1,229 | 3·263 | 645 | 1·712 | 246 | 0·653 |
| 27 | Berwick . . . . . | 36,495 | 1,132 | 3·101 | 564 | 1·545 | 212 | 0·580 |
| 28 | Peebles . . . . . | 11,312 | 369 | 3·262 | 179 | 1·582 | 64 | 0·565 |
| 29 | Selkirk . . . . . | 10,426 | 354 | 3·395 | 178 | 1·707 | 49 | 0·470 |
| 30 | Roxburgh . . . . | 53,784 | 1,799 | 3·345 | 1,028 | 1·948 | 308 | 0·572 |
| 31 | Dumfries . . . . | 75,848 | 2,416 | 3·185 | 1,417 | 1·868 | 480 | 0·632 |
| 32 | Kirkcudbright . . . | 42,479 | 1,374 | 3·234 | 745 | 1·753 | 218 | 0·513 |
| 33 | Wigtown . . . . . | 42,064 | 1,281 | 3·045 | 779 | 1·851 | 250 | 0·594 |

mate Births occurred annually, and corresponding with this high proportion of Births there is also the very high proportion of 55 Wives in every 100 women between the ages of 15 and 45.

Wherever the proportion of women in the married state is small, Births

---

TABLE VI.—Mean Population, and Mean Annual Number of Legitimate Births, during the three years 1859, 1860, and 1861; the per-centage of Legitimate Births to the Population; the per-centage of Wives among Females above 15 years of age, and the per-centage of Wives in Females from 15 to 45 years of age.

| | | Mean Population. | Annual Number of Legitimate Births. | Per centage of Legitimate Births to the Population. | Proportion of Wives in every 100 Females above 15 years of age. | Proportion of Wives in every 100 Females from 15 to 45 years of age. |
|---|---|---|---|---|---|---|
| | SCOTLAND . . . | 3,049,277 | 96,600 | 3·167 | 43·0 | 41·4 |
| | Insular Districts . . | 161,164 | 4,323 | 2·682 | 39·4 | 34·3 |
| | Mainland-Rural Dist. | 1,759,413 | 53,015 | 3·013 | 43·4 | 41·5 |
| | Town Districts . . . | 1,128,700 | 39,262 | 3·478 | 42·9 | 42·8 |
| | *Divisions.* | | | | | |
| I. | NORTHERN . . . . | 130,163 | 3,299 | 2·534 | 38·1 | 32·8 |
| II. | NORTH-WESTERN . . | 167,965 | 4,415 | 2·628 | 38·3 | 34·5 |
| III. | NORTH-EASTERN . . | 365,399 | 10,198 | 2·790 | 41·2 | 38·7 |
| IV. | EAST-MIDLAND . . . | 523,230 | 15,430 | 2·949 | 42·2 | 39·6 |
| V. | WEST-MIDLAND . . | 242,427 | 7,365 | 3·037 | 43·3 | 41·6 |
| VI. | SOUTH-WESTERN . . | 998,718 | 37,334 | 3·738 | 46·8 | 46·4 |
| VII. | SOUTH-EASTERN . . | 407,026 | 12,622 | 3·101 | 41·2 | 40·2 |
| VIII. | SOUTHERN . . . . | 214,349 | 5,937 | 2·769 | 41·3 | 38·3 |
| | *Counties.* | | | | | |
| 1 | Shetland . . . . . | 31,625 | 813 | 2·570 | 35·9 | 30·3 |
| 2 | Orkney . . . . . | 32,324 | 791 | 2·447 | 41·1 | 35·6 |
| 3 | Caithness . . . . . | 42,010 | 1,138 | 2·708 | 39·6 | 34·6 |
| 4 | Sutherland . . . . | 24,204 | 557 | 2·301 | 34·7 | 29·6 |
| 5 | Ross and Cromarty . | 82,532 | 2,259 | 2·737 | 39·6 | 35·5 |
| 6 | Inverness . . . . . | 85,433 | 2,155 | 2·522 | 36·9 | 33·0 |
| 7 | Nairn . . . . . | 8,325 | 208 | 2·498 | 37·9 | 34·9 |
| 8 | Elgin . . . . . | 43,942 | 1,246 | 2·835 | 40·4 | 38 3 |
| 9 | Banff . . . . . | 55,670 | 1,597 | 2·869 | 42·2 | 39·4 |
| 10 | Aberdeen . . . . . | 222,602 | 6,229 | 2·798 | 40·8 | 38·6 |
| 11 | Kincardine . . . . | 34,860 | 918 | 2·633 | 44·1 | 39·8 |
| 12 | Forfar . . . . . | 205,762 | 6,436 | 3·128 | 41·5 | 39·0 |
| 13 | Perth . . . . . | 133,509 | 3,380 | 2·531 | 39·3 | 36·9 |
| 14 | Fife . . . . . | 154,926 | 4,726 | 3·050 | 45·2 | 42·2 |
| 15 | Kinross . . . . . | 8,801 | 230 | 2·613 | 42·4 | 39 6 |
| 16 | Clackmannan . . . | 20,232 | 658 | 3·252 | 46·7 | 45·1 |
| 17 | Stirling . . . . . | 87,807 | 2,978 | 3·391 | 47·2 | 46·7 |
| 18 | Dumbarton . . . . | 53.636 | 1,828 | 3·408 | 44·3 | 43·4 |
| 19 | Argyll . . . . . | 84,626 | 2,176 | 2·571 | 40·9 | 37·1 |
| 20 | Bute . . . . . | 16,356 | 383 | 2·341 | 34 4 | 30·9 |
| 21 | Renfrew . . . . . | 167,940 | 5,972 | 3·556 | 44·5 | 43·6 |
| 22 | Ayr . . . . . | 198,379 | 7,044 | 3 550 | 48·1 | 46·8 |
| 23 | Lanark . . . . . | 632,399 | 24,318 | 3·845 | 47·1 | 47·1 |
| 24 | Linlithgow . . . . | 38,411 | 1,483 | 3·868 | 53·9 | 55·0 |
| 25 | Edinburgh . . . . | 272,998 | 8,353 | 3·059 | 39·2 | 38·8 |
| 26 | Haddington . . . . | 37,530 | 1,137 | 3·029 | 43·8 | 41·0 |
| 27 | Berwick . . . . . | 36,461 | 1,018 | 2·792 | 41·8 | 37·1 |
| 28 | Peebles . . . . . | 11,260 | 312 | 2·770 | 43·9 | 39·0 |
| 29 | Selkirk . . . . . | 10,366 | 319 | 3·079 | 45·6 | 41·8 |
| 30 | Roxburgh . . . | 53,528 | 1,563 | 2·920 | 43·9 | 41·4 |
| 31 | Dumfries . . . . . | 76,077 | 2,088 | 2·744 | 40·8 | 38·0 |
| 32 | Kirkcudbright . . . | 42,547 | 1,183 | 2·780 | 39·8 | 36·8 |
| 33 | Wigtown . . . . . | 42,197 | 1,103 | 2·614 | 40·6 | 36·5 |

must also be few; but where the proportion of Married women is high, the proportion of legitimate Births must also be high. Hence it happens, that wherever the proportion of Married women is high, the proportion of children and young persons (under 20 years of age) is greater than in a population where a small proportion of the women are in the Married state. This is the true reason why in newly settled states, as in the United States of America and in Canada, the proportion of children and of Births under 20 years of age exceeds the number of the adults; while in old settled states, as those of Europe, the number of the adults (above 20 years of age) exceeds that of the children and young persons under that age.

The proportion of Births to the population was different in the Three Great Groups of Districts into which Scotland has been divided. Thus, in the Insular Districts, for every 1000 persons of the estimated population, only 28 Births occurred; in the Mainland-Rural Districts, 32; but in the Town Districts 38 Births in every 1000 persons. (Tables II. and IV.)

Of the 107,009 Births, 97,080 were legitimate, and 9929 illegitimate, indicating that 9·28 per cent. of the Births were illegitimate. This is a slightly higher proportion of illegitimate Births than during the previous year, when 9·21 per cent. of the Births were illegitimate, and would seem to indicate that illegitimacy is on the increase.

As in former years, so in 1861, it would appear that the proportion of illegitimate Births was highest in the Mainland-Rural Districts, lower in the Town Districts, and lowest in the Insular Districts. Thus, in the Mainland-Rural Districts 9·7 per cent. of the Births were illegitimate; in the Town Districts 9·1 per cent.; but in the Insular Districts only 5 per cent. of the Births were illegitimate. (See Tables IV., VII., and VIII.)

The several Divisions and Counties of Scotland exhibit the greatest possible difference with regard to the prevalence of illegitimacy among the respective populations; and as the proportions for each Division or County are much the same from year to year, the proportions for any one year give a good general idea of the morality of the inhabitants of the several Counties, in so far as illegitimacy is concerned. The last column of Table IX. shows the per-centage of the illegitimate to the total Births in the different Divisions, Groups of Districts, and Counties of Scotland. On consulting that Table it will be seen that the Northern and North-Western Divisions of Scotland, which include the Counties of Shetland, Orkney, Caithness, Sutherland, Ross and Cromarty, and Inverness, only yielded 5·4 per cent. of the Births as illegitimate; while the North-Eastern and the Southern Divisions of Scotland, embracing the Counties of Nairn, Elgin, Banff, Aberdeen, Kincardine, Roxburgh, Dumfries, Kirkcudbright, and Wigtown, had no less than 14 per cent. of the Births illegitimate. Even the South-Western Division of Scotland, which contains the great manufacturing and mining Counties of Renfrew, Ayr, and Lanark, furnished only 7·9 per cent. of the Births as illegitimate, or little more than half the proportion of the North-Eastern and the Southern Divisions.

Of the 107,009 children born during the year, 54,606 were males, and 52,403 females, being in the proportion of 104·2 males for every 100 females at birth. The proportion of the sexes in the legitimate and illegitimate children was, however, very different. Of the legitimate Births there were 103·7 males to every 100 females; but of the illegitimate Births there was the very high proportion of 108·5 males for every 100 females. Taking the seven years' average, viz., 1855 to 1861 inclusive, the same general fact was

evidenced, viz., that the proportion of males among the illegitimate Births exceeded that among the legitimate Births. Thus, the average of the seven years' Births in Scotland shows that among the legitimate Births there were born 105·2 males for every 100 females, while among the illegitimate Births there were 107·3 males for every 100 females.

The result of the seven years' registration of Births in Scotland (1855 to 1861 inclusive) would seem to indicate that the proportion of males to females at birth was rather less in the Town than in the Rural Districts, and lower in both of these than in the Insular Districts. Thus, the seven years' registration of Births shows that in the Town Districts there were annually born 105·1 males for every 100 females; in the Mainland-Rural Districts 105·5 males for every 100 females; but in the Insular Districts 106·6 males for every 100 females. This proportion would not be materially affected though confined to the legitimate Births alone, seeing that the seven years' average of the legitimate Births yields the proportion of 105 males to every 100 females in the Town Districts; 105·4 males to every 100 females in the Mainland-Rural Districts; and 106·4 males to every 100 females in the Insular Districts. These facts, therefore, would seem to indicate that the proportion of males to females at birth is greatest in the populations which are the healthiest, and that the causes which weaken the

TABLE VII.—BIRTHS, 1861. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1861; together with the Number of Cases of Twins and Triplets at a Birth.

| 1861. Districts. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Insular . . . . | 2,345 | 2,154 | 4,499 | 2,234 | 2,038 | 4,272 | 111 | 116 | 227 | 46 | 1 |
| Mainland-Rural . . | 29,702 | 28,489 | 58,191 | 26,782 | 25,763 | 52,545 | 2,920 | 2,726 | 5,646 | 684 | 11 |
| Town . . . . | 22,559 | 21,760 | 44,319 | 20,442 | 19,841 | 40,263 | 2,137 | 1,919 | 4,056 | 519 | 6 |
| SCOTLAND . . . | 54,606 | 52,403 | 107,009 | 49,438 | 47,642 | 97,080 | 5,168 | 4,761 | 9,929 | 1,249 | 18 |

TABLE VIII.—BIRTHS, 1861. Per Centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per Centage of Twin and Triplet Births to the Total Births in Scotland, and in its Three Great Groups of Districts, in 1861.

| 1861. Districts. | Per Centage of Births to Population. | Per Centage of Illegitim. to Total Births. | Proportion of Males to 100 Females in the Total Births. | Proportion of Males to 100 Females in the Legitimate Births. | Proportion of Males to 100 Females in the Illegitim. Births. | Per Centage of Twin Births to the Total Births. | Per Centage of Triplet Births to Total Births. |
|---|---|---|---|---|---|---|---|
| Insular . . . . | 2·801 | 5·0 | 108·8 | 109·6 | 95·6 | 1·022 | 0·022 |
| Mainland-Rural | 3·297 | 9·7 | 104·2 | 103·9 | 107·1 | 1·175 | 0·018 |
| Town . . . . | 3·883 | 9·1 | 103·7 | 102·9 | 111·3 | 1·170 | 0·013 |
| SCOTLAND . . . | 3·484 | 9·28 | 104·2 | 103·7 | 108·5 | 1·167 | 0·016 |

populations of the Towns, and render them more liable to Disease and Death, also tend to diminish the proportion of male children at birth.

During the year 1861 there occurred 1249 cases of Twins at a birth,

---

TABLE IX.—BIRTHS, 1861. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; also the proportion of the Illegitimate to the Total Births in all Scotland, its Groups of Districts, its Divisions, and Counties, in 1861.

| 1861. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | No. of the Total and of the Illegit. Births, and per centage of Illegit. to the Total Births. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Proportion of Males to 100 Females. | Males. | Females. | Proportion of Males to 100 Females. | Males. | Females. | Proportion of Males to 100 Females. | Total Births. | Illegit. Births. | Per cent. of Illegit. |
| SCOTLAND . . . | 54606 | 52403 | 104·2 | 49438 | 47642 | 103·7 | 5168 | 4761 | 108·5 | 107009 | 9929 | 9·28 |
| Insular Districts . . | 2345 | 2154 | 108·8 | 2234 | 2038 | 109·6 | 111 | 116 | 95·6 | 4499 | 227 | 5·0 |
| Mainland-Rural Dist. | 29702 | 28489 | 104·2 | 26782 | 25763 | 103·9 | 2920 | 2726 | 107·1 | 58191 | 5646 | 9·7 |
| Town Districts . . | 22559 | 21760 | 103·7 | 20422 | 19841 | 102·9 | 2137 | 1919 | 111·3 | 44319 | 4056 | 9.1 |
| NORTHERN DIVISION | 1787 | 1675 | 106·6 | 1692 | 1582 | 106·9 | 95 | 93 | 102·1 | 3462 | 188 | 5·4 |
| NORTH-WESTERN DO. | 2410 | 2217 | 108·7 | 2285 | 2090 | 109·3 | 125 | 127 | 98·4 | 4627 | 252 | 5·4 |
| NORTH-EASTERN DO. | 6079 | 5872 | 103·5 | 5217 | 5057 | 103·1 | 862 | 815 | 105·7 | 11951 | 1677 | 14·0 |
| EAST-MIDLAND DO. . | 8863 | 8280 | 107·0 | 7903 | 7451 | 106·0 | 960 | 830 | 115·6 | 17143 | 1790 | 10·4 |
| WEST-MIDLAND DO. . | 4007 | 3959 | 101·2 | 3708 | 3673 | 100·9 | 299 | 286 | 104·5 | 7966 | 585 | 7·3 |
| SOUTH-WESTERN DO. | 20935 | 19938 | 105·0 | 19247 | 18369 | 104·7 | 1688 | 1569 | 107·6 | 40873 | 3257 | 7·9 |
| SOUTH-EASTERN DO. | 7047 | 7070 | 99·5 | 6413 | 6488 | 98·8 | 634 | 582 | 108·9 | 14117 | 1216 | 8·6 |
| SOUTHERN DO. . . | 3478 | 3392 | 102·5 | 2973 | 2933 | 101·3 | 505 | 459 | 110·0 | 6870 | 964 | 14·0 |
| *Counties.* | | | | | | | | | | | | |
| Shetland . . . . . | 441 | 394 | 111·9 | 430 | 371 | 115·9 | 11 | 23 | 47·8 | 835 | 34 | 4·0 |
| Orkney . . . . . | 423 | 417 | 101·4 | 408 | 392 | 104·0 | 15 | 25 | 60·0 | 840 | 40 | 4·7 |
| Caithness . . . . | 616 | 604 | 101·9 | 562 | 574 | 97·9 | 54 | 30 | 180·0 | 1220 | 84 | 6·8 |
| Sutherland . . . . | 307 | 260 | 118·0 | 292 | 245 | 119·1 | 15 | 15 | 100·0 | 567 | 30 | 5·2 |
| Ross and Cromarty . | 1186 | 1121 | 105·8 | 1139 | 1078 | 105·6 | 47 | 43 | 109·3 | 2307 | 90 | 3·9 |
| Inverness . . . . | 1224 | 1096 | 111·6 | 1146 | 1012 | 113·2 | 78 | 84 | 92·8 | 2320 | 162 | 6·9 |
| Nairn . . . . . | 120 | 110 | 109·9 | 108 | 104 | 103·8 | 12 | 6 | 200·0 | 230 | 18 | 7·8 |
| Elgin . . . . . | 747 | 680 | 109·8 | 660 | 587 | 112·4 | 87 | 93 | 93·5 | 1427 | 180 | 12·6 |
| Banff . . . . . | 993 | 890 | 111·6 | 858 | 749 | 114·5 | 135 | 141 | 95·7 | 1883 | 276 | 14·6 |
| Aberdeen . . . . | 3682 | 3665 | 100·5 | 3129 | 3159 | 98·7 | 553 | 506 | 109·2 | 7347 | 1059 | 14·4 |
| Kincardine . . . . | 537 | 527 | 101·9 | 462 | 458 | 100·8 | 75 | 69 | 108·6 | 1064 | 144 | 13·5 |
| Forfar . . . . . | 3821 | 3565 | 107·1 | 3345 | 3154 | 106·0 | 476 | 411 | 115·8 | 7386 | 887 | 12·0 |
| Perth . . . . . | 1878 | 1795 | 104·5 | 1662 | 1614 | 102·9 | 216 | 181 | 119·6 | 3673 | 397 | 10·8 |
| Fife . . . . . | 2674 | 2424 | 110·3 | 2451 | 2228 | 110·0 | 223 | 196 | 113·7 | 5098 | 419 | 8·2 |
| Kinross . . . . . | 126 | 130 | 96·9 | 113 | 118 | 95·7 | 13 | 12 | 108·3 | 256 | 25 | 9·7 |
| Clackmannan . . . | 364 | 366 | 99·4 | 332 | 336 | 98·8 | 32 | 30 | 106·6 | 730 | 62 | 8·4 |
| Stirling . . . . . | 1648 | 1610 | 102·3 | 1520 | 1468 | 103·5 | 128 | 142 | 90·1 | 3258 | 270 | 8·2 |
| Dumbarton . . . . | 1008 | 986 | 102·2 | 937 | 915 | 102·4 | 71 | 71 | 100·0 | 1994 | 142 | 7·1 |
| Argyll . . . . . | 1129 | 1150 | 98·1 | 1050 | 1089 | 96·4 | 79 | 61 | 129·5 | 2279 | 140 | 6·1 |
| Bute . . . . . | 222 | 213 | 104·2 | 201 | 201 | 100·0 | 21 | 12 | 175·0 | 435 | 33 | 7·5 |
| Renfrew . . . . . | 3254 | 3115 | 104·4 | 3011 | 2899 | 103·8 | 243 | 216 | 112·5 | 6369 | 459 | 7·2 |
| Ayr . . . . . | 3916 | 3797 | 103·1 | 3558 | 3463 | 102·7 | 358 | 334 | 107·1 | 7713 | 692 | 8·9 |
| Lanark . . . . . | 13765 | 13026 | 105·6 | 12678 | 12007 | 105·5 | 1087 | 1019 | 106·6 | 26791 | 2106 | 7·8 |
| Linlithgow . . . . | 821 | 779 | 105·5 | 763 | 735 | 103·8 | 58 | 44 | 131·8 | 1600 | 102 | 6·3 |
| Edinburgh . . . . | 4666 | 4767 | 97·8 | 4254 | 4363 | 97·5 | 412 | 404 | 101·9 | 9433 | 816 | 8·6 |
| Haddington . . . . | 618 | 611 | 111·1 | 553 | 567 | 97·5 | 65 | 44 | 147·7 | 1229 | 109 | 8·8 |
| Berwick . . . . . | 590 | 542 | 108·8 | 521 | 486 | 107·2 | 69 | 56 | 123·2 | 1132 | 125 | 11·0 |
| Peebles . . . . . | 180 | 189 | 95·2 | 163 | 165 | 98·7 | 17 | 24 | 70·8 | 369 | 41 | 11·1 |
| Selkirk . . . . . | 172 | 182 | 94·5 | 159 | 172 | 92·4 | 13 | 10 | 130·0 | 354 | 23 | 6·5 |
| Roxburgh . . . . | 913 | 886 | 103·0 | 789 | 783 | 100·8 | 124 | 103 | 120·3 | 1799 | 227 | 12·5 |
| Dumfries . . . . . | 1239 | 1177 | 105·2 | 1055 | 1009 | 104·5 | 184 | 168 | 109·5 | 2416 | 352 | 14·5 |
| Kirkcudbright . . . | 709 | 665 | 106·6 | 598 | 574 | 104·1 | 111 | 91 | 121·9 | 1374 | 202 | 14·7 |
| Wigtown . . . . | 617 | 664 | 92·9 | 531 | 567 | 93·6 | 86 | 97 | 88·6 | 1281 | 183 | 14·2 |

and 18 cases of Triplets, indicating the proportion of one Twin Birth in every 85 Births, and one Triplet Birth in every 5845 Births.

The influence of season on the Births is pretty distinctly marked, the largest number of Births occurring during the months of April, May, and June, the period of the year when most of the lower animals bring forth their young, and the smallest number during the months of January and September. Thus it is seen by Table XXXVII. that the greatest number of Births occurred in May, viz., 328 daily, while the smallest number occurred in January and September, viz., 275 Births daily.

As the Births amounted to 107,009, and the Deaths to 62,341, the excess of Births over Deaths amounted to 44,668; and by that number the population of Scotland would have been augmented during the year, had no other causes been in operation to diminish it. The Emigration Commissioners, however, ascertained that 91,770 persons emigrated from the ports of Great Britain and Ireland during the year 1861, of whom 6730 were ascertained to be of Scottish origin. If to that number 2244 be added as the proportion of persons whose origin was not ascertained, the total Scottish emigrants would amount to 8974, which number deducted from the excess of Births over Deaths would make it appear as if the population of Scotland had increased during the year by 35,694 persons. By the Population Returns, however, it appears that the actual increase was little more than half of that; so that a very wide margin must be allowed for migration to England, Ireland, and the Continent of Europe, and for drafts to the Army, Royal Navy, and merchant shipping.

---

## MARRIAGES.

20,896 Marriages were registered in Scotland during the year 1861; being in the proportion of 681 Marriages in every 100,000 of the population, or somewhat under the average annual Marriage-rate of the six previous years. It thus appears that the annual Marriage-rate in Scotland is far below that of England; for taking the seven years, 1855 to 1861 inclusive, Marriages occur in England at the annual average rate of 827 Marriages in every 100,000 of the population, but in Scotland, during the same years, only at the low rate of 686 Marriages in a like population.

---

Table X.—MARRIAGES, 1861. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their several Proportions to the Total Marriages.

| Religious Denominations. | SCOTLAND. | Per Centage to Total Marriages. | Insular Districts. | Mainland-Rural Districts. | Town Districts. |
|---|---|---|---|---|---|
| Established Church . . . | 9332 | 44·66 | 437 | 5452 | 3443 |
| Free Church . . . . | 4969 | 23·78 | 317 | 2458 | 2194 |
| United Presbyterian Church . | 2925 | 13·99 | 79 | 1390 | 1456 |
| Roman Catholic Church . . | 1806 | 8·65 | 43 | 477 | 1286 |
| Episcopalian Church . . | 386 | 1·84 | 1 | 124 | 261 |
| Other Denominations . . | 1290 | 6·18 | 36 | 281 | 973 |
| Denomination not stated . | 188 | 0·90 | 6 | 106 | 76 |

In former Reports it was endeavoured to be shown that the low Marriage-rate in Scotland was apparently produced by the young men finding greater difficulty in procuring employment than in England; and that subject was further illustrated by the very different Marriage-rate which prevails in the Insular, the Mainland-Rural, and the Town Districts. The same illustrative facts were observed during the year 1861. Thus, in the Insular Districts, where the population is falling off, Marriages only occurred at the rate of 57 Marriages in every 10,000 persons of the population. In the Mainland-Rural Districts, where the increase of the population is very slow, and where the Marriages do little more than supply the vacancies caused by Death, only 58 Marriages occurred in every 10,000 persons; but in the Town Districts, where the increase of the population is great, where there is a demand for labour, and work is more easily procured, Marriages occurred in the proportion of 84 in every 10,000 persons.

But the low Marriage-rate which prevails in Scotland is not followed, as might be expected, by a low Birth-rate; so that, in so far as increase of the population by Births is concerned, no evil seems to result to Scotland from the low proportion of Marriages; inasmuch as nature seems to compensate for the smaller number of Marriages, by making these Marriages more fruitful. Thus, in 1861, for every Marriage which occurred in Scotland there were born 4·64 legitimate children; that is to say, 464 legitimate children were born to every 100 Marriages. During the same year, however, in England, only 3·89 legitimate children were born to every Marriage, or 389 legitimate children to every 100 Marriages.

The same result is arrived at by another and more exact mode of calculation. In 1861, when the Census was taken in England, the number of wives at the child-bearing ages, viz., 15 to 45, was 2,319,649; and as the number of legitimate children born during the year amounted to 652,249, this gives the proportion of one legitimate child for every 3·55

TABLE XI.—MARRIAGES, 1861. Ages of Men and Women at Marriage in Scotland, and in its Three Great Groups of Districts, in 1861.

| AGE. | SCOTLAND. | | INSULAR DISTRICTS. | | MAINLAND-RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 16 years. | – | 11 | – | – | – | 9 | – | 2 |
| 16—17 | – | 69 | – | 2 | – | 43 | – | 24 |
| 17—18 | 12 | 263 | 2 | 4 | 6 | 138 | 4 | 121 |
| 18—19 | 133 | 780 | 4 | 16 | 61 | 355 | 68 | 409 |
| 19—20 | 410 | 1370 | 6 | 31 | 203 | 657 | 201 | 682 |
| 20—21 | 925 | 1910 | 10 | 53 | 433 | 900 | 482 | 957 |
| 21—25 | 7070 | 7832 | 197 | 313 | 3475 | 3845 | 3398 | 3674 |
| 25—30 | 6227 | 5146 | 349 | 316 | 3040 | 2626 | 2838 | 2204 |
| 30—35 | 2606 | 1719 | 174 | 116 | 1316 | 849 | 1116 | 754 |
| 35—40 | 1452 | 938 | 89 | 40 | 719 | 458 | 644 | 440 |
| 40—45 | 845 | 445 | 34 | 14 | 431 | 209 | 380 | 222 |
| 45—50 | 502 | 216 | 21 | 9 | 246 | 94 | 235 | 113 |
| 50—55 | 324 | 90 | 12 | 2 | 165 | 44 | 147 | 44 |
| 55—60 | 188 | 30 | 7 | – | 91 | 13 | 90 | 17 |
| 60—65 | 115 | 12 | 8 | – | 52 | 5 | 55 | 7 |
| 65—70 | 44 | 3 | 2 | – | 21 | 1 | 21 | 2 |
| 70—75 | 13 | 1 | 1 | – | 7 | 1 | 5 | – |
| 75—80 | 4 | 1 | 1 | – | 3 | 1 | – | – |
| 80—85 | 2 | – | – | – | 1 | – | 1 | – |
| 89—90 | 1 | – | – | – | 1 | – | – | – |
| Not stated | 23 | 60 | 2 | 3 | 17 | 40 | 4 | 17 |
| All Ages | 20,896 | 20,896 | 919 | 919 | 10,288 | 10,288 | 9689 | 9689 |

wives at the ages 15 to 45 in the population; or, in other words, every 355 wives in England, at these ages, gave birth to 100 children during the year.

In Scotland, during the same year, there were 305,524 wives between the ages of 15 and 45 years; and as 97,080 legitimate children were born during the year, this gives the proportion of one legitimate child for every 3·14 wives at these ages in the population; or, in other words, every 314 wives in the population of Scotland, at these ages, gave birth to 100 legitimate children during the year.

By both these modes of estimation, therefore, it appears that the married women of Scotland are more prolific than those of England, seeing that during the year 1861, every 314 wives at the child-bearing ages gave birth to 100 children in Scotland; whereas it required 355 wives at the same ages for every 100 Births in England. As like results appear year after year, it may be assumed as proved that the Scottish married female is more prolific than the English married female; so that the lower proportion of Marriages in Scotland is quite compensated for by the greater fecundity of the wives.

During the year 1861, of the 20,896 Marriages, 9332 were celebrated according to the rites of the Established Church, 4969 according to those of the Free Church, 2925 according to those of the United Presbyterian Church, 1806 according to those of the Roman Catholic Church, 386 according to those of the Episcopal Church, 1290 according to the rites of the small religious denominations; while in 163 cases the denomination was not stated, and in 25 instances the Marriage was irregular. These numbers yield proportions very similar to those of former years, and indicate approximatively the proportions of the population attached to each religious denomination. This arises from the almost universal custom of having the marriage ceremony performed by the minister of the denomination to which the bride belongs. By Table X. it will be seen that 44·66 per cent. of the Marriages were celebrated by ministers of the Established Church, 23·78 per cent. by those of the Free Church, 13·99 per cent. by those of the United Presbyterian Church, 8·65 per cent. by those of the Roman Catholic Church, 1·84 per cent. by those of the Episcopalian Church, 6·18 per cent. by ministers and others of the smaller religious denominations; while in 0·90 per cent. the religious denomination was not stated.

---

TABLE XII.—MARRIAGES, 1861. Number and Proportion of Men and Women, under 21 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, the Mainland-Rural, and Town Districts of Scotland, in 1861.

| | Number Married in 1861, whose Ages were ascertained. | | Number under 21 years. | | Per centage under 21 years. | |
|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. |
| ENGLAND . . | 103,694 | 103,694 | 9,043 | 25,146 | 8·720 | 24·250 |
| SCOTLAND . . | 20,873 | 20,836 | 1,480 | 4,403 | 7·090 | 21·132 |
| Insular Districts . | 917 | 916 | 22 | 106 | 2·399 | 11·572 |
| Mainland-Rural Districts . . | 10,271 | 10,248 | 703 | 2,102 | 6·834 | 20·511 |
| Town Districts . | 9,685 | 9,672 | 755 | 2,195 | 7·795 | 22·694 |

Of the 20,896 men who married during 1861, the ages of 20,873 were ascertained; and of that number 1480 were under 21 years of age. Of the 20,896 women who married during the same year, the ages of 20,836 were ascertained; and of that number 4403 were under 21 years of age. It thus appears that 7·09 per cent. of the men, and 21·13 per cent. of the women who married during 1861, were under the legal age of 21 years, or were minors.

This is under the proportion of minors who marry in England. Thus, during the same year, 163,706 Marriages were registered in England; but in only 103,694 cases were the ages of both parties ascertained. Of that latter number 9043 men, and 25,146 women were ascertained to be under 21 years of age; thus demonstrating that 8·72 per cent. of the men, and 24·25 per cent. of the women who married during the year in England were under 21 years of age, or were minors. See Table XII.

As might be expected, the proportion of minors who marry in the Town Districts is greater than that of those who marry in the Mainland-Rural or the Insular Districts. Thus, in the Insular Districts, only 2·39 per cent. of the men, and 11·57 of the women who married in 1861, were under 21 years of age. In the Mainland-Rural Districts 6·83 per cent. of the men, and 20·51 per cent. of the women who married were under 21 years of age. But, in the Town Districts, 7·79 per cent. of the men, and 22·69 per cent. of the women who married were under 21 years of age.

These facts lead to the same conclusion as the general proportion of Marriages in the several Counties or Districts, viz., that the comparative facilities of procuring a livelihood influence both the number of Marriages in the general population, and the comparative earliness at which the Marriage may be contracted. Thus it is seen that in England, not only are Marriages contracted in much greater proportions than in Scotland, but more of these Marriages are at an earlier age. And the same is seen in the several Districts and Divisions of Scotland itself, the observed difference depending on the same cause, viz., the comparative facility of procuring a livelihood. Tables XIII. and XIV. illustrate this in a very striking manner, by showing the number and proportion of men and women who contracted Marriage in England, in Scotland, and in the several great groups of Districts and Divisions of Scotland, during 1861. Thus, in England, while 49·59 per cent. of the men who married were under 25 years of age, only

---

Table XIII.—MARRIAGES, 1861. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1861.

| | Number who Married. | | | | Per centage who Married. | | | |
|---|---|---|---|---|---|---|---|---|
| | Under 25 years. | | Above 25 years. | | Under 25 years. | | Above 25 years. | |
| | Men. | Women. | Men. | Women | Men. | Women. | Men. | Women. |
| ENGLAND . . . | 51,426 | 64,775 | 52,268 | 38,919 | 49·593 | 62·466 | 50·407 | 37·534 |
| SCOTLAND . . . | 8,550 | 12,235 | 12,323 | 8,601 | 40·962 | 58·720 | 59·038 | 41·280 |
| Insular Districts . . | 219 | 419 | 698 | 497 | 23·882 | 45·742 | 76·118 | 54·258 |
| Mainland-Rural Dists. | 4,178 | 5,947 | 6,093 | 4,301 | 40·677 | 58·030 | 59·323 | 41·970 |
| Town Districts . . . | 4,153 | 5,869 | 5,532 | 3,803 | 42·777 | 60·680 | 57·223 | 39·320 |

40·96 per cent. were under that age in Scotland; and while 62·46 per cent. of the women who married in England were under 25 years of age, only 58·72 per cent. were under that age in Scotland. People are therefore somewhat older in Scotland when they contract Marriage than they are in England, in consequence of the difficulty of procuring a livelihood being greater in Scotland, and thus causing Marriage to be deferred till a later period of life. To what extent the postponement of Marriage may affect the question of illegitimacy we have at present no means of ascertaining.

But the different Divisions of Scotland exhibit such facts even more strikingly than Scotland and England. Thus, in the North-Western Division, where room for new families is only procured by the death of the old, only 21·10 per cent. of the men, and 49·41 per cent. of the women who married were under 25 years of age. In the Northern Division, where much the same state of matters prevails, only 30·17 per cent. of the men, and 42·75 per cent. of the women who married were under 25 years of age. But in the South-Western Division, where the demand for labour is great from the prosperity of mining and manufactures, no less than 46·100 per cent. of the men, and 64·43 per cent. of the women who married were under 25 years.

These striking facts, then, seem to prove what are the restraints on Marriage in this country. They also prove that these restraints press more heavily on the population of Scotland than on that of England; and thus account for the much larger proportional emigration from Scotland than from England.

To complete the series of Tables given in former Reports, Table XV. is appended, which shows the same facts as the above, but from a different point of view, viz., by comparing the number of Marriages in each Division with the population, and also by comparing the number of men who marry in each Division of Scotland, above and under 25 years of age, with the male population in each Division. By that Table it is seen that in every 10,000 males in each Division of Scotland, only 24 under 25 years of age married in the North-Western Division, 34 in the Northern, 42 in the West-Midland, 48 in the Southern, 50 in the North-Eastern, 61 in the East-Midland, 64 in the South-Eastern, but 73 in the South-Western Division.

TABLE XIV.—MARRIAGES, 1861. Number and Proportion of Men and Women, under and above 25 years of Age, who contracted Marriage in Scotland, and in its Eight Divisions, in 1861.

| DIVISIONS. | Number of Persons Married whose Ages were ascertained. | | Number of Persons Married. | | | | Per Centage to the total Men and Women who Married. | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 25 yrs. | | Above 25 yrs. | | Under 25 yrs. | | Above 25 yrs. | |
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Wom. |
| 1. Northern | 676 | 676 | 204 | 289 | 472 | 387 | 30·177 | 42·751 | 69·823 | 57·249 |
| 2. North-Western | 886 | 884 | 187 | 437 | 699 | 447 | 21·106 | 49·414 | 77·894 | 50·586 |
| 3. North-Eastern | 2,418 | 2,416 | 878 | 1,333 | 1,540 | 1,083 | 36·311 | 55·173 | 63·689 | 44·827 |
| 4. East-Midland | 3,453 | 3,449 | 1,479 | 1,962 | 1,974 | 1,487 | 42·542 | 56·886 | 57·458 | 43·114 |
| 5. West-Midland | 1,365 | 1,361 | 499 | 792 | 866 | 569 | 36·556 | 58·192 | 63·444 | 41·808 |
| 6. South-Western | 7,731 | 7,709 | 3,564 | 4,977 | 4,167 | 2,732 | 46·100 | 64·431 | 53·900 | 35·569 |
| 7. South-Eastern | 3,091 | 3,089 | 1,247 | 1,753 | 1,844 | 1,336 | 40·342 | 56·749 | 59·658 | 43·251 |
| 8. Southern | 1,253 | 1,252 | 492 | 692 | 761 | 560 | 40·861 | 55·271 | 59·138 | 44·729 |
| SCOTLAND | 20,873 | 20,836 | 8,550 | 12,235 | 12,323 | 8,601 | 40·962 | 58·720 | 59·038 | 41·280 |

Of the 20,896 Marriages contracted in Scotland during the year 1861, the conjugal condition of the parties previous to their entrance into the new engagement was ascertained in 20,157 cases. Of these 20,157 Marriages, 17,431 were between bachelors and spinsters, 441 between bachelors and widows, 1768 between widowers and spinsters, and 517 between widowers and widows. These numbers indicate that in every 100 Marriages 86·48 were between bachelors and spinsters, 2·19 were between bachelors and widows, 8·77 were between widowers and spinsters, and 2·56 were between widowers and widows. Table XVI. shows these facts for Scotland, and also for the Insular, the Mainland-Rural, and the Town Districts; and by that Table it will be seen that a very much larger proportion of widowers and of widows re-enter the married state in the Town Districts, than in either the Insular or the Mainland-Rural Districts. This fact is even more distinctly brought out by the last two columns of Table XVII., in which are given the proportion of

TABLE XV.—MARRIAGES, 1861. Number of Persons who married in 1861, and their Proportion to the estimated Population. Also the number of Males under and above 25 years of Age who married in 1861, and their Proportion to the estimated number of Males in Scotland and in its Eight Divisions (the Ages not specified being included).

| DIVISIONS. | Estimated Population to the middle of 1861. | Persons who Married. | | Male Population, Estimated to the middle of 1861. | Number of Men who Married in 1861. | | Per Centage of Men who Married to the Estimated Male Population. | |
|---|---|---|---|---|---|---|---|---|
| | | Number. | Per cent. to the Population. | | Under 25 yrs. | Above 25 yrs. | Under 25 yrs. | Above 25 yrs. |
| 1. Northern . . | 130,506 | 1,354 | 1·036 | 58,909 | 204 | 473 | 0·346 | 0·803 |
| 2. North-Western | 167,119 | 1,774 | 1·061 | 77,832 | 187 | 700 | 0·240 | 0·899 |
| 3. North-Eastern | 367,243 | 4,838 | 1·317 | 173,582 | 878 | 1,541 | 0·505 | 0·887 |
| 4. East-Midland . | 524,017 | 6,914 | 1·319 | 243,037 | 1,481 | 1,976 | 0·613 | 0·813 |
| 5. West-Midland | 242,533 | 2,734 | 1·126 | 118,061 | 500 | 867 | 0·423 | 0·734 |
| 6. South-Western | 1,011,435 | 15,472 | 1·529 | 486,156 | 3,566 | 4,170 | 0·733 | 0·857 |
| 7. South-Eastern | 409,605 | 6,194 | 1·512 | 192,698 | 1,250 | 1,847 | 0·648 | 0·958 |
| 8. Southern . . | 214,175 | 2,512 | 1·126 | 101,432 | 493 | 763 | 0·486 | 0·752 |
| SCOTLAND . | 3,066,633 | 41,792 | 1·362 | 1,451,707 | 8,559 | 12,337 | 0·589 | 0·842 |

TABLE XVI.—MARRIAGES, 1861. Number of Marriages between Persons in different Conjugal Conditions, and their Proportion in every 100 Marriages.

| Districts. | Number of Marriages. | | | | | Proportion in every 100 Marriages. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | Total Marriages condition ascertained. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| Insular . . . . | 850 | 757 | 9 | 69 | 15 | 89·06 | 1·06 | 8·12 | 1·76 |
| Mainland-Rural . . | 9,739 | 8,606 | 164 | 787 | 182 | 88·37 | 1·68 | 8·08 | 1·87 |
| Town . . . . | 9,568 | 8,068 | 268 | 912 | 320 | 84·32 | 2·80 | 9·53 | 3·35 |
| SCOTLAND . . . | 20,157 | 17,431 | 441 | 1768 | 517 | 86·48 | 2·19 | 8·77 | 2·56 |

widowers and of widows in every 100 men or women who married during the year. Thus, in every 100 men who married in each of the great groups of Districts during the year, only 9·8 were widowers in the Insular, and 9·9 in the Mainland-Rural Districts; while 12·8 were widowers in the Town Districts. In like manner, of every 100 women who married, only 2·8 were

TABLE XVII.—MARRIAGES, 1861. Number of Marriages in which the Conjugal Condition was specified; also, the Number of Marriages of Bachelors with Spinsters, Bachelors with Widows, Widowers with Spinsters, and Widowers with Widows; with the Number and Proportion of Men and of Women who re-married in Scotland during 1861.

| | Divisions and Counties. | Total Marriages, condition specified. | Bachelors with Spinsters. | Bachelors with Widows. | Widowers with Spinsters. | Widowers with Widows. | RE-MARRIAGES. Widowers. | Widows. | Proportion of WIDOWERS in every 100 Men who married. | Proportion of WIDOWS in every 100 Women who married. |
|---|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND . . . | 20,157 | 17,431 | 441 | 1768 | 517 | 2285 | 958 | 11·33 | 4·75 |
| | Insular Districts . . | 850 | 757 | 9 | 69 | 15 | 84 | 24 | 9·88 | 2·82 |
| | Mainland-Rural Dists. | 9739 | 8606 | 164 | 787 | 182 | 969 | 346 | 9·94 | 3·55 |
| | Town Districts . . . | 9568 | 8068 | 268 | 912 | 320 | 1232 | 588 | 12·87 | 6·14 |
| I. | NORTHERN DIVISION | 658 | 588 | 8 | 51 | 11 | 62 | 19 | 9·42 | 2·88 |
| II. | NORTH-WESTERN DO. | 806 | 722 | 14 | 63 | 7 | 70 | 21 | 8·68 | 2·60 |
| III. | NORTH-EASTERN DO. | 2355 | 2089 | 35 | 186 | 45 | 231 | 80 | 9·80 | 3·39 |
| IV. | EAST-MIDLAND DO. . | 3342 | 2916 | 64 | 295 | 67 | 362 | 131 | 10·83 | 3·92 |
| V. | WEST-MIDLAND DO. . | 1288 | 1119 | 26 | 111 | 32 | 143 | 58 | 11·10 | 4·50 |
| VI. | SOUTH-WESTERN DO. | 7519 | 6386 | 204 | 673 | 256 | 929 | 460 | 12·35 | 6·11 |
| VII. | SOUTH-EASTERN DO. | 2989 | 2558 | 69 | 283 | 79 | 362 | 148 | 12·11 | 4·95 |
| VIII. | SOUTHERN DO. . . . | 1200 | 1053 | 21 | 106 | 20 | 126 | 41 | 10·50 | 3·41 |
| 1 | Shetland . . . . . | 161 | 143 | 2 | 14 | 2 | 16 | 4 | 9·93 | 2·48 |
| 2 | Orkney . . . . . | 209 | 184 | 1 | 20 | 4 | 24 | 5 | 11·48 | 2·39 |
| 3 | Caithness . . . . | 202 | 184 | 3 | 11 | 4 | 15 | 7 | 7·42 | 3·46 |
| 4 | Sutherland . . . . | 86 | 77 | 2 | 6 | 1 | 7 | 3 | 8·14 | 3·48 |
| 5 | Ross and Cromarty . | 389 | 350 | 7 | 30 | 2 | 32 | 9 | 8·22 | 2·31 |
| 6 | Inverness . . . . | 417 | 372 | 7 | 33 | 5 | 38 | 12 | 9·11 | 2·87 |
| 7 | Nairn . . . . . | 54 | 44 | 1 | 8 | 1 | 9 | 2 | 16·66 | 3·70 |
| 8 | Elgin . . . . . | 239 | 216 | 4 | 15 | 4 | 19 | 8 | 7·95 | 3·34 |
| 9 | Banff . . . . . | 366 | 321 | 3 | 31 | 11 | 42 | 14 | 11·47 | 3·82 |
| 10 | Aberdeen . . . . | 1484 | 1318 | 24 | 116 | 26 | 142 | 50 | 9·56 | 3·30 |
| 11 | Kincardine . . . . | 212 | 190 | 3 | 16 | 3 | 19 | 6 | 8·96 | 2·83 |
| 12 | Forfar . . . . . | 1473 | 1260 | 38 | 142 | 33 | 175 | 71 | 11·88 | 4·82 |
| 13 | Perth . . . . . | 780 | 682 | 13 | 72 | 13 | 85 | 26 | 10·89 | 3·33 |
| 14 | Fife . . . . . | 942 | 847 | 10 | 66 | 19 | 85 | 29 | 9·02 | 3·07 |
| 15 | Kinross . . . . . | 32 | 29 | – | 3 | – | 3 | – | 9·37 | 0·00 |
| 16 | Clackmannan . . . | 115 | 98 | 3 | 12 | 2 | 14 | 5 | 12·17 | 4·44 |
| 17 | Stirling . . . . . | 584 | 504 | 13 | 55 | 12 | 67 | 25 | 11·47 | 4·28 |
| 18 | Dumbarton . . . . | 318 | 281 | 8 | 22 | 7 | 29 | 15 | 9·11 | 4·59 |
| 19 | Argyll . . . . . | 315 | 274 | 3 | 28 | 10 | 38 | 13 | 12·06 | 4·12 |
| 20 | Bute . . . . . | 71 | 60 | 2 | 6 | 3 | 9 | 5 | 12·67 | 7·04 |
| 21 | Renfrew . . . . . | 1263 | 1065 | 50 | 100 | 48 | 148 | 98 | 11·71 | 7·75 |
| 22 | Ayr . . . . . | 1246 | 1064 | 32 | 116 | 34 | 150 | 66 | 12·03 | 5·29 |
| 23 | Lanark . . . . . | 5010 | 4257 | 122 | 457 | 174 | 631 | 296 | 12·59 | 5·90 |
| 24 | Linlithgow . . . . | 218 | 188 | 7 | 18 | 5 | 23 | 12 | 10·55 | 5·50 |
| 25 | Edinburgh . . . . | 2228 | 1901 | 53 | 214 | 60 | 274 | 113 | 12·29 | 5·07 |
| 26 | Haddington . . . . | 229 | 194 | 5 | 23 | 7 | 30 | 12 | 13·05 | 5·24 |
| 27 | Berwick . . . . . | 204 | 185 | 2 | 13 | 4 | 17 | 6 | 8·33 | 2·94 |
| 28 | Peebles . . . . . | 61 | 48 | 1 | 10 | 2 | 12 | 3 | 19·67 | 4·91 |
| 29 | Selkirk . . . . . | 49 | 42 | 1 | 5 | 1 | 6 | 2 | 12·24 | 4·08 |
| 30 | Roxburgh . . . . | 302 | 266 | 4 | 26 | 6 | 32 | 10 | 10·59 | 3·32 |
| 31 | Dumfries . . . . | 457 | 407 | 9 | 33 | 8 | 41 | 17 | 8·97 | 3·72 |
| 32 | Kirkcudbright . . . | 206 | 179 | 5 | 20 | 2 | 22 | 7 | 10·68 | 3·39 |
| 33 | Wigtown . . . . | 235 | 201 | 3 | 27 | 4 | 31 | 7 | 13·19 | 2·98 |

widows in the Insular, and 3·5 in the Mainland-Rural Districts; while 6·1 were widows in the Town Districts.

TABLE XVIII.—MARRIAGES, 1861. Number of Men and Women who signed the Marriage Register by Mark; also the Total Number of Men and of Women who married in 1861; together with the proportion of Men and Women who signed the Register by Mark, and the proportion of those who signed their names in full, in Scotland, and in its several Divisions and Counties.

| | DIVISIONS AND COUNTIES. | MEN. | | | | WOMEN. | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Number of Men who Married. | Number who signed by Mark. | Per centage who signed by Mark. | Per centage who signed their names in full. | Number of Women who Married. | Number who signed by Mark. | Per centage who signed by Mark. | Per centage who signed their names in full. |
| | SCOTLAND . . . | 20,896 | 2217 | 10·60 | 89·39 | 20,896 | 4457 | 21·33 | 78·67 |
| | Insular Districts . . . | 919 | 253 | 27·53 | 72·47 | 919 | 398 | 43·30 | 56·70 |
| | Mainland-Rural Districts | 10288 | 777 | 7·55 | 92·45 | 10288 | 1632 | 15·86 | 84·14 |
| | Town Districts . . . | 9689 | 1187 | 12·25 | 87·75 | 9689 | 2427 | 27·93 | 72·07 |
| I. | NORTHERN DIVISION . | 677 | 41 | 6·05 | 93·95 | 677 | 115 | 16·98 | 83·02 |
| II. | NORTH-WESTERN DO. . | 887 | 329 | 37·09 | 62·91 | 887 | 503 | 56·70 | 43·30 |
| III. | NORTH-EASTERN DO. . | 2419 | 55 | 2·27 | 97·73 | 2419 | 218 | 9·01 | 90·99 |
| IV. | EAST-MIDLAND DO. . . | 3457 | 232 | 6·71 | 93·29 | 3457 | 620 | 17·93 | 82·07 |
| V. | WEST-MIDLAND DO. . | 1367 | 205 | 14·99 | 85·01 | 1367 | 353 | 25·82 | 74·18 |
| VI. | SOUTH-WESTERN DO. . | 7736 | 1113 | 14·38 | 85·62 | 7736 | 2189 | 28·29 | 71·71 |
| VII. | SOUTH-EASTERN DO. . | 3097 | 177 | 5·71 | 94·29 | 3097 | 340 | 10·97 | 89·13 |
| VIII. | SOUTHERN DO. . . . | 1256 | 65 | 5·17 | 94·83 | 1256 | 119 | 9·46 | 90·54 |
| 1 | Shetland . . . . . | 166 | 16 | 9·63 | 90·37 | 166 | 62 | 37·34 | 62·66 |
| 2 | Orkney . . . . . | 210 | 4 | 1·90 | 98·10 | 210 | 10 | 4·76 | 95·24 |
| 3 | Caithness . . . . . | 208 | 10 | 4·80 | 95·20 | 208 | 21 | 10·09 | 89·91 |
| 4 | Sutherland . . . . . | 93 | 11 | 11·82 | 88·18 | 93 | 22 | 23·65 | 76·35 |
| 5 | Ross and Cromarty . . | 426 | 182 | 42·72 | 57·28 | 426 | 260 | 61·03 | 38·97 |
| 6 | Inverness . . . . . | 461 | 147 | 31·88 | 68·12 | 461 | 243 | 52·71 | 47·29 |
| 7 | Nairn . . . . . | 55 | 6 | 10·90 | 89·10 | 55 | 16 | 29·09 | 70·91 |
| 8 | Elgin . . . . . | 242 | 5 | 2·06 | 97·94 | 242 | 22 | 9·09 | 90·91 |
| 9 | Banff . . . . . | 377 | 10 | 2·65 | 97·35 | 377 | 48 | 12·73 | 87·27 |
| 10 | Aberdeen . . . . . | 1529 | 32 | 2·09 | 97·91 | 1529 | 108 | 7·06 | 92·94 |
| 11 | Kincardine . . . . . | 216 | 2 | 0·92 | 99·08 | 216 | 24 | 11·11 | 88·89 |
| 12 | Forfar . . . . . | 1490 | 156 | 10·47 | 89·53 | 1490 | 418 | 28·05 | 71·95 |
| 13 | Perth . . . . . | 825 | 29 | 3·51 | 96·49 | 825 | 70 | 8·49 | 91·51 |
| 14 | Fife . . . . . | 980 | 34 | 3·47 | 96·53 | 980 | 100 | 10·20 | 89·80 |
| 15 | Kinross . . . . . | 36 | – | 0·00 | 100·00 | 36 | 3 | 8·33 | 91·67 |
| 16 | Clackmannan . . . . | 126 | 13 | 10·31 | 89·69 | 126 | 29 | 23·01 | 76·99 |
| 17 | Stirling . . . . . | 613 | 70 | 11·41 | 88·59 | 613 | 145 | 23·65 | 76·35 |
| 18 | Dumbarton . . . . . | 328 | 70 | 21·34 | 78·66 | 328 | 107 | 32·62 | 67·38 |
| 19 | Argyll . . . . . | 351 | 57 | 16·23 | 83·77 | 351 | 93 | 26·49 | 73·51 |
| 20 | Bute . . . . . | 75 | 8 | 10·66 | 89·34 | 75 | 8 | 10·66 | 89·34 |
| 21 | Renfrew . . . . . | 1294 | 210 | 16·23 | 83·77 | 1294 | 406 | 31·37 | 68·63 |
| 22 | Ayr . . . . . | 1343 | 157 | 11·69 | 88·31 | 1343 | 336 | 25·01 | 74·99 |
| 23 | Lanark . . . . . | 5099 | 746 | 14·63 | 85·37 | 5099 | 1447 | 28·37 | 71·63 |
| 24 | Linlithgow . . . . . | 239 | 34 | 14·22 | 85·78 | 239 | 64 | 26·77 | 73·23 |
| 25 | Edinburgh . . . . . | 2287 | 107 | 4·67 | 95·33 | 2287 | 223 | 9·75 | 90·25 |
| 26 | Haddington . . . . . | 246 | 31 | 12·60 | 87·40 | 246 | 40 | 16·26 | 83·74 |
| 27 | Berwick . . . . . | 212 | 4 | 1·88 | 98·12 | 212 | 7 | 3·30 | 96·70 |
| 28 | Peebles . . . . . | 64 | – | 0·00 | 100·00 | 64 | 2 | 3·12 | 96·88 |
| 29 | Selkirk . . . . . | 49 | 1 | 2·04 | 97·96 | 49 | 4 | 8·16 | 91·84 |
| 30 | Roxburgh . . . . . | 308 | 16 | 5·19 | 94·81 | 308 | 25 | 8·11 | 91·89 |
| 31 | Dumfries . . . . . | 480 | 12 | 2·50 | 97·50 | 480 | 39 | 8·12 | 91·88 |
| 32 | Kirkcudbright . . . . | 218 | 13 | 5·96 | 94·04 | 218 | 11 | 5·04 | 94·96 |
| 33 | Wigtown . . . . . | 250 | 24 | 9·60 | 90·40 | 250 | 44 | 17·60 | 82·40 |
| | EDINBURGH . . . | 1543 | 63 | 4·08 | 95·92 | 1543 | 129 | 8·36 | 91·64 |
| | GLASGOW . . . . | 3498 | 537 | 15·35 | 84·65 | 3498 | 1028 | 29·67 | 70·33 |

The proportion of persons who re-marry in Scotland is smaller than in England. Thus, while in Scotland 11·33 in every 100 of the men who married in 1861 were widowers, 13·18 in every 100 were widowers in England during the same year. And while only 4·75 in every 100 women who married in Scotland were widows, 8·80 in every 100 women who married were widows in England.

The comparative state of Elementary Education among the population may be estimated by ascertaining what proportion of the men and of the women who married could sign their names in the Marriage Registers.

During the year 1861, of the 20,896 men who married, 18,679 signed their names in full in the Marriage Registers, and 2217 signed by mark. Of the 20,896 women who married, 16,439 signed their names in full, while 4457 signed by mark. These numbers show that 89·39 per cent. of the men, and 78·67 per cent. of the women who married during the year were able to sign their names in full; while 10·60 per cent. of the men, and 21·33 per cent. of the women were obliged to sign by mark. This is a very much larger proportion of both men and women able to write their names than in England; for in the same year only 75·4 per cent. of the men, and 65·3 per cent. of the women could sign their names by writing in the Marriage Registers of England. It would appear, therefore, that more women can write in Scotland than men in England, and it is the same year after year.

Table XVIII. shows the varying proportions in which men and women could sign their names by writing or by mark in the Marriage Registers of the several Counties, Divisions, and groups of Districts in Scotland; and shows the fact, that a higher proportion both of men and of women can sign their names in writing in the Rural parts of Scotland, than in the Town Districts. Thus, in the Mainland-Rural Districts of Scotland, 92·45 per cent. of the men, and 84·14 per cent. of the women could write their names in full; while in the Town Districts only 87·75 per cent. of the men, and 72·07 per cent. of the women could write their names.

The facts brought to light by Table XVIII. merit the attention of those who devote attention to the education of the people, as they show in what Counties elementary education is most backward. In so far as the test under consideration enables us to judge, the Counties of Ross, Cromarty, and Inverness seem to be in the most backward state as to elementary education, seeing that 31·88 per cent. of the men in Inverness, and 42·72 per cent. in Ross and Cromarty were obliged to sign their names by mark; while, to correspond with this, 52·71 per cent. of the women in Inverness, and 61·03 per cent. in Ross and Cromarty signed by mark. In some Counties and Towns, the large number of Irish in the population increases the proportion of persons who sign by mark. This is notably the case in the Counties of Dumbarton, Renfrew, Lanark, and Wigtown; and is the main cause why the population of Glasgow furnishes upwards of 15 per cent. of males unable to write, while the proportion of men in Edinburgh unable to write is only 4 per cent.

In a very few instances the Registrars note some of the more remarkable facts which come under their observation, and it is to be regretted that such facts are not more frequently recorded by them. Thus one remarks that a woman who was married in 1828 had her first child in 1861, after having been 33 years married. Another states that a labourer, by two successive wives, had 23 lawful children.

## DEATHS.

62,341 Deaths were registered in Scotland during the year 1861, being in the proportion of 203 Deaths in every 10,000 of the population. This was a lower Death-rate than the mean of the six previous years, which, in consequence of the great mortality which prevailed during 1860, reached the high mean of 208 Deaths annually in every 10,000 persons. A year of low mortality often follows one in which the mortality has been excessive; as if all the weaker members of the community had been cut off during the year of high mortality, and those who remained were the more able to resist the causes of Death during the year which followed.

The above mortality, however, was much below the Death-rate of England for the same year, which was in the proportion of 216 Deaths in every 10,000 of the population, the average annual mortality of the six previous years having been 219 Deaths in every 10,000 persons. Both in England and in Scotland, therefore, the year 1861 was one in which the mortality was lower than usual.

It is now an established fact that the inhabitants of the Insular and Mainland-Rural Districts are more healthy, and die at a much lower rate, than the inhabitants of the Town Districts. Thus, in 1861, while the inhabitants of the Insular Districts were only cut off at the rate of 159 Deaths in every 10,000 persons, and those of the Mainland-Rural Districts at the rate of 174 Deaths in the same population, the inhabitants of the Town Districts suffered at the rate of 253 Deaths in every 10,000 persons.

The mortality in the Eight Principal Towns of Scotland varied considerably during 1861, being highest in Glasgow and lowest in Leith. Thus, in every 10,000 persons in each of these Eight Towns, 212 died in Leith during the year, 240 in Aberdeen, 244 in Edinburgh, 252 in Greenock, 254 in Paisley, 260 in Dundee, 262 in Perth, and 275 in Glasgow. Table XIX. shows the mortality which prevailed in each of these Towns during the seven years 1855 to 1861 inclusive. From that Table it appears, that in every 10,000 persons living in each of these Towns, 223 died annually in Leith, 239 in Aberdeen, 242 in Edinburgh, 252 in Perth, 267 in Paisley, 270 in Dundee, 296 in Glasgow, and 297 in Greenock. It would thus ap-

TABLE XIX.—TOWN DEATHS, 1855–1861. Per-Centage of Deaths to the Estimated Population of each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality during these Seven Years.

| Towns. | Per Centage of Deaths to Population. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 1855. | 1856. | 1857. | 1858. | 1859. | 1860. | 1861. | Mean Annual Mortality. |
| Glasgow . . | 2·99 | 2·84 | 3·08 | 3·05 | 2·83 | 3·19 | 2·75 | 2·96 |
| Edinburgh . | 2·57 | 2·49 | 2·26 | 2·49 | 2·19 | 2·50 | 2·44 | 2·42 |
| Dundee . . | 2·53 | 2·84 | 2·57 | 2·64 | 2·53 | 3·20 | 2·60 | 2·70 |
| Aberdeen . . | 2·28 | 2·26 | 2·34 | 2·20 | 2·28 | 2·97 | 2·40 | 2·39 |
| Paisley . . | 2·76 | 2·30 | 3·02 | 2·67 | 2·49 | 2·90 | 2·54 | 2·67 |
| Greenock . . | 3·38 | 3·03 | 3·06 | 2·59 | 3·34 | 2·90 | 2·52 | 2·97 |
| Leith . . . | 1·96 | 2·39 | 2·17 | 2·26 | 1·98 | 2·76 | 2·12 | 2·23 |
| Perth . . . | 2·19 | 2·19 | 3·10 | 2·67 | 2·24 | 2·64 | 2·62 | 2·52 |

pear that, on the average of years, Leith and Aberdeen are the most healthy of these Towns; Greenock and Glasgow the most unhealthy.

Ever since the Registration Act gave us the means of ascertaining the fact, it would appear that in Scotland the mortality of the males is constantly higher than that of the females. Thus, if we take the seven years 1855 to 1861 inclusive, it appears that the male Death-rate was 217 Deaths annually in every 10,000 males, while the female Death-rate was only 198 Deaths in every 10,000 females. During 1861 the proportional Death-rate of the respective sexes closely corresponded with the above, seeing that 212 males died in every 10,000 males, but only 194 females in every 10,000 females.

This higher male mortality occurred at almost every period of life; the only exceptions during 1861 being during the fourth and fifth years of life, from 10 to 15 years of age, and between 30 and 40 years. At these ages, in 1861, the female mortality was very slightly higher than the male. It would appear, however, that if we take a series of years (1855 to 1861), the female mortality is always slightly above that of the male during the third and fifth years of life, and also between 10 and 15 years. But at all other ages the male Death-rate exceeds the female, and strikingly exceeds it during the first year of life, when the two sexes are clothed, fed, and treated in all respects alike.

As it gives a much more just idea of the relative mortality of the sexes to take a series of years, Table XX. is drawn up to show the mean annual mortality of males and females in Scotland at each period of life during the seven years 1855 to 1861 inclusive. By that Table it appears that during the first year of life 14·955 male children die annually out of every 100 male children living, while only 12·467 female children die annually out of every 100 female children. This striking fact proves that when the sexes are treated in everything alike, the tendency to death in the male at that period of life exceeds that of the female as 15 exceeds 12½. This greater tendency to death in the male continues to exhibit itself during the fourth year of life; but during the second, the third, and the fifth years of life the female mortality slightly exceeds the male. From the fifth to the thirtieth year of life the mortality or Death-rate of the inhabitants of Scotland remains considerably below one per cent.; but both with males and females the most healthy period of life, and during which there are fewer Deaths than at any previous or subsequent age, is from the tenth to the fifteenth year of life. In both sexes the annual mortality is below a half of a per

Table XX.—Mean Annual Per-Centage of Deaths to the Population at different Ages in Scotland, during the Seven Years 1855 to 1861 inclusive.

| AGES. | Per Centage of Deaths to the Population. | | AGES. | Per Centage of Deaths to the Population. | |
|---|---|---|---|---|---|
| | Males. | Females. | | Males. | Females. |
| Under 1 Year | 14·955 | 12·467 | 30—40 | 1·059 | 1·009 |
| 2 | 7·043 | 7·065 | 40—50 | 1·379 | 1·168 |
| 3 | 3·417 | 3·488 | 50—60 | 2·078 | 1·765 |
| 4 | 2·320 | 2·290 | 60—70 | 3·850 | 3·285 |
| 5 | 1·689 | 1·716 | 70—80 | 9·344 | 8·233 |
| | | | 80—90 | 19·700 | 17·860 |
| Total under 5 Yrs. | 6·103 | 5·567 | 90—100 | 37·946 | 36·651 |
| 5—10 | 0·949 | 0·861 | 100 and above | 39·523 | 43·698 |
| 10—15 | 0·487 | 0·491 | | | |
| 15—20 | 0·723 | 0·651 | Total all Ages | 2·177 | 1·989 |
| 20—30 | 0·990 | 0·802 | | | |

centage of the living at these ages, and during that period the males die in rather smaller proportions than the females.

From the age of 15 the women begin to marry, and it might have been imagined that the superadded dangers of child-birth would, at the child-bearing ages (15–45), have raised the female Death-rate higher than the male. But a seven years' result proves that in Scotland the female Death-rate at these ages is lower than the male Death-rate. Thus, in every 10,000 persons of each sex at each age, only 65 females, but 72 males, die annually between the ages of 15 and 20; 80 females, but 99 males, die annually between the ages of 20 and 30; 100 females, but 106 males, die annually between the ages of 30 and 40; while only 116 females, but 138 males, die annually between the ages of 40 and 50. Thus, at every one of these ages females die in smaller proportions than males.

The same higher Death-rate among the males presents itself till the close of life, so that (with the exception of the second, third, and fifth years of life, and again from the tenth to the fifteenth year) it may safely be said that, as a general rule, the male Death-rate at every period of life is higher in Scotland than the female Death-rate. It must be remembered that each country has its own peculiarity even in this respect; for in some of the Continental States, though the male Death-rate is higher than that of the female during the earlier years of existence, the female Death-rate exceeds that of the male during all the active and adult period of life.

But a most important inquiry, and one which from want of facts has not hitherto been investigated, is, What is the effect of Marriage on female

---

TABLE XXI.—DEATHS, 1861. Population of Scotland at Different Ages in 1861, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | SCOTLAND, 1861. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION.* | | DEATHS. | | Per Cent. of Deaths to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 46,114 | 44,467 | 6,653 | 5,216 | 14·427 | 11·707 |
| — 2 | 42,157 | 40,836 | 2,859 | 2,683 | 6·758 | 6·570 |
| — 3 | 42,498 | 41,177 | 1,396 | 1,347 | 3·284 | 3·271 |
| — 4 | 41,085 | 40,157 | 871 | 865 | 2·109 | 2·154 |
| — 5 | 40,427 | 38,928 | 611 | 600 | 1·511 | 1·541 |
| Total under 5 Years | 212,281 | 205,565 | 12,390 | 10,711 | 5·836 | 5·210 |
| 5—10 | 184,553 | 179,143 | 1,579 | 1,480 | 0·855 | 0·826 |
| 10—15 | 165,332 | 157,850 | 805 | 791 | 0·486 | 0·501 |
| 15—20 | 150,621 | 157,232 | 1,077 | 1,097 | 0·715 | 0·697 |
| 20—30 | 229,780 | 284,930 | 2,323 | 2,449 | 1·010 | 0·859 |
| 30—40 | 169,940 | 207,458 | 1,748 | 2,135 | 1·028 | 1·029 |
| 40—50 | 136,827 | 161,932 | 1,820 | 1,946 | 1·330 | 1·201 |
| 50—60 | 99,815 | 119,413 | 2,101 | 2,035 | 2·104 | 1·712 |
| 60—70 | 65,480 | 86,424 | 2,619 | 2,846 | 3·999 | 3·293 |
| 70—80 | 28,639 | 41,086 | 2,629 | 3,288 | 9·179 | 8·002 |
| 80—90 | 7,803 | 12,646 | 1,478 | 2,212 | 18·941 | 17·491 |
| 90—100 | 606 | 1,190 | 235 | 406 | 38·778 | 34·118 |
| 100 and above | 30 | 57 | 19 | 23 | 63·333 | 40·350 |
| Not stated | – | – | 67 | 32 | – | – |
| ALL AGES | 1,451,707 | 1,614,926 | 30,890 | 31,451 | 2·127 | 1·947 |
| BOTH SEXES | 3,066,633 | | 62,341 | | 2·032 | |

* The Populations of this and of the three following Tables are estimated to the middle of the year, and hence do not accord with the numbers taken at the Census on 8th April 1861.

life, both during the period of child-bearing, and after that period of life has passed?

In order to throw light on this interesting subject, Table XXV. has been prepared. That Table gives in the first column the number of Married women (Wives) and Widows living in Scotland at every quinquennial period of life, on the 30th of June 1861; and in the third column, the number of Unmarried women above 15 years of age, also at every quinquennial period of life. It then gives in the second column the Deaths during the year 1861 among the Married and Widowed females; and in the fourth column, the Deaths among the Unmarried women at each age; and, lastly, it gives the per-centage of Deaths among the Married and the Unmarried women living at each age.

The first striking fact which that Table seems to bring to light is, that the general Death-rate among the Married women is very much higher than that among the Unmarried; so that, while only 1240 Unmarried women above 15 years of age died during the year out of every 100,000 Unmarried women, 2109 Married women died out of a like number of Married women. If we trusted, therefore, to these total proportions, we should infer that Married life, taken as a whole, nearly doubled the mortality of the female; for these numbers seem to prove, that in an equal number of Married and Unmarried females, *seven Married* women would die annually for every *four Unmarried.* This would indeed be a fearful difference, and would show in the strongest light the superadded dangers to the female which the Married life brings. But the conclusion would be a mistake, arising from the fact that the difference is caused by the number of

---

TABLE XXII.—DEATHS, 1861. Population of Insular Districts of Scotland at Different Ages; the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | INSULAR DISTRICTS, 1861. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION. | | DEATHS. | | Per Cent. of Deaths to the Population at each Age. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,992 | 1,881 | 185 | 146 | 9·287 | 7·761 |
| — 2 | 1,922 | 1,867 | 74 | 73 | 3·850 | 3·910 |
| — 3 | 2,029 | 2,002 | 43 | 37 | 2·019 | 1·848 |
| — 4 | 1,982 | 1,898 | 27 | 24 | 1·362 | 1·264 |
| — 5 | 2,066 | 1,939 | 18 | 20 | 0·871 | 1·031 |
| Total under 5 Years | 9,991 | 9,587 | 347 | 300 | 3·473 | 3·129 |
| 5—10 | 9,472 | 9,196 | 74 | 64 | 0·781 | 0·695 |
| 10—15 | 8,688 | 8,405 | 20 | 33 | 0·230 | 0·392 |
| 15—20 | 7,521 | 8,278 | 38 | 39 | 0·505 | 0·422 |
| 20—30 | 10,227 | 14,418 | 124 | 91 | 1·212 | 0·631 |
| 30—40 | 7,623 | 10,947 | 77 | 65 | 1·010 | 0·593 |
| 40—50 | 6,397 | 8,749 | 56 | 65 | 0·875 | 0·742 |
| 50—60 | 5,570 | 7,015 | 90 | 92 | 1·615 | 1·311 |
| 60—70 | 4,634 | 6,055 | 128 | 138 | 2·762 | 2·279 |
| 70—80 | 2,309 | 3,137 | 144 | 204 | 6·236 | 6·503 |
| 80—90 | 804 | 1,302 | 101 | 169 | 12·506 | 12·903 |
| 90—100 | 85 | 156 | 29 | 51 | 34·129 | 32·692 |
| 100 and above | 4 | 19 | – | 8 | – | 42·105 |
| Not stated | – | – | 7 | 8 | – | – |
| ALL AGES | 73,325 | 87,264 | 1,235 | 1,327 | 1·684 | 1·520 |
| BOTH SEXES | 160,589 | | 2,562 | | 1·595 | |

Unmarried women being far greatest at that period of life when the mortality is very low, viz., from 15 to 20 years of life, whereas the number of Married women is greatest at those periods of life when the mortality is high, seeing that the mortality increases with age. Thus the maximum number of Married women is not attained till between the 30th and 35th year of life; whereas the maximum number of Unmarried women is from the 15th to the 20th year of life, at which age the mortality is always a third lower.

But all females above 15 years of age may be divided into two marked groups or divisions: 1st, Females at the ages when they are capable of bearing children, viz., from 15 to 45 years of age; and, 2d, Females past the child-bearing age, viz., from 45 to the close of life. Let us see what light the Table throws on the mortality of the Married and the Unmarried when thus grouped.

When the females above 15 years of age are arranged in these two groups, we arrive at the second striking fact which this Table reveals, viz., that the increased mortality of the Married female is limited to the child-bearing age (15 to 45 years), whereas above that age, the Married female dies at a considerably lower rate than the Unmarried female. Thus, in every 100,000 Married women between the ages of 15 and 45 years, 1003 died during the year; but, in an equal number of Unmarried women, only 821 died during the year. In other words, at the ages 15 to 45 years, in an equal number of Married and of Unmarried women, 10 Married women died for every eight Unmarried women.

But even this mode of estimating the comparative mortality of the

---

TABLE XXIII.—DEATHS, 1861. Population of the Mainland-Rural Districts at Different Ages; the number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | MAINLAND-RURAL DISTRICTS, 1861. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION. | | DEATHS. | | Proportion of DEATHS to Population. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 26,050 | 25,166 | 3,003 | 2,295 | 11·527 | 9·119 |
| — 2 | 24,648 | 23,808 | 1,072 | 1,040 | 4·349 | 4·368 |
| — 3 | 24,918 | 24,128 | 592 | 548 | 2·375 | 2·267 |
| — 4 | 24,443 | 26,618 | 364 | 363 | 1·488 | 1·363 |
| — 5 | 24,140 | 23,193 | 266 | 245 | 1·102 | 1·056 |
| Total under 5 Years | 124,199 | 119,913 | 5,297 | 4,491 | 4·264 | 3·912 |
| 5—10 | 111,361 | 107,077 | 810 | 754 | 0·727 | 0·704 |
| 10—15 | 100,617 | 94,865 | 451 | 434 | 0·448 | 0·457 |
| 15—20 | 88,924 | 87,491 | 590 | 584 | 0·663 | 0·667 |
| 20—30 | 125,054 | 148,386 | 1,197 | 1,158 | 0·957 | 0·780 |
| 30—40 | 93,862 | 111,139 | 794 | 998 | 0·845 | 0·808 |
| 40—50 | 78,327 | 89,640 | 818 | 877 | 1·044 | 0·978 |
| 50—60 | 60,259 | 68,580 | 1,011 | 939 | 1·677 | 1·369 |
| 60—70 | 41,724 | 51,849 | 1,443 | 1,511 | 3·458 | 2·914 |
| 70—80 | 19,552 | 26,444 | 1,657 | 1,957 | 8·423 | 7·400 |
| 80—90 | 5,575 | 8,590 | 1,025 | 1,484 | 18·385 | 17·275 |
| 90—100 | 428 | 794 | 168 | 272 | 39·252 | 34·257 |
| 100 and above | 23 | 32 | 15 | 11 | 65·217 | 34·375 |
| Not stated | – | – | 53 | 15 | – | – |
| ALL AGES | 849,905 | 914,800 | 15,329 | 15,485 | 1·803 | 1·692 |
| BOTH SEXES | 1,764,705 | | 30,814 | | 1·746 | |

Married and the Unmarried makes that of the Married women to appear greater than it really is, because, as was pointed out with regard to the total proportions, the ages differ so widely at which the greatest number of Married and Unmarried women are met with.

Above the age of 45, however, all is reversed; for in every 100,000 Married women above that age 3495 died during the year; while in an equal number of Unmarried women at the same ages 3691 Deaths occurred. This fact proves, that as soon as the child-bearing age ceases, the life of the Married woman becomes more valuable, and the mortality lower than that of the Unmarried woman at the same age.

These facts then prove that it is child-bearing which is the cause of the high mortality of the Married female at the child-bearing ages; but that as soon as she gets past that period of life, her chances of life are superior to that of the Unmarried female.

It is, however, only by a close and accurate comparison of the mortality of the Married and Unmarried females at every quinquennial period of life, that a true idea of the Death-rates of each can be obtained, and such a comparison is not liable to any fallacy. In a small population like that of Scotland, it is true that the proportions may vary slightly from year to year, but the general results will always correspond, so that every confidence may be put in the results which the Table brings to light.

When the proportional Death-rates at the quinquennial periods of life are compared, it is seen that the high Death-rate of the Married female appears to be confined to the ages under 30 years; but that from 30 to 35, and again from 35 to 40 years, the Death-rate of the Married female falls below that of the Unmarried.

---

TABLE XXIV.—DEATHS, 1861. Population of the Town Districts at Different Ages; the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

| AGES. | TOWN DISTRICTS, 1861. | | | | | |
|---|---|---|---|---|---|---|
| | POPULATION. | | DEATHS. | | Per Cent. of Deaths to the Population at each Age. | |
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 18,072 | 17,420 | 3,465 | 2,775 | 19·173 | 15·929 |
| — 2 | 15,588 | 15,161 | 1,713 | 1,570 | 10·989 | 10·355 |
| — 3 | 15,550 | 15,047 | 761 | 762 | 4·893 | 5·064 |
| — 4 | 14,660 | 14,641 | 480 | 478 | 3·274 | 3·264 |
| — 5 | 14,220 | 13,796 | 327 | 335 | 2·292 | 2·427 |
| Total under 5 Years | 78,090 | 76,065 | 6,746 | 5,920 | 8·638 | 7·782 |
| 5—10 | 63,720 | 62,870 | 695 | 762 | 1·090 | 1·212 |
| 10—15 | 56,024 | 54,580 | 334 | 324 | 0·595 | 0·593 |
| 15—20 | 54,175 | 61,463 | 449 | 474 | 0·828 | 0·771 |
| 20—30 | 94,506 | 122,126 | 1,002 | 1,200 | 1·060 | 0·983 |
| 30—40 | 68,461 | 85,372 | 877 | 1,072 | 1·281 | 1·255 |
| 40—50 | 52,105 | 63,543 | 946 | 904 | 1·815 | 1·422 |
| 50—60 | 33,986 | 43,818 | 1,000 | 1,004 | 2·942 | 2·291 |
| 60—70 | 19,116 | 28,520 | 1,048 | 1,197 | 5·482 | 4·197 |
| 70—80 | 6,776 | 11,505 | 828 | 1,127 | 12·218 | 9·795 |
| 80—90 | 1,421 | 2,754 | 352 | 559 | 24·771 | 20·297 |
| 90—100 | 93 | 240 | 38 | 83 | 40·860 | 34·583 |
| 100 and above | 4 | 6 | 4 | 4 | 100·000 | 66·666 |
| Not stated | – | – | 7 | 9 | – | – |
| ALL AGES | 528,477 | 612,862 | 14,326 | 14,639 | 2·710 | 2·387 |
| BOTH SEXES | 1,141,339 | | 28,965 | | 2·537 | |

But the striking fact is, that the mortality of the Married females between the ages of 15 and 20 years is higher than that of the Married females even during the next three quinquennial ages; viz., it is higher than the mortality of the Married females at the ages 20 to 25, 25 to 30, and 30 to 35 years. This is very remarkable, seeing that the mortality, as a general rule, increases with age; and the fact brought to light by the Table, that the mortality of the Married woman between 15 and 20 years of age is much greater than at the three immediately higher quinquennial ages, seems to indicate that marrying before the frame has acquired its full development, causes the woman to run greater risk of her life than if Marriage had been delayed till the full growth was completed.

But it is between 15 and 20 years of age that the greatest difference occurs between the mortality of the Married and that of the Unmarried female. Thus, according to the Table, it would appear that in every 100,000 Married women at that age, 983 Deaths occurred; while in an equal number of Unmarried women at the same ages only 691 Deaths occurred. In other words, supposing Married and Unmarried were in equal numbers between 15 and 20 years of age, 10 Married would die for every 7 Unmarried.

At the next quinquennial period of life, viz., between the ages of 20 and 25 years, it appears that in every 100,000 Married women 910 Deaths occurred; while in an equal number of Unmarried women only 783 Deaths took place. In other words, in equal numbers of each class from 20 to 25 years of age, 9 Married women would die for every 8 Unmarried women; so that the difference was much less between the Death-rates of the Married and the Unmarried at that age than at the previous or junior age.

From the 25th to the 30th year of life, the difference in the Death-rates

TABLE XXV.—Population and Deaths of the Married and Unmarried Females at Different Ages in Scotland in 1861; and the proportion of Deaths to the respective Populations at each Age.

| AGES Above 15 Years. | Married and Widowed Women in 1861. | | | Unmarried Women above 15 Years in 1861. | | |
|---|---|---|---|---|---|---|
| | Population. | Deaths. | Per Cent. of Deaths to Population. | Population. | Deaths. | Per Cent. of Deaths to Population. |
| 15—20 | 3,356 | 33 | 0·983 | 153,877 | 1,064 | 0·691 |
| 20—25 | 39,662 | 361 | 0·910 | 113,443 | 889 | 0·783 |
| 25—30 | 71,171 | 651 | 0·928 | 60,650 | 548 | 0·903 |
| 30—35 | 77,010 | 714 | 0·927 | 34,732 | 337 | 0·941 |
| 35—40 | 71,503 | 798 | 1·116 | 24,213 | 286 | 1·181 |
| 40—45 | 69,230 | 773 | 1·116 | 19,568 | 217 | 1·109 |
| 45—50 | 58,568 | 744 | 1·270 | 14,568 | 212 | 1·455 |
| 50—55 | 54,153 | 785 | 1·449 | 13,890 | 219 | 1·576 |
| 55—60 | 41,214 | 820 | 1·989 | 10,156 | 211 | 2·077 |
| 60—65 | 42,151 | 1,117 | 2·649 | 11,341 | 308 | 2·715 |
| 65—70 | 26,094 | 1,114 | 4·269 | 6,838 | 307 | 4·489 |
| 70—75 | 20,233 | 1,341 | 6·627 | 5,515 | 368 | 6·672 |
| 75—80 | 12,126 | 1,267 | 10·448 | 3,213 | 312 | 9·741 |
| 80—85 | 7,454 | 1,126 | 15·105 | 1,977 | 321 | 16·236 |
| 85—90 | 2,636 | 611 | 23·179 | 579 | 154 | 26·597 |
| 90—95 | 759 | 244 | 32·147 | 181 | 72 | 39·778 |
| 95—100 | 202 | 73 | 36·138 | 48 | 17 | 35·416 |
| 100 and above | 34 | 17 | 50·000 | 23 | 6 | 26·087 |
| Not stated | – | 17 | – | – | 15 | – |
| Total, 15—105 Yrs. | 597,556 | 12,606 | 2·109 | 474,812 | 5,863 | 1·240 |
| In Two Groups, | | | | | | |
| 15—45 | 331,932 | 3,332 | 1·003 | 406,483 | 3,341 | 0·821 |
| 45—105 | 265,624 | 9,274 | 3·495 | 68,329 | 2,522 | 3·691 |

of the Married and the Unmarried is slight, inasmuch as 928 Deaths occurred in every 100,000 Married women, while 903 Deaths occurred in a like number of Unmarried.

From the 30th year of life, the chances appear to be in favour of Married life, inasmuch as the Table shows that between 30 and 35 years of age only 927 Deaths occurred in every 100,000 Married women; whereas 941 Deaths occurred in a like number of Unmarried women at the same ages.

The same is seen at the next age, viz., from 35 to 40 years of age; for while only 1116 Deaths occurred among every 100,000 Married women, there were 1181 Deaths in a like number of Unmarried women at the same ages.

It seems to be unnecessary to compare the relative Death-rates of the Married and Unmarried females above this age. Speaking generally, it may be said that at every age above 30 years, the mortality of the Married female is lower than that of the Unmarried, so that the higher mortality of the Married female is confined to the ages under 30 years.

The important question for solution, therefore, is, what is the cause of the mortality of the Married female being so much higher than that of the Unmarried at the three quinquennial ages, 15–20, 20–25, and 25–30? To aid us in such an inquiry, some additional facts are required; and they are so far supplied by Tables which were published for Edinburgh and Glasgow in our Second Detailed Annual Report. From these Tables it appears that in Edinburgh and Glasgow in 1855, of 16,573 mothers, 9274 were under 30 years of age, and 7299 above that age. That is to say, that, speaking in a very general way, nearly as many women above 30 years as under that age bore children in these Towns during 1855. Now it may be assumed

---

TABLE XXVI.—GLASGOW, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION.* | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 6,887 | 6,503 | 1,425 | 1,119 | 20·691 | 17·207 |
| — 2 | 5,619 | 5,510 | 832 | 733 | 14·806 | 13·303 |
| — 3 | 5,424 | 5,365 | 326 | 340 | 6·010 | 6·337 |
| — 4 | 5,075 | 5,128 | 196 | 192 | 3·862 | 3·744 |
| — 5 | 4,899 | 4,733 | 128 | 139 | 2·612 | 2·725 |
| Total under 5 Years | 27,904 | 27,239 | 2,907 | 2,523 | 10·417 | 9·299 |
| 5—10 | 21,312 | 21,084 | 249 | 254 | 1·168 | 1·204 |
| 10—15 | 18,660 | 18,290 | 122 | 131 | 0·653 | 0·715 |
| 15—20 | 19,664 | 21,880 | 170 | 187 | 0·849 | 0·854 |
| 20—30 | 36,412 | 45,167 | 364 | 474 | 0·999 | 1·049 |
| 30—40 | 25,486 | 30,398 | 359 | 401 | 1·408 | 1·319 |
| 40—50 | 18,592 | 21,536 | 360 | 353 | 1·935 | 1·638 |
| 50—60 | 10,936 | 13,682 | 342 | 345 | 3·136 | 2·521 |
| 60—70 | 5,535 | 8,169 | 332 | 378 | 5·898 | 4·627 |
| 70—80 | 1,519 | 2,782 | 181 | 306 | 11·915 | 10·999 |
| 80—90 | 283 | 560 | 61 | 116 | 21·554 | 20·714 |
| 90—100 | 19 | 53 | 2 | 9 | 10·526 | 16·981 |
| 100 and above | – | 1 | – | – | – | – |
| Not stated | – | – | 4 | 6 | – | – |
| ALL AGES | 186,322 | 210,841 | 5,453 | 5,483 | 2·926 | 2·610 |
| BOTH SEXES | 397,163 | | 10,936 | | 2·754 | |

* The Populations of this and of the seven following Tables are all calculated to the middle of the year, and therefore do not correspond with the Census numbers, which are for the 8th of April only.

that the relative proportions of women under and above 30 years of age, who annually bear children in Scotland, are much the same; let us, therefore, apply this knowledge to the solution of the above problem.

If nearly an equal number of women above and under 30 years of age bear children, and if it be found, as Table XXV. proves, that the mortality of the Married female is only greater than that of the Unmarried female below 30 years, while, above that age, fewer Married females die than Unmarried; the conclusion seems irresistible that the greater mortality of the Married female under 30 years of age cannot be owing simply to child-bearing, because it does not increase the mortality of the Married female above 30 years of age. But that Table just as distinctly proves that it is some danger connected with Married life, because the Unmarried females under 30 years of age are not subject to it; and that it is a danger which is greatest during the earlier years of marriage, and which disappears as life advances. Every medical practitioner seeing these facts would at once suggest, as the explanation, that this additional danger during the earlier years of Marriage is the birth of the first child. It is a well-known fact that the risk to the mother is far greater at the birth of her first child, than at any subsequent delivery; and it is extremely probable that the whole extra mortality of the Married female under 30 years of age, over that of the Unmarried at the same ages, may be caused by the greater dangers which attend the delivery of the first child. This can almost be demonstrated to be the true explanation.

If we throw the Tables above referred to, having reference to the ages of the mothers in Edinburgh and Glasgow in 1855, into another form, as here given, they will show us the number of mothers in these Towns at each quinquennial period of life, the numbers who at each age bore their

---

TABLE XXVII.—EDINBURGH, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 2,229 | 2,337 | 408 | 365 | 17·855 | 15·618 |
| — 2 | 2,002 | 2,007 | 174 | 192 | 8·691 | 9·566 |
| — 3 | 1,975 | 1,916 | 110 | 98 | 5·569 | 5·114 |
| — 4 | 1,849 | 1,905 | 65 | 67 | 3·461 | 3·516 |
| — 5 | 1,934 | 1,764 | 54 | 42 | 2·792 | 2·380 |
| Total under 5 Years | 9,989 | 9,929 | 811 | 764 | 8·119 | 7·693 |
| 5—10 | 8,689 | 8,547 | 90 | 78 | 1·035 | 0·912 |
| 10—15 | 7,962 | 7,771 | 35 | 27 | 0·439 | 0·347 |
| 15—20 | 8,009 | 9,763 | 53 | 50 | 0·661 | 0·512 |
| 20—30 | 14,498 | 19,471 | 174 | 179 | 1·200 | 0·919 |
| 30—40 | 9,838 | 13,390 | 151 | 182 | 1·534 | 1·359 |
| 40—50 | 7,463 | 10,380 | 162 | 156 | 2·170 | 1·502 |
| 50—60 | 5,132 | 7,588 | 143 | 175 | 2·788 | 2·306 |
| 60—70 | 3,094 | 5,114 | 190 | 192 | 6·198 | 3·754 |
| 70—80 | 1,203 | 2,092 | 166 | 204 | 13·798 | 9·751 |
| 80—90 | 225 | 466 | 77 | 83 | 34·204 | 17·832 |
| 90—100 | 9 | 40 | 7 | 17 | 77·777 | 42·500 |
| 100 and above | 1 | 1 | 1 | 1 | 100·000 | 100·000 |
| Not stated | – | – | – | – | – | – |
| ALL AGES | 76,112 | 94,552 | 2,060 | 2,108 | 2·706 | 2·229 |
| BOTH SEXES | 170,664 | | 4,168 | | 2·442 | |

first child, and the proportion of mothers bearing their first child to every 100 mothers at each age. We have then the following interesting result:—

| Ages of Mothers. | Total Number of Mothers. | Number of Mothers bearing their First Child. | Proportion of Mothers bearing their First Child to every 100 Mothers. |
|---|---|---|---|
| 15—20 Years | 403 | 354 | 87·8 |
| 20—25 | 3,814 | 1,921 | 50·3 |
| 25—30 | 5,057 | 1,019 | 20·1 |
| 30—35 | 3,943 | 331 | 8·3 |
| 35—40 | 2,395 | 124 | 5·1 |
| 40 & above | 961 | 32 | 3·3 |

Between the ages of 15 and 20 years, 87 per cent. of the mothers were confined with their first child. Between the ages of 20 and 25 years, 50 per cent. of the mothers were confined with their first child. Between 25 and 30 years, only 20 per cent. of the mothers were confined with their first child; and the proportion diminished to 8, 5, and 3 per cent. at the three succeeding quinquennial periods of life.

Assuming, therefore, that in all Scotland, the proportion of mothers bearing their first child is at each age the same as in these Towns, and comparing these proportions with those of the Married women who died at each quinquennial period of life, we are almost driven to the conclusion that the excessive mortality in the Married female, as compared with that of the Unmarried at the same ages, is almost solely due to the superadded dangers which attend the birth of the first child. That, in fact, after the birth of her first child, the Married female, even during the rest of her child-bearing life, has an equal chance of life with the Unmarried, and has a better life than the Unmarried after she has passed her 30th year.

TABLE XXVIII.—DUNDEE, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,495 | 1,374 | 368 | 256 | 24·615 | 18·631 |
| — 2 | 1,165 | 1,172 | 121 | 122 | 10·386 | 10·409 |
| — 3 | 1,311 | 1,160 | 73 | 79 | 5·568 | 6·810 |
| — 4 | 1,1 8 | 1,119 | 59 | 51 | 5·184 | 4·557 |
| — 5 | 1,100 | 1,120 | 37 | 28 | 3·363 | 2·500 |
| Total under 5 Years | 6,209 | 5,945 | 658 | 536 | 10·597 | 9·015 |
| 5—10 | 5,158 | 5,107 | 85 | 58 | 1·647 | 1·135 |
| 10—15 | 4,468 | 4,406 | 24 | 29 | 0·537 | 0·658 |
| 15—20 | 4,065 | 5,405 | 38 | 37 | 0·934 | 0·684 |
| 20—30 | 6,783 | 11,210 | 50 | 87 | 0·737 | 0·776 |
| 30—40 | 5,069 | 7,337 | 63 | 104 | 1·242 | 1·417 |
| 40—50 | 3,878 | 5,287 | 69 | 103 | 1·779 | 1·948 |
| 50—60 | 2,884 | 3,659 | 86 | 91 | 2·981 | 2·487 |
| 60—70 | 1,420 | 2,153 | 86 | 85 | 6·056 | 3·947 |
| 70—80 | 469 | 756 | 61 | 86 | 13·006 | 11·377 |
| 80—90 | 80 | 177 | 15 | 37 | 18·750 | 20·903 |
| 90—100 | 12 | 17 | 4 | 6 | 33·333 | 35·294 |
| 100 and above | 1 | – | 1 | – | 100,000 | – |
| Not stated | – | – | – | – | – | – |
| ALL AGES | 40,496 | 51,459 | 1,240 | 1,259 | 3·062 | 2·446 |
| BOTH SEXES | 91,955 | | 2,499 | | 2·608 | |

In order fully to have investigated this subject, the inquiry ought to have been carried one step further, so as to ascertain positively whether a higher Death-rate does attend the Birth of the first child. But the Schedules now in use in Scotland for the Registration of Births and Deaths, do not furnish us with all the information required for settling this question; so that, in the meantime, we must rest satisfied with the above approximations. Should we ever have spare time, however, it is intended to abstract the required particulars from the Register Books of 1855, which embrace a much greater number of details than those now in use.

During the year 1861, it would appear from Table IV., that in every 10,000 persons living in each of the Three Great Groups of Districts into which Scotland has been divided, 159 persons died in the Insular Districts, 174 in the Mainland-Rural Districts, but 253 in the Town Districts. The mortality in the Town Districts, therefore, very greatly exceeded that in the Rural Districts; and the higher proportion in the Mainland-Rural Districts over that of the Insular, was no doubt caused by their containing numerous Towns with from 2000 to 10,000 inhabitants in each.

The varying Death-rates in each of these Groups or Districts are not casual, but steady, and are reproduced with remarkable regularity year after year. Thus the following Table exhibits the mean annual per-centage of Deaths to the population in each of these Groups of Districts, during the seven years 1855 to 1861 inclusive:—

| GROUPS OF DISTRICTS. | Both Sexes. |
|---|---|
| Insular . . . . . | 1·393 |
| Mainland-Rural . . . . | 1·763 |
| Town . . . . . | 2·678 |

Table XXIX.—ABERDEEN, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 1,036 | 988 | 158 | 138 | 15·250 | 13·966 |
| — 2 | 931 | 874 | 67 | 58 | 7·196 | 6·636 |
| — 3 | 950 | 924 | 39 | 35 | 4·105 | 3·787 |
| — 4 | 904 | 888 | 38 | 34 | 4·203 | 3·817 |
| — 5 | 884 | 831 | 16 | 19 | 1·809 | 2·273 |
| Total under 5 Years | 4,705 | 4,505 | 318 | 284 | 6·758 | 6·304 |
| 5—10 | 4,245 | 4,058 | 52 | 53 | 1·225 | 1·306 |
| 10—15 | 3,841 | 3,916 | 25 | 24 | 0·653 | 0·602 |
| 15—20 | 3,324 | 3,799 | 39 | 37 | 1·173 | 0·974 |
| 20—30 | 4,942 | 7,404 | 80 | 91 | 0·653 | 1·229 |
| 30—40 | 3,679 | 5,624 | 41 | 64 | 1·114 | 1·138 |
| 40—50 | 3,174 | 4,491 | 53 | 58 | 1·669 | 1·271 |
| 50—60 | 2,440 | 3,513 | 68 | 56 | 2·786 | 1·594 |
| 60—70 | 1,443 | 2,488 | 62 | 91 | 4·227 | 3·675 |
| 70—80 | 616 | 1,199 | 73 | 100 | 11·850 | 8·340 |
| 80—90 | 154 | 345 | 34 | 61 | 22·077 | 17·652 |
| 90—100 | 11 | 31 | 8 | 7 | 72·727 | 22·580 |
| 100 and above | – | 1 | – | 1 | – | 100·000 |
| Not stated | – | – | – | – | – | – |
| All Ages | 32,574 | 41,374 | 853 | 927 | 2·618 | 2·240 |
| Both Sexes | 73,948 | | 1,780 | | 2·407 | |

But this high mortality in the Town Districts is not confined to any one period of life, but extends over every age, though it is much more remarkable in infants under 5 years of age than at any subsequent period of life. This will be seen if we compare the proportion of Deaths at different ages given in Tables XXIII. and XXIV., which refer to the Mainland-Rural and Town Districts. Thus, of male infants under 1 year, while only 11·5 per cent. died during the year in the Mainland-Rural Districts, 19·1 per cent. died in the Town Districts. Of male infants under 2 years of age, while only 4·3 per cent. died during the year in the Mainland-Rural Districts, 10·9 per cent. died in the Town Districts. Of male infants under 3 years of age, while only 2·3 per cent. died in the Mainland-Rural Districts, 4·8 per cent. died in the Town Districts. Or taking the entire male population under 5 years of age, while only 4·2 per cent. died in the Mainland-Rural Districts, 8·6 per cent., or more than double the proportion, died in the Town Districts.

The same is true of the females. Thus, of the female infants under 1 year of age, only 9·1 per cent. died during the year in the Mainland-Rural Districts, but 15·9 per cent. died in the Town Districts. Of the entire female population under 5 years of age, while only 3·9 per cent. died in the Mainland-Rural Districts, 7·7 per cent. died in the Town Districts.

These facts prove that at every separate year of life under 5 years, and also in the population under 5 years taken as a whole, the mortality which prevails in the Town Districts is almost exactly double that which prevails in the Rural Districts.

At more advanced ages, the difference between the mortality which prevails in the Town and in the Rural Districts, though not so striking

TABLE XXX.—PAISLEY, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 785 | 780 | 151 | 114 | 19·235 | 14·615 |
| — 2 | 680 | 659 | 71 | 66 | 10·441 | 10·015 |
| — 3 | 724 | 642 | 30 | 32 | 4·143 | 4·948 |
| — 4 | 652 | 643 | 16 | 17 | 2·454 | 2·643 |
| — 5 | 621 | 581 | 13 | 7 | 2·093 | 1·204 |
| Total under 5 Years | 3,462 | 3,305 | 281 | 236 | 8·126 | 7·140 |
| 5—10 | 2,759 | 2,872 | 31 | 26 | 1·123 | 0·905 |
| 10—15 | 2,438 | 2,409 | 20 | 16 | 0·820 | 0·664 |
| 15—20 | 2,130 | 2,598 | 17 | 36 | 0·798 | 1·385 |
| 20—30 | 3,497 | 4,690 | 46 | 52 | 1·315 | 1·108 |
| 30—40 | 2,630 | 3,293 | 21 | 40 | 0·798 | 1·214 |
| 40—50 | 2,134 | 2,520 | 21 | 40 | 0·984 | 1·587 |
| 50—60 | 1,472 | 1,857 | 41 | 35 | 2·785 | 1·884 |
| 60—70 | 925 | 1,272 | 52 | 53 | 5·621 | 4·135 |
| 70—80 | 375 | 559 | 41 | 48 | 10·933 | 8·586 |
| 80—90 | 81 | 129 | 15 | 28 | 19·753 | 21·705 |
| 90—100 | 11 | 10 | 2 | 8 | 18·181 | 80·000 |
| 100 and above | 1 | – | 1 | – | 100·000 | – |
| Not stated | – | – | – | – | – | – |
| ALL AGES | 21,913 | 25,514 | 589 | 618 | 2·687 | 2·422 |
| BOTH SEXES | 47,427 | | 1,207 | | 2·544 | |

nor so great, still manifests itself at every age of life. Thus, comparing the male columns alone in Tables XXIII. and XXIV., while in every 10,000 males at each age, 72 died in the Mainland-Rural Districts between the ages of 5 and 10 years, 109 died in the Towns at the same ages. While 66 males

TABLE XXXI.—GREENOCK, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 786 | 707 | 128 | 117 | 16·284 | 16·548 |
| — 2 | 607 | 606 | 69 | 66 | 11·367 | 10·891 |
| — 3 | 660 | 613 | 31 | 27 | 4·696 | 4·404 |
| — 4 | 627 | 623 | 13 | 14 | 2·073 | 2·247 |
| — 5 | 575 | 586 | 14 | 22 | 2·422 | 3·754 |
| Total under 5 Years | 3,255 | 3,135 | 255 | 246 | 7·834 | 7·846 |
| 5—10 | 2,586 | 2,508 | 23 | 25 | 0·889 | 0·996 |
| 10—15 | 2,113 | 2,006 | 19 | 19 | 0·899 | 0·902 |
| 15—20 | 2,116 | 2,012 | 19 | 12 | 0·897 | 0·596 |
| 20—30 | 4,149 | 4,250 | 35 | 46 | 0·843 | 1·082 |
| 30—40 | 3,044 | 3,288 | 41 | 41 | 1·347 | 1·246 |
| 40—50 | 2,182 | 2,334 | 40 | 44 | 1·833 | 1·851 |
| 50—60 | 1,260 | 1,451 | 33 | 36 | 2·618 | 2·481 |
| 60—70 | 669 | 972 | 35 | 37 | 5·231 | 3·806 |
| 70—80 | 230 | 348 | 35 | 33 | 15·217 | 9·482 |
| 80—90 | 38 | 93 | 10 | 21 | 26·315 | 22·580 |
| 90—100 | 5 | 10 | 1 | 6 | 20·000 | 60·000 |
| 100 and above | – | 1 | – | – | – | – |
| Not stated | – | – | – | 1 | – | – |
| ALL AGES | 21,647 | 22,408 | 546 | 567 | 2·522 | 2·530 |
| BOTH SEXES | 44,055 | | 1,113 | | 2·526 | |

TABLE XXXII.—LEITH, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 580 | 531 | 90 | 71 | 15·517 | 13·371 |
| — 2 | 558 | 474 | 46 | 41 | 8·243 | 8·691 |
| — 3 | 492 | 488 | 18 | 20 | 3·658 | 4·098 |
| — 4 | 492 | 480 | 12 | 14 | 2·439 | 2·500 |
| — 5 | 481 | 440 | 11 | 9 | 2·284 | 2·045 |
| Total under 5 Years | 2,603 | 2,413 | 177 | 155 | 6·798 | 6·423 |
| 5—10 | 2,061 | 2,026 | 16 | 13 | 0·776 | 0·641 |
| 10—15 | 1,855 | 1,670 | 9 | 7 | 0·485 | 0·419 |
| 15—20 | 1,634 | 1,692 | 6 | 8 | 0·367 | 0·472 |
| 20—30 | 3,732 | 3,288 | 24 | 17 | 0·642 | 0·517 |
| 30—40 | 2,556 | 2,581 | 17 | 19 | 0·665 | 0·737 |
| 40—50 | 1,708 | 1,945 | 40 | 25 | 2·341 | 1·285 |
| 50—60 | 1,001 | 1,278 | 30 | 31 | 2·997 | 2·425 |
| 60—70 | 553 | 858 | 30 | 40 | 5·424 | 4·662 |
| 70—80 | 201 | 350 | 29 | 32 | 14·247 | 9·143 |
| 80—90 | 35 | 81 | 15 | 22 | 42·857 | 27·160 |
| 90—100 | 2 | 1 | 2 | 1 | 100·000 | 100·000 |
| 100 and above | – | – | – | – | – | – |
| Not stated | – | – | 1 | – | – | – |
| ALL AGES | 17,941 | 18,183 | 396 | 370 | 2·207 | 2·035 |
| BOTH SEXES | 36,124 | | 766 | | 2·120 | |

between the ages of 15 and 20 died in the Mainland-Rural Districts, 82 died in the Towns. While 84 males between the ages of 30 and 40 died in the Mainland-Rural Districts, 106 died at the same ages in the Town Districts; and so on at every separate age.

From all this it may be safely concluded that human life is greatly shortened by large masses of human beings living together in Towns; and that while a Town's residence increases the Death-rate at all ages, and to both sexes, it doubles it for all children under 5 years of age.

Tables XXVI. to XXXIII. inclusive continue the series of Tables for each of the Eight Principal Towns of Scotland, showing the number and proportion of Deaths at each age of life, distinguishing each year of life under 5 years.

## Causes of Death.

Of the 62,341 Deaths in Scotland during the year 1861, the Cause of Death was recorded in 59,417 cases; thus leaving only 2924 cases in which either no Cause of Death was stated, or the entry was made in such indefinite terms that it could not be tabulated under any particular Class of Diseases. Nearly the half of these were children under 1 year of age, who had not the benefit of medical attendance, and most of whose Deaths were registered under the vague title of Bowel-hives.

## Class I. *Zymotic Diseases.*

The Zymotic (or Epidemic and Contagious) Class of Diseases cut off 12,406 persons in Scotland during the year 1861, and thus constituted 20·87 per cent. of the Specified Causes of Death. This is the smallest mortality from Zymotic Diseases which has occurred since the Registration Act came into operation in the beginning of 1855, and is 2072 fewer Deaths

Table XXXIII.—PERTH, 1861. Population and Deaths at Different Ages in 1861, and the Proportion of Deaths to the Population at each Age.

| AGES. | POPULATION. | | DEATHS. | | Per Cent. of Deaths to Population. | |
|---|---|---|---|---|---|---|
| | Males. | Females. | Males. | Females. | Males. | Females. |
| Under 1 Year | 350 | 335 | 52 | 36 | 14·857 | 10·746 |
| — 2 | 321 | 317 | 35 | 27 | 10·903 | 8·517 |
| — 3 | 315 | 300 | 17 | 14 | 5·396 | 4·666 |
| — 4 | 336 | 307 | 8 | 9 | 2·380 | 2·931 |
| — 5 | 283 | 286 | 7 | 6 | 2·473 | 2·097 |
| Total under 5 Years | 1,605 | 1,545 | 119 | 92 | 7·414 | 5·954 |
| 5—10 | 1,315 | 1,365 | 18 | 15 | 1·368 | 1·098 |
| 10—15 | 1,233 | 1,225 | 9 | 2 | 0·731 | 0·163 |
| 15—20 | 1,221 | 1,292 | 8 | 8 | 0·655 | 0·619 |
| 20—30 | 1,928 | 2,454 | 24 | 21 | 1·250 | 0·855 |
| 30—40 | 1,514 | 1,908 | 13 | 27 | 0·858 | 1·415 |
| 40—50 | 1,146 | 1,461 | 24 | 25 | 2·094 | 1·711 |
| 50—60 | 806 | 1,123 | 24 | 24 | 2·977 | 2·137 |
| 60—70 | 526 | 891 | 33 | 50 | 6·273 | 5·605 |
| 70—80 | 223 | 380 | 25 | 47 | 11·210 | 12·368 |
| 80—90 | 63 | 96 | 22 | 29 | 34·920 | 30·208 |
| 90—100 | 1 | 5 | 1 | 3 | 100·000 | 60·000 |
| 100 and above | – | 2 | – | 2 | – | 100,000 |
| Not stated | – | – | – | – | – | – |
| All Ages | 11,581 | 13,747 | 320 | 345 | 2·763 | 2·509 |
| Both Sexes | 25,328 | | 665 | | 2·625 | |

from these Diseases than in 1860, and 2234 fewer Deaths from that Class than in 1859. It is rather a singular fact, that the mortality from the Zymotic Class of Diseases increased gradually and regularly from 1855 till it attained a maximum in 1859 and 1860, and then suddenly subsided during 1861 to a lower proportion than during the six previous years, as the following Table shows:—

| YEAR. | ZYMOTIC DEATHS. | YEAR. | ZYMOTIC DEATHS. |
|---|---|---|---|
| 1855 | 13,582 | 1859 | 14,640 |
| 1856 | 13,779 | 1860 | 14,478 |
| 1857 | 14,046 | 1861 | 12,406 |
| 1858 | 14,132 | | |

It has been found, when investigating the phenomena of the natural world, that most things have a tendency to return in cycles of longer or shorter periods. The above facts would seem to show that the same is probably true of Disease. When the phenomena of Disease shall be more carefully studied, it will probably be also at the same time found that Diseases spread like waves, gradually creeping over the country, exactly as storms do. This fact has been distinctly traced with regard to Epidemic Cholera, and is probably true, more or less, of all Epidemic Diseases. For instance, the Epidemic Class of Diseases attained their maximum mortality in England in 1858, while in Scotland the maximum was not attained till the following year, as if the Epidemic wave took nearly a year to travel northwards from the South of England to the North of Scotland.

In Non-epidemic years, such as 1861, there is less difference between the comparative Death-rates from that Class of Diseases in the Town and Rural Districts than in Epidemic years; indeed, no greater difference than exists between the Death-rates from all causes in these respective groups of Districts. Thus, in 1861, in every 10,000 persons living in each group of Districts, 344 Deaths from the Zymotic Class of Diseases occurred in the Insular Districts, 351 Deaths in the Mainland-Rural Districts, and 547 Deaths in the Town Districts, which is very much the same proportion as the total Deaths bear to each other in each of these Districts. That this is the case is manifested in a very striking manner by looking at the proportion which the Zymotic Deaths bear to the total Specified Causes of Death in each of these Districts. Thus, in every 10,000 Specified Causes of Death in each of these Districts, 2190 were caused by the Zymotic Class of Diseases in the Insular Districts, 2012 in the Mainland-Rural Districts, and 2156 in the Town Districts. These numbers correspond so closely with each other that they may, for all practical purposes, be regarded as identical. Whether, therefore, the proportion of Deaths by the Zymotic Class of Diseases be compared with the Population, or with the total Specified Deaths, the same conclusion is arrived at, viz., that in a non-Epidemic year the mortality from that Class, as compared with the total Deaths, is absolutely identical in the scattered Rural Population, and in the crowded Town Population.

If these facts are well established, they have most important bearings on the question of Contagion. They seem to prove that the so-called Epidemic Diseases, in non-Epidemic, that is in ordinary years, are not, any more than other Diseases, propagated by contagion; and that if,

in ordinary years, we ascribe to them a contagious nature, we must allow the same to every Disease. This must be apparent from the fact, that in the crowded Town population, where it is quite impossible to prevent contact with the healthy, these Zymotic Diseases are not more prevalent and fatal, as compared with all other Diseases, than they are in the Country Districts. Whereas, did these Diseases spread chiefly, or even to a considerable extent, by contagion, they would always be thrice as proportionably numerous in the Town as in the Rural Districts. Thus, take the Deaths from the Zymotic Class of Diseases in the Insular Districts and compare them with the Deaths in the Towns, and they will be found to be in the exact same proportion as the Deaths from all Diseases in these two Districts.

| Total Insular Deaths | are to the | Total Town Deaths | as the | Insular Zymotic Deaths | are to the | Town Zymotic Deaths |
|---|---|---|---|---|---|---|
| 1595 | : | 2537 | :: | 344 | :: | 547 |

These proportions are the very figures found in Table XXXIV. That fact then appears to demonstrate, that in non-Epidemic years it is impossible to allow that these Diseases propagate or extend to any appreciable extent by contagion. They can alone extend, or be propagated by what we, from the want of a better name, call either Epidemic or Endemic causes —that is to say, that in ordinary years these Zymotic Class of Diseases extend not by the sick communicating the Disease to the healthy, but by the same influences, whatever these be, which induce and propagate all Diseases; as, Bronchitis, Pneumonia, Consumption, Rheumatism, etc.

But while a non-Epidemic year seems to demonstrate that the Zymotic Class of Diseases are non-contagious during such years, the facts brought to light regarding Epidemic years seem, on the other hand, to show just as decidedly that in such years Diseases of the Zymotic Class are largely propagated by contagion. The two years, 1859 and 1860, are examples of Epidemic years in Scotland; notably 1859; so let us adduce it as an illustration of the fact we wish to point out.

If, in 1859, the proportion of Zymotic Deaths in the Insular Districts, as compared with the population, bore the same relation to the Zymotic Deaths in the Town Districts, as the total Deaths in the Insular bore to the total Deaths in the Town Districts, only 460 persons in every 100,000 persons ought to have been cut off by the Zymotic Diseases in the Town Districts in 1859.

1626 : 2526 :: 296 : 460

Instead of 460 Deaths, however, 689 occurred, or a third more than the regular proportion due to a Town's increased mortality.

This fact, which was nearly as strongly shown in 1860 (also, as above shown, an Epidemic year), appears to demonstrate that in Epidemic years, the Zymotic Class of Diseases propagate or spread not only by virtue of their unknown Epidemic or Endemic constitution, but also to a very large extent by means of contagion. Indeed, these facts would seem to prove that when Zymotic Diseases assume the true character of Epidemics, they also at the same time become capable of being propagated by contagion.

Medical observation has to a large extent confirmed the truth of the results which have been deduced from the facts above referred to; for it has been often observed that the Diseases termed Epidemic, of whose propagation by contagion not a trace appears for a considerable period, seem in other years to change their nature, so that they not only spread by reason of their unknown Epidemic agency, whatever that may be, but also to a considerable extent by contagion.

Should the conclusions drawn from the above facts be true, and be corroborated by further research, they would furnish a valuable and stable basis on which the Legislature could found their Quarantine Laws; for

TABLE XXXIV.—DEATHS, 1861. Proportion of Deaths from different Diseases in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, during 1861; allowance being made for the Causes of Death not specified.

| 1861. | Proportion of DEATHS in every 100,000 Living. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. |
| ALL CAUSES . . . | 2032 | 2127 | 1947 | 1595 | 1684 | 1520 | 1746 | 1803 | 1692 | 2537 | 2710 | 2387 |
| 1. Zymotic Class . . . | 419 | 430 | 419 | 344 | 373 | 326 | 351 | 346 | 355 | 547 | 570 | 526 |
| 2. Uncertain Seat . . | 79 | 64 | 92 | 72 | 69 | 75 | 78 | 64 | 90 | 82 | 64 | 97 |
| 3. Tubercular Class . | 362 | 375 | 349 | 249 | 276 | 225 | 292 | 304 | 282 | 482 | 502 | 465 |
| 4. Nervous System . . | 164 | 184 | 147 | 87 | 103 | 74 | 143 | 155 | 131 | 208 | 239 | 181 |
| 5. Organs of Circulation | 85 | 92 | 78 | 37 | 40 | 38 | 76 | 82 | 70 | 104 | 114 | 95 |
| 6. Respiratory Organs | 287 | 320 | 257 | 148 | 162 | 137 | 205 | 226 | 185 | 420 | 488 | 378 |
| 7. Organs of Digestion | 172 | 184 | 161 | 99 | 137 | 68 | 155 | 164 | 148 | 202 | 221 | 193 |
| 8. Urinary Organs . . | 28 | 39 | 16 | 14 | 19 | 10 | 27 | 41 | 13 | 32 | 48 | 20 |
| 9. Generative Organs . | 17 | – | 32 | 16 | – | 29 | 15 | – | 30 | 19 | – | 36 |
| 10. Locomotive Organs . | 14 | 15 | 13 | 19 | 24 | 16 | 13 | 14 | 11 | 16 | 16 | 15 |
| 11. Skin, etc. . . . . | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 3 | 2 |
| 12. Malformation . . . | 5 | 6 | 4 | – | 1 | – | 4 | 6 | 3 | 6 | 7 | 5 |
| 13. Premature Debility . | 98 | 117 | 81 | 34 | 38 | 32 | 73 | 88 | 58 | 144 | 169 | 121 |
| 14. Atrophy . . . . . | 16 | 16 | 17 | 6 | 9 | 4 | 13 | 11 | 13 | 24 | 23 | 24 |
| 15. Age . . . . . | 198 | 157 | 227 | 379 | 297 | 443 | 222 | 180 | 260 | 142 | 107 | 171 |
| 16. Sudden Deaths . . | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 2 | 3 | 4 | 4 | 3 |
| 17. Violent Deaths . . | 71 | 111 | 35 | 59 | 102 | 25 | 66 | 107 | 28 | 85 | 120 | 45 |
| Small-pox . . . . | 26 | 30 | 22 | 4 | 6 | 1 | 16 | 18 | 13 | 44 | 50 | 39 |
| Measles . . . . . | 33 | 35 | 30 | 31 | 34 | 26 | 22 | 22 | 21 | 50 | 55 | 45 |
| Scarlatina . . . . | 60 | 64 | 56 | 51 | 57 | 44 | 62 | 64 | 59 | 58 | 63 | 53 |
| Diphtheria . . . . | 23 | 22 | 23 | 9 | 10 | 8 | 28 | 26 | 29 | 17 | 17 | 17 |
| Hooping-cough . . | 75 | 71 | 78 | 101 | 117 | 89 | 37 | 34 | 42 | 128 | 123 | 133 |
| Croup . . . . . | 30 | 34 | 27 | 29 | 27 | 29 | 26 | 29 | 22 | 37 | 41 | 33 |
| DIARRHŒA . . | 35 | 37 | 34 | 12 | 13 | 10 | 29 | 28 | 39 | 47 | 54 | 41 |
| Dysentery . . . . | 12 | 10 | 13 | 6 | 5 | 8 | 9 | 7 | 11 | 16 | 15 | 17 |
| Cholera . . . . . | 2 | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 3 | 4 | 2 |
| Influenza . . . . | 7 | 8 | 8 | 23 | 24 | 20 | 7 | 7 | 8 | 6 | 6 | 5 |
| Infantile Fever . . | 1 | 1 | 1 | – | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 |
| TYPHUS . . . . | 88 | 89 | 87 | 56 | 54 | 58 | 83 | 78 | 85 | 101 | 108 | 95 |
| Metria . . . . . | 6 | – | 13 | 4 | – | 9 | 6 | – | 11 | 8 | – | 15 |
| Erysipelas . . . . | 8 | 9 | 8 | 4 | 5 | 4 | 7 | 8 | 6 | 10 | 14 | 11 |
| Dropsy . . . . . | 26 | 22 | 30 | 33 | 32 | 34 | 26 | 21 | 32 | 26 | 22 | 29 |
| Cancer . . . . . | 39 | 26 | 51 | 27 | 23 | 29 | 39 | 27 | 51 | 41 | 24 | 55 |
| Scrofula . . . . . | 23 | 28 | 20 | 16 | 19 | 12 | 22 | 26 | 17 | 27 | 31 | 24 |
| Tabes Mesenterica . | 26 | 30 | 23 | 8 | 5 | 10 | 21 | 22 | 19 | 36 | 45 | 29 |
| PHTHISIS . . . | 259 | 254 | 263 | 205 | 229 | 187 | 210 | 207 | 211 | 341 | 333 | 347 |
| Hydrocephalus . . | 52 | 62 | 43 | 16 | 19 | 12 | 39 | 46 | 32 | 76 | 92 | 63 |
| Apoplexy . . . . | 34 | 39 | 30 | 14 | 19 | 11 | 30 | 33 | 27 | 42 | 50 | 36 |
| Paralysis . . . . | 49 | 51 | 48 | 30 | 38 | 24 | 48 | 47 | 49 | 54 | 58 | 51 |
| Epilepsy . . . . . | 7 | 8 | 6 | 7 | 6 | 8 | 6 | 7 | 6 | 7 | 9 | 6 |
| Convulsions . . . | 23 | 29 | 18 | 6 | 4 | 8 | 16 | 20 | 12 | 36 | 45 | 28 |
| BRONCHITIS . . | 171 | 183 | 160 | 51 | 57 | 45 | 113 | 119 | 107 | 274 | 300 | 251 |
| Pneumonia . . . | 67 | 82 | 54 | 29 | 40 | 20 | 51 | 59 | 43 | 96 | 122 | 73 |
| Teething . . . . | 38 | 43 | 35 | 7 | 10 | 4 | 25 | 26 | 24 | 62 | 72 | 54 |
| Enteritis . . . . | 32 | 38 | 26 | 11 | 15 | 8 | 31 | 36 | 26 | 37 | 45 | 29 |
| All Liver Diseases . | 31 | 33 | 28 | 23 | 32 | 16 | 30 | 31 | 29 | 34 | 36 | 32 |
| CHILDBIRTH . . | 10 | – | 19 | 13 | – | 25 | 9 | – | 17 | 12 | – | 23 |
| Burns and Scalds . | 9 | 9 | 10 | 9 | 10 | 8 | 9 | 9 | 8 | 11 | 10 | 12 |
| Drowning . . . . | 15 | 29 | 4 | 34 | 72 | 2 | 16 | 30 | 4 | 12 | 22 | 4 |
| Fracture & Contusion | 24 | 43 | 8 | 4 | 5 | 2 | 25 | 41 | 7 | 28 | 50 | 10 |

without a knowledge of the Laws which regulate the propagation of Epidemic Diseases, all attempts at proper legislation on Quarantine are vain.

By Table XXXVI. it will be seen that the mortality from the Zymotic

TABLE XXXV.—DEATHS, 1861. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and the Town Districts, in 1861; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

| 1861. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| DISEASES. | SCOTLAND. | | | INSULAR DISTRICTS. | | | MAINLAND-RURAL DISTRICTS. | | | TOWN DISTRICTS. | | |
| | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. | BOTH SEXES. | MALES. | FEMALE. |
| 1. Zymotic Class | 2087 | 2021 | 2153 | 2190 | 2234 | 2150 | 2012 | 1922 | 2101 | 2156 | 2107 | 2205 |
| 2. Uncertain Seat | 390 | 304 | 474 | 459 | 415 | 498 | 447 | 359 | 535 | 326 | 239 | 403 |
| 3. Tubercular Class | 1779 | 1766 | 1795 | 1565 | 1653 | 1486 | 1678 | 1688 | 1668 | 1902 | 1854 | 1949 |
| 4. Nervous System | 811 | 866 | 758 | 555 | 628 | 489 | 824 | 865 | 776 | 822 | 885 | 760 |
| 5. Organs of Circulation | 419 | 435 | 403 | 257 | 251 | 262 | 438 | 458 | 486 | 412 | 423 | 401 |
| 6. Respiratory Organs | 1413 | 1540 | 1322 | 936 | 967 | 909 | 1176 | 1259 | 1094 | 1692 | 1800 | 1587 |
| 7. Organs of Digestion | 847 | 866 | 829 | 638 | 841 | 454 | 896 | 913 | 878 | 814 | 819 | 808 |
| 8. Urinary Organs | 142 | 201 | 83 | 91 | 116 | 69 | 155 | 230 | 81 | 132 | 178 | 86 |
| 9. Generative Organs | 85 | – | 167 | 105 | – | 201 | 90 | – | 180 | 77 | – | 145 |
| 10. Locomotive Organs | 72 | 75 | 68 | 123 | 145 | 104 | 76 | 82 | 70 | 63 | 62 | 64 |
| 11. Skin, etc. | 12 | 11 | 12 | 9 | 9 | 8 | 12 | 10 | 15 | 11 | 12 | 11 |
| 12. Malformation | 25 | 30 | 20 | 4 | 9 | – | 26 | 34 | 19 | 26 | 28 | 23 |
| 13. Premature Debility | 484 | 551 | 419 | 220 | 232 | 209 | 420 | 492 | 349 | 570 | 634 | 508 |
| 14. Atrophy | 82 | 75 | 89 | 45 | 58 | 34 | 73 | 64 | 81 | 95 | 88 | 102 |
| 15. Age | 974 | 743 | 1201 | 2382 | 1789 | 2919 | 1274 | 1004 | 1540 | 560 | 396 | 719 |
| 16. Sudden Deaths | 17 | 17 | 18 | 32 | 29 | 34 | 16 | 14 | 19 | 17 | 18 | 16 |
| 17. Violent Deaths | 351 | 526 | 180 | 381 | 618 | 166 | 382 | 597 | 170 | 317 | 446 | 191 |
| Small-pox | 128 | 141 | 116 | 27 | 48 | 8 | 92 | 104 | 81 | 173 | 186 | 161 |
| Measles | 163 | 167 | 159 | 192 | 212 | 174 | 127 | 127 | 128 | 197 | 205 | 189 |
| Scarlatina | 296 | 303 | 290 | 326 | 357 | 297 | 359 | 366 | 253 | 230 | 234 | 225 |
| Diphtheria | 114 | 106 | 122 | 64 | 67 | 61 | 162 | 148 | 176 | 69 | 65 | 73 |
| Hooping-cough | 370 | 336 | 404 | 642 | 706 | 585 | 216 | 193 | 238 | 501 | 456 | 558 |
| Croup | 149 | 160 | 139 | 188 | 174 | 201 | 149 | 166 | 132 | 147 | 153 | 141 |
| DIARRHŒA | 175 | 175 | 175 | 78 | 87 | 69 | 171 | 157 | 185 | 186 | 200 | 172 |
| Dysentery | 67 | 50 | 71 | 45 | 38 | 52 | 56 | 43 | 68 | 66 | 57 | 75 |
| Cholera | 11 | 14 | 7 | 13 | 19 | 8 | 9 | 13 | 6 | 12 | 15 | 9 |
| Influenza | 39 | 36 | 41 | 146 | 154 | 139 | 45 | 39 | 51 | 24 | 25 | 23 |
| Infantile Fever | 7 | 7 | 7 | 4 | 9 | – | 10 | 9 | 10 | 5 | 4 | 6 |
| TYPHUS | 434 | 417 | 449 | 353 | 338 | 384 | 473 | 442 | 504 | 399 | 399 | 397 |
| Metria | 34 | – | 67 | 32 | – | 61 | 35 | – | 70 | 33 | – | 65 |
| Erysipelas | 42 | 43 | 41 | 36 | 38 | 34 | 42 | 49 | 36 | 42 | 38 | 46 |
| Dropsy | 130 | 105 | 155 | 215 | 203 | 227 | 150 | 120 | 180 | 104 | 82 | 125 |
| Cancer | 196 | 124 | 265 | 174 | 145 | 201 | 228 | 154 | 302 | 164 | 93 | 233 |
| Scrofula | 117 | 132 | 103 | 105 | 125 | 87 | 126 | 149 | 105 | 105 | 115 | 103 |
| Tabes Mesenterica | 131 | 144 | 119 | 55 | 38 | 69 | 122 | 127 | 117 | 146 | 169 | 124 |
| PHTHISIS | 1274 | 1197 | 1349 | 1299 | 1363 | 1241 | 1203 | 1153 | 1253 | 1340 | 1230 | 1472 |
| Hydrocephalus | 257 | 292 | 223 | 105 | 125 | 87 | 225 | 258 | 192 | 302 | 339 | 265 |
| Apoplexy | 167 | 184 | 154 | 96 | 116 | 78 | 175 | 188 | 162 | 165 | 186 | 152 |
| Paralysis | 245 | 240 | 250 | 192 | 232 | 157 | 278 | 265 | 290 | 215 | 214 | 216 |
| Epilepsy | 35 | 38 | 33 | 50 | 48 | 52 | 39 | 40 | 39 | 30 | 35 | 26 |
| Convulsions | 116 | 137 | 95 | 45 | 29 | 61 | 95 | 115 | 75 | 141 | 167 | 124 |
| BRONCHITIS | 844 | 864 | 824 | 326 | 348 | 306 | 651 | 664 | 637 | 1080 | 1108 | 1055 |
| Pneumonia | 332 | 385 | 277 | 192 | 251 | 139 | 296 | 332 | 260 | 379 | 445 | 307 |
| Teething | 191 | 202 | 180 | 50 | 67 | 34 | 146 | 146 | 145 | 248 | 269 | 227 |
| Enteritis | 159 | 181 | 137 | 73 | 96 | 52 | 178 | 201 | 155 | 146 | 167 | 125 |
| All Liver Diseases | 155 | 156 | 153 | 151 | 290 | 104 | 174 | 176 | 173 | 135 | 133 | 138 |
| CHILDBIRTH | 51 | – | 102 | 87 | – | 166 | 50 | – | 100 | 50 | – | 99 |
| Burns and Scalds | 49 | 46 | 51 | 59 | 67 | 52 | 53 | 54 | 52 | 44 | 37 | 50 |
| Drowning | 78 | 137 | 20 | 220 | 444 | 17 | 95 | 16 | 24 | 50 | 84 | 17 |
| Fracture & Contusion | 122 | 203 | 42 | 27 | 38 | 17 | 135 | 229 | 42 | 115 | 188 | 45 |

Class of Diseases was lowest in Edinburgh, and highest in Dundee. Thus, assuming the same proportion of persons living as in Table XXXIV., viz., 100,000 in each Town, their died from the Zymotic Class of Diseases in the proportion of 472 in Edinburgh, 476 in Leith, 558 in Greenock, 569 in Aberdeen, 579 in Paisley, 581 in Glasgow, 646 in Perth, and 724 in Dundee.

Of the individual Zymotic Diseases, Small-pox caused only 766 Deaths, of which 415 were males and 351 females. This gives the very small proportion of 26 Deaths from Small-pox during the year in every 100,000 persons, being in the proportion of 30 male and 22 female Deaths in every 100,000 of either sex.

Measles caused only 971 Deaths in Scotland during the year, being in the low proportion of 33 Deaths in every 100,000 persons of the population. This year, also, has therefore presented a corroborative proof of the correctness of the remark made in former Reports, as to the close relation between Small-pox and Measles; inasmuch as both seem to be under the same unknown atmospheric or other influences, so that the one increases and declines along with the other. In 1860, the mortality from both was high, inasmuch as there were 1495 Deaths from Small-pox, and 1587 from Measles; while

---

TABLE XXXVI.—TOWN DEATHS, 1861. Per-Centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1861.

| DISEASES. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|
| Total Deaths . . . . . | 2·754 | 2·442 | 2·608 | 2·407 | 2·544 | 2·526 | 2·120 | 2·625 |
| I. Zymotic Class . . . | 0·581 | 0·472 | 0·724 | 0·569 | 0·579 | 0·558 | 0·476 | 0·646 |
| III. Tubercular Class . . | 0·569 | 0·447 | 0·436 | 0·454 | 0·491 | 0·549 | 0·348 | 0·352 |
| IV. Brain, etc., Diseases . . | 0·188 | 0·254 | 0·197 | 0·224 | 0·172 | 0·254 | 0·202 | 0·256 |
| V. Heart, etc., Diseases . | 0·091 | 0·138 | 0·119 | 0·094 | 0·059 | 0·099 | 0·130 | 0·141 |
| VI. Respiratory Organs, Dis. | 0·575 | 0·367 | 0·408 | 0·296 | 0·383 | 0·310 | 0·354 | 0·271 |
| VII. Organs of Digestion, Dis. | 0·215 | 0·177 | 0·234 | 0·204 | 0·267 | 0·202 | 0·132 | 0·218 |
| XIII. Premature Debility . . | 0·164 | 0·131 | 0·195 | 0·102 | 0·115 | 0·120 | 0·094 | 0·084 |
| XV. Age . . . . . | 0·106 | 0·150 | 0·147 | 0·144 | 0·198 | 0·147 | 0·130 | 0·271 |
| XVII. Violent Deaths . . . | 0·086 | 0·074 | 0·066 | 0·074 | 0·052 | 0·086 | 0·085 | 0·099 |
| Small-pox . . . . . | 0·033 | 0·026 | 0·164 | 0·036 | 0·073 | 0·047 | 0·000 | 0·015 |
| Measles . . . . . | 0·038 | 0·067 | 0·035 | 0·009 | 0·088 | 0·024 | 0·130 | 0·149 |
| Scarlatina . . . . . | 0·025 | 0·113 | 0·134 | 0·147 | 0·040 | 0·013 | 0·063 | 0·065 |
| Diphtheria . . . . . | 0·008 | 0·006 | 0·038 | 0·073 | 0·002 | 0·049 | 0·016 | 0·007 |
| Hooping-cough . . . . . | 0·216 | 0·090 | 0·018 | 0·062 | 0·149 | 0·077 | 0·099 | 0·030 |
| Croup . . . . . | 0·034 | 0·013 | 0·108 | 0·024 | 0·031 | 0·074 | 0·024 | 0·030 |
| Diarrhœa, Dysentery, Cholera | 0·059 | 0·045 | 0·073 | 0·052 | 0·050 | 0·084 | 0·055 | 0·271 |
| Typhus and Infantile Fever . | 0·124 | 0·066 | 0·095 | 0·082 | 0·094 | 0·136 | 0·055 | 0·061 |
| Dropsy . . . . . | 0·025 | 0·015 | 0·055 | 0·025 | 0·056 | 0·011 | 0·013 | 0·011 |
| Cancer . . . . . | 0·037 | 0·065 | 0·017 | 0·060 | 0·029 | 0·034 | 0·049 | 0·053 |
| Phthisis . . . . . | 0·407 | 0·284 | 0·314 | 0·320 | 0·366 | 0·397 | 0·207 | 0·241 |
| Apoplexy . . . . . | 0·041 | 0·048 | 0·033 | 0·044 | 0·048 | 0·045 | 0·052 | 0·061 |
| Paralysis . . . . . | 0·039 | 0·071 | 0·047 | 0·051 | 0·048 | 0·061 | 0·058 | 0·084 |
| Convulsions . . . . . | 0·041 | 0·035 | 0·060 | 0·048 | 0·018 | 0·013 | 0·033 | 0·007 |
| Bronchitis . . . . . | 0·372 | 0·242 | 0·228 | 0·197 | 0·282 | 0·199 | 0·224 | 0·195 |
| Pneumonia . . . . . | 0·140 | 0·062 | 0·097 | 0·047 | 0·063 | 0·065 | 0·085 | 0·038 |
| Teething . . . . . | 0·075 | 0·024 | 0·096 | 0·071 | 0·092 | 0·065 | 0·011 | 0·110 |

This Table may be read without the decimals, thus: In every 100,000 persons living in each Town there died from Small Pox 33 in Glasgow, 26 in Edinburgh, 164 in Dundee, 36 in Aberdeen, etc. The Proportion in every 10,000 inhabitants is proved by dropping the last figure of each column.

in 1861, both were very low, only 766 Deaths from Small-pox, and 971 from Measles having occurred.

Scarlatina is in general the most fatal of the Epidemic Diseases of childhood, but during 1860, the mortality was below the average, seeing that only 1764 deaths were attributed to it, or in the proportion of 60 Deaths during the year in every 100,000 persons. During 1859, 126 Deaths, and during 1860, 101 Deaths from Scarlatina occurred for every 100,000 persons.

Diphtheria, since it made its appearance in Scotland in 1857, has steadily increased, year after year. Thus, in 1857, the Deaths from that Disease numbered 76 only; in 1858, they were 294; in 1859, they were 515; in 1860, they numbered 480; but in 1861, they had increased to 681; and thus constituted a fraction more than one per cent. of the Deaths.

Hooping-cough proved fatal to 2204 persons, of whom 989 were males, and 1215 females, being in the proportion of 71 males, but 78 female Deaths in every 100,000, of the respective sexes. Hooping-cough is therefore one of the few Diseases which prove less fatal to the male than to the female; and this peculiarity is apparent from year to year.

Though a small number of cases of Diarrhœa and Dysentery are constantly occurring among the population, yet these Diseases, with Cholera, only become prevalent during the Summer or Autumnal months when the temperature is high; their prevalence and fatality rising and falling with the temperature. During the year 1861, however, the temperature never rose high, the highest mean monthly temperature, viz., 57°·4, having been attained in August, while that of July was only 56°·8 and that of September 53°·7. The consequence of this was that only 1041 Deaths were caused during the year by Diarrhœa, 361 by Dysentery, and 67 by Cholera, being an aggregate proportion of 49 Deaths from these Diseases in every 100,000 persons.

Typhus, in its varied forms, was the most fatal Epidemic of the year, having cut off 2579 persons, or, including the 45 Deaths from Infantile Remittent Fever, which is only a form of Typhus, 2624 Deaths. This gives the proportion of 89 Deaths in every 100,000 persons, or 4·2 per cent. of the Deaths. This Disease, like all the others to which the inhabitants of Scotland are liable, proved most fatal to those in the Town Districts. Thus, in every 100,000 persons in each of the three Great Groups of Districts, Typhus cut off 56 persons in the Insular, 83 in the Mainland-Rural, and 101 in the Town Districts. But the Eight Principal Towns presented great variety in the proportion of persons who died from Typhus Fever. Thus, for the sake of comparison, assuming the population of all at 100,000, Typhus cut off 55 in Leith, 61 in Perth, 66 in Edinburgh, 82 in Aberdeen, 94 in Paisley, 95 in Dundee, 124 in Glasgow, and 136 in Greenock. Nowhere, however, did the Disease appear to assume the Epidemic type; but everywhere, like all other Diseases, it proved most prevalent and fatal among those whose health had been previously reduced by living in close, unaired, over-crowded dwellings, or in unhealthy, damp, undrained localities.

Of the other Zymotic Diseases, Croup caused 890 Deaths; Erysipelas, 253; Influenza, 232; Metria or Child-bed Fever, 203; Purpura, 49; Syphilis, 122, of which 88 were congenital; Worms, 30; Thrush, 25; Noma, 12; Ague, 6, from the Disease caught abroad, not in Scotland; and Hydrophobia, caused 1 Death.

## Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2319 persons in Scotland during 1861, or in the proportion of 79 Deaths in every 100,000 persons in the population. Dropsy and Cancer are the principal Diseases tabulated under this Class; the cases of Dropsy being those in which the seat of the Disease, or its primary cause, had not been defined. 778 Deaths were attributed to Dropsy, being in the proportion of 26 Deaths in every 100,000 persons. Cancer caused 1165 Deaths, of which only 367 were males, but 798 females. Thus showing that only 26 males, but 51 females died from Cancer during the year in every 100,000 of each sex. Females are therefore twice as liable to that painful Disease as males. It would appear that the mortality from Cancer maintains the same ratio in the Insular, the Mainland-Rural, and the Town Districts, as the Deaths from all causes, as is apparent from the fact, that in every 100,000 persons in each of these Groups or Districts, 27 died from Cancer in the Insular, 39 in the Mainland-Rural, and 41 in the Town Districts.

Of the other Diseases belonging to this Class, Mortification cut off 115 persons; Abscess, 126; Hæmorrhage, the seat of which was not defined, 65; Ulcer, 35; Fistula (all kinds), 19; and Gout, 16 persons.

## Class III. *Tubercular Diseases.*

During 1861, the Tubercular Class of Diseases (which is composed of Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus) cut off 10,582 persons; thus constituting 17·79 per cent. of the Deaths, or in the proportion of 362 Deaths in every 100,000 persons in the population.

Of the 10,582 persons who died from this Class of Diseases, 5189 were males, and 5393 females, giving the proportion of 375 male Deaths, but only 349 female Deaths in every 100,000 persons of the respective sexes. This great excess of male Deaths is chiefly caused by the much greater fatality from Hydrocephalus which attends the male; for, in the Deaths from Phthisis, the proportion of female Deaths is higher than that of the male.

This Class of Diseases being Diseases of Debility, the mortality therefrom falls with especial severity on the Town populations, in a much greater ratio, indeed, than that of all other Diseases. Thus, while in every 100,000 persons living in each of the Three Great Groups of Districts, only 249 died from this Class of Diseases in the Insular, and 292 in the Mainland-Rural Districts, the proportion rose to 482 Deaths in a like population in the Town Districts. This fact would seem to prove that this class of Diseases is a much surer test of the sanitary condition of a Town or District than Epidemics, which are irregular in their appearance, and are often absent for years running from a District which is in a truly bad sanitary condition. The mortality, however, from this Class of Diseases, proves the true sanitary condition of a Town or District, because the Diseases belonging to this Class are mainly the result of causes which impair the vital energy and cause tubercular matter (*i.e.*, imperfectly oxygenized matter) to be deposited in the tissues of the body.

In the Eight Principal Towns of Scotland, the mortality from this Class of Diseases greatly differs. Thus, for correct comparison, reckoning the population of each Town as 100,000 persons, out of that number there died from the Tubercular Class of Diseases, 348 in Leith, 352 in Perth, 436 in Dundee, 447 in Edinburgh, 454 in Aberdeen, 491 in Paisley, 549 in Greenock, and 569 in Glasgow. A five years' average, however, gives a more correct view of the comparative liability of each Town to that Class of Diseases. A five years' average shows that in proportion to every 100,000 persons, 335 Deaths from the Tubercular Class of Diseases occurred annually in Leith, 416 in Perth, 457 in Edinburgh, 473 in Dundee, 501 in Aberdeen, 517 in Paisley, 564 in Greenock, and 567 in Glasgow.

Phthisis, or Consumption, is the most fatal of the Diseases which belong to this Class, and is also the most fatal of the individual Diseases to which the inhabitants of Scotland are liable. During the year, there died 7571 persons from this disease in Scotland; and if 366 be added to that number as the proportion of persons whose cause of Death was not recorded, the total mortality from Consumption would amount to 7937 Deaths, indicating a proportion of 259 Deaths during the year in every 100,000 persons. Of the 7571 recorded Deaths from Consumption, 3518 were those of males, 4053 those of females; indicating a proportion of 254 male Deaths, but of 263 female Deaths, in every 100,000 of either sex. As a like result appears year after year, it may be considered as demonstrated that females die from that disease in greater proportions than males—a result which might be expected, when it is considered that the disease is one essentially of debility, mal-assimilation of the food, and deficient oxygenation of the blood.

The fact, however, that females are more liable to the Disease than males, and die in larger proportions, is generally ignored by writers on sanitary matters. It is necessary, therefore, to direct special attention to the subject, as it has most important bearings on the causes of the Disease, and on the means which ought to be adopted for its prevention, alleviation, or cure. Thus, if the male and female Deaths from Consumption had borne the same relation to each other as the male and female Deaths from all Diseases, there ought to have been 3580 female Deaths from Consumption for the 3518 male Deaths. Instead of this, however, there were 4053 female Deaths, or 473 more female Deaths than ought to have occurred had Consumption cut off each sex in the same proportion as all Diseases did. Now, this is not an exceptional case, but is the ordinary law of this Disease in Scotland, as was pointed out in last Detailed Report. As comparatively few women, in proportion to the men, follow those unhealthy trades which sanitary writers endeavour to prove are the fruitful causes of Consumption, it is apparent that it cannot be the trade or occupation which is the cause of such a great preponderance of female Deaths from Consumption in Scotland. The fact of the great mass of the female population being more or less engaged in domestic or other pursuits which confine them to the locality in which their dwellings are situated, seems to indicate that the greater proneness of the female to Consumption, to a great extent depends on the locality or dwelling itself. The males, from being less constantly in the locality, suffer rather less than the females, who are more constantly at home.

If such be the case, as these statistics seem to show is extremely probable, they go far to corroborate the conclusions which Dr Bowditch of Boston, U.S., has drawn from a very thorough inquiry into one of the

causes of Consumption in Massachusetts.* It must be remembered that Consumption is much more fatal in Massachusetts, and the United States of America generally, than in this country; and on investigation, it was found that the towns, villages, hamlets, and houses which were situated on or near undrained localities, or were on heavy, impermeable soils, or on low-lying ground, and whose sites were consequently kept damp, had a very much larger number and proportion of cases of Consumption than towns, villages, hamlets, or houses which were situated on dry or rocky ground, or on light, porous soils where the redundant moisture easily escaped.

Let us see how such an explanation would agree with the very different proportion of Deaths from Consumption which occur in the Eight Principal Towns of Scotland. Taking a five years' average (1857 to 1861 inclusive), it is found that, supposing all these Towns are brought to an uniform population of 100,000 persons, there died annually from Consumption 206 persons in Leith, 298 in Edinburgh, 310 in Perth, 332 in Aberdeen, 340 in Dundee, 383 in Paisley, 399 in Glasgow, and 400 in Greenock. The fact is, that if each Town had been arranged in the order of comparative dryness of its site, they would almost have arranged themselves in the above position—Leith and Edinburgh the most free from Consumption, and also having the driest sites; Glasgow and Greenock the most ravaged by that Disease, and beyond all comparison situated on the dampest sites. The above fact, then, with regard to the Towns, corroborates, in the most striking manner, the conclusions of Dr Bowditch, and should be a valuable help to the sanitary reformers, as to the very important measures which it is their more especial province to carry out. Dr Bowditch's conclusions also are singularly borne out by the remarkable freedom from Consumption at the Cape of Good Hope and South Africa generally, Egypt, etc., and the comparatively high mortality from it in the moist climate of Great Britain; and while they point out the cause, afford valuable indications as to the cure or relief of those affected.

Of the other Tubercular Diseases, Scrofula cut off 699 persons, Tabes Mesenterica 782, and Hydrocepalus 1530, being in the respective proportions of 23, 26, and 52 Deaths in every 100,000 persons of the population. Hydrocephalus is proportionally much more fatal to the male than to the female, inasmuch as 859 of the Deaths from that Disease were males, and only 671 females, giving the proportion of 62 male Deaths, but only 43 female Deaths, in every 100,000 of each sex. This proves that even at the earliest ages of life the tendency of the male to Disease of the Brain is much greater than that of the female.

## Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 4823 persons in Scotland, being in the proportion of 164 Deaths from that Class of Diseases in every 100,000 persons. Of these 4823 persons, 2546 were males, and 2277 females; thus showing, that in every 100,000 of each sex, 184 males, but only 147 females perished from that Class of Diseases. This high relative proportion of male Deaths, which is reproduced year after year, shows the much greater tendency of the male to Diseases of the Brain. It is a very much higher proportion than is due to the different Death-rates

* Consumption in New England, or Locality one of its chief causes. Boston, 1862.

of males and females by all Diseases; and, as was pointed out above, is still more striking if the child's Disease Hydrocephalus be included, showing that, even at the earliest age, almost before either sex begins to use the Brain, the tendency in the male to die from its Diseases is much greater than in the female.

Like all other Diseases, however, the mortality from the Brain Diseases is highest in the Town Districts. Thus, in every 100,000 persons in each of the Three Great Groups of Districts into which Scotland is divided, 87 died from Brain Diseases in the Insular Districts, 143 in the Mainland-Rural, and 208 in the Town Districts. Of the Eight Principal Towns of Scotland, Paisley, and then Glasgow, yielded the lowest proportion of Deaths from Brain Diseases; Perth, then Edinburgh and Greenock, the highest.

Of the individual Diseases under this Class, Apoplexy caused 1008 Deaths; Paralysis, 1458; Convulsions, 689; Epilepsy, 213; Cephalitis, 354; Insanity, 91; Delirium Tremens, 54; Tetanus, 44; Chorea, 14; while 896 were registered under the indefinite term of Brain Disease.

### Class V. *Diseases of the Heart and Organs of the Circulation.*

2491 persons died from Diseases of the Heart and of the Organs of the Circulation, of whom 1278 were males, and 1213 females. This gives the proportion of 92 male, and 78 female Deaths in every 100,000 persons of either sex in the population.

Of the individual Diseases under this Class, Heart Disease cut off 2350 persons, Pericarditis 72, and Aneurism 69 persons.

### Class VI. *Diseases of the Respiratory Organs.*

According to our present mode of classifying Diseases, the Inflammatory Affections of the Respiratory Organs form the third most fatal Class of Diseases to which the inhabitants of Scotland are liable, and cut off, during the year, 8400 persons, of whom 4427 were males, and 3973 females. This gives the proportion of 287 Deaths in every 100,000 persons of the general population, or 320 male Deaths, and 257 female Deaths in every 100,000 of either sex. This mode of classifying the Diseases, however, gives a false idea of the relative prevalence of Diseases which prove fatal by affecting the Lungs and Respiratory Apparatus. In this country the great proportion of cases of Hooping Cough which prove fatal, do so through Inflammatory Affections of the Bronchial Tubes or of the Lungs. Croup also is confined to the air-passages; and all cases of Consumption prove fatal through the alteration which that Disease effects on the Lungs and Bronchial Tubes. In considering the proportion, therefore, in which Diseases of the Respiratory Organs bear to the other Diseases to which the natives of Scotland are liable, all these Diseases ought to be classed together; and we then arrive at a just conclusion as to the organ of the body which is most liable to become deranged in its action, and to bring Disease and Death on the population. When the 2204 Deaths from Hooping Cough, the 890 from Croup, and the 7571 from Consumption, therefore, are added to the 8400 Deaths belonging to this sixth Class, we have a total of 19,065 Deaths caused by Diseases of the Respiratory Organs. This shows that 32 per cent. of the ascertained Diseases affect the Respiratory

Organs, or that a third of the population die through maladies affecting these organs.

This striking fact shows us, that what we have chiefly to guard against in this climate are the causes which induce Disease in the Respiratory Organs; and it has been shown again and again in these Reports, that the chief of these causes are the low temperature of winter, and the keen, arid, easterly winds at all seasons, but more especially in spring. The Diseases of the Respiratory Organs are so strongly influenced by season, that their mortality appears to be quite regulated by the mean monthly Temperature —as an ordinary rule the mortality therefrom being lowest in August, our mildest month, and highest in January or February, our coldest months. Thus, in the Eight Principal Towns of Scotland, August was the warmest month of the year, and during that month 155 Deaths from Diseases of the Respiratory Organs occurred. January was the coldest month, and during that month 666 Deaths from the same causes were registered, and the other months had each a mortality corresponding closely with their mean Temperature.*

Of the individual Diseases belonging to this Class, Bronchitis is by far the most fatal, having caused 5017 Deaths, or, allowing for the causes not specified, in the proportion of 171 Deaths during the year in every 100,000 persons of the population, or nearly 8½ per cent. of the total Deaths. Of these, 2541 were males, and 2476 females. Thus showing a proportion of 183 male Deaths, and 160 female Deaths in every 100,000 of each sex.

Pneumonia, or Inflammation of the Lungs, was the next most fatal of the Diseases belonging to this Class, causing 1974 Deaths—being in the proportion 3·3 per cent. of the total Deaths, or 67 Deaths in every 100,000 persons of the population. This Disease seems to prove much more fatal to the male than to the female, inasmuch as 1139 of the Deaths were males, and only 835 females, giving the proportion of 82 male, but only 54 female Deaths in every 100,000 persons of each sex for Pneumonia.

Of the other Diseases belonging to this Class, Asthma cut off 661 persons, Pleurisy 268, Laryngitis 161; while 319 were registered under the indefinite term of Disease of the Lungs.

### Class VII. *Diseases of the Organs of Digestion.*

Diseases of the Organs of Digestion caused 5036 Deaths, being in the proportion of 172 Deaths in every 100.000 persons, or 8½ per cent. of the total mortality. These Diseases cut off the respective sexes in very nearly the same proportions as all Diseases do, inasmuch as 184 males, but only 161 females were cut off by these Diseases in every 100,000 of each sex.

Of the various Diseases arranged under this Class, Teething caused 1137 Deaths; Enteritis, 947; Disease of Stomach, not more particularly defined, 765; Ileus, 293; Peritonitis, 298; Gastritis, 152; Ulceration of the Intestines, 183; Disease of the Liver, 572; Hepatitis, 166; Jaundice, 185; Hernia, 110; Quinsey, 87; Ascites, 61; Intussusception, 33; Stricture of Intestines, 24; Disease of Spleen, 22; and Disease of Pancreas, 1.

Of the other Classes of Disease, those of the Urinary Organs (of which the various Kidney Diseases are the chief) caused 844 Deaths; Diseases

* See Supplement to the Monthly Returns of the Births, Deaths, and Marriages registered in the Eight Principal Towns of Scotland. Year 1861. Table IV., p. 6.

of the Generative Organs (of which Child-birth is the principal) caused 506 Deaths; Diseases of the Organs of Locomotion—as of the Bones, Joints, Muscles, etc., including Rheumatism—caused 428 Deaths; Diseases of the Skin, 72 Deaths; Malformation from Birth, 152 Deaths; Atrophy, 492 Deaths; and Sudden Death, where the cause was not ascertained, 105 Deaths.

The debility arising from Premature Birth, and from weakly constitutions at Birth, cuts off a very large proportion of Infants annually, 2880 Deaths having been registered during 1861, induced by these causes. This gives the high proportion of nearly 5 per cent. (4·84) of the Deaths as arising from debility of constitution at Birth.

A very large number of Deaths is annually assigned to Old Age, or decay of the physical frame without marked disease. During 1861, there were 5792 Deaths assigned to Old Age, or more than 9½ per cent. (9·74) of the specified causes of Death. The proportion of persons dying from Old Age is much higher in the Insular and Mainland-Rural Districts than in the Town Districts, because life wastes more rapidly in the Towns, so that fewer are left to sink under the infirmities of age. In every 100,000 living in each of these Districts, 379 Deaths from Old Age occurred in the Insular Districts, 222 Deaths in the Mainland-Rural Districts, but only 142 Deaths in the Town Districts.

To complete the review of the mortality of the Married females, it is necessary to notice the mortality among the mothers during the year 1861. During that year 105,724 mothers gave birth to 107,009 children; and of these 511 died in child-bed either almost immediately, as a consequence of convulsions, floodings, exhaustion, etc., or shortly after from Child-bed Fever (Metria). This gives the very low proportion of one Death among every 207 mothers who were confined during the year—a very much lower proportion of Deaths than occurs from almost any Disease.

## Class XVI. *Violent Deaths.*

The number of Deaths caused by Violence or Accident, is more regular from year to year than almost any other cause of Death. The mortality of Diseases varies much from year to year, depending on season, abundance or scarcity of food, and many other causes; but the Deaths by Violence or Accident recur with a regularity truly startling. In 1861, there were 2089 Deaths attributed to Violence or Accident, giving the proportion of 71 Deaths in every 100,000 persons of the population, or one Death in every 1408 persons.

Of these Violent Causes of Death, 726 Deaths were caused by Fractures and Contusions; 467 by Drowning; 293 by Burns and Scalds; 102 by Suffocation; 78 by Intemperance or Alcoholic Poisons; 70 by Want of Breast-milk; 93 by Wounds; 44 by Poisoning; 34 by Exposure to Cold; 5 by Privation; 4 by Neglect; while in 124 cases the cause of the Accidental or Violent Death was not specified.

Of the above 726 Violent and Accidental Deaths, 121 were Suicides. Of these Suicides, 43 were by Hanging, 28 by Cut-throat, 22 by Drowning, 12 by Poisoning by means of laudanum or opium, 4 by other Poisons, 4 by Gunshot, 1 by Immolation on a railway, one by Opening an Artery at the wrist, while in six cases the cause of Death was not specified.

The accompanying Table shows the 16 Diseases which proved most fatal in Scotland and in England during the year 1861, arranged in the order of their respective fatality. They are interesting as showing, that even in countries so closely adjoining, the several Diseases to which the inhabitants of each are liable are under somewhat different conditions, and hence exhibit different results.

The Sixteen most fatal Diseases in SCOTLAND in 1861.

| Diseases. | Proportion of Deaths to 100,000 living. |
|---|---|
| Phthisis | 259 |
| Old Age | 198 |
| Bronchitis | 171 |
| Debility, Premature Birth, Atrophy | 114 |
| Typhus and Infantile Fever | 89 |
| Heart Disease | 76 |
| Hooping-cough | 75 |
| Pneumonia | 67 |
| Scarlatina | 60 |
| Hydrocephalus | 52 |
| Paralysis | 49 |
| Cancer | 39 |
| Teething | 38 |
| Diarrhœa | 35 |
| Apoplexy | 34 |
| Measles | 33 |

The Sixteen most fatal Diseases in ENGLAND in 1861.

| Diseases. | Proportion of Deaths to 100,000 living. |
|---|---|
| Phthisis | 261 |
| Debility, Premature Birth, Atrophy | 185 |
| Bronchitis | 155 |
| Old Age | 137 |
| Convulsions | 127 |
| Pneumonia | 115 |
| Diarrhœa | 94 |
| Heart Disease | 86 |
| Typhus & Infantile Fever | 77 |
| Hooping-cough | 61 |
| Paralysis | 49 |
| Scarlatina | 45 |
| Measles | 45 |
| Apoplexy | 44 |
| Hydrocephalus | 38 |
| Cancer | 36 |

As the English Tables tabulate Atrophy along with Debility from a weakly constitution at birth, and separately tabulate the cases of Debility in which the birth was premature, in order to make the Tables comparable, all these are classed under one head in each Table. Atrophy, however, is really a distinct Disease.

## INFLUENCE OF EXTERNAL AGENCIES.

Science has as yet failed to trace the cause to which is owing an increase of Births above the mean during one year, and a falling below the mean during another. The slight fluctuation in the annual number of Marriages would fail to account for it. But though man is more independent of the seasons than other animals, the influence of season on the monthly number of Births is quite marked, showing that even man has a tendency to bring forth his young during the spring months, which is the only birth period of the lower animals. Table XXXVII. shows this fact for the year 1861; and as the daily number of Births during each month shows this fact even better than by equalizing the months as to number of days, and making the mortality to correspond, that plan has been adopted for pointing out the influence of season on the Births during 1861. By that Table it will be seen that the months of April, May, and June exhibited the greatest number of Births daily; while January, September, and August exhibited the lowest numbers.

In former Reports it was pointed out that the influence of season on the number of Marriages in Scotland was inappreciable; but that that event was greatly influenced by the civil terms of Martinmas and Whitsunday, when engagements between masters and servants were loosened, and houses were

most easily procured. Table XXXVII. shows that fact, the number of daily Marriages being given, Sundays excluded, as no Marriages in Scotland are celebrated on that day. But there is one remarkable peculiarity in the Scottish people, and that is the fondness for marrying on the last day of the year. More Marriages are contracted in Scotland during the last day of the year than during any week of the year, excepting that week in which the 31st day of December occurs. Comparatively few of the Marriages which are contracted on that day are registered on that day, so that the very large number of Marriages contracted on the 31st December not being registered till January, makes it appear as if January were a favourite month for Marriage, while in reality it is not. In the Eight Principal Towns of Scotland alone, from 400 to 500 Marriages are contracted on the 31st of December annually; and as these towns embrace about a third of the Population of Scotland, it would be quite safe to assume that 1000 of the Marriages which are registered in the month of January, were really Marriages which occurred on the 31st of December. For instance, in Glasgow in 1861, 201 of the Marriages registered during the first week of January occurred on the 31st of December. If the necessary correction, therefore, were made in the above Table, it would make the daily number of Marriages to average only 43 in January, but 143 in December, and thus correctly show December and June to be the months during which the greatest number of Marriages is contracted in Scotland. Thus the largest number of Marriages follow the months in which the respective Civil Terms occur.

The influence of season on the Deaths has been so fully commented on in former Reports, that it seems unnecessary to repeat what has been already stated, seeing the same remarks would apply generally to 1861 as to former years. Each year, however, so far exhibits its own peculiarity; though all are seemingly subject to the same general law, that the mean temperature is the chief element which regulates the mortality of all Diseases. Thus, in 1861, January was the coldest month of the year, the mean temperature being 36°·3, and the daily Deaths were 226 in number. During February the mean temperature was more than three degrees higher, and the daily Deaths fell to 186. A new element, however, came into play during the next three months, counteracting to a great extent the beneficial effects which would follow the increasing temperature. The noxious east winds blow during these months; and though the sun's rays are more powerful, and the mean temperature much higher, these cold drying winds kept up the mortality, so that nearly the same number of Deaths occurred during each of

TABLE XXXVII.—Daily Number of Births and of Marriages in Scotland in each Month of the Year 1861. To show the influence of Season on the Births, and that of the Civil Terms on the Marriages.

| BIRTHS. | | | | MARRIAGES. | | | |
|---|---|---|---|---|---|---|---|
| Months. | Daily Births. | Months. | Daily Births. | Months. | Daily Marriages. | Months. | Daily Marriages. |
| January . . | 275 | July . . | 299 | January . | 80 ? | July . . . | 75 |
| February . | 281 | August . | 277 | February . | 54 | August . . | 47 |
| March . . | 291 | September | 275 | March . . | 43 | September | 46 |
| April . . . | 324 | October . | 286 | April . . | 51 | October . | 48 |
| May . . . | 328 | November | 279 | May . . | 38 | November | 88 |
| June . . . | 310 | December | 290 | June . . | 114 | December . | 106 ? |

these months. Thus, March, with its mean temperature of 41°·1, had 185 Deaths daily; April, with its mean temperature of 45°·4, had 183 Deaths daily; while May, with its high mean temperature of 49°·1, had 182 Deaths daily;—to such an extent was the beneficial influence of a higher mean temperature counteracted by the noxious influence of the arid, cold, easterly breezes.

After May the daily Deaths fell to 160 during June, and remained at the same number during July; but fell to 143 Deaths during August, and attained their minimum, viz., 134 Deaths daily, during September. The fall of temperature after that period increased the Deaths, so that October, with its mean temperature of 49°·5, yielded 139 Deaths daily; November, with its mean temperature of 38°·5, furnished 172 Deaths daily; and December, with its mean temperature of 38°, exhibited 180 Deaths daily.

But the Meteorology of the year in Scotland was somewhat remarkable, more especially as the weather presented a striking contrast to that which prevailed in England and on the Continent of Europe. England and the Continent of Europe, during that year, suffered from a drought which was very severe and destructive in France, and less so, but quite marked, in England; while Scotland, at the same time, was suffering from unusual inundations and unprecedented wet weather. Thus, in France, the drought was so severe as seriously to injure the crops, and cause apprehensions of a famine. In England, the humidity of the air was less than usual, there was considerable drought, and the rain-fall was only 20·80 inches, or much less than usual; while in Scotland, not only was the humidity of the air greater during the whole year, but the rain-fall was greatly in excess, amounting to 45·07 inches during the year. The average rain-fall of the five previous years had only been 34·50 inches in Scotland, so that the rain-fall was excessive, whether contrasted with that of previous years, or with that which fell in England, and on the Continent of Europe, and more especially in France, and the Southern States of Germany and of Austria. The fall of rain, indeed, in some parts of Scotland, was quite tropical in amount during 1861. Thus, at Wanlockhead, in Dumfriesshire (wanting the fall in July, which would have added six or seven inches at least), the rain-fall during 11 months amounted to 73·64 inches. At Stronvar, in Perthshire, the rain-fall

TABLE XXXVIII.—Daily Number of Deaths in Scotland during each Month of the Year 1861, to show the Influence of Season, but especially of Mean Temperature, on the Mortality.

| MONTHS. | Mean Temperature. | Daily Number of DEATHS. | | | |
|---|---|---|---|---|---|
| | | SCOTLAND. | Insular Districts. | Mainland Rural Districts. | Town Districts. |
| JANUARY . . | 36°·3 | 226 | 9 | 105 | 112 |
| FEBRUARY . . | 39°·5 | 186 | 7 | 93 | 86 |
| MARCH . . . | 41°·1 | 185 | 9 | 95 | 81 |
| APRIL . . . | 45°·4 | 183 | 8 | 92 | 83 |
| MAY . . . | 49°·1 | 182 | 8 | 92 | 82 |
| JUNE . . . | 57°·2 | 160 | 6 | 81 | 73 |
| JULY . . . | 56°·8 | 160 | 5 | 80 | 75 |
| AUGUST . . | 57°·4 | 143 | 6 | 72 | 65 |
| SEPTEMBER . | 53°·7 | 134 | 5 | 67 | 62 |
| OCTOBER . . | 49°·5 | 139 | 5 | 71 | 63 |
| NOVEMBER . . | 38°·5 | 172 | 6 | 84 | 82 |
| DECEMBER . . | 38°·0 | 180 | 7 | 85 | 88 |

amounted to 86·15 inches; at Portree, in the Isle of Skye (deficient in the Returns for January), the rain-fall for 11 months amounted to 125·79 inches; while at Tyndrum, in Perthshire (unfortunately wanting the Returns for April), 11 months fall of rain afforded the enormous depth of 134·50 inches of water.

Attending this moist state of the atmosphere, and excessive fall of rain, there was a greater amount of cloud than usual, and a consequent deficiency of sunshine. Though this circumstance prevented the mean temperature during the day rising so high as usual, it prevented the night being so cold; as these clouds, in consequence of covering more of the sky during night, pre-

TABLE XXXIX.—METEOROLOGY OF SCOTLAND for 1861, deduced from Observations made at 53 Stations of the Meteorological Society of Scotland, the particulars for each of these Stations having been published in the Quarterly Reports of the Registrar-General for 1861.

| 1861. | JAN. | FEB. | MAR. | APR. | MAY. | JUNE. | JULY. | AUG. | SEPT. | OCT. | NOV. | DEC. | YEAR. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Absolute Highest Temperature in shade | 57·0 | 62·0 | 63·0 | 76·5 | 85·0 | 85·5 | 79·5 | 76·7 | 69·5 | 71·2 | 58·5 | 59·2 | 85·5 |
| Absolute Lowest Temperature do. . . | —3·7 | 8·3 | 23·3 | 20·0 | 20·7 | 35·0 | 37·1 | 37·0 | 30·3 | 24·4 | 9·0 | 10·9 | —3·7 |
| Mean of Highest Daily Temperatures . | 40·4 | 44·1 | 46·9 | 52·4 | 56·9 | 64·0 | 63·6 | 62·8 | 59·2 | 55·4 | 43·9 | 42·8 | 52·7 |
| Mean of Lowest Daily Temperatures . | 32·9 | 34·9 | 35·5 | 38·3 | 41·3 | 50·4 | 50·0 | 51·9 | 48·2 | 43·7 | 33·0 | 33·3 | 41·1 |
| Mean Daily Range of Temperature . . | 8·2 | 9·3 | 11·4 | 14·1 | 15·6 | 13·6 | 13·6 | 11·0 | 11·0 | 11·6 | 10·9 | 9·5 | 11·6 |
| Mean Temperature . . . . . | 36·3 | 39·5 | 41 1 | 45·4 | 49·1 | 57·2 | 56·8 | 57·4 | 53·7 | 49·5 | 38·5 | 38·0 | 46·9 |
| Mean of Black Bulb in Sun . . . . . | 46·6 | 55·4 | 62·1 | 73·6 | 79·9 | 89·0 | 86·3 | 81·3 | 79·6 | 70·4 | 55·3 | 51·4 | 69·2 |
| Mean of Black Bulb at Night . . . . | 28·7 | 31·0 | 31·6 | 33·5 | 36·0 | 46·0 | 44·9 | 47·0 | 43·1 | 38·5 | 28·8 | 28·8 | 36·5 |
| Mean Temperature of Evaporation . . | 35·2 | 37·1 | 38·6 | 42·2 | 46·1 | 53·9 | 53·9 | 54·5 | 51·1 | 47·1 | 36·6 | 36·2 | 44·4 |
| Mean Dew-point Temperature . . . | 33·7 | 35·1 | 36·4 | 39·5 | 42·8 | 51·6 | 51·6 | 52·4 | 49·3 | 45·5 | 34·8 | 34·6 | 42·3 |
| Mean Humidity of the Air . . . . . | 90 | 88 | 86 | 83 | 80 | 84 | 84 | 86 | 88 | 90 | 87 | 90 | 86 |
| Elastic Force of Vapour . . (inches) | ·194 | ·206 | ·215 | ·245 | ·277 | ·384 | ·383 | ·395 | ·352 | ·306 | ·203 | ·202 | ·280 |
| Number of Days on which Rain fell . | 14 | 15 | 22 | 9 | 14 | 13 | 20 | 22 | 19 | 14 | 19 | 13 | 194 |
| Amount of Rain, Sleet, and Snow (inches) | 3·09 | 3·32 | 5·10 | 1·04 | 1·57 | 2·35 | 3·94 | 6·44 | 5·27 | 3·34 | 6·63 | 2·98 | 45·07 |
| Mean Amount of Cloud . . . . . | 7·3 | 6·2 | 6·0 | 6·0 | 6·4 | 6·3 | 6·6 | 7·0 | 6·9 | 6·0 | 6·3 | 5·9 | 6·4 |
| Hours of Sunshine . . . . . | 58 | 87 | 147 | 179 | 197 | 223 | 208 | 157 | 130 | 127 | 81 | 80 | 1674 |
| Mean Barometer, corrected . (inches) | 30·038 | 29·681 | 29·507 | 30·177 | 30·070 | 29·961 | 29·619 | 29·774 | 29·723 | 29·936 | 29·544 | 30·020 | 29·837 |
| Easterly Winds—number of Days . . | 7 | 8 | 4 | 11 | 7 | 15 | 8 | 2 | 6 | 7 | 6 | 5 | 86 |
| Westerly Winds—number of Days . . | 15 | 13 | 22 | 11 | 17 | 8 | 16 | 23 | 15 | 14 | 16 | 16 | 186 |

vented the loss of heat by radiation from the earth's surface being so great. The consequence of this was that the mean temperature of the year was slightly above the mean of the five previous years, and the daily variations of temperature were smaller than usual.

Conjoined with these meteorological phenomena was an unusual prevalence of strong breezes from the south-west; and storms of wind, which committed great devastations at sea, were more numerous than usual.

It may now be considered as a proved fact, that in Scotland, damp rainy weather, such as was experienced during the whole of 1861, tends to decrease the number of Deaths, while extremes of heat, and especially of cold, tend powerfully to increase them. It is very questionable, however, whether a continuance of such weather be equally conducive to health; nay, it is the general belief, founded on observation, that the amount of sickness, though not of so fatal a character, is greater during damp, moist weather, than it is when the weather is dry and frosty. Heavy falls of rain, however, when they occur in the summer or winter, are most valuable agents in purifying both the atmosphere and the ground; while in Towns, by washing out the drains, streets, and narrow lanes or closes, they act as most effective sanitary agents. It is, indeed, a proved fact that heavy

TABLE XL.—Showing the Revenue, Imports, Exports, the Quantity of Grains, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England, etc., during the years 1860, 1861, and 1862.

| | | 1860. | 1861. | 1862. |
|---|---|---|---|---|
| Gross Revenue of United Kingdom, | £ | 71,089,668 | 70,283,674 | 69,674,479 |
| Expenditure, | £ | 69,619,266 | 72,964,536 | 72,086,485 |
| Real Value of Total Imports, | £ | 210,648,643 | 217,351,881 | 226,592,720 |
| Real Value of Total Exports, | £ | 165,670,653 | 160,809,430 | 167,189,398 |
| Wheat imported, | Qrs. | 5,880,958 | 6,912,815 | 9,469,270 |
| All other Grains imported, | Qrs. | 7,125,662 | 7,366,239 | 6,905,922 |
| Wheat Flour imported, | Cwts. | 5,086,220 | 6,152,938 | 7,207,113 |
| All other kinds of Flour imported, | Cwts. | 71,344 | 97,421 | 17,935 |
| Eggs imported, | No. | 167,695,200 | 203,313,360 | 235,230,360 |
| Butter imported, | Cwts. | 840,112 | 992,772 | 1,037,371 |
| Cheese imported, | Cwts. | 583,283 | 706,395 | 703,909 |
| Potatoes imported, | Cwts. | 560,762 | 385,446 | 1,354,636 |
| Rice imported, | Cwts. | 1,535,575 | 3,305,632 | 3,919,189 |
| Tea imported, | lbs. | 88,946,532 | 96,577,382 | 114,787,361 |
| Coffee imported, | lbs. | 82,767,746 | 83,532,525 | 94,210,359 |
| Cocoa imported, | lbs. | 9,009,839 | 9,080,288 | 9,912,508 |
| Raw Sugar imported, | Cwts. | 8,817,277 | 10,400,805 | 9,884,191 |
| Tobacco imported (total), | lbs. | 51,663,625 | 52,854,392 | 42,306,035 |
| Wine imported, | Galls. | 12,475,001 | 11,052,436 | 11,960,664 |
| Wool imported, | lbs. | 148,396,577 | 147,172,841 | 171,943,472 |
| Cotton (Raw) imported, | lbs. | 1,390,938,752 | 1,256,984,736 | 523,973,296 |
| Flax imported, | Cwts. | 1,464,810 | 1,333,679 | 1,798,351 |
| Hemp, etc., imported, | Cwts. | 792,388 | 820,600 | 915,807 |
| Jute imported, | Cwts. | 816,787 | 904,092 | 963,774 |
| Quantity of Coal raised in Scotland, | Tons | 10,900,500 | 11,081,000 | 12,200,000 |
| ——— Iron Ore raised in do., | Tons | 2,150,000 | 1,975,000 | 1,500,000 |
| ——— Pig Iron made in do., | Tons | 937,000 | 950,000 | 1,080,000 |
| Cod and Ling taken on Coasts of do., | Cwts. | 167,918 | 131,764 | 157,597 |
| Herrings taken on do., | Barrels | 721,190 | 723,486 | 867,769 |
| Average Price of Wheat in England, | per Qr. | 53s. 3d. | 55s. 4d. | 55s. 5d. |
| ——— Barley, | per Qr. | 36s. 7d. | 36s. 1d. | 35s. 1d. |
| ——— Oats, | per Qr. | 24s. 5d. | 23s. 9¼d. | 22s. 7d. |
| Contract price of 4lb. Loaf to Troops in Scotland, | 1st half year, | 4¾d. to 5¾d. | 7d. | 6¼d. |
| | 2d half year, | 5d. to 6½d. | 6¼d. | 5½d. |
| Contract price of Fresh Meat per lb. to Troops in Scotland, | 1st half year, | 4¼d. to 5¼d. | 5¼d. | 5d. |
| | 2d half year, | 5d. to 6¾d. | 5d. | 4½d. |
| Savings Banks, Scotland—Number of Accounts, | | 139,114 | 143,906 | 147,865 |
| Savings Banks, do.—Amount of Deposits, | £ | 2,414,073 | 2,537,963 | 2,677,209 |
| Number of registered Paupers in Scotland, | | 95,761 | 97,340 | 98,922 |
| Number of ascertained Scottish Emigrants, | | 8,733 | 6,730 | 12,596 |

falls of rain, even in Intertropical Countries, cause an immediate and sensible diminution in the attacks of any epidemic disease which may be prevalent at the time; and diminish the mortality of the cases under treatment. Such appears to have been the effect of the heavy falls of rain in Scotland during the year 1861; and perhaps the small epidemic mortality, and the small number of Deaths from all diseases, may, to no small extent, be ascribed to these heavy falls of rain.

Table XXXIX. shows the meteorological phenomena in Scotland during the year 1861, deduced from observations made at 53 stations of the Meteorological Society of Scotland. From that Table it appears that the mean barometric pressure, corrected to 32°, and to the mean sea level, was 29·837 inches. The mean temperature was 46°·9; the mean daily range of temperature, 11°·6. The absolute highest degree of temperature in the shade during the year was 85°·5, and the absolute lowest —3°·7. The mean of all the highest day temperatures was 52°·7, and the mean of the lowest night temperatures 41°·1. The mean humidity of the air was 86; the number of days on which rain fell was 194, with a mean depth of 45·07 inches of water. The mean amount of cloud was 6·4. And the sun shone for 1674 hours. Easterly winds blew 86 days; westerly winds 186 days.

Table XL. shows some of the other external agencies which may be supposed to influence the Deaths and Marriages; as from it may be deduced the general state of the country as to the condition of its trade, manufactures, commercial prosperity, the supply and price of provisions, and the ability of the people to save from their earnings, and deposit their savings in banks. This table of itself refutes the theory which has been propounded as to the necessary connection between a high mortality and high-priced food. In 1860, a year of very high mortality, provisions were extremely cheap, the demand for labour great, wages very good, and yet these did not keep down the mortality. In 1861, provisions were up in price—the four-pound loaf, which in 1860 was 5d. and 6d., rose to 7d. The commercial atmosphere was disturbed by the breaking out of the American War; but notwithstanding this, the year was one of low mortality. The only connection which seems to exist between the high price and scarcity of provisions and a high mortality, is that both are probably dependent on one cause, when they co-exist; and that it is the weather which simultaneously affects the price and scarcity of provisions, and the mortality. When these two conditions, therefore, occur during the same year, the coincidence has been mistaken for the cause; and the increased mortality has been attributed to the high price and scarcity of provisions, while it was in fact due to the very same cause which led to provisions being scarce and high-priced.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, *9th March* 1865.

# ANNUAL ABSTRACTS

OF

# BIRTHS, DEATHS, AND MARRIAGES.

---

1861.

# Births, Deaths, and Marriages registered in Scotland during the Year 1861.

| | 1861. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. | Number of Statute Acres. * |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total | Mal. | Fem | Totl | Males. | Fem. | Total. | | | |
| | **SCOTLAND** - - | 2,888,742 | 3,062,294 | 54606 | 52403 | 107009 | 5168 | 4761 | 9929 | 30890 | 31451 | 62341 | 20896 | 44668 | 19,639,377 |
| | DIVISIONS. | | | | | | | | | | | | | | |
| 1 | NORTHERN, . . . | 127,035 | 130,422 | 1787 | 1675 | 3462 | 95 | 93 | 188 | 941 | 995 | 1936 | 677 | 1526 | 2,261,662 |
| 2 | NORTH-WESTERN, . | 175,735 | 167,329 | 2410 | 2217 | 4627 | 125 | 127 | 252 | 1257 | 1347 | 2604 | 887 | 2023 | 4,739,876 |
| 3 | NORTH-EASTERN, . | 348,366 | 366,783 | 6079 | 5872 | 11951 | 862 | 815 | 1677 | 3191 | 3401 | 6592 | 2419 | 5359 | 2,429,594 |
| 4 | EAST-MIDLAND, . | 515,966 | 523,822 | 8863 | 8280 | 17143 | 960 | 830 | 1790 | 5023 | 5218 | 10241 | 3457 | 6902 | 2,790,492 |
| 5 | WEST-MIDLAND, . | 241,447 | 242,507 | 4007 | 3959 | 7966 | 299 | 286 | 585 | 2232 | 2203 | 4435 | 1367 | 3531 | 2,693,176 |
| 6 | SOUTH-WESTERN, . | 881,092 | 1,008,253 | 20935 | 19938 | 40873 | 1688 | 1569 | 3257 | 12077 | 12057 | 24134 | 7736 | 16739 | 1,462,397 |
| 7 | SOUTH-EASTERN, . | 383,217 | 408,962 | 7047 | 7070 | 14117 | 634 | 582 | 1216 | 4202 | 4228 | 8430 | 3097 | 5687 | 1,192,524 |
| 8 | SOUTHERN, . . . | 215,884 | 214,216 | 3478 | 3392 | 6870 | 505 | 459 | 964 | 1967 | 2002 | 3969 | 1256 | 2901 | 2,069,696 |
| | COUNTIES. | | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | | |
| 1 | Shetland, . . . | 31,078 | 31,670 | 441 | 394 | 835 | 11 | 23 | 34 | 222 | 266 | 488 | 166 | 347 | } 598,726 |
| 2 | Orkney, . . . | 31,455 | 32,395 | 423 | 417 | 840 | 15 | 25 | 40 | 238 | 272 | 510 | 210 | 330 | |
| 3 | Caithness, . . . | 39,782 | 42,200 | 616 | 604 | 1220 | 54 | 30 | 84 | 306 | 282 | 588 | 208 | 632 | 455,708 |
| 4 | Sutherland, . . . | 24,720 | 24,157 | 307 | 260 | 567 | 15 | 15 | 30 | 175 | 175 | 350 | 93 | 217 | 1,207,188 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty, . | 83,781 | 82,427 | 1186 | 1121 | 2307 | 47 | 43 | 90 | 594 | 637 | 1231 | 426 | 1076 | 2,016,375 |
| 6 | Inverness, . . . | 91,954 | 84,902 | 1224 | 1096 | 2320 | 78 | 84 | 162 | 663 | 710 | 1373 | 461 | 947 | 2,723,501 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| 7 | Nairn, . . . . | 8,076 | 8,347 | 120 | 110 | 230 | 12 | 6 | 18 | 99 | 75 | 174 | 55 | 56 | 137,500 |
| 8 | Elgin (or Moray), . . | 40,532 | 44,218 | 747 | 680 | 1427 | 87 | 93 | 180 | 339 | 360 | 699 | 242 | 728 | 340,000 |
| 9 | Banff, . . . . | 51,353 | 56,020 | 993 | 890 | 1883 | 135 | 141 | 276 | 391 | 498 | 889 | 377 | 994 | 439,219 |
| 10 | Aberdeen, . . . | 213,461 | 223,344 | 3682 | 3665 | 7347 | 553 | 506 | 1059 | 2088 | 2213 | 4301 | 1529 | 3046 | 1,260,625 |
| 11 | Kincardine, . . . | 34,944 | 34,854 | 537 | 527 | 1064 | 75 | 69 | 144 | 274 | 255 | 529 | 216 | 535 | 252,250 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| 12 | Forfar, . . . . | 193,627 | 206,750 | 3821 | 3565 | 7386 | 476 | 411 | 887 | 2217 | 2298 | 4515 | 1490 | 2871 | 568,750 |
| 13 | Perth, . . . . | 137,369 | 133,198 | 1878 | 1795 | 3673 | 216 | 181 | 397 | 1220 | 1286 | 2506 | 825 | 1167 | 1,814,063 |
| 14 | Fife,* . . . . | 153,789 | 155,021 | 2674 | 2424 | 5098 | 223 | 196 | 419 | 1310 | 1375 | 2685 | 980 | 2413 | 328,427 |
| 15 | Kinross,* . . . | 9,626 | 8,731 | 126 | 130 | 256 | 13 | 12 | 25 | 89 | 68 | 157 | 36 | 99 | 49,812 |
| 16 | Clackmannan, . . | 21,555 | 20,122 | 364 | 366 | 730 | 32 | 30 | 62 | 187 | 191 | 378 | 126 | 352 | 29,440 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| 17 | Stirling, . . . | 83,802 | 88,138 | 1648 | 1610 | 3258 | 128 | 142 | 270 | 830 | 789 | 1619 | 613 | 1639 | 295,875 |
| 18 | Dumbarton, . . . | 46,995 | 54,179 | 1008 | 986 | 1994 | 71 | 71 | 142 | 531 | 548 | 1079 | 328 | 915 | 204,800 |
| 19 | Argyll, . . . . | 94,042 | 83,859 | 1129 | 1150 | 2279 | 79 | 61 | 140 | 713 | 687 | 1400 | 351 | 879 | 2,083,126 |
| 20 | Bute, . . . . | 16,608 | 16,331 | 222 | 213 | 435 | 21 | 12 | 33 | 158 | 179 | 337 | 75 | 98 | 109,375 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| 21 | Renfrew,* . . . | 157,950 | 168,746 | 3254 | 3115 | 6369 | 243 | 216 | 459 | 1881 | 1914 | 3795 | 1294 | 2574 | 158,268 |
| 22 | Ayr,* . . . . | 189,973 | 199,063 | 3916 | 3797 | 7713 | 358 | 334 | 692 | 2131 | 2173 | 4304 | 1343 | 3409 | 735,262 |
| 23 | Lanark,* . . . . | 533,169 | 640,444 | 13765 | 13026 | 26791 | 1087 | 1019 | 2106 | 8065 | 7970 | 16035 | 5099 | 10756 | 568,867 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| 24 | Linlithgow,* . . . | 30,590 | 39,045 | 821 | 779 | 1600 | 58 | 44 | 102 | 392 | 346 | 738 | 239 | 862 | 81,113 |
| 25 | Edinburgh,* . . . | 259,493 | 274,093 | 4666 | 4767 | 9433 | 412 | 404 | 816 | 3021 | 3105 | 6126 | 2287 | 3307 | 234,925 |
| 26 | Haddington,* . . . | 36,363 | 37,626 | 618 | 611 | 1229 | 65 | 44 | 109 | 331 | 314 | 645 | 246 | 584 | 179,142 |
| 27 | Berwick,* . . . | 36,165 | 36,488 | 590 | 542 | 1132 | 69 | 56 | 125 | 273 | 291 | 564 | 212 | 568 | 302,951 |
| 28 | Peebles,* . . . | 10,804 | 11,300 | 180 | 189 | 369 | 17 | 24 | 41 | 90 | 89 | 179 | 64 | 190 | 227,869 |
| 29 | Selkirk,* . . . | 9,802 | 10,410 | 172 | 182 | 354 | 13 | 10 | 23 | 95 | 83 | 178 | 49 | 176 | 166,524 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | | |
| 30 | Roxburgh,* . . . | 51,225 | 53,722 | 913 | 886 | 1799 | 124 | 103 | 227 | 525 | 503 | 1028 | 308 | 771 | 428,494 |
| 31 | Dumfries,* . . . | 78,149 | 75,904 | 1239 | 1177 | 2416 | 184 | 168 | 352 | 707 | 710 | 1417 | 480 | 999 | 702,953 |
| 32 | Kirkcudbright,* . . | 43,121 | 42,495 | 709 | 665 | 1374 | 111 | 91 | 202 | 365 | 380 | 745 | 218 | 629 | 610,343 |
| 33 | Wigtown,* . . . | 43,389 | 42,095 | 617 | 664 | 1281 | 86 | 97 | 183 | 370 | 409 | 779 | 250 | 502 | 327,906 |

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | I. NORTHERN. | | | | | | | | | | | | |
| | 1. Shetland. | | | | | | | | | | | | |
| 1 | Bressay, etc.—(1) Bressay | 906 | 915 | 12 | 9 | 21 | – | – | – | 7 | 6 | 13 | 6 |
| | (2) Burra and Quarff, | 906 | 890 | 13 | 11 | 24 | 1 | 3 | 4 | 6 | 3 | 9 | 3 |
| 2 | Delting, . . . | 2124 | 1975 | 25 | 24 | 49 | 1 | 1 | 2 | 17 | 19 | 36 | 6 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, . | *c.* 2005 | 2113 | 37 | 30 | 67 | – | – | – | 5 | 12 | 17 | 11 |
| | (2) Sandwick and Cunningsburgh, . . | *c.* 2220 | 2337 | 34 | 35 | 69 | – | – | – | 14 | 16 | 30 | 9 |
| | (3) Fair Isle, . . | 280 | 380 | 13 | 5 | 18 | 1 | – | 1 | 1 | 2 | 3 | – |
| 4 | Fetlar, etc.— | | | | | | | | | | | | |
| | (1) Fetlar, . . . | 658 | 548 | 6 | 10 | 16 | – | 1 | 1 | 5 | 6 | 11 | 4 |
| | (2) North Yell, . . | 998 | 932 | 12 | 11 | 23 | 1 | – | 1 | 6 | 13 | 19 | 3 |
| 5 | Lerwick (incl. Town), . | 3390 | 3631 | 47 | 36 | 83 | 1 | 2 | 3 | 40 | 44 | 84 | 35 |
| 6 | Mid and South Yell, . | 1741 | 1784 | 23 | 23 | 46 | – | 4 | 4 | 14 | 13 | 27 | 9 |
| 7 | Nesting, etc.— | | | | | | | | | | | | |
| | (1) Nesting, . . | *c.* 806 | 855 | 12 | 14 | 26 | – | – | – | 7 | 6 | 13 | 7 |
| | (2) Lunnasting, . . | *c.* 830 | 880 | 19 | 15 | 34 | – | 2 | 2 | 6 | 7 | 13 | 8 |
| | (3) Whalsay and Skerries | 784 | 848 | 14 | 20 | 34 | 1 | – | 1 | 2 | 7 | 9 | 1 |
| 8 | Northmavine, . . | 2534 | 2585 | 34 | 27 | 61 | 2 | 2 | 4 | 22 | 23 | 45 | 15 |
| 9 | Sandsting and Aithsting, | 2603 | 2670 | 37 | 31 | 68 | – | 2 | 2 | 11 | 23 | 34 | 9 |
| 10 | Tingwall, etc.— | | | | | | | | | | | | |
| | (1) Tingwall, . . | *c.* 1654 | 1554 | 11 | 14 | 25 | – | 3 | 3 | 12 | 12 | 24 | 2 |
| | (2) Whiteness & Weesdale | *c.* 1220 | 1143 | 22 | 12 | 34 | 1 | 1 | 2 | 9 | 5 | 14 | 1 |
| 11 | Unst, . . . . . | 2977 | 3060 | 36 | 32 | 68 | – | 2 | 2 | 20 | 29 | 49 | 21 |
| 12 | Walls, etc.—(1) Walls, . | *c.* 1280 | 1365 | 20 | 21 | 41 | 1 | – | 1 | 7 | 9 | 16 | 13 |
| | (2) Sandness, . | *c.* 563 | 606 | 11 | 9 | 20 | 1 | – | 1 | 7 | 5 | 12 | 3 |
| | (3) Papa-Stour, . | 359 | 366 | 2 | 4 | 6 | – | – | – | 4 | 6 | 10 | – |
| | (4) Foula, . . | 240 | 233 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| | Total, | 31078 | 31670 | 441 | 394 | 835 | 11 | 23 | 34 | 222 | 266 | 488 | 166 |
| | 2. Orkney. | | | | | | | | | | | | |
| 13 | Birsay, . . . . | 1749 | 1774 | 23 | 21 | 44 | 3 | – | 3 | 9 | 13 | 22 | 9 |
| 14 | Deerness, . . . | 786 | 813 | 11 | 6 | 17 | – | 1 | 1 | 8 | 5 | 13 | 8 |
| 15 | Eday and Pharay, . . | 1016 | 979 | 20 | 12 | 32 | – | 1 | 1 | 9 | 11 | 20 | 10 |
| 16 | Evie and Rendall, . . | 1446 | 1408 | 20 | 13 | 33 | – | 1 | 1 | 3 | 3 | 6 | 10 |
| 17 | Firth and Stennes, . . | 1327 | 1493 | 18 | 21 | 39 | – | – | – | 11 | 12 | 23 | 9 |
| 18 | Harray, . . . | 750 | 819 | 3 | 6 | 9 | – | – | – | 9 | 3 | 12 | 3 |
| 19 | Holm and Paplay, . | 749 | 834 | 12 | 8 | 20 | – | 1 | 1 | 10 | 6 | 16 | 9 |
| 20 | Hoy and Græmsay, . | 615 | 556 | 7 | 4 | 11 | – | – | – | 4 | 5 | 9 | 6 |
| 21 | KIRKWALL & ST OLA (incl. Burgh), . . | 3990 | 4422 | 67 | 72 | 139 | 2 | 6 | 8 | 58 | 61 | 119 | 33 |
| 22 | North Ronaldshay, . | 526 | 532 | 2 | 5 | 7 | – | – | – | 3 | 1 | 4 | 1 |
| 23 | Orphir, . . . | 1157 | 1133 | 16 | 17 | 33 | 1 | – | 1 | 4 | 7 | 11 | 7 |
| 24 | Rousay and Egilsay, . | 1215 | 1152 | 17 | 13 | 30 | – | – | – | 15 | 13 | 28 | 9 |
| 25 | St Andrews, . . | 926 | 868 | 10 | 13 | 23 | 2 | 2 | 4 | 2 | 8 | 10 | 5 |
| 26 | Sanday, . . . | 2004 | 2145 | 31 | 25 | 56 | 1 | 1 | 2 | 12 | 15 | 27 | 12 |
| 27 | Sandwick, . . . | 1107 | 1225 | 13 | 19 | 32 | – | 3 | 3 | 3 | 7 | 10 | 6 |
| 28 | Shapinshay, . . . | 899 | 973 | 10 | 13 | 23 | – | – | – | 4 | 9 | 13 | 4 |
| 29 | South Ronaldshay and Burray, . . . | 3086 | 3282 | 46 | 47 | 93 | 4 | 5 | 9 | 25 | 26 | 51 | 21 |
| 30 | Stromness, . . . | 2770 | 2540 | 28 | 29 | 57 | – | 3 | 3 | 25 | 32 | 57 | 12 |
| 31 | Stronsay, . . . | 1211 | 1228 | 15 | 20 | 35 | – | – | – | 4 | 4 | 8 | 9 |
| 32 | Walls, etc.—(1) Walls, . | 1278 | 1254 | 12 | 14 | 26 | 2 | – | 2 | 9 | 6 | 15 | 8 |
| | (2) Flotta, . | 389 | 420 | 3 | 5 | 8 | – | 1 | 1 | 1 | 4 | 5 | 2 |
| 33 | Westray, etc.—(1) Westray | 2088 | 2153 | 31 | 26 | 57 | – | – | – | 10 | 17 | 27 | 14 |
| | (2) Papa-Westray, | 371 | 392 | 8 | 8 | 16 | – | – | – | – | 4 | 4 | 3 |
| | Total, | 31455 | 32395 | 423 | 417 | 840 | 15 | 25 | 40 | 238 | 272 | 510 | 210 |

*N.B.*—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: Thurso.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | 3. Caithness. | | | | | | | | | | | | |
| 34 | Bower, | 1658 | 1746 | 27 | 20 | 47 | 1 | 2 | 3 | 8 | 13 | 21 | 6 |
| 35 | Canisbay, | 2437 | 2730 | 40 | 36 | 76 | 2 | – | 2 | 16 | 12 | 28 | 15 |
| 36 | Dunnet, | 1868 | 1861 | 18 | 28 | 46 | 5 | – | 5 | 7 | 8 | 15 | 8 |
| 37 | Halkirk, | 2918 | 2864 | 39 | 44 | 83 | 5 | 1 | 6 | 23 | 14 | 37 | 11 |
| 38 | Latheron, | 8224 | 8571 | 109 | 117 | 226 | 5 | 11 | 16 | 53 | 50 | 103 | 35 |
| 39 | Olrig, | 1873 | 2059 | 27 | 29 | 56 | 1 | 2 | 3 | 11 | 20 | 31 | 6 |
| 40 | Reay, | 2506 | 2476 | 33 | 36 | 69 | 5 | – | 5 | 20 | 18 | 38 | 7 |
| 41 | Thurso (incl. Town), | 5096 | 5561 | 88 | 76 | 164 | 8 | 6 | 14 | 45 | 46 | 91 | 26 |
| 42 | Watten, | 1351 | 1491 | 19 | 20 | 39 | 2 | – | 2 | 5 | 10 | 15 | 16 |
| 43 | WICK— | | | | | | | | | | | | |
| | (1) Burgh, | 6796 | 7505 | 148 | 134 | 282 | 11 | 4 | 15 | 83 | 64 | 147 | 58 |
| | (2) Landward, | 5055 | 5336 | 68 | 64 | 132 | 9 | 4 | 13 | 35 | 27 | 62 | 20 |
| | Total, | 39782 | 42200 | 616 | 604 | 1220 | 54 | 30 | 84 | 306 | 282 | 588 | 208 |
| | 4. Sutherland. | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, | c. 510 | 553 | 7 | 5 | 12 | – | – | – | 3 | 3 | 6 | 1 |
| | (2) Stoer, | c. 2479 | 2625 | 23 | 34 | 57 | 1 | 2 | 3 | 14 | 15 | 29 | 12 |
| 45 | Clyne, | 1933 | 1886 | 25 | 21 | 46 | 3 | 1 | 4 | 10 | 10 | 20 | 7 |
| 46 | Criech—(1) Bonar, | c. 2134 | 1982 | 22 | 17 | 39 | – | – | – | 16 | 25 | 41 | 5 |
| | (2) Rosehall, | c. 580 | 539 | 4 | 6 | 10 | – | – | – | 4 | 2 | 6 | 3 |
| 47 | DORNOCH (incl. Burgh) | 2981 | 2885 | 41 | 35 | 76 | – | 2 | 2 | 20 | 26 | 46 | 8 |
| 48 | Durness, | 1152 | 1109 | 17 | 11 | 28 | 1 | 1 | 2 | 11 | 5 | 16 | 5 |
| 49 | Eddrachillis—(1) Scourie, | c. 700 | 727 | 8 | 5 | 13 | – | – | – | 3 | 10 | 13 | 5 |
| | (2) Kinlochbervie, | c. 876 | 914 | 17 | 13 | 30 | 1 | 2 | 3 | 7 | 3 | 10 | 7 |
| 50 | Farr—(1) Kirkton, | c. 1313 | 1251 | 13 | 14 | 27 | 1 | – | 1 | 12 | 6 | 18 | 3 |
| | (2) Strathy, | c. 890 | 852 | 7 | 9 | 16 | 1 | 1 | 2 | 5 | 5 | 10 | 5 |
| 51 | Golspie, | 1529 | 1615 | 28 | 24 | 52 | – | – | – | 13 | 10 | 23 | 9 |
| 52 | Kildonan, | 2288 | 2132 | 26 | 26 | 52 | 3 | – | 3 | 17 | 18 | 35 | 10 |
| 53 | Lairg, | 1162 | 961 | 9 | 5 | 14 | 1 | 2 | 3 | 9 | 11 | 20 | 2 |
| 54 | Loth, | 640 | 610 | 8 | 4 | 12 | – | 1 | 1 | 10 | 3 | 13 | 2 |
| 55 | Rogart, | 1535 | 1439 | 18 | 11 | 29 | 2 | 1 | 3 | 10 | 7 | 17 | 3 |
| 56 | Tongue, | 2018 | 2077 | 34 | 20 | 54 | 1 | 2 | 3 | 11 | 16 | 27 | 6 |
| | Total, | 24720 | 24157 | 307 | 260 | 567 | 15 | 15 | 30 | 175 | 175 | 350 | 93 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | |
| | 5. Ross and Cromarty. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 57 | Alness, | 1240 | 1178 | 18 | 20 | 38 | 2 | – | 2 | 12 | 10 | 22 | 7 |
| 58 | Applecross— | | | | | | | | | | | | |
| | (1) Applecross, | c. 1130 | 1064 | 10 | 17 | 27 | – | – | – | 9 | 7 | 16 | 2 |
| | (2) Shieldaig, | c. 1579 | 1480 | 16 | 16 | 32 | 1 | – | 1 | 4 | 14 | 18 | 6 |
| 59 | Avoch, | 2029 | 1788 | 30 | 24 | 54 | 3 | 1 | 4 | 5 | 12 | 17 | 16 |
| 60 | Contin, | 1562 | 1509 | 22 | 16 | 38 | – | 1 | 1 | 8 | 11 | 19 | 5 |
| 61 | CROMARTY (incl. Burgh) | 2727 | 2300 | 42 | 30 | 72 | 1 | 1 | 2 | 19 | 19 | 38 | 9 |
| 62 | DINGWALL (incl. Burgh) | 2364 | 2412 | 35 | 32 | 67 | 7 | 4 | 11 | 19 | 23 | 42 | 14 |
| 63 | Edderton, | 890 | 836 | 7 | 14 | 21 | – | – | – | 2 | 5 | 7 | 3 |
| 64 | Fearn, | 2122 | 2083 | 36 | 30 | 66 | 1 | 1 | 2 | 16 | 21 | 37 | 12 |
| 65 | Fodderty, | 2342 | 2247 | 33 | 30 | 63 | 4 | – | 4 | 16 | 22 | 38 | 3 |
| 66 | Gairloch— | | | | | | | | | | | | |
| | (1) Northern District, | c. 1822 | 1927 | 28 | 27 | 55 | – | – | – | 22 | 18 | 40 | 12 |
| | (2) Southern District, | c. 3340 | 3522 | 41 | 42 | 83 | 1 | 4 | 5 | 22 | 36 | 58 | 11 |
| 67 | Glenshiel, | 573 | 485 | 7 | 4 | 11 | – | 1 | 1 | 4 | 4 | 8 | – |
| 68 | Killearnan, | 1794 | 1494 | 15 | 19 | 34 | – | – | – | 12 | 14 | 26 | 3 |
| 69 | Kilmuir-Easter, | 1437 | 1295 | 20 | 17 | 37 | 1 | – | 1 | 9 | 8 | 17 | 3 |
| 70 | Kiltearn, | 1538 | 1634 | 23 | 19 | 42 | – | – | – | 5 | 16 | 21 | 6 |
| 71 | Kincardine, | 1896 | 1746 | 18 | 16 | 34 | 2 | – | 2 | 14 | 13 | 27 | 4 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 72 | Kintail, . . . . | 1009 | 890 | 7 | 9 | 16 | – | 1 | 1 | 2 | 4 | 6 | 4 |
| 73 | Knockbain, . . . | 3005 | 2485 | 20 | 21 | 41 | 3 | – | 3 | 13 | 18 | 31 | 5 |
| 74 | Lochalsh, . . . | 2299 | 2413 | 25 | 28 | 53 | 2 | 1 | 3 | 19 | 19 | 38 | 11 |
| 75 | Lochbroom— | | | | | | | | | | | | |
| | (1) Lochbroom, . . | *c.* 3540 | 3577 | 49 | 46 | 95 | – | – | – | 39 | 44 | 83 | 20 |
| | (2) Coigach, . . | *c.* 1273 | 1285 | 23 | 9 | 32 | – | – | – | 14 | 7 | 21 | – |
| 76 | Lochcarron, . . . | 1612 | 1592 | 18 | 17 | 35 | 1 | 1 | 2 | 14 | 17 | 31 | 3 |
| 77 | Logie-Easter, . . . | 965 | 932 | 6 | 15 | 21 | – | 1 | 1 | 9 | 6 | 15 | 6 |
| 78 | Nigg, . . . . | 1457 | 1253 | 16 | 13 | 29 | – | 1 | 1 | 14 | 11 | 25 | 12 |
| 79 | Resolis, . . . . | 1551 | 1568 | 14 | 22 | 36 | 1 | 2 | 3 | 15 | 11 | 26 | 12 |
| 80 | Rosemarkie (incl. Burgh of FORTROSE), . | 1776 | 1545 | 20 | 17 | 37 | – | – | – | 15 | 12 | 27 | 4 |
| 81 | Rosskeen, . . . | 3699 | 3766 | 44 | 76 | 120 | 4 | 6 | 10 | 26 | 29 | 55 | 23 |
| 82 | TAIN (incl. Burgh), . | 3574 | 3294 | 42 | 38 | 80 | 3 | 7 | 10 | 23 | 20 | 43 | 13 |
| 83 | Tarbat, . . . . | 2151 | 2269 | 32 | 34 | 66 | – | – | – | 13 | 17 | 30 | 17 |
| 84 | Urquhart & Logie-Wester, | 3153 | 3147 | 43 | 32 | 75 | 4 | 2 | 6 | 31 | 25 | 56 | 6 |
| 85 | Urray, . . . . | 2621 | 2355 | 35 | 22 | 57 | 2 | 1 | 3 | 13 | 18 | 31 | 13 |
| | *Insular.* | | | | | | | | | | | | |
| *a*86 | Barvas, . . . . | 4189 | 4609 | 81 | 86 | 167 | 1 | 1 | 2 | 39 | 30 | 69 | 39 |
| *b*86 | Carloway, . . . | *c.* 2120 | 2204 | 41 | 37 | 78 | – | – | – | 10 | 18 | 28 | 20 |
| 87 | Lochs, . . . . | *c.* 3109 | 3568 | 70 | 53 | 123 | 1 | 1 | 2 | 26 | 22 | 48 | 32 |
| 88 | Stornoway (incl. Town), | 8057 | 8668 | 163 | 140 | 303 | 1 | 5 | 6 | 44 | 48 | 92 | 49 |
| 89 | Uig, . . . . | *c.* 2236 | 2007 | 36 | 33 | 69 | 1 | – | 1 | 17 | 8 | 25 | 21 |
| | Total, | 83781 | 82427 | 1186 | 1121 | 2307 | 47 | 43 | 90 | 594 | 637 | 1231 | 426 |
| | 6. Inverness. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 90 | Alvie, . . . . | 914 | 833 | 9 | 8 | 17 | 1 | 1 | 2 | 10 | 3 | 13 | 1 |
| 91 | Ardersier, . . . | 1337 | 1239 | 18 | 13 | 31 | – | – | – | 9 | 14 | 23 | 8 |
| 92 | Boleskine & Abertarff— | | | | | | | | | | | | |
| | (1) Boleskine, . . | *c.* 936 | 813 | 7 | 8 | 15 | – | – | – | 3 | 8 | 11 | 3 |
| | (2) Fort-Augustus or Abertarff, . . . | *c.* 1070 | 930 | 12 | 9 | 21 | 1 | 3 | 4 | 6 | 9 | 15 | 3 |
| 93 | Cromdale and Inverallan, | 3990 | 3943 | 51 | 50 | 101 | 7 | 10 | 17 | 36 | 33 | 69 | 17 |
| 94 | Croy and Dalcross, . | 1777 | 1873 | 32 | 21 | 53 | 1 | 2 | 3 | 11 | 11 | 22 | 4 |
| 95 | Daviot and Dunlichty, . | 1857 | 1741 | 17 | 19 | 36 | – | 2 | 2 | 7 | 14 | 21 | 9 |
| 96 | Dores, . . . . | 1650 | 1506 | 13 | 20 | 33 | – | 1 | 1 | 4 | 10 | 14 | 6 |
| 97 | Glenelg—(1) Glenelg, . | *c.* 1070 | 800 | 11 | 7 | 18 | 1 | – | 1 | 10 | 7 | 17 | 4 |
| | (2) Knoydart, | *c.* 770 | 574 | 7 | 11 | 18 | – | 1 | 1 | 3 | 4 | 7 | 2 |
| | (3) North Morar, | *c.* 630 | 469 | 7 | 7 | 14 | – | – | – | 10 | 5 | 15 | 4 |
| 98 | INVERNESS (including Burgh), . . . | 16496 | 16162 | 248 | 218 | 466 | 25 | 17 | 42 | 173 | 181 | 354 | 127 |
| 99 | Kilmonivaig— | | | | | | | | | | | | |
| | (1) Glengarry, . . | *c.* 710 | 625 | 10 | 2 | 12 | 1 | 1 | 2 | 3 | 4 | 7 | 4 |
| | (2) Lochaber, . . | *c.* 1873 | 1651 | 20 | 16 | 36 | 3 | – | 3 | 15 | 9 | 24 | 4 |
| 100 | Kilmorack, . . . | 3007 | 2852 | 34 | 33 | 67 | – | 2 | 2 | 17 | 22 | 39 | 8 |
| 101 | Kiltarlity, . . . | 2965 | 2839 | 32 | 36 | 68 | 2 | 4 | 6 | 9 | 12 | 21 | 11 |
| 102 | Kingussie and Insh, . | 2201 | 2033 | 24 | 25 | 49 | 1 | 4 | 5 | 9 | 12 | 21 | 7 |
| 103 | Kirkhill, . . . . | 1730 | 1757 | 25 | 22 | 47 | – | 1 | 1 | 16 | 13 | 29 | 9 |
| 104 | Laggan, . . . . | 1223 | 986 | 9 | 13 | 22 | 1 | 2 | 3 | 6 | 3 | 9 | 2 |
| 105 | Moy and Dalarossie, . | 1018 | 1026 | 12 | 12 | 24 | 1 | 1 | 2 | 2 | 7 | 9 | 3 |
| 106 | Petty, . . . . | 1784 | 1671 | 30 | 25 | 55 | 2 | 1 | 3 | 9 | 10 | 19 | 6 |
| 107 | Urquhart, etc.— | | | | | | | | | | | | |
| | (1) Urquhart, . . | *c.* 2585 | 2294 | 22 | 21 | 43 | 1 | 2 | 3 | 18 | 14 | 32 | 10 |
| | (2) Glenmoriston, . | *c.* 695 | 617 | 12 | 3 | 15 | 1 | – | 1 | 5 | 8 | 13 | 5 |
| | *Insular.* | | | | | | | | | | | | |
| 108 | Barra, . . . . | 1873 | 1853 | 37 | 26 | 63 | – | 1 | 1 | 17 | 17 | 34 | 16 |
| 109 | Bracadale, . . . | 1597 | 1335 | 14 | 17 | 31 | 1 | – | 1 | 16 | 12 | 28 | 5 |
| 110 | Duirinish, . . . | 5330 | 4775 | 76 | 56 | 132 | 1 | 6 | 7 | 44 | 50 | 94 | 20 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 111 | Harris—(1) Harris, . | 3663 | 3769 | 55 | 55 | 110 | 5 | 2 | 7 | 18 | 30 | 48 | 19 |
| | (2) Bernera, . | 477 | 336 | 5 | 6 | 11 | 2 | 1 | 3 | 2 | 2 | 4 | 2 |
| | (3) St Kilda, . | 110 | 78 | – | – | – | – | – | – | – | – | – | – |
| 112 | Kilmuir—(1) Kilmuir, . | *c.* 1743 | 1561 | 24 | 21 | 45 | 1 | – | 1 | 12 | 14 | 26 | 10 |
| | (2) Stenscholl, | *c.* 1464 | 1311 | 11 | 23 | 34 | – | 1 | 1 | 8 | 16 | 24 | 8 |
| 113 | North Uist, . . . . | 3918 | 3959 | 62 | 57 | 119 | 3 | 3 | 6 | 29 | 39 | 68 | 16 |
| 114 | Portree—(1) Portree, . | 2805 | 2579 | 39 | 45 | 84 | 3 | 4 | 7 | 25 | 10 | 35 | 22 |
| | (2) Raasay, . | 752 | 580 | 13 | 9 | 22 | – | – | – | 4 | 4 | 8 | 4 |
| 115 | Sleat, . . . . . | 2531 | 2330 | 54 | 20 | 74 | 6 | 1 | 7 | 13 | 19 | 32 | 11 |
| 116 | Small Isles, . . . | 916 | 567 | 8 | 9 | 17 | – | – | – | 1 | 3 | 4 | 7 |
| 117 | Snizort, . . . . . | *c.* 3071 | 2613 | 34 | 35 | 69 | 2 | 2 | 4 | 18 | 20 | 38 | 15 |
| 118 | South Uist— | | | | | | | | | | | | |
| | (1) Benbecula, . . | 1762 | 1544 | 25 | 17 | 42 | 1 | – | 1 | 15 | 14 | 29 | 5 |
| | (2) Howmore, . . | *c.* 2040 | 1763 | 30 | 29 | 59 | – | 1 | 1 | 12 | 17 | 29 | 21 |
| | (3) Boisdale, . . | *c.* 2371 | 2051 | 31 | 36 | 67 | 3 | 3 | 6 | 13 | 14 | 27 | 6 |
| 119 | Strath, . . . . . | 3243 | 2664 | 44 | 36 | 80 | 1 | 4 | 5 | 25 | 16 | 41 | 17 |
| | Total, | 91954 | 84902 | 1224 | 1096 | 2320 | 78 | 84 | 162 | 663 | 710 | 1373 | 461 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | |
| | 7. Nairn. | | | | | | | | | | | | |
| 120 | Ardclach, . . . . | 1278 | 1330 | 21 | 8 | 29 | 1 | – | 1 | 4 | 9 | 13 | 9 |
| 121 | Auldearn, . . . . | 1480 | 1328 | 9 | 24 | 33 | 2 | 4 | 6 | 18 | 4 | 22 | 14 |
| 122 | Cawdor, . . . . . | 1202 | 1203 | 15 | 12 | 27 | 1 | – | 1 | 12 | 11 | 23 | 4 |
| 123 | NAIRN (incl. Burgh), . | 4116 | 4486 | 75 | 66 | 141 | 8 | 2 | 10 | 65 | 51 | 116 | 28 |
| | Total, | 8076 | 8347 | 120 | 110 | 230 | 12 | 6 | 18 | 99 | 75 | 174 | 55 |
| | 8. Elgin (or Moray). | | | | | | | | | | | | |
| 124 | Abernethy & Kincardine, | 1871 | 1928 | 36 | 28 | 64 | 5 | 4 | 9 | 10 | 16 | 26 | 11 |
| 125 | Alves, . . . . . | 919 | 1010 | 11 | 9 | 20 | 1 | 2 | 3 | 4 | 4 | 8 | 15 |
| 126 | Bellie, . . . . . | 2017 | 1967 | 26 | 23 | 49 | 1 | 3 | 4 | 17 | 17 | 34 | 7 |
| 127 | Birnie, . . . . . | 427 | 411 | 6 | 4 | 10 | – | – | – | 3 | 3 | 6 | 2 |
| 128 | Boharm, . . . . . | 1368 | 1412 | 22 | 23 | 45 | 5 | 3 | 8 | 11 | 8 | 19 | 4 |
| 129 | Dallas, . . . . . | 1226 | 1102 | 18 | 15 | 33 | 2 | 2 | 4 | 4 | 8 | 12 | 6 |
| 130 | Drainy, . . . . . | 1856 | 3028 | 56 | 64 | 120 | 5 | 9 | 14 | 23 | 25 | 48 | 20 |
| 131 | Duffus, . . . . . | 2983 | 3308 | 67 | 56 | 123 | 5 | 2 | 7 | 41 | 19 | 60 | 17 |
| 132 | Duthil, etc.—(1) Duthil, | *c.* 1493 | 1609 | 32 | 23 | 55 | – | 3 | 3 | 11 | 7 | 18 | 10 |
| | (2) Rothiemurchus, . | *c.* 295 | 319 | 2 | 4 | 6 | 1 | 1 | 2 | 7 | 4 | 11 | 2 |
| 133 | Dyke, . . . . . | 1369 | 1247 | 15 | 13 | 28 | – | 1 | 1 | 6 | 11 | 17 | 6 |
| 134 | Edinkillie, . . . . | 1343 | 1303 | 19 | 15 | 34 | 4 | 1 | 5 | 9 | 9 | 18 | 4 |
| 135 | ELGIN (incl. Burgh), . | 8231 | 9866 | 152 | 186 | 338 | 23 | 32 | 55 | 80 | 104 | 184 | 57 |
| 136 | New Spynie, . . . . | 445 | 518 | 10 | 6 | 16 | 1 | 3 | 4 | 3 | 3 | 6 | 4 |
| 137 | FORRES (incl. Burgh), . | 4069 | 4112 | 71 | 60 | 131 | 10 | 12 | 22 | 37 | 36 | 73 | 22 |
| 138 | Kinloss, . . . . . | 1370 | 1315 | 28 | 21 | 49 | 3 | 2 | 5 | 16 | 15 | 31 | 6 |
| 139 | Knockando, . . . . | 1771 | 1736 | 27 | 15 | 42 | 2 | 1 | 3 | 12 | 19 | 31 | 8 |
| 140 | Rafford, . . . . . | 1020 | 1055 | 17 | 14 | 31 | 2 | – | 2 | 2 | 11 | 13 | 9 |
| 141 | Rothes, . . . . . | 2022 | 2407 | 55 | 37 | 92 | 9 | 4 | 13 | 15 | 10 | 25 | 17 |
| 142 | St Andrews Lhanbryde, | 1208 | 1344 | 21 | 18 | 39 | 1 | 3 | 4 | 9 | 7 | 16 | 4 |
| 143 | Speymouth, . . . . | 685 | 689 | 12 | 10 | 22 | 1 | 2 | 3 | 3 | 9 | 12 | 4 |
| 144 | Urquhart, . . . . | 2544 | 2532 | 44 | 36 | 80 | 6 | 3 | 9 | 16 | 15 | 31 | 7 |
| | Total, | 40532 | 44218 | 747 | 680 | 1427 | 87 | 93 | 180 | 339 | 360 | 699 | 242 |
| | 9. Banff. | | | | | | | | | | | | |
| 145 | Aberlour, . . . . | 1447 | 1665 | 27 | 23 | 50 | 5 | 3 | 8 | 15 | 10 | 25 | 9 |
| 146 | Alvah, . . . . . | 1402 | 1467 | 24 | 15 | 39 | 5 | – | 5 | 12 | 6 | 18 | 10 |
| 147 | BANFF—(1) Burgh, . | 6084 | 6791 | 114 | 133 | 247 | 12 | 19 | 31 | 53 | 70 | 123 | 50 |
| | (2) Landward, | 869 | 949 | 18 | 18 | 36 | 4 | 2 | 6 | 3 | 7 | 10 | 8 |
| 148 | Botriphnie, . . . . | 713 | 867 | 15 | 13 | 28 | 3 | 3 | 6 | 8 | 3 | 11 | 7 |
| 149 | Boyndie, . . . . | 1564 | 1711 | 34 | 29 | 63 | 6 | 6 | 12 | 13 | 9 | 22 | 15 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 150 | CULLEN (Burgh, pt. of), | 1697 | 1821 | 32 | 28 | 60 | 2 | 2 | 4 | 13 | 22 | 35 | 19 |
| 151 | Deskford, . . . . | 917 | 1031 | 17 | 16 | 33 | 5 | 3 | 8 | 4 | 9 | 13 | 3 |
| 152 | Enzie, . . . . . | c. 1872 | 2072 | 37 | 41 | 78 | 3 | 5 | 8 | 6 | 15 | 21 | 12 |
| 153 | Fordyce, . . . . | 3807 | 4145 | 76 | 56 | 132 | 9 | 14 | 23 | 36 | 54 | 90 | 29 |
| 154 | Forglen, . . . . . | 695 | 783 | 10 | 9 | 19 | 4 | 2 | 6 | 3 | 2 | 5 | 6 |
| 155 | Gamrie, . . . . . | 2758 | 3019 | 55 | 51 | 106 | 3 | 8 | 11 | 21 | 28 | 49 | 22 |
| 156 | Grange, . . . . . | 1851 | 1909 | 24 | 30 | 54 | 6 | 7 | 13 | 10 | 12 | 22 | 11 |
| 157 | Inveravon—(1) Inveravon, | c. 894 | 868 | 17 | 7 | 24 | – | 1 | 1 | 5 | 7 | 12 | 1 |
| | (2) Auchbreck, | c. 1820 | 1771 | 26 | 33 | 59 | 5 | 6 | 11 | 18 | 16 | 34 | 9 |
| 158 | Inverkeithny, . . . . | 835 | 880 | 15 | 15 | 30 | – | 3 | 3 | 8 | 6 | 14 | 6 |
| 159 | Keith, . . . . . | 4986 | 5943 | 118 | 93 | 211 | 23 | 12 | 35 | 45 | 57 | 102 | 41 |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, . | c. 568 | 551 | 9 | 6 | 15 | 1 | 2 | 3 | – | 7 | 7 | – |
| | (2) Tomintoul, . . | c. 990 | 960 | 9 | 17 | 26 | 2 | 5 | 7 | 3 | 14 | 17 | 4 |
| 161 | Marnoch, . . . . | 2994 | 3289 | 61 | 42 | 103 | 10 | 9 | 19 | 17 | 25 | 42 | 20 |
| 162 | Mortlach, . . . . | 2804 | 3095 | 51 | 50 | 101 | 6 | 11 | 17 | 16 | 22 | 38 | 30 |
| 163 | Ordiquhill, . . . . | 644 | 764 | 10 | 9 | 19 | 1 | 1 | 2 | 7 | 3 | 10 | 5 |
| 164 | Rathven (incl. Buckie, Town), . . . . | c. 4664 | 4922 | 114 | 86 | 200 | 15 | 6 | 21 | 40 | 60 | 100 | 43 |
| 165 | Rothiemay, . . . . | 1413 | 1414 | 22 | 20 | 42 | 1 | 4 | 5 | 11 | 10 | 21 | 3 |
| 166 | St Fergus, . . . . | 1597 | 1608 | 29 | 26 | 55 | 4 | 6 | 10 | 10 | 13 | 23 | 7 |
| 167 | Seafield (pt. of CULLEN, Burgh), . . . . | c. 1468 | 1725 | 29 | 24 | 53 | – | 1 | 1 | 14 | 11 | 25 | 7 |
| | Total, | 51353 | 56020 | 993 | 890 | 1883 | 135 | 141 | 276 | 391 | 498 | 889 | 377 |
| | 10. Aberdeen. | | | | | | | | | | | | |
| 168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St Nicholas (Burgh), | 41465 | 41962 | 771 | 781 | 1552 | 129 | 107 | 236 | 581 | 565 | 1146 | 331 |
| | (2) Old Machar (Burgh), | 30503 | 31938 | 462 | 484 | 946 | 52 | 56 | 108 | 272 | 362 | 634 | 274 |
| | (3) Do. (Landward), | 1254 | 1298 | 20 | 16 | 36 | 1 | – | 1 | 8 | 9 | 17 | 8 |
| 169 | Aberdour, . . . . | 1707 | 1837 | 24 | 27 | 51 | 7 | 5 | 12 | 10 | 9 | 19 | 11 |
| 170 | Aboyne, . . . . . | 1108 | 1160 | 9 | 20 | 29 | – | 3 | 3 | 7 | 9 | 16 | 5 |
| 171 | Alford, . . . . . | 1143 | 1264 | 23 | 18 | 41 | 4 | 3 | 7 | 7 | 11 | 18 | 10 |
| 172 | Auchindoir, . . . . | 1369 | 1593 | 26 | 20 | 46 | 6 | 4 | 10 | 8 | 9 | 17 | 11 |
| 173 | Auchterless, . . . . | 1837 | 2010 | 43 | 28 | 71 | 6 | 2 | 8 | 21 | 4 | 25 | 11 |
| 174 | Belhelvie, . . . . | 1692 | 1807 | 23 | 31 | 54 | 3 | 4 | 7 | 16 | 19 | 35 | 14 |
| 175 | Birse, . . . . . | 1533 | 1284 | 14 | 19 | 33 | 1 | 2 | 3 | 10 | 6 | 16 | 9 |
| 176 | Bourtie, . . . . | 529 | 547 | 8 | 8 | 16 | – | – | – | 8 | 9 | 17 | 4 |
| 177 | Cabrach, . . . . | 750 | 794 | 10 | 7 | 17 | 1 | 2 | 3 | 4 | 8 | 12 | 7 |
| 178 | Cairney, . . . . . | 1565 | 1490 | 21 | 20 | 41 | 8 | 11 | 19 | 11 | 10 | 21 | 15 |
| 179 | Chapel of Garioch, . . | 2102 | 2023 | 31 | 35 | 66 | 8 | 5 | 13 | 15 | 16 | 31 | 13 |
| 180 | Clatt, . . . . . | 543 | 511 | 5 | 3 | 8 | 2 | – | 2 | 1 | 5 | 6 | 2 |
| 181 | Cluny, . . . . . | 1149 | 1254 | 17 | 19 | 36 | 2 | 5 | 7 | 7 | 15 | 22 | 2 |
| 182 | Coull, . . . . . | 734 | 792 | 10 | 12 | 22 | 3 | 2 | 5 | 4 | 8 | 12 | 4 |
| 183 | Crathie and Braemar, . | 1788 | 1574 | 19 | 17 | 36 | 3 | 3 | 6 | 8 | 10 | 18 | 8 |
| 184 | Crimond, . . . . | 893 | 892 | 14 | 13 | 27 | 3 | 2 | 5 | 6 | 5 | 11 | 1 |
| 185 | Cruden, . . . . . | 2479 | 2743 | 34 | 42 | 76 | 8 | 4 | 12 | 17 | 20 | 37 | 9 |
| 186 | Culsamond, . . . . | 1042 | 1165 | 27 | 24 | 51 | 3 | 4 | 7 | 9 | 14 | 23 | 10 |
| 187 | Daviot, . . . . . | 601 | 614 | 10 | 13 | 23 | 1 | 1 | 2 | 8 | 9 | 17 | 3 |
| 188 | Drumblade, . . . . | 949 | 926 | 12 | 9 | 21 | 3 | 1 | 4 | 10 | 5 | 15 | 6 |
| 189 | Drumoak, . . . . | 948 | 996 | 17 | 12 | 29 | – | 1 | 1 | 3 | 6 | 9 | 7 |
| 190 | Dyce, . . . . . | 470 | 585 | 8 | 7 | 15 | – | – | – | 7 | 4 | 11 | 1 |
| 191 | Echt, . . . . . | 1206 | 1287 | 20 | 11 | 31 | 5 | 1 | 6 | 8 | 6 | 14 | 5 |
| 192 | Ellon, . . . . . | c. 2750 | 3239 | 60 | 59 | 119 | 15 | 11 | 26 | 19 | 20 | 39 | 19 |
| 193 | Fintray, . . . . . | 1080 | 1003 | 20 | 20 | 40 | 2 | 1 | 3 | 9 | 16 | 25 | 6 |
| 194 | Forgue, . . . . . | 2626 | 2686 | 47 | 49 | 96 | 8 | 5 | 13 | 15 | 24 | 39 | 17 |
| 195 | Foveran, . . . . | 1638 | 1891 | 36 | 28 | 64 | 4 | 1 | 5 | 16 | 16 | 32 | 8 |
| 196 | Fraserburgh (incl Twn.), | 4447 | 4511 | 95 | 83 | 178 | 6 | 8 | 14 | 29 | 53 | 82 | 21 |
| 197 | Fyvie, . . . . . | 3927 | 4344 | 72 | 72 | 144 | 12 | 12 | 24 | 35 | 25 | 60 | 25 |
| 198 | Gartly, . . . . . | 990 | 1029 | 9 | 17 | 26 | 3 | 5 | 8 | 8 | 4 | 12 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 199 | Glass, . . . . | 972 | 1049 | 16 | 12 | 28 | 2 | 4 | 6 | 4 | 12 | 16 | 8 |
| 200 | Glenbucket, . . . | 542 | 552 | 7 | 10 | 17 | 1 | 3 | 4 | 4 | 2 | 6 | 2 |
| 201 | Glenmuick, Tullich, and Glengairn, . . . | 1984 | 1668 | 17 | 23 | 40 | – | 4 | 4 | 21 | 12 | 33 | 6 |
| 202 | Huntly (incl. Town), . | 4061 | 4329 | 77 | 88 | 165 | 14 | 21 | 35 | 35 | 53 | 88 | 29 |
| 203 | Insch, . . . . | 1519 | 1565 | 25 | 25 | 50 | 3 | 2 | 5 | 10 | 10 | 20 | 9 |
| 204 | INVERURY (including part of Burgh), . . | *c.* 2649 | 2668 | 56 | 49 | 105 | 12 | 14 | 26 | 27 | 36 | 63 | 23 |
| 205 | Keig, . . . . | 772 | 811 | 10 | 14 | 24 | 1 | 1 | 2 | 5 | 5 | 10 | 3 |
| 206 | Keith-hall, . . . | 920 | 933 | 14 | 16 | 30 | – | 3 | 3 | 5 | 2 | 7 | 8 |
| 207 | Kemnay, . . . | 680 | 832 | 15 | 13 | 28 | 3 | 3 | 6 | 1 | 5 | 6 | 7 |
| 208 | Kildrummy, . . . | 643 | 590 | 6 | 6 | 12 | – | 1 | 1 | 2 | 3 | 5 | 9 |
| 209 | Kincardine O'Neil, . | 2098 | 2186 | 26 | 34 | 60 | 2 | 6 | 8 | 17 | 18 | 35 | 7 |
| 210 | King-Edward, . . | 2749 | 2843 | 54 | 45 | 99 | 16 | 12 | 28 | 18 | 18 | 36 | 22 |
| 211 | Kinnellar, . . . | 590 | 691 | 13 | 6 | 19 | 1 | – | 1 | 3 | 10 | 13 | 4 |
| 212 | Kinnethmont, . . | 1108 | 1187 | 19 | 18 | 37 | 2 | 1 | 3 | 11 | 7 | 18 | 7 |
| 213 | KINTORE (incl. Burgh, and part of Burgh of INVERURY), . . | 1342 | 1895 | 13 | 7 | 20 | 1 | 2 | 3 | 17 | 21 | 38 | 6 |
| 214 | Leochel-Cushnie, . . | 1068 | 1173 | 28 | 24 | 52 | 4 | 1 | 5 | 6 | 12 | 18 | 22 |
| 215 | Leslie, . . . . | 559 | 577 | 10 | 12 | 22 | – | 2 | 2 | 5 | 3 | 8 | 1 |
| 216 | Logie-Buchan, . . | 724 | 762 | 8 | 12 | 20 | – | – | – | 2 | 3 | 5 | 1 |
| 217 | Logie-Coldstone, . . | 889 | 932 | 17 | 11 | 28 | 3 | 3 | 6 | 10 | 8 | 18 | 8 |
| 218 | Longside, . . . | 2952 | 3008 | 62 | 61 | 123 | 12 | 6 | 18 | 24 | 24 | 48 | 16 |
| 219 | Lonmay, . . . | 1964 | 2142 | 38 | 33 | 71 | 3 | 4 | 7 | 21 | 19 | 40 | 13 |
| 220 | Lumphanan, . . . | 1088 | 1251 | 22 | 15 | 37 | 3 | 3 | 6 | 11 | 10 | 21 | 13 |
| 221 | Methlic, . . . . | 1997 | 2157 | 38 | 19 | 57 | 5 | 3 | 8 | 13 | 15 | 28 | 11 |
| 222 | Midmar, . . . . | 1166 | 1091 | 15 | 16 | 31 | 1 | 1 | 2 | 4 | 19 | 23 | 6 |
| 223 | Monquhitter, . . . | 2295 | 2580 | 40 | 40 | 80 | 6 | 6 | 12 | 12 | 18 | 30 | 18 |
| 224 | Monymusk, . . . | 940 | 988 | 14 | 14 | 28 | 3 | 1 | 4 | 8 | 2 | 10 | 3 |
| 225 | New Deer, . . . | *c.* 3383 | 3736 | 56 | 62 | 118 | 13 | 5 | 18 | 38 | 37 | 75 | 11 |
| 226 | Newhills, . . . | 3325 | 3463 | 59 | 56 | 115 | 7 | 7 | 14 | 31 | 28 | 59 | 18 |
| *a*227 | New Machar, . . . | *c.* 1338 | 1556 | 30 | 18 | 48 | 5 | 1 | 6 | 21 | 13 | 34 | 7 |
| *b*227 | New Pitsligo, . . . | *c.* 2425 | 2609 | 53 | 50 | 103 | 15 | 6 | 21 | 18 | 22 | 40 | 13 |
| 228 | Old Deer, . . . | *c.* 4025 | 4392 | 55 | 85 | 140 | 11 | 14 | 25 | 38 | 42 | 80 | 31 |
| 229 | Old Meldrum, . . | 2002 | 2343 | 45 | 48 | 93 | 4 | 11 | 15 | 32 | 33 | 65 | 15 |
| 230 | Oyne, . . . . | 919 | 1127 | 20 | 24 | 44 | 2 | 4 | 6 | 11 | 8 | 19 | 6 |
| 231 | Peterculter, . . . | 1351 | 1410 | 20 | 33 | 53 | 2 | 3 | 5 | 8 | 10 | 18 | 13 |
| 232 | PETERHEAD (including Burgh), . . . | 9429 | 9796 | 189 | 184 | 373 | 13 | 12 | 25 | 133 | 139 | 272 | 77 |
| 233 | Pitsligo, . . . | 1801 | 1890 | 32 | 36 | 68 | 2 | 2 | 4 | 18 | 15 | 33 | 13 |
| 234 | Premnay, . . . | 793 | 916 | 18 | 12 | 30 | 2 | 1 | 3 | 13 | 8 | 21 | 5 |
| 235 | Rathen, . . . | 2368 | 2554 | 43 | 53 | 96 | 2 | 5 | 7 | 19 | 25 | 44 | 18 |
| 236 | Rayne, . . . . | 1550 | 1514 | 27 | 18 | 45 | 4 | 2 | 6 | 9 | 11 | 20 | 8 |
| *a*237 | Rhynie, . . . | 1017 | 1061 | 21 | 14 | 35 | 2 | 4 | 6 | 9 | 9 | 18 | 10 |
| *b*237 | Savoch, . . . . | *c.* 1852 | 2061 | 36 | 29 | 65 | 10 | 3 | 13 | 11 | 9 | 20 | 8 |
| 238 | Skene, . . . . | 1862 | 1831 | 32 | 23 | 55 | 5 | 1 | 6 | 16 | 17 | 33 | 18 |
| 239 | Slains, . . . . | 1232 | 1266 | 20 | 15 | 35 | 3 | 4 | 7 | 4 | 5 | 9 | 8 |
| 240 | Strathdon, . . . | 1531 | 1459 | 19 | 16 | 35 | 3 | 1 | 4 | 12 | 12 | 24 | 6 |
| 241 | Strichen, . . . | *c.* 2223 | 2409 | 33 | 37 | 70 | 9 | 10 | 19 | 36 | 28 | 64 | 10 |
| 242 | Tarland, . . . | 1197 | 1246 | 19 | 23 | 42 | 4 | 2 | 6 | 8 | 7 | 15 | 11 |
| 243 | Tarves, . . . . | *c.* 2339 | 2377 | 43 | 39 | 82 | 4 | 5 | 9 | 23 | 16 | 39 | 16 |
| 244 | Tough, . . . . | 891 | 874 | 20 | 15 | 35 | 4 | 3 | 7 | 15 | 7 | 22 | 2 |
| 245 | Towie, . . . . | 758 | 839 | 11 | 17 | 28 | 1 | 2 | 3 | 7 | 5 | 12 | 10 |
| 246 | Tullynessle and Forbes, | 930 | 957 | 16 | 17 | 33 | 3 | 3 | 6 | 7 | 4 | 11 | 8 |
| 247 | Turriff, . . . . | 3584 | 3693 | 58 | 58 | 116 | 11 | 11 | 22 | 35 | 31 | 66 | 28 |
| 248 | Tyrie, . . . . | *c.* 775 | 833 | 11 | 11 | 22 | 1 | 1 | 2 | 4 | 4 | 8 | 10 |
| 249 | Udny, . . . . | *c.* 1473 | 1623 | 19 | 25 | 44 | 4 | 5 | 9 | 19 | 10 | 29 | 8 |
| | Total, | 213461 | 223344 | 3682 | 3665 | 7347 | 553 | 506 | 1059 | 2088 | 2213 | 4301 | 1529 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnot, . . . . | 1002 | 932 | 12 | 14 | 26 | 1 | 3 | 4 | 8 | 4 | 12 | 4 |
| 251 | Banchory-Devenick— | | | | | | | | | | | | |
| | (1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh), . . . | c. 1298 | 1232 | 13 | 11 | 24 | 3 | – | 3 | 11 | 9 | 20 | 3 |
| | (2) Portlethen, . . | c. 1780 | 1687 | 27 | 37 | 64 | 5 | 6 | 11 | 12 | 19 | 31 | 11 |
| 252 | Banchory-Ternan, . . | 2462 | 2947 | 35 | 42 | 77 | 3 | 4 | 7 | 21 | 23 | 44 | 22 |
| 253 | Benholm, . . . . | 1641 | 1574 | 21 | 15 | 36 | 3 | 2 | 5 | 11 | 11 | 22 | 6 |
| 254 | BERVIE (or Inverbervie) —(incl. Burgh), . . | 1459 | 1561 | 27 | 29 | 56 | 4 | 6 | 10 | 8 | 13 | 21 | 8 |
| 255 | Dunnottar (incl. part of Stonehaven Town), . | 1949 | 1828 | 29 | 26 | 55 | 5 | 3 | 8 | 27 | 10 | 37 | 15 |
| 256 | Durris, . . . . . | 962 | 1109 | 19 | 19 | 38 | 4 | 2 | 6 | 8 | 8 | 16 | 3 |
| 257 | Fettercairn, . . . . | 1741 | 1700 | 26 | 24 | 50 | 4 | 3 | 7 | 6 | 8 | 14 | 9 |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso (incl. pt. of Stonehaven Town), | c. 3730 | 3575 | 48 | 46 | 94 | 5 | 5 | 10 | 32 | 30 | 62 | 22 |
| | (2) Cookney, . . | c. 1990 | 1952 | 31 | 29 | 60 | 6 | 4 | 10 | 20 | 18 | 38 | 12 |
| 259 | Fordoun, . . . . | 2386 | 2297 | 33 | 41 | 74 | 2 | 2 | 4 | 18 | 15 | 33 | 13 |
| 260 | Garvock, . . . . | 457 | 458 | 4 | 7 | 11 | 2 | – | 2 | 3 | 1 | 4 | 2 |
| 261 | Glenbervie, . . . . | 1239 | 1219 | 16 | 22 | 38 | 4 | 1 | 5 | 12 | 11 | 23 | 10 |
| 262 | Kinneff and Catterline, . | 1069 | 1054 | 24 | 18 | 42 | 1 | 2 | 3 | 8 | 7 | 15 | 5 |
| 263 | Laurencekirk, . . | 2125 | 2110 | 37 | 29 | 66 | 6 | 2 | 8 | 16 | 13 | 29 | 16 |
| 264 | Maryculter, . . . . | 1055 | 1055 | 13 | 12 | 25 | 2 | 2 | 4 | 5 | 3 | 8 | 11 |
| 265 | Marykirk, . . . . | 2232 | 2068 | 42 | 25 | 67 | 6 | 9 | 15 | 14 | 19 | 33 | 11 |
| 266 | Nigg, . . . . . | 1841 | 2074 | 37 | 44 | 81 | 1 | 8 | 9 | 19 | 21 | 40 | 13 |
| 267 | St Cyrus, . . . . | 1579 | 1552 | 29 | 25 | 54 | 5 | 2 | 7 | 8 | 7 | 15 | 15 |
| 268 | Strachan, . . . . | 947 | 870 | 14 | 12 | 26 | 3 | 3 | 6 | 7 | 5 | 12 | 5 |
| | Total, | 34944 | 34854 | 537 | 527 | 1064 | 75 | 69 | 144 | 274 | 255 | 529 | 216 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | |
| | 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, . . . . | 1116 | 1054 | 16 | 22 | 38 | 2 | 4 | 6 | 9 | 4 | 13 | 8 |
| 270 | Airlie, . . . . . | 856 | 845 | 14 | 22 | 36 | 2 | 1 | 3 | 7 | 9 | 16 | 2 |
| 271 | Arbirlot, . . . . | 990 | 960 | 17 | 17 | 34 | 1 | 2 | 3 | 3 | 8 | 11 | 4 |
| 272 | ARBROATH (incl. Bur.), | 17238 | 17831 | 321 | 298 | 619 | 37 | 22 | 59 | 180 | 199 | 379 | 133 |
| 273 | Auchterhouse, . . | 686 | 706 | 11 | 14 | 25 | – | – | – | 7 | 6 | 13 | 5 |
| 274 | Barry, . . . . . | 2175 | 2465 | 27 | 30 | 57 | 1 | 5 | 6 | 23 | 17 | 40 | 14 |
| 275 | BRECHIN (incl. Burgh), | 8210 | 8810 | 123 | 159 | 282 | 24 | 28 | 52 | 91 | 87 | 178 | 57 |
| 276 | Carmylie, . . . . | 1240 | 1286 | 15 | 12 | 27 | 1 | – | 1 | 12 | 8 | 20 | 10 |
| 277 | Careston, . . . . | 207 | 225 | 2 | 5 | 7 | 1 | – | 1 | 2 | 1 | 3 | 1 |
| 278 | Cortachy and Clova, . | 722 | 653 | 10 | 4 | 14 | 2 | 1 | 3 | 5 | 6 | 11 | 2 |
| 279 | Coupar-Angus, . . | 2685 | 2642 | 44 | 35 | 79 | 13 | 5 | 18 | 20 | 22 | 42 | 15 |
| 280 | Craig (incl. part of MONTROSE Burgh), . | 1934 | 2177 | 42 | 46 | 88 | 1 | – | 1 | 9 | 15 | 24 | 18 |
| 281 | Dun, . . . . . | 522 | 552 | 7 | 8 | 15 | 1 | 1 | 2 | 3 | 3 | 6 | 1 |
| 282 | DUNDEE— | | | | | | | | | | | | |
| | (1) First District, . | c.39960 | 44064 | 940 | 884 | 1824 | 101 | 73 | 174 | 580 | 594 | 1174 | 380 |
| | (2) Second District, . | c.34835 | 40813 | 820 | 789 | 1609 | 121 | 111 | 232 | 575 | 581 | 1156 | 324 |
| | (3) Third (or Lochee) Dis. | c. 5232 | 6787 | 147 | 118 | 265 | 20 | 25 | 45 | 85 | 84 | 169 | 59 |
| 283 | Dunnichen, . . . . | 1884 | 1932 | 28 | 37 | 65 | 6 | 9 | 15 | 13 | 12 | 25 | 10 |
| 284 | Eassie and Nevay, . | 706 | 748 | 14 | 10 | 24 | 2 | 2 | 4 | 7 | 4 | 11 | 5 |
| 285 | Edzell, . . . . . | 1084 | 1025 | 14 | 8 | 22 | 1 | 1 | 2 | 8 | 7 | 15 | 6 |
| 286 | Farnell, . . . . | 650 | 703 | 4 | 10 | 14 | – | 2 | 2 | 1 | 2 | 3 | 4 |
| 287 | Fearn, . . . . . | 392 | 439 | 6 | 8 | 14 | – | 3 | 3 | 2 | 2 | 4 | 2 |
| 288 | FORFAR (incl. Burgh), | 11009 | 10838 | 210 | 192 | 402 | 36 | 36 | 72 | 96 | 99 | 195 | 90 |
| 289 | Glammis, . . . . | 2152 | 1980 | 31 | 23 | 54 | 1 | 4 | 5 | 16 | 11 | 27 | 9 |
| 290 | Glenisla, . . . . | 1050 | 1008 | 16 | 10 | 26 | 1 | 2 | 3 | 10 | 5 | 15 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 291 | Guthrie, . . . | 469 | 476 | 9 | 10 | 19 | 3 | 2 | 5 | 3 | – | 3 | 3 |
| 292 | Inverarity, . . . | 948 | 961 | 9 | 12 | 21 | 2 | 1 | 3 | 9 | 6 | 15 | 5 |
| 293 | Inverkeillor, . . . | 1871 | 1792 | 30 | 27 | 57 | 4 | 3 | 7 | 9 | 6 | 15 | 10 |
| 294 | Kettins, . . . | 995 | 962 | 14 | 13 | 27 | 1 | – | 1 | 7 | 4 | 11 | 6 |
| 295 | Kingoldrum, . . . | 429 | 473 | 8 | 4 | 12 | – | – | – | 2 | 1 | 3 | 3 |
| 296 | Kinnell, . . . | 826 | 816 | 15 | 10 | 25 | 4 | 1 | 5 | 2 | 3 | 5 | 5 |
| 297 | Kinnettles, . . . | 460 | 447 | 11 | 4 | 15 | – | – | – | 3 | 4 | 7 | – |
| 298 | Kirkden, . . . | 1763 | 1862 | 36 | 22 | 58 | 5 | 2 | 7 | 6 | 11 | 17 | 11 |
| 299 | Kirriemuir (incl. Town), | 7617 | 7359 | 117 | 101 | 218 | 26 | 15 | 41 | 58 | 66 | 124 | 56 |
| 300 | Lethnott and Navar, . | 408 | 446 | 9 | 4 | 13 | 2 | 2 | 4 | 4 | 3 | 7 | – |
| 301 | Liff, Benvie, and Invergowrie, . . . | 1467 | 1430 | 22 | 18 | 40 | 4 | 1 | 5 | 8 | 19 | 27 | 6 |
| 302 | Lintrathen, . . . | 926 | 898 | 15 | 11 | 26 | 2 | 2 | 4 | 2 | 2 | 4 | 3 |
| 303 | Lochlee, . . . | 615 | 495 | 7 | 5 | 12 | 2 | 1 | 3 | 2 | 4 | 6 | 1 |
| 304 | Logie-Pert, . . . | 1609 | 1483 | 23 | 24 | 47 | – | 3 | 3 | 9 | 8 | 17 | 7 |
| 305 | Lunan, . . . | 279 | 259 | 2 | 5 | 7 | – | – | – | 1 | 1 | 2 | 1 |
| 306 | Lundie, . . . | 450 | 442 | 8 | 7 | 15 | 1 | – | 1 | 5 | 7 | 12 | 4 |
| 307 | Mains, etc.—(1) Mains, | 1299 | 1392 | 18 | 23 | 41 | 4 | 1 | 5 | 9 | 19 | 28 | 11 |
| | (2) Strathmartine, . | 735 | 789 | 11 | 18 | 29 | – | 3 | 3 | 2 | 11 | 13 | – |
| 308 | Marytown, . . . | 366 | 417 | 10 | 6 | 16 | 3 | 2 | 5 | 5 | 2 | 7 | 3 |
| 309 | Menmuir, . . . | 693 | 796 | 17 | 16 | 33 | 1 | 2 | 3 | 3 | 4 | 7 | 3 |
| 310 | Monifieth (including part of Broughty-Ferry), | 4267 | 5052 | 99 | 80 | 179 | 6 | 6 | 12 | 47 | 60 | 107 | 30 |
| 311 | Monikie, . . . | 1317 | 1460 | 28 | 25 | 53 | 1 | 2 | 3 | 13 | 9 | 22 | 11 |
| 312 | MONTROSE (incl. part of Burgh), . . . | 16037 | 15668 | 251 | 221 | 472 | 16 | 14 | 30 | 157 | 196 | 353 | 94 |
| 313 | Murroes, . . . | 643 | 763 | 17 | 13 | 30 | 1 | 2 | 3 | 5 | 5 | 10 | 3 |
| 314 | Newtyle, . . . | 1141 | 1139 | 15 | 12 | 27 | 1 | 1 | 2 | 10 | 5 | 15 | 4 |
| 315 | Oathlaw, . . . | 424 | 399 | 12 | 4 | 16 | 1 | – | 1 | 2 | – | 2 | 1 |
| 316 | Panbride, . . . | 1372 | 1299 | 19 | 19 | 38 | 1 | 1 | 2 | 16 | 15 | 31 | 14 |
| 317 | Rescobie, . . . | 711 | 747 | 11 | 8 | 19 | – | 1 | 1 | 4 | 1 | 5 | 3 |
| 318 | Ruthven, . . . | 503 | 265 | 5 | 4 | 9 | – | – | – | 2 | 1 | 3 | 2 |
| 319 | St Vigeans, . . . | 2591 | 2553 | 40 | 34 | 74 | 3 | 1 | 4 | 24 | 16 | 40 | 11 |
| 320 | Stracathro, . . . | 505 | 546 | 11 | 10 | 21 | 3 | 1 | 4 | 7 | 6 | 13 | 5 |
| 321 | Tannadice, . . . | 1517 | 1438 | 28 | 23 | 51 | 3 | 1 | 4 | 13 | 12 | 25 | 6 |
| 322 | Tealing, . . . | 844 | 883 | 15 | 11 | 26 | 1 | 3 | 4 | 4 | 5 | 9 | 7 |
| | Total, | 193627 | 206750 | 3821 | 3565 | 7386 | 476 | 411 | 887 | 2217 | 2298 | 4515 | 1490 |
| | 13. Perth. | | | | | | | | | | | | |
| 323 | Aberdalgie, . . . | 343 | 295 | 3 | 4 | 7 | – | – | – | – | 4 | 4 | 2 |
| 324 | Aberfeldy, . . . | c. 2702 | 2402 | 40 | 34 | 74 | 3 | 3 | 6 | 28 | 14 | 42 | 8 |
| 325 | Aberfoyle, . . . | 514 | 565 | 5 | 11 | 16 | – | 2 | 2 | 2 | 3 | 5 | 1 |
| 326 | Abernethy, . . . | 2026 | 1960 | 27 | 21 | 48 | 2 | 3 | 5 | 13 | 20 | 33 | 13 |
| 327 | Abernyte, . . . | 275 | 310 | 2 | 4 | 6 | – | – | – | 2 | – | 2 | 4 |
| 328 | Alyth (incl. Town), . | c. 2946 | 3198 | 49 | 36 | 85 | 14 | 7 | 21 | 20 | 24 | 44 | 8 |
| 329 | Auchterarder (including Town), . . . | 4160 | 4208 | 55 | 76 | 131 | 6 | 10 | 16 | 31 | 49 | 80 | 18 |
| 330 | Auchtergaven, . . | 3232 | 2562 | 30 | 28 | 58 | 2 | 2 | 4 | 23 | 29 | 52 | 19 |
| 331 | Balquhidder, . . . | 874 | 746 | 4 | 7 | 11 | – | 5 | 5 | 4 | 4 | 8 | 4 |
| 332 | Bendochy, . . . | c. 552 | 549 | 7 | 6 | 13 | 2 | 2 | 4 | 2 | 2 | 4 | – |
| 333 | Blackford, . . . | c. 2012 | 2084 | 29 | 29 | 58 | 3 | 3 | 6 | 17 | 18 | 35 | 9 |
| 334 | Blair-Athol, . . . | c. 1951 | 1553 | 16 | 19 | 35 | – | 2 | 2 | 18 | 18 | 36 | 6 |
| 335 | Blairgowrie (including Town), . . . | c. 4081 | 4423 | 70 | 61 | 131 | 10 | 3 | 13 | 49 | 58 | 107 | 43 |
| 336 | Callander, . . . | 1716 | 1676 | 23 | 25 | 48 | 3 | 3 | 6 | 12 | 13 | 25 | 8 |
| 337 | Caputh, . . . . | c. 1920 | 1728 | 16 | 21 | 37 | 2 | 1 | 3 | 17 | 14 | 31 | 13 |
| 338 | Cargill, . . . | 1629 | 1647 | 27 | 19 | 46 | 4 | 2 | 6 | 14 | 14 | 28 | 8 |
| 339 | Clunie, . . . | 723 | 699 | 7 | 12 | 19 | – | 1 | 1 | 4 | 6 | 10 | 6 |
| 340 | Collace, . . . | 581 | 534 | 1 | 5 | 6 | – | – | – | 5 | 3 | 8 | 6 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 341 | Comrie, . . . | 2463 | 2226 | 23 | 26 | 49 | 3 | 2 | 5 | 15 | 28 | 43 | 13 |
| 342 | Crieff (incl. Town), . | 4504 | 4490 | 78 | 61 | 139 | 15 | 5 | 20 | 38 | 36 | 74 | 30 |
| 343 | CULROSS (incl. Burgh), | 1487 | 1423 | 17 | 22 | 39 | – | 4 | 4 | 9 | 8 | 17 | 6 |
| 344 | Dowally, . . . . | c. 531 | 486 | 7 | 7 | 14 | 1 | 1 | 2 | 6 | 1 | 7 | 4 |
| 345 | Dron, . . . . | 394 | 376 | 7 | 5 | 12 | – | – | – | 2 | 6 | 8 | 5 |
| 346 | Dull, . . . . | c. 855 | 753 | 9 | 9 | 18 | 1 | 1 | 2 | 8 | 10 | 18 | 3 |
| 347 | Dunbarney, . . . | 1066 | 1035 | 12 | 12 | 24 | 2 | 1 | 3 | 12 | 13 | 25 | 6 |
| 348 | Dunblane, . . . | c. 3213 | 3096 | 42 | 40 | 82 | 6 | 3 | 9 | 21 | 23 | 44 | 21 |
| 349 | Dunkeld, . . . | c. 1199 | 1086 | 15 | 16 | 31 | 1 | 1 | 2 | 11 | 6 | 17 | 6 |
| 350 | Dunning, . . . | 2206 | 2084 | 34 | 25 | 59 | 7 | 1 | 8 | 21 | 17 | 38 | 16 |
| 351 | Errol, . . . . | 2796 | 2759 | 43 | 33 | 76 | 5 | 2 | 7 | 14 | 17 | 31 | 14 |
| 352 | Findo-Gask, . . . | 405 | 399 | 4 | 4 | 8 | – | – | – | 5 | 2 | 7 | 1 |
| 353 | Forgandenny, . . | 828 | 739 | 10 | 11 | 21 | 1 | 1 | 2 | 5 | 5 | 10 | 8 |
| 354 | Forteviot, . . . | 638 | 595 | 10 | 8 | 18 | 1 | – | 1 | 2 | 8 | 10 | 1 |
| *a*355 | Fortingall, . . . | c. 1409 | 1244 | 7 | 14 | 21 | 2 | 2 | 4 | 12 | 11 | 23 | 9 |
| *b*355 | Foss, . . . . | c. 432 | 381 | 2 | 7 | 9 | – | 2 | 2 | 4 | 6 | 10 | 1 |
| 356 | Fowlis-Easter, . . | 300 | 317 | 4 | 5 | 9 | 1 | – | 1 | 3 | 1 | 4 | 1 |
| 357 | Fowlis-Wester, . . | 1321 | 1276 | 9 | 16 | 25 | 2 | 1 | 3 | 10 | 8 | 18 | 9 |
| 358 | Glendevon, . . . | 128 | 138 | – | 1 | 1 | – | – | – | 1 | 1 | 2 | – |
| 359 | Inchture, . . . | 745 | 659 | 11 | 10 | 21 | 2 | – | 2 | 6 | 5 | 11 | 3 |
| 360 | Kenmore, . . . | c. 1718 | 1515 | 17 | 15 | 32 | 2 | – | 2 | 10 | 16 | 26 | 6 |
| 361 | Killin, . . . . | c. 1817 | 1681 | 17 | 10 | 27 | 1 | – | 1 | 16 | 9 | 25 | 3 |
| 362 | Kilmadock, . . . | 3659 | 3312 | 49 | 43 | 92 | 2 | 6 | 8 | 17 | 29 | 46 | 24 |
| 363 | Kilspindie, . . . | 684 | 665 | 10 | 9 | 19 | 1 | – | 1 | 5 | 1 | 6 | 5 |
| 364 | Kincardine, . . . | 1993 | 1778 | 38 | 25 | 63 | 5 | 3 | 8 | 14 | 26 | 40 | 8 |
| 365 | Kinclaven, . . . | 881 | 758 | 9 | 9 | 18 | 1 | 3 | 4 | 6 | 6 | 12 | 6 |
| 366 | Kinfauns, . . . | 650 | 657 | 3 | 13 | 16 | – | 2 | 2 | 5 | 4 | 9 | 1 |
| 367 | Kinloch-Rannoch, . . | c. 1303 | 1147 | 9 | 9 | 18 | – | 1 | 1 | 12 | 10 | 22 | 6 |
| 368 | Kinnaird, . . . | 370 | 318 | 10 | 3 | 13 | 1 | – | 1 | – | – | – | 3 |
| 369 | Kinnoull, . . . | 771 | 796 | 9 | 10 | 19 | 2 | – | 2 | 6 | 7 | 13 | 2 |
| 370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael, . . | c. 849 | 812 | 6 | 10 | 16 | 1 | – | 1 | 11 | 4 | 15 | 6 |
| | (2) Glenshee, . . | c. 349 | 334 | 5 | 4 | 9 | – | – | – | 6 | 2 | 8 | 2 |
| 371 | Lecropt, . . . | 442 | 538 | 14 | 7 | 21 | 1 | – | 1 | 4 | 4 | 8 | 1 |
| 372 | Lethendy and Kinloch, . | c. 544 | 530 | 6 | 8 | 14 | – | 1 | 1 | 4 | 3 | 7 | 4 |
| 373 | Little Dunkeld, . . | c. 2140 | 2089 | 22 | 41 | 63 | 4 | 6 | 10 | 24 | 21 | 45 | 18 |
| 374 | Logie (including part of STIRLING, Burgh), . | 2551 | 3483 | 48 | 33 | 81 | 8 | 3 | 11 | 25 | 31 | 56 | 16 |
| 375 | Logiealmond, . . | c. 959 | 815 | 5 | 6 | 11 | – | 1 | 1 | 13 | 6 | 19 | 9 |
| 376 | Logierait, . . . | c. 2109 | 1902 | 29 | 19 | 48 | 2 | 3 | 5 | 19 | 16 | 35 | 17 |
| 377 | Longforgan, . . . | 1787 | 1823 | 39 | 29 | 68 | 4 | 2 | 6 | 10 | 12 | 22 | 5 |
| 378 | Madderty, . . . | 593 | 536 | 6 | 6 | 12 | 1 | – | 1 | 6 | 6 | 12 | 3 |
| 379 | Meigle, . . . . | 978 | 1122 | 24 | 24 | 48 | 5 | 3 | 8 | 6 | 10 | 16 | 5 |
| 380 | Methven, . . . | c. 2394 | 2290 | 34 | 38 | 72 | 3 | 7 | 10 | 22 | 28 | 50 | 10 |
| 381 | Moneydie, . . . | 321 | 252 | 4 | 2 | 6 | 1 | – | 1 | 1 | 1 | 2 | 1 |
| 382 | Monzie, . . . . | c. 569 | 461 | 2 | 2 | 4 | – | – | – | 10 | 2 | 12 | 1 |
| 383 | Monzievaird, . . | 790 | 782 | 7 | 10 | 17 | 1 | 1 | 2 | 7 | 6 | 13 | 2 |
| 384 | Moulin, . . . . | c. 1772 | 1605 | 21 | 24 | 45 | 1 | 2 | 3 | 16 | 16 | 32 | 6 |
| 385 | Muckhart, . . . | 685 | 615 | 6 | 4 | 10 | 1 | 1 | 2 | 2 | 1 | 3 | 5 |
| *a*386 | Muthill, . . . . | c. 2972 | 2808 | 30 | 46 | 76 | 3 | 2 | 5 | 18 | 20 | 38 | 18 |
| *b*386 | Persie, . . . . | c. 814 | 839 | 10 | 10 | 20 | 1 | 1 | 2 | 7 | 6 | 13 | 6 |
| 387 | PERTH—(1) Burgh, . | 23835 | 25293 | 436 | 395 | 831 | 36 | 39 | 75 | 320 | 345 | 665 | 221 |
| | (2) Landward, | 835 | 801 | 11 | 10 | 21 | – | 1 | 1 | 7 | 8 | 15 | 4 |
| 388 | Port of Menteith, . . | 1419 | 1375 | 19 | 24 | 43 | 3 | 2 | 5 | 7 | 7 | 14 | 8 |
| 389 | Rattray, . . . . | c. 2308 | 2234 | 28 | 23 | 51 | 7 | 4 | 11 | 27 | 27 | 54 | 8 |
| 390 | Redgorton, . . . | c. 1955 | 1596 | 24 | 22 | 46 | 2 | 2 | 4 | 14 | 8 | 22 | 10 |
| 391 | Rhynd, . . . . | 338 | 297 | 3 | 2 | 5 | 1 | – | 1 | 3 | 2 | 5 | – |
| 392 | St Madoes, . . . | 288 | 280 | 3 | 3 | 6 | – | – | – | 1 | 1 | 2 | 2 |
| 393 | St Martins, . . . | 983 | 904 | 13 | 9 | 22 | 3 | 1 | 4 | 9 | 5 | 14 | 8 |
| *a*394 | Scone, . . . . | 2332 | 2153 | 26 | 25 | 51 | 2 | 3 | 5 | 28 | 29 | 57 | 6 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| *b*394 | Strathfillan, . . . | *c.* 435 | 411 | 7 | 4 | 11 | – | 1 | 1 | 3 | 2 | 5 | – |
| *c*394 | Tenandry, . . . | *c.* 681 | 595 | 8 | 7 | 15 | – | 1 | 1 | 2 | 4 | 6 | 1 |
| 395 | Tibbermore, . . . | 1469 | 1182 | 17 | 17 | 34 | 2 | 1 | 3 | 7 | 9 | 16 | 9 |
| 396 | Trinity-Gask, . . . | 597 | 488 | 9 | 5 | 14 | 2 | – | 2 | 4 | 1 | 5 | 2 |
| 397 | Tulliallan (including Kincardine, Town), . | 3043 | 2410 | 29 | 28 | 57 | 5 | 1 | 6 | 18 | 28 | 46 | 14 |
| 398 | Weem, . . . . | *c.* 230 | 215 | 1 | 2 | 3 | – | 1 | 1 | 2 | 2 | 4 | – |
| | Total, | 137369 | 133198 | 1878 | 1795 | 3673 | 216 | 181 | 397 | 1220 | 1286 | 2506 | 825 |
| | 14. Fife. | | | | | | | | | | | | |
| 399 | Abbotshall, . . . | 688 | 808 | 14 | 9 | 23 | 1 | – | 1 | 7 | 5 | 12 | 5 |
| 400 | Abdie, . . . . | *c.* 1353 | 1257 | 19 | 17 | 36 | 3 | 3 | 6 | 12 | 9 | 21 | 5 |
| 401 | Aberdour, . . . | 1945 | 1874 | 35 | 37 | 72 | 1 | 3 | 4 | 13 | 15 | 28 | 8 |
| 402 | ANSTRUTHER-EASTER (Burgh, pt. of), | 1161 | 1155 | 16 | 25 | 41 | – | 2 | 2 | 12 | 12 | 24 | 7 |
| 403 | ANSTRUTHER-WESTER (incl. Burgh), | 443 | 438 | 13 | 7 | 20 | – | 2 | 2 | 5 | 6 | 11 | 2 |
| 404 | Arngask, . . . | 689 | 705 | 11 | 11 | 22 | – | – | – | 1 | 6 | 7 | 6 |
| 405 | Auchterderran, . . | 3210 | 3457 | 81 | 71 | 152 | 3 | 3 | 6 | 26 | 26 | 52 | 23 |
| 406 | AUCHTERMUCHTY (incl. Burgh), . . | 3704 | 3285 | 47 | 59 | 106 | 4 | 4 | 8 | 15 | 23 | 38 | 21 |
| 407 | Auchtertool, . . . | 517 | 609 | 12 | 15 | 27 | 2 | – | 2 | 9 | 1 | 10 | 2 |
| 408 | Ballingry, . . . | 568 | 736 | 18 | 16 | 34 | 2 | – | 2 | 7 | 9 | 16 | 5 |
| 409 | Balmerino, . . . | 945 | 815 | 11 | 9 | 20 | 3 | 3 | 6 | 3 | 5 | 8 | 1 |
| 410 | Beath, . . . . | 1252 | 2390 | 45 | 47 | 92 | 4 | 3 | 7 | 17 | 22 | 39 | 13 |
| 411 | BURNTISLAND (incl. Burgh), . . . | 3158 | 3670 | 70 | 60 | 130 | 4 | 2 | 6 | 42 | 29 | 71 | 24 |
| 412 | Cameron, . . . | 1207 | 1362 | 21 | 25 | 46 | 3 | 2 | 5 | 9 | 3 | 12 | 17 |
| 413 | Carnbee, . . . | 1129 | 1157 | 22 | 23 | 45 | 1 | 1 | 2 | 4 | 7 | 11 | 1 |
| 414 | Carnock, . . . | 3191 | 2925 | 48 | 54 | 102 | 4 | 2 | 6 | 13 | 14 | 27 | 8 |
| 415 | Ceres, . . . . | 2833 | 2723 | 43 | 31 | 74 | 7 | 3 | 10 | 11 | 20 | 31 | 20 |
| 416 | Collessie, . . . | 1520 | 1530 | 19 | 23 | 42 | 1 | 3 | 4 | 12 | 11 | 23 | 8 |
| 417 | CRAIL (incl. Burgh), . | 1903 | 1931 | 35 | 31 | 66 | 7 | 5 | 12 | 22 | 25 | 47 | 13 |
| 418 | Criech, . . . . | 386 | 377 | 4 | 7 | 11 | 1 | 2 | 3 | 2 | 2 | 4 | 1 |
| 419 | Cults, . . . . | 915 | 800 | 11 | 16 | 27 | – | 1 | 1 | 5 | 2 | 7 | 6 |
| 420 | CUPAR (incl. Burgh), . | 7427 | 6750 | 103 | 97 | 200 | 10 | 8 | 18 | 64 | 61 | 125 | 53 |
| 421 | Dairsie, . . . | 708 | 638 | 8 | 6 | 14 | – | 1 | 1 | 5 | 8 | 13 | 1 |
| 422 | Dalgetty, . . . | 1513 | 1569 | 32 | 26 | 58 | 1 | – | 1 | 15 | 10 | 25 | 10 |
| 423 | Dunbog, . . . | *c.* 409 | 414 | 12 | 8 | 20 | – | – | – | 3 | 1 | 4 | 2 |
| 424 | DUNFERMLINE— | | | | | | | | | | | | |
| | (1) Burgh, . . . | 13836 | 13506 | 279 | 213 | 492 | 33 | 17 | 50 | 132 | 138 | 270 | 137 |
| | (2) Landward, . . | *c.* 7602 | 7609 | 163 | 152 | 315 | 9 | 11 | 20 | 91 | 90 | 181 | 20 |
| 425 | Dunino, . . . | 289 | 370 | 10 | 2 | 12 | 2 | – | 2 | 5 | 2 | 7 | 1 |
| 426 | DYSART (incl. Burgh), | 8739 | 8842 | 145 | 156 | 301 | 8 | 9 | 17 | 62 | 87 | 149 | 65 |
| 427 | Elie, . . . . | 843 | 826 | 10 | 10 | 20 | 2 | 1 | 3 | 5 | 6 | 11 | 5 |
| 428 | FALKLAND (incl. Burgh) | 3102 | 2937 | 37 | 35 | 72 | 2 | 4 | 6 | 26 | 22 | 48 | 14 |
| 429 | Ferry-Port-on-Craig, . | 2238 | 2013 | 34 | 23 | 57 | 2 | 2 | 4 | 23 | 25 | 48 | 13 |
| 430 | Flisk, . . . . | *c.* 157 | 230 | 8 | 1 | 9 | 1 | 1 | 2 | – | 2 | 2 | 1 |
| 431 | Forgan, . . . . | 1125 | 1326 | 20 | 10 | 30 | 1 | – | 1 | 8 | 10 | 18 | 3 |
| 432 | INVERKEITHING (incl. Burgh), . . | *c.* 2748 | 3196 | 46 | 55 | 101 | 4 | 4 | 8 | 25 | 32 | 57 | 22 |
| 433 | Kemback, . . . | 956 | 896 | 9 | 16 | 25 | 2 | 1 | 3 | 7 | 15 | 22 | 5 |
| 434 | Kennoway, . . . | 2257 | 2012 | 35 | 22 | 57 | 9 | 5 | 14 | 17 | 17 | 34 | 7 |
| 435 | Kettle, . . . . | 2601 | 2474 | 29 | 34 | 63 | 2 | 3 | 5 | 21 | 13 | 34 | 7 |
| 436 | Kilconquhar (incl. Burgh of EARLSFERRY), . | 2489 | 2431 | 40 | 30 | 70 | 2 | 2 | 4 | 24 | 23 | 47 | 10 |
| 437 | Kilmany, . . . | 662 | 656 | 15 | 7 | 22 | 1 | – | 1 | 1 | 6 | 7 | 7 |
| 438 | KILRENNY (incl. Burgh) | 2194 | 2534 | 61 | 33 | 94 | 2 | 2 | 4 | 18 | 10 | 28 | 19 |
| 439 | KINGHORN (incl. Burgh) | 2455 | 2349 | 39 | 31 | 70 | 9 | 3 | 12 | 25 | 30 | 55 | 13 |
| 440 | Kinglassie, . . . | 1186 | 1266 | 28 | 22 | 50 | 1 | 3 | 4 | 10 | 8 | 18 | 9 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 441 | Kingsbarns, . . . | 893 | 937 | 13 | 16 | 29 | 2 | – | 2 | 3 | 6 | 9 | 2 |
| 442 | KIRKCALDY (including Burgh), . . . | 10636 | 11117 | 185 | 197 | 382 | 13 | 15 | 28 | 91 | 90 | 181 | 83 |
| 443 | Largo, . . . . | 2800 | 2626 | 36 | 37 | 73 | 1 | 5 | 6 | 13 | 14 | 27 | 9 |
| 444 | Leslie (incl. Town), . | 3800 | 4332 | 62 | 55 | 117 | 7 | 7 | 14 | 28 | 40 | 68 | 35 |
| 445 | Leuchars, . . . | 1991 | 1903 | 26 | 25 | 51 | 2 | 5 | 7 | 26 | 14 | 40 | 10 |
| 446 | Logie, . . . . | 467 | 410 | 8 | 4 | 12 | – | – | – | 3 | 2 | 5 | 1 |
| 447 | Markinch, . . . | 5843 | 5375 | 72 | 78 | 150 | 4 | 10 | 14 | 43 | 59 | 102 | 35 |
| 448 | Monimail, . . . | 1102 | 1054 | 22 | 11 | 33 | 4 | 1 | 5 | 16 | 9 | 25 | 1 |
| 449 | Moonzie, . . . | 198 | 179 | 3 | 2 | 5 | – | – | – | 1 | 4 | 5 | 1 |
| 450 | NEWBURGH (including Burgh), . . | 2986 | 2693 | 44 | 38 | 82 | 5 | 2 | 7 | 16 | 23 | 39 | 17 |
| 451 | Newburn, . . . | 375 | 374 | 5 | 4 | 9 | 1 | 1 | 2 | 1 | 6 | 7 | 3 |
| 452 | PITTENWEEM (incl. Burgh), . . . | 1473 | 1710 | 30 | 18 | 48 | 1 | 1 | 2 | 8 | 10 | 18 | 13 |
| 453 | ST ANDREWS and St Leonards (incl. Bur. of St Andrews), . . | 7327 | 7605 | 105 | 101 | 206 | 7 | 8 | 15 | 95 | 94 | 189 | 63 |
| 454 | St Monance (or Abercrombie), . . . | 1241 | 1498 | 30 | 33 | 63 | – | 1 | 1 | 10 | 6 | 16 | 14 |
| 455 | Saline, . . . . | 1792 | 1610 | 26 | 23 | 49 | 2 | – | 2 | 13 | 9 | 22 | 16 |
| 456 | Scoonie (incl. Leven), . | 3115 | 3257 | 57 | 52 | 109 | 7 | 6 | 13 | 26 | 37 | 63 | 16 |
| 457 | Strathmiglo, . . . | 2509 | 2261 | 35 | 22 | 57 | 5 | 7 | 12 | 14 | 15 | 29 | 7 |
| 458 | Torryburn, . . . | 1341 | 1229 | 29 | 22 | 51 | 2 | 1 | 3 | 8 | 6 | 14 | 10 |
| 459 | Wemyss, . . . | 5647 | 6003 | 128 | 104 | 232 | 6 | 5 | 11 | 61 | 63 | 124 | 24 |
| | Total, | 153789 | 155021 | 2674 | 2424 | 5098 | 223 | 196 | 419 | 1310 | 1375 | 2685 | 980 |
| | 15. Kinross. | | | | | | | | | | | | |
| 460 | Cleish, . . . . | 659 | 649 | 7 | 6 | 13 | 1 | – | 1 | 7 | 3 | 10 | 2 |
| 461 | Fossoway and Tulliebole, | 1621 | 1584 | 32 | 26 | 58 | 3 | 1 | 4 | 9 | 8 | 17 | 9 |
| 462 | Kinross (incl. Town), . | 3227 | 2649 | 32 | 42 | 74 | 4 | 6 | 10 | 40 | 19 | 59 | 7 |
| 463 | Orwell, . . . . | 2569 | 2399 | 40 | 33 | 73 | 4 | 3 | 7 | 22 | 23 | 45 | 15 |
| 464 | Portmoak, . . . | 1550 | 1450 | 15 | 23 | 38 | 1 | 2 | 3 | 11 | 15 | 26 | 3 |
| | Total, | 9626 | 8731 | 126 | 130 | 256 | 13 | 12 | 25 | 89 | 68 | 157 | 36 |
| | 16. Clackmannan. | | | | | | | | | | | | |
| 465 | Alloa (incl. Town), . | 9493 | 8867 | 171 | 172 | 343 | 15 | 16 | 31 | 80 | 88 | 168 | 53 |
| 466 | Clackmannan, . . | 5802 | 4425 | 88 | 90 | 178 | 5 | 7 | 12 | 52 | 52 | 104 | 39 |
| 467 | Dollar, . . . . | 1574 | 1776 | 23 | 21 | 44 | 3 | 3 | 6 | 15 | 15 | 30 | 12 |
| 468 | Tillicoultry (including Town), . . . | 4686 | 5054 | 82 | 83 | 165 | 9 | 4 | 13 | 40 | 36 | 76 | 22 |
| | Total, | 21555 | 20122 | 364 | 366 | 730 | 32 | 30 | 62 | 187 | 191 | 378 | 126 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | |
| | 17. Stirling. | | | | | | | | | | | | |
| 469 | Airth, . . . . | 1319 | 1194 | 17 | 15 | 32 | 3 | – | 3 | 11 | 10 | 21 | 6 |
| 470 | Alva (incl. Town), . | 3204 | 3283 | 60 | 69 | 129 | 5 | 7 | 12 | 37 | 26 | 63 | 14 |
| 471 | Baldernock, . . . | 801 | 718 | 6 | 9 | 15 | 1 | – | 1 | 3 | 6 | 9 | – |
| 472 | Balfron, . . . | 1900 | 1517 | 16 | 20 | 36 | 1 | 2 | 3 | 16 | 23 | 39 | 10 |
| 473 | Bothkennar, . . . | 1179 | 1722 | 34 | 33 | 67 | 2 | 1 | 3 | 11 | 9 | 20 | 7 |
| 474 | Buchanan, . . . | 632 | 705 | 8 | 15 | 23 | 1 | 2 | 3 | 6 | 3 | 9 | 3 |
| 475 | Campsie (including Lennoxtown), . . . | 6918 | 6483 | 124 | 109 | 233 | 17 | 10 | 27 | 64 | 72 | 136 | 32 |
| 476 | Denny (incl. Town), . | 4754 | 4988 | 86 | 78 | 164 | 11 | 6 | 17 | 52 | 41 | 93 | 18 |
| 477 | Drymen, . . . | 1481 | 1619 | 25 | 20 | 45 | 1 | 2 | 3 | 10 | 8 | 18 | 9 |
| 478 | Dunipace, . . . | 1472 | 1731 | 25 | 48 | 73 | 2 | 2 | 4 | 14 | 19 | 33 | 9 |
| 479 | FALKIRK—(1) Burgh, . | 8752 | 9030 | 157 | 171 | 328 | 12 | 16 | 28 | 98 | 89 | 187 | 66 |
| | (2) Landward, | 7686 | 7996 | 180 | 141 | 321 | 8 | 12 | 20 | 68 | 68 | 136 | 69 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 480 | Fintry, . . . . | 823 | 685 | 10 | 8 | 18 | – | 1 | 1 | 5 | 6 | 11 | 3 |
| 481 | Gargunnock, . . . | 754 | 728 | 13 | 11 | 24 | 2 | 1 | 3 | 7 | 9 | 16 | 2 |
| 482 | Killearn, . . . | 1176 | 1171 | 17 | 13 | 30 | – | – | – | 11 | 11 | 22 | 11 |
| 483 | Kilsyth (incl. Town), . | 5346 | 6112 | 145 | 137 | 282 | 13 | 12 | 25 | 61 | 62 | 123 | 41 |
| 484 | Kippen, . . . . | 1892 | 1722 | 21 | 36 | 57 | 3 | 8 | 11 | 19 | 14 | 33 | 9 |
| 485 | Larbert, . . . . | 4606 | 4999 | 114 | 94 | 208 | 8 | 12 | 20 | 39 | 49 | 88 | 26 |
| 486 | Muiravonside, . . | 2647 | 2660 | 66 | 58 | 124 | 1 | 1 | 2 | 23 | 15 | 38 | 21 |
| 487 | Polmont, . . . | 3764 | 4111 | 82 | 71 | 153 | 4 | 9 | 13 | 39 | 32 | 71 | 24 |
| 488 | St Ninians (includ. Bannockburn, Town), . | 7630 | 6648 | 117 | 121 | 238 | 14 | 8 | 22 | 66 | 51 | 117 | 48 |
| 489 | Slamannan, . . . | 1655 | 2916 | 61 | 69 | 130 | – | 6 | 6 | 25 | 21 | 46 | 29 |
| 490 | STIRLING (incl. Burgh), | 12401 | 14012 | 241 | 243 | 484 | 17 | 22 | 39 | 139 | 133 | 272 | 150 |
| 491 | Strathblane, . . | 1010 | 1388 | 23 | 21 | 44 | 2 | 2 | 4 | 6 | 12 | 18 | 6 |
| | Total, | 83802 | 88138 | 1648 | 1610 | 3258 | 128 | 142 | 270 | 830 | 789 | 1619 | 613 |
| | 18. Dumbarton. | | | | | | | | | | | | |
| 492 | Arrochar, . . . | 562 | 629 | 8 | 8 | 16 | – | – | – | 7 | 5 | 12 | – |
| 493 | Bonhill (includ. Town, & Alexandria Town), | 7819 | 9059 | 168 | 166 | 334 | 12 | 11 | 23 | 80 | 80 | 160 | 47 |
| 494 | Cardross (incl. Renton), | 3402 | 4168 | 81 | 65 | 146 | 12 | 4 | 16 | 47 | 28 | 75 | 36 |
| 495 | Cumbernauld, . . | 3778 | 3513 | 66 | 59 | 125 | 3 | 10 | 13 | 25 | 38 | 63 | 20 |
| 496 | DUMBARTON (incl. Burgh) | 5445 | 8268 | 189 | 175 | 364 | 8 | 7 | 15 | 91 | 90 | 181 | 61 |
| 497 | Kilmaronock, . . | 1033 | 1085 | 16 | 15 | 31 | 1 | – | 1 | 7 | 10 | 17 | 6 |
| 498 | Kirkintilloch (incl. Town) | 8426 | 8179 | 161 | 164 | 325 | 18 | 22 | 40 | 92 | 86 | 178 | 48 |
| 499 | Luss, . . . . | 907 | 831 | 12 | 19 | 31 | – | 3 | 3 | 8 | 13 | 21 | 7 |
| 500 | New, or East, Kilpatrick, | 4286 | 4910 | 92 | 97 | 189 | 9 | 4 | 13 | 55 | 57 | 112 | 33 |
| 501 | Old, or West, Kilpatrick (incl. Duntocher Town), | 5921 | 5577 | 100 | 102 | 202 | 3 | 7 | 10 | 52 | 62 | 114 | 40 |
| 502 | Roseneath, . . . | 1044 | 1626 | 30 | 18 | 48 | 1 | – | 1 | 15 | 8 | 23 | 5 |
| 503 | Row (incl. Helensburgh), | 4372 | 6334 | 85 | 98 | 183 | 4 | 3 | 7 | 52 | 71 | 123 | 25 |
| | Total, | 46995 | 54179 | 1008 | 986 | 1994 | 71 | 71 | 142 | 531 | 548 | 1079 | 328 |
| | 19. Argyll. *Mainland.* | | | | | | | | | | | | |
| 504 | Ardchattan, . . . | 1525 | 1381 | 15 | 16 | 31 | 1 | 1 | 2 | 7 | 8 | 15 | 2 |
| 505 | Ardnamurchan— | | | | | | | | | | | | |
| | (1) Aharacle, . . | c. 1791 | 1544 | 16 | 17 | 33 | 3 | 1 | 4 | 10 | 14 | 24 | 7 |
| | (2) Arisaig, . . | c. 1555 | 1343 | 15 | 15 | 30 | 1 | – | 1 | 6 | 13 | 19 | 9 |
| | (3) Sunart (or Strontian) | c. 875 | 759 | 11 | 9 | 20 | – | 1 | 1 | 6 | 6 | 12 | 3 |
| | (4) Western District, . | c 1225 | 1054 | 14 | 17 | 31 | – | 1 | 1 | 7 | 4 | 11 | 8 |
| 506 | Ballachulish and Corran of Ardgour, . . | c. 1125 | 919 | 14 | 14 | 28 | 2 | – | 2 | 6 | 7 | 13 | 2 |
| 507 | CAMPBELTOWN (incl. Burgh), . . . | 9381 | 8149 | 111 | 133 | 244 | 7 | 9 | 16 | 60 | 76 | 136 | 36 |
| 508 | Craignish, . . . | 756 | 618 | 6 | 10 | 16 | – | – | – | 2 | 5 | 7 | 2 |
| 509 | Cumlodden, . . . | 1095 | 1033 | 15 | 20 | 35 | – | – | – | 6 | 8 | 14 | 3 |
| 510 | Dunoon and Kilmun (incl. Dunoon & Kirn), | 4518 | 5461 | 74 | 97 | 171 | 3 | 4 | 7 | 46 | 42 | 88 | 17 |
| 511 | Glassary, . . . | c. 1860 | 1769 | 21 | 31 | 52 | 2 | 1 | 3 | 17 | 12 | 29 | 11 |
| 512 | Glenorchy and Inishail, . | 1450 | 1307 | 13 | 14 | 27 | 1 | – | 1 | 7 | 10 | 17 | 4 |
| 513 | INVERARAY (including Burgh), . . . | 1755 | 1650 | 24 | 15 | 39 | 3 | 2 | 5 | 14 | 13 | 27 | 6 |
| 514 | Inverchaolain, . . | 474 | 424 | 3 | 7 | 10 | – | 1 | 1 | 6 | 1 | 7 | 2 |
| 515 | Kilbrandon & Kilchattan, | c. 2571 | 2053 | 28 | 36 | 64 | – | 2 | 2 | 25 | 21 | 46 | 12 |
| 516 | Kilcalmonell, etc.— | | | | | | | | | | | | |
| | (1) Kilcalmonell, . | c. 930 | 742 | 9 | 12 | 21 | – | – | – | 8 | 8 | 16 | 3 |
| | (2) Kilberry, . . | 689 | 583 | 2 | 10 | 12 | – | 2 | 2 | 3 | 4 | 7 | – |
| 517 | Kilchrenan, etc.— | | | | | | | | | | | | |
| | (1) Kilchrenan, . . | 494 | 385 | 8 | 5 | 13 | 1 | – | 1 | 7 | 9 | 16 | 3 |
| | (2) Dalavich, . . | 282 | 230 | 6 | – | 6 | 1 | – | 1 | 4 | – | 4 | 3 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 518 | Kilfinan, . . . | 1695 | 1891 | 29 | 28 | 57 | – | 1 | 1 | 13 | 14 | 27 | 10 |
| 519 | Killean and Kilchenzie, . | 2219 | 1890 | 33 | 26 | 59 | 2 | 1 | 3 | 11 | 10 | 21 | 6 |
| 520 | Kilmalie, . . . | *c.* 4110 | 3353 | 45 | 25 | 70 | 4 | 4 | 8 | 37 | 43 | 80 | 13 |
| 521 | Kilmartin, . . . | 1144 | 949 | 10 | 15 | 25 | – | 2 | 2 | 2 | 8 | 10 | 6 |
| 522 | Kilmodan, . . . | 500 | 433 | 4 | 5 | 9 | – | – | – | 5 | 4 | 9 | 5 |
| 523 | Kilmore and Kilbride (incl. Burgh of OBAN), | 3131 | 2962 | 46 | 30 | 76 | 2 | 1 | 3 | 42 | 31 | 73 | 15 |
| 524 | Kilninver, etc.— | | | | | | | | | | | | |
| | (1) Kilninver, . . | 449 | 314 | 1 | 5 | 6 | – | – | – | 1 | 3 | 4 | 1 |
| | (2) Kilmelford, . . | 265 | 486 | 8 | 7 | 15 | 1 | – | 1 | 2 | 1 | 3 | 2 |
| 525 | Lismore, etc.— | | | | | | | | | | | | |
| | (1) Lismore, . . | *c.* 1167 | 1023 | 19 | 12 | 31 | 1 | – | 1 | 9 | 9 | 18 | 4 |
| | (2) Appin, . . . | *c.* 940 | 825 | 7 | 13 | 20 | 1 | 2 | 3 | 9 | 4 | 13 | 3 |
| | (3) Glencoe & Ballachulish, . . | *c.* 1510 | 1324 | 21 | 29 | 50 | – | – | – | 17 | 7 | 24 | – |
| | (4) Duror, . . . | *c.* 480 | 423 | 6 | 4 | 10 | – | 1 | 1 | 3 | 2 | 5 | 1 |
| 526 | Lochgilphead, . . | *c.* 3263 | 3312 | 54 | 50 | 104 | 4 | 2 | 6 | 25 | 23 | 48 | 13 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | | |
| | (1) Lochgoilhead, . | 446 | 418 | 8 | 10 | 18 | – | – | – | 2 | 6 | 8 | 1 |
| | (2) Kilmorich, . . | 388 | 284 | 4 | 3 | 7 | – | – | – | 2 | 1 | 3 | – |
| 528 | Morvern, . . . | 1547 | 1226 | 18 | 16 | 34 | 2 | – | 2 | 9 | 11 | 20 | 3 |
| 529 | Muckairn, . . . | 788 | 729 | 11 | 9 | 20 | 1 | – | 1 | 5 | 6 | 11 | 1 |
| 530 | North Knapdale, . . | 1666 | 1327 | 13 | 11 | 24 | 1 | – | 1 | 21 | 13 | 34 | 10 |
| 531 | Saddell, etc.— | | | | | | | | | | | | |
| | (1) Saddell, . . . | 791 | 739 | 10 | 13 | 23 | – | – | – | 6 | 3 | 9 | 4 |
| | (2) Skipness, . . | *c.* 705 | 533 | 13 | 8 | 21 | – | – | – | 5 | 4 | 9 | 1 |
| 532 | Southend, . . . | 1406 | 1214 | 20 | 19 | 39 | 2 | 1 | 3 | 8 | 8 | 16 | 4 |
| 533 | South Knapdale, . . | 565 | 654 | 6 | 8 | 14 | 1 | – | 1 | 5 | 3 | 8 | 2 |
| 534 | Stralachlan, etc.— | | | | | | | | | | | | |
| | (1) Stralachlan, . . | 397 | 309 | 2 | 5 | 7 | 1 | – | 1 | 1 | 2 | 3 | 3 |
| | (2) Strachur, . . | 518 | 563 | 7 | 5 | 12 | – | – | – | 2 | 8 | 10 | 2 |
| 535 | Tarbert, . . . | *c.* 1828 | 1661 | 23 | 32 | 55 | – | 1 | 1 | 15 | 15 | 30 | 5 |
| | *Insular.* | | | | | | | | | | | | |
| 536 | Bowmore (or Kilarrow), . | 3469 | 2701 | 29 | 32 | 61 | 4 | 4 | 8 | 24 | 23 | 47 | 8 |
| 537 | Gigha, . . . . | 547 | 467 | 3 | 1 | 4 | – | – | – | 3 | 6 | 9 | 2 |
| 538 | Iona, . . . . | *c.* 900 | 743 | 10 | 11 | 21 | 2 | – | 2 | 6 | 6 | 12 | 1 |
| 539 | Jura, etc.—(1) Jura, . | *c.* 868 | 858 | 5 | 10 | 15 | – | – | – | 9 | 3 | 12 | 1 |
| | (2) Colonsay, | 837 | 598 | 11 | 14 | 25 | – | 2 | 2 | 2 | 4 | 6 | 3 |
| 540 | Kilchoman, . . . | *c.* 2865 | 2377 | 38 | 22 | 60 | 3 | 1 | 4 | 23 | 28 | 51 | 9 |
| 541 | Kildalton, . . . | *c.* 2450 | 2187 | 25 | 28 | 53 | 4 | 5 | 9 | 21 | 15 | 36 | 12 |
| 542 | Kilfinichen & Kilvickeon, | *c.* 2171 | 1792 | 22 | 23 | 45 | 2 | 1 | 3 | 17 | 12 | 29 | 8 |
| 543 | Kilmeny, . . . | 1413 | 1268 | 15 | 11 | 26 | 2 | 2 | 4 | 17 | 12 | 29 | 9 |
| 544 | Kilninian and Kilmore, . | *c.* 1890 | 1641 | 22 | 13 | 35 | 2 | – | 2 | 10 | 12 | 22 | 12 |
| 545 | Kinlochspelvie, . . | *c.* 420 | 428 | 8 | 4 | 12 | – | – | – | 4 | 6 | 10 | – |
| 546 | Oa, . . . . | *c.* 860 | 769 | 11 | 11 | 22 | 1 | – | 1 | 7 | 7 | 14 | 3 |
| 547 | Portnahaven, . . . | *c.* 1277 | 1059 | 21 | 16 | 37 | 3 | – | 3 | 9 | 10 | 19 | 2 |
| 548 | Salen, . . . . | *c.* 634 | 604 | 5 | 9 | 14 | – | 1 | 1 | 2 | – | 2 | 1 |
| 549 | Tobermory, . . . | *c.* 1804 | 1566 | 24 | 27 | 51 | 3 | 1 | 4 | 18 | 20 | 38 | 14 |
| 550 | Torosay, . . . | *c.* 550 | 557 | 7 | 9 | 16 | – | 1 | 1 | 6 | 5 | 11 | 2 |
| 551 | Tyree, etc.—(1) Tyree, . | 3709 | 3217 | 43 | 37 | 80 | 5 | 1 | 6 | 25 | 14 | 39 | 14 |
| | (2) Coll, . | 1109 | 781 | 7 | 6 | 13 | – | 1 | 1 | 6 | 4 | 10 | 2 |
| | Total, | 94042 | 83859 | 1129 | 1150 | 2279 | 79 | 61 | 140 | 713 | 687 | 1400 | 351 |
| | 20. Bute. | | | | | | | | | | | | |
| 552 | Cumbraes, . . . | 1275 | 1256 | 17 | 29 | 46 | 3 | – | 3 | 15 | 8 | 23 | 3 |
| 553 | Kilbride, . . . | *c.* 2340 | 2253 | 27 | 31 | 58 | 4 | 1 | 5 | 16 | 21 | 37 | 11 |
| 554 | Kilmory, . . . | *c.* 2724 | 2515 | 34 | 26 | 60 | 4 | 1 | 5 | 32 | 25 | 57 | 6 |
| 555 | Kingarth, . . . | 1007 | 905 | 12 | 12 | 24 | – | 1 | 1 | 4 | 5 | 9 | 3 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 556 | Lochranza, . . . . | c. 883 | 824 | 13 | 9 | 22 | – | 1 | 1 | 6 | 5 | 11 | – |
| 557 | North Bute, . . . . | c. 1235 | 1351 | 16 | 10 | 26 | – | – | – | 9 | 7 | 16 | 7 |
| 558 | ROTHESAY (incl. Burgh), | c. 7144 | 7227 | 103 | 96 | 199 | 10 | 8 | 18 | 76 | 108 | 184 | 45 |
| | Total, | 16608 | 16331 | 222 | 213 | 435 | 21 | 12 | 33 | 158 | 179 | 337 | 75 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. Renfrew. | | | | | | | | | | | | |
| 559 | Abbey— | | | | | | | | | | | | |
| | (1) Part of PAISLEY, | 16351 | 15889 | 298 | 316 | 614 | 23 | 23 | 46 | 206 | 213 | 419 | 177 |
| | (2) Landward (including part of Barrhead), | c. 4867 | 5670 | 93 | 110 | 203 | 3 | 6 | 9 | 36 | 46 | 82 | 47 |
| | (3) Johnstone (including Town), . . | c. 7363 | 8142 | 167 | 170 | 337 | 12 | 12 | 24 | 80 | 91 | 171 | 55 |
| 560 | Cathcart, . . . . | 2916 | 3782 | 72 | 62 | 134 | 1 | 1 | 2 | 30 | 36 | 66 | 32 |
| 561 | Eaglesham, . . . . | 2524 | 2328 | 24 | 33 | 57 | 1 | 7 | 8 | 16 | 21 | 37 | 22 |
| 562 | Eastwood (incl. Pollockshaws), . . . | 9243 | 11314 | 234 | 211 | 445 | 15 | 19 | 34 | 110 | 92 | 202 | 68 |
| 563 | Erskine, . . . . . | 1232 | 1457 | 18 | 27 | 45 | 2 | 1 | 3 | 14 | 10 | 24 | 9 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) New, or Middle, . | 9414 | 9446 | 214 | 196 | 410 | 22 | 11 | 33 | 106 | 141 | 247 | 33 |
| | (2) East, . . . . | 7704 | 12135 | 309 | 263 | 572 | 10 | 8 | 18 | 117 | 140 | 257 | 113 |
| | (3) Old, or West, . . | 20318 | 22313 | 408 | 451 | 859 | 19 | 26 | 45 | 323 | 286 | 609 | 235 |
| 565 | Houston and Killellan, . | 2753 | 2490 | 43 | 40 | 83 | 3 | 6 | 9 | 14 | 21 | 35 | 14 |
| 566 | Inchinnan, . . . . | 649 | 619 | 12 | 6 | 18 | – | – | – | 7 | 3 | 10 | 5 |
| 567 | Innerkip— | | | | | | | | | | | | |
| | (1) Innerkip, . . . | c. 1026 | 1188 | 26 | 12 | 38 | – | – | – | 9 | 7 | 16 | 4 |
| | (2) Gourock (including Town), . . . . | c. 1992 | 2307 | 36 | 33 | 69 | – | 2 | 2 | 25 | 18 | 43 | 11 |
| 568 | Kilbarchan (incl. Town), | 5474 | 6348 | 117 | 98 | 215 | 9 | 8 | 17 | 70 | 63 | 133 | 41 |
| 569 | Kilmalcolm, . . . . | 1399 | 1455 | 15 | 13 | 28 | – | – | – | 16 | 14 | 30 | 5 |
| 570 | Lochwinnoch, . . . | 4153 | 3821 | 53 | 58 | 111 | 4 | 9 | 13 | 36 | 41 | 77 | 15 |
| 571 | Mearns, . . . . . | 3704 | 3547 | 70 | 45 | 115 | 9 | 2 | 11 | 29 | 29 | 58 | 18 |
| 572 | Neilston (including part of Barrhead, Town), | 12233 | 11013 | 154 | 157 | 311 | 21 | 13 | 34 | 101 | 114 | 215 | 44 |
| 573 | PAISLEY— | | | | | | | | | | | | |
| | (1) High, . . . . | 14643 | 14900 | 327 | 266 | 593 | 31 | 15 | 46 | 143 | 152 | 295 | 106 |
| | (2) Low, . . . . | 7205 | 6712 | 121 | 116 | 237 | 13 | 13 | 26 | 120 | 105 | 225 | 50 |
| | (3) Middle, . . . . | 9904 | 9926 | 199 | 200 | 399 | 23 | 20 | 43 | 120 | 148 | 268 | 88 |
| 574 | PORT-GLASGOW (incl. Burgh), . . . . | 7017 | 7294 | 153 | 153 | 306 | 17 | 9 | 26 | 102 | 70 | 172 | 77 |
| 575 | RENFREW (incl. Burgh), | 3866 | 4650 | 91 | 79 | 170 | 5 | 5 | 10 | 51 | 53 | 104 | 25 |
| | Total, | 157950 | 168746 | 3254 | 3115 | 6369 | 243 | 216 | 459 | 1881 | 1914 | 3795 | 1294 |
| | 22. Ayr. | | | | | | | | | | | | |
| 576 | Ardrossan— | | | | | | | | | | | | |
| | (1) Old (including part of Saltcoats), . | c. 3434 | 3530 | 61 | 67 | 128 | 5 | 8 | 13 | 29 | 37 | 66 | 33 |
| | (2) New (including Ardrossan), . . | c. 2147 | 3246 | 59 | 54 | 113 | 4 | 3 | 7 | 27 | 23 | 50 | 13 |
| 577 | Auchinleck, . . . . | 3697 | 4213 | 84 | 89 | 173 | 9 | 4 | 13 | 41 | 31 | 72 | 17 |
| 578 | AYR (incl. Burgh), . | 18845 | 19659 | 392 | 347 | 739 | 46 | 23 | 69 | 253 | 252 | 505 | 146 |
| 579 | Ballantrae, . . . . | 1801 | 1483 | 26 | 20 | 46 | 3 | 4 | 7 | 17 | 18 | 35 | 6 |
| 580 | Barr, . . . . . | 907 | 910 | 15 | 7 | 22 | 2 | – | 2 | 4 | 8 | 12 | 4 |
| 581 | Beith (incl. Town), . | 6425 | 5775 | 103 | 120 | 223 | 8 | 13 | 21 | 52 | 59 | 111 | 28 |
| 582 | Colmonell, . . . . | 2934 | 2588 | 30 | 31 | 61 | 3 | 4 | 7 | 20 | 23 | 43 | 10 |
| 583 | Coylton, . . . . . | 1542 | 1604 | 25 | 22 | 47 | 3 | 2 | 5 | 13 | 8 | 21 | 11 |
| 584 | Craigie, . . . . . | 793 | 730 | 11 | 13 | 24 | 2 | – | 2 | 2 | 7 | 9 | 9 |
| 585 | Dailly, . . . . . | 2413 | 2050 | 46 | 32 | 78 | 9 | 5 | 14 | 25 | 20 | 45 | 18 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 586 | Dalmellington, . . | 2910 | 4194 | 102 | 102 | 204 | 7 | 5 | 12 | 55 | 49 | 104 | 25 |
| 587 | Dalry (incl. Town), . | 8865 | 11156 | 267 | 270 | 537 | 19 | 16 | 35 | 142 | 148 | 290 | 59 |
| 588 | Dalrymple, . . . | 1096 | 1325 | 24 | 32 | 56 | 3 | 4 | 7 | 10 | 19 | 29 | 7 |
| 589 | Dreghorn, . . . | 1828 | 3283 | 73 | 66 | 139 | 4 | 4 | 8 | 23 | 19 | 42 | 17 |
| 590 | Dundonald (incl. Troon), | 4555 | 4694 | 62 | 65 | 127 | 4 | 5 | 9 | 42 | 40 | 82 | 30 |
| 591 | Dunlop, . . . | 1115 | 1038 | 12 | 10 | 22 | – | – | – | 10 | 3 | 13 | 6 |
| 592 | Fenwick, . . . | 1741 | 1532 | 16 | 19 | 35 | 3 | 4 | 7 | 10 | 9 | 19 | 14 |
| 593 | Galston (incl. Town), . | 4392 | 5254 | 108 | 112 | 220 | 6 | 9 | 15 | 38 | 46 | 84 | 42 |
| 594 | Girvan (incl. Town), . | 8588 | 7053 | 114 | 124 | 238 | 18 | 22 | 40 | 82 | 87 | 169 | 28 |
| 595 | IRVINE (incl. Burgh), . | 8463 | 8607 | 170 | 176 | 346 | 14 | 18 | 32 | 117 | 120 | 237 | 61 |
| 596 | Kilbirnie (incl. Town), | 5484 | 5265 | 123 | 106 | 229 | 4 | 7 | 11 | 86 | 84 | 170 | 44 |
| 597 | KILMARNOCK (incl. part of Burgh), . . | 21287 | 23556 | 498 | 507 | 1005 | 46 | 41 | 87 | 274 | 317 | 591 | 202 |
| 598 | Kilmaurs, . . . | 3144 | 3526 | 77 | 75 | 152 | 7 | 6 | 13 | 46 | 34 | 80 | 17 |
| 599 | Kilwinning (incl. Town), | 6359 | 7717 | 184 | 169 | 353 | 10 | 12 | 22 | 86 | 80 | 166 | 63 |
| 600 | Kirkmichael, . . . | 3262 | 2823 | 48 | 35 | 83 | 6 | 5 | 11 | 24 | 30 | 54 | 14 |
| 601 | Kirkoswald, . . . | 2242 | 2060 | 27 | 27 | 54 | 2 | 4 | 6 | 8 | 10 | 18 | 11 |
| 602 | Largs (incl. Town), . | 3715 | 3620 | 59 | 61 | 120 | 2 | 3 | 5 | 30 | 23 | 53 | 21 |
| 603 | Loudoun (incl. Newmilns), . . . . | 4720 | 4840 | 112 | 98 | 210 | 7 | 3 | 10 | 37 | 40 | 77 | 48 |
| 604 | Mauchline, . . . | 2470 | 2303 | 41 | 28 | 69 | 2 | 5 | 7 | 26 | 24 | 50 | 25 |
| 605 | Maybole (incl. Town), . | 7615 | 6713 | 122 | 126 | 248 | 26 | 16 | 42 | 94 | 89 | 183 | 29 |
| 606 | Monkton and Prestwick, | 1960 | 1937 | 25 | 26 | 51 | 2 | 3 | 5 | 18 | 20 | 38 | 15 |
| 607 | Muirkirk (incl. Town), | 3423 | 3270 | 62 | 62 | 124 | 7 | 10 | 17 | 30 | 37 | 67 | 20 |
| 608 | New Cumnock, . . | 2759 | 2891 | 53 | 47 | 100 | 6 | 3 | 9 | 23 | 23 | 46 | 17 |
| 609 | Ochiltree, . . . | 1787 | 1676 | 23 | 22 | 45 | 1 | 3 | 4 | 17 | 16 | 33 | 7 |
| 610 | Old Cumnock (including Cumnock Town), . | 3777 | 3721 | 59 | 73 | 132 | 7 | 10 | 17 | 39 | 41 | 80 | 28 |
| 611 | Riccarton (incl. part of KILMARNOCK), . | 4583 | 5629 | 154 | 116 | 270 | 9 | 8 | 17 | 60 | 50 | 110 | 30 |
| 612 | St Quivox and Newton-upon-Ayr, . . . | 2231 | 1870 | 32 | 43 | 75 | 1 | 5 | 6 | 14 | 15 | 29 | 11 |
| 613 | Sorn (incl. Catrine), . | 4174 | 4042 | 76 | 66 | 142 | 7 | 8 | 15 | 41 | 29 | 70 | 28 |
| 614 | Stair, . . . . | 820 | 743 | 16 | 12 | 28 | 1 | – | 1 | 4 | 3 | 7 | 4 |
| 615 | Stevenston (incl. Town and part of Saltcoats), | 3811 | 5452 | 128 | 120 | 248 | 13 | 9 | 22 | 62 | 63 | 125 | 41 |
| 616 | Stewarton (incl. Town), | 4572 | 4449 | 71 | 68 | 139 | 6 | 9 | 15 | 37 | 46 | 83 | 32 |
| 617 | Straiton, . . . | 1540 | 1544 | 25 | 26 | 51 | 6 | 3 | 9 | 8 | 6 | 14 | 15 |
| 618 | Symington, . . . | 902 | 855 | 19 | 20 | 39 | 1 | 2 | 3 | 7 | 4 | 11 | 5 |
| 619 | Tarbolton, . . . | 2824 | 2669 | 45 | 45 | 90 | 3 | 2 | 5 | 30 | 40 | 70 | 16 |
| 620 | West Kilbride, . . | 2021 | 1968 | 37 | 41 | 78 | 4 | 4 | 8 | 18 | 23 | 41 | 16 |
| | Total, | 189973 | 199063 | 3916 | 3797 | 7713 | 358 | 334 | 692 | 2131 | 2173 | 4304 | 1343 |
| | 23. Lanark. | | | | | | | | | | | | |
| 621 | Avondale (incl. Strathaven), . . . . | 6451 | 6125 | 115 | 95 | 210 | 9 | 6 | 15 | 83 | 71 | 154 | 46 |
| 622 | Barony— | | | | | | | | | | | | |
| | (1) Maryhill (incl. Town and part of GLASGOW), . | *c.* 4007 | 6734 | 168 | 116 | 284 | 10 | 6 | 16 | 87 | 75 | 162 | 39 |
| | (2) Springburn (incl. pt. of GLASGOW), . | *c.* 6386 | 8911 | 191 | 206 | 397 | 22 | 11 | 33 | 211 | 201 | 412 | 26 |
| | (3) Shettleston, . . | *c.* 6564 | 6914 | 138 | 117 | 255 | 5 | 5 | 10 | 64 | 74 | 138 | 36 |
| 623 | Biggar, . . . . | 2049 | 1999 | 31 | 33 | 64 | 4 | 5 | 9 | 22 | 20 | 42 | 8 |
| 624 | Blantyre, . . . | 2848 | 3092 | 60 | 52 | 112 | 3 | 2 | 5 | 36 | 30 | 66 | 20 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell (including Bellshill), . . | *c.* 5583 | 7059 | 156 | 139 | 295 | 10 | 3 | 13 | 74 | 88 | 162 | 42 |
| | (2) Holytown, . . | *c.* 9700 | 10844 | 249 | 223 | 472 | 16 | 13 | 29 | 111 | 84 | 195 | 66 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 626 | Cadder— | | | | | | | | | | | | |
| | (1) Western District, . | c. 2550 | 3023 | 70 | 52 | 122 | 2 | 1 | 3 | 25 | 23 | 48 | 10 |
| | (2) Eastern District, . | c. 2464 | 2925 | 53 | 42 | 95 | 3 | 3 | 6 | 19 | 30 | 49 | 17 |
| 627 | Cambuslang, . . . | 3306 | 3647 | 73 | 71 | 144 | 2 | 2 | 4 | 33 | 41 | 74 | 21 |
| 628 | Cambusnethan (including Wishaw), . . . | c. 8571 | 14601 | 345 | 353 | 698 | 12 | 19 | 31 | 136 | 111 | 247 | 91 |
| 629 | Carluke (incl. Town), . | 6283 | 6176 | 115 | 108 | 223 | 13 | 7 | 20 | 60 | 59 | 119 | 49 |
| 630 | Carmichael, . . . | 805 | 836 | 17 | 15 | 32 | 3 | 1 | 4 | 4 | 7 | 11 | 9 |
| 631 | Carmunnock, . . . | 710 | 734 | 17 | 11 | 28 | – | – | – | 9 | 5 | 14 | 4 |
| 632 | Carnwath, . . . | 3551 | 3584 | 90 | 62 | 152 | 13 | 9 | 22 | 23 | 26 | 49 | 26 |
| 633 | Carstairs, . . . | 1066 | 1345 | 24 | 28 | 52 | 1 | 4 | 5 | 8 | 11 | 19 | 7 |
| 634 | Covington & Thankerton, | 548 | 532 | 11 | 8 | 19 | 2 | – | 2 | 7 | 3 | 10 | 3 |
| 635 | Crawford— | | | | | | | | | | | | |
| | (1) Crawford, . . | c. 730 | 694 | 15 | 18 | 33 | 2 | 2 | 4 | 6 | 11 | 17 | 5 |
| | (2) Leadhills, . . | c. 940 | 896 | 17 | 15 | 32 | 4 | 1 | 5 | 6 | 12 | 18 | 9 |
| 636 | Crawfordjohn, . . | 1111 | 980 | 10 | 11 | 21 | 2 | – | 2 | 8 | 11 | 19 | 11 |
| 637 | Culter, . . . . | 472 | 665 | 2 | 6 | 8 | – | – | – | 5 | 5 | 10 | 4 |
| 638 | Dalserf— | | | | | | | | | | | | |
| | (1) Larkhall (including Town), . . | c. 2670 | 3629 | 87 | 80 | 167 | 7 | 9 | 16 | 39 | 35 | 74 | 33 |
| | (2) Dalserf, . . . | c. 913 | 1247 | 27 | 30 | 57 | 2 | 2 | 4 | 13 | 6 | 19 | 7 |
| 639 | Dalziel (incl. Motherwell), . . . | 2262 | 5438 | 128 | 148 | 276 | 6 | 4 | 10 | 47 | 38 | 85 | 30 |
| 640 | Dolphington, . . . | 305 | 260 | 4 | 5 | 9 | – | 3 | 3 | 1 | 1 | 2 | 2 |
| 641 | Douglas, . . . . | 2611 | 2490 | 50 | 40 | 90 | 9 | 5 | 14 | 20 | 24 | 44 | 16 |
| 642 | Dunsyre, . . . | 312 | 312 | 4 | 2 | 6 | – | – | – | 4 | – | 4 | 1 |
| 643 | East Kilbride, . . | 3760 | 4064 | 72 | 76 | 148 | 3 | 8 | 11 | 33 | 37 | 70 | 25 |
| 644 | GLASGOW— | | | | | | | | | | | | |
| | (1) Central District, . | c. 43270 | 49678 | 1183 | 1135 | 2318 | 187 | 197 | 384 | 811 | 857 | 1668 | 529 |
| | (2) High, . . . | c. 42005 | 48119 | 1120 | 1016 | 2136 | 86 | 85 | 171 | 963 | 811 | 1774 | 295 |
| | (3) Bridgeton, . . | c. 38385 | 45485 | 961 | 934 | 1895 | 75 | 80 | 155 | 604 | 604 | 1208 | 313 |
| | (4) Calton, . . . | c. 33310 | 36625 | 766 | 775 | 1541 | 52 | 55 | 107 | 539 | 566 | 1105 | 473 |
| | (5) Clyde, . . . | c. 32800 | 29975 | 633 | 524 | 1157 | 70 | 69 | 139 | 466 | 486 | 952 | 221 |
| | (6) Blythswood, . . | c. 21405 | 28697 | 419 | 408 | 827 | 32 | 22 | 54 | 197 | 245 | 442 | 427 |
| | (7) Milton, . . . | c. 26240 | 33360 | 814 | 709 | 1523 | 54 | 46 | 100 | 403 | 382 | 785 | 278 |
| | (8) Anderston, . . | c. 30035 | 40945 | 876 | 791 | 1667 | 66 | 53 | 119 | 441 | 448 | 889 | 277 |
| | (9) Tradeston, . . | c. 27163 | 38600 | 719 | 766 | 1485 | 43 | 36 | 79 | 459 | 508 | 967 | 395 |
| | (10) Hutchesontown, . | c. 34484 | 44019 | 1011 | 977 | 1988 | 79 | 66 | 145 | 570 | 576 | 1146 | 290 |
| 645 | Glassford, . . . | 1955 | 1938 | 34 | 31 | 65 | 1 | 5 | 6 | 12 | 17 | 29 | 13 |
| 646 | Govan— | | | | | | | | | | | | |
| | (1) Govan (incl. Town), | c. 6238 | 13725 | 319 | 334 | 653 | 15 | 11 | 26 | 154 | 174 | 328 | 108 |
| | (2) Partick (incl. Town), | c. 7852 | 14859 | 337 | 315 | 652 | 21 | 8 | 29 | 171 | 156 | 327 | 114 |
| 647 | HAMILTON (incl. Burgh), | 11740 | 14047 | 261 | 263 | 524 | 17 | 14 | 31 | 133 | 123 | 256 | 90 |
| 648 | LANARK (incl. Burgh), | 8243 | 7891 | 143 | 151 | 294 | 22 | 16 | 38 | 72 | 78 | 150 | 65 |
| 649 | Lesmahagow, . . . | 7746 | 9266 | 196 | 172 | 368 | 9 | 14 | 23 | 77 | 77 | 154 | 68 |
| 650 | Libberton, . . . | 800 | 836 | 17 | 16 | 33 | 1 | 3 | 4 | 8 | 1 | 9 | – |
| 651 | New Monkland— | | | | | | | | | | | | |
| | (1) AIRDRIE (Burgh), | 14435 | 12922 | 253 | 273 | 526 | 14 | 22 | 36 | 166 | 156 | 322 | 123 |
| | (2) Landward, . . | 8766 | 7632 | 159 | 169 | 328 | 14 | 12 | 26 | 93 | 74 | 167 | 34 |
| 652 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western District, . | c. 6646 | 6932 | 159 | 170 | 329 | 6 | 13 | 19 | 64 | 60 | 124 | 28 |
| | (2) Middle District (incl. Coatbridge), . | c. 13168 | 15303 | 381 | 346 | 727 | 19 | 20 | 39 | 163 | 174 | 337 | 119 |
| | (3) Eastern District (incl. Calderbank), | c. 7519 | 7308 | 182 | 156 | 338 | 14 | 15 | 29 | 74 | 63 | 137 | 23 |
| 653 | Pettinain, . . . | 428 | 407 | 10 | 5 | 15 | 2 | 1 | 3 | 4 | – | 4 | 2 |
| 654 | RUTHERGLEN (incl. Burgh), . . . | 7954 | 9335 | 221 | 173 | 394 | 6 | 6 | 12 | 113 | 89 | 202 | 87 |
| 655 | Shotts, . . . . | 3892 | 7343 | 154 | 142 | 296 | 7 | 8 | 15 | 69 | 56 | 125 | 35 |
| 656 | Stonehouse (incl. Town), | 2781 | 3267 | 62 | 77 | 139 | 5 | 5 | 10 | 31 | 33 | 64 | 18 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 657 | Symington, | 536 | 528 | 7 | 9 | 16 | 1 | – | 1 | 4 | 3 | 7 | 1 |
| 658 | Walston, | 497 | 480 | 7 | 5 | 12 | 2 | 1 | 3 | 4 | 1 | 5 | 2 |
| 659 | Wandell and Lamington, | 369 | 380 | 6 | 9 | 15 | – | 2 | 2 | 2 | 2 | 4 | 2 |
| 660 | Wiston and Roberton, | 839 | 786 | 16 | 13 | 29 | 2 | 3 | 5 | 4 | 11 | 15 | 6 |
| | Total, | 533169 | 640444 | 13765 | 13026 | 26791 | 1087 | 1019 | 2106 | 8065 | 7970 | 16035 | 5099 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | | |
| 661 | Abercorn, | 977 | 965 | 16 | 19 | 35 | 1 | 2 | 3 | 16 | 11 | 27 | 4 |
| 662 | Bathgate (incl. Town and Armadale), | 4533 | 10134 | 255 | 259 | 514 | 13 | 5 | 18 | 119 | 90 | 209 | 82 |
| 663 | Borrowstounness (incl. Town), | 5192 | 5698 | 127 | 122 | 249 | 12 | 4 | 16 | 56 | 54 | 110 | 20 |
| 664 | Carriden, | 1724 | 1821 | 44 | 26 | 70 | 2 | 2 | 4 | 11 | 14 | 25 | 9 |
| 665 | Dalmeny, | 768 | 804 | 14 | 9 | 23 | – | – | – | 2 | 8 | 10 | 2 |
| 666 | Ecclesmachen, | 289 | 309 | 6 | 3 | 9 | – | 1 | 1 | 1 | – | 1 | 3 |
| 667 | Kirkliston, | 2029 | 1907 | 30 | 27 | 57 | 4 | 2 | 6 | 9 | 22 | 31 | 5 |
| 668 | LINLITHGOW— | | | | | | | | | | | | |
| | (1) Burgh, | 4213 | 3843 | 70 | 76 | 146 | 9 | 4 | 13 | 48 | 44 | 92 | 27 |
| | (2) Landward, | 1902 | 1941 | 36 | 28 | 64 | 2 | 4 | 6 | 24 | 21 | 45 | 16 |
| 669 | Livingstone, | 1289 | 1366 | 25 | 23 | 48 | 3 | 3 | 6 | 7 | 6 | 13 | 4 |
| 670 | QUEENSFERRY (incl. Burgh), | 1195 | 1391 | 29 | 18 | 47 | 2 | 4 | 6 | 24 | 16 | 40 | 6 |
| 671 | Torphichen, | 1356 | 1848 | 36 | 30 | 66 | 1 | 1 | 2 | 15 | 11 | 26 | 11 |
| 672 | Uphall, | 1331 | 1507 | 16 | 32 | 48 | 1 | – | 1 | 10 | 12 | 22 | 6 |
| 673 | Whitburn, | 3792 | 5511 | 117 | 107 | 224 | 8 | 12 | 20 | 50 | 37 | 87 | 44 |
| | Total, | 30590 | 39045 | 821 | 779 | 1600 | 58 | 44 | 102 | 392 | 346 | 738 | 239 |
| | 25. Edinburgh. | | | | | | | | | | | | |
| 674 | Borthwick, | 1614 | 1742 | 22 | 29 | 51 | 2 | 2 | 4 | 11 | 13 | 24 | 4 |
| 675 | Carrington, | 710 | 681 | 14 | 14 | 28 | 2 | 3 | 5 | 4 | 4 | 8 | 3 |
| 676 | Cockpen, | 3228 | 2902 | 62 | 54 | 116 | 4 | 2 | 6 | 20 | 27 | 47 | 23 |
| 677 | Colinton, | 2676 | 2656 | 41 | 50 | 91 | 1 | 3 | 4 | 20 | 26 | 46 | 17 |
| 678 | Corstorphine, | 1499 | 1579 | 27 | 27 | 54 | 2 | 2 | 4 | 11 | 16 | 27 | 5 |
| 679 | Cramond, | 2547 | 2695 | 43 | 48 | 91 | 2 | 3 | 5 | 28 | 15 | 43 | 18 |
| 680 | Cranston, | 1235 | 1035 | 10 | 13 | 23 | 2 | – | 2 | 10 | 9 | 19 | 3 |
| 681 | Crichton, | 1387 | 1304 | 23 | 24 | 47 | 2 | 1 | 3 | 10 | 13 | 23 | 4 |
| 682 | Currie, | 2190 | 2248 | 27 | 46 | 73 | 1 | 4 | 5 | 9 | 21 | 30 | 14 |
| 683 | Dalkeith (incl. Town), | 6521 | 7114 | 123 | 105 | 228 | 11 | 3 | 14 | 61 | 63 | 124 | 55 |
| 684 | Duddingston— | | | | | | | | | | | | |
| | (1) PORTOBELLO, | 3559 | 4366 | 64 | 68 | 132 | 5 | 5 | 10 | 39 | 44 | 83 | 45 |
| | (2) Landward, | 904 | 857 | 13 | 13 | 26 | 1 | – | 1 | 5 | 8 | 13 | 5 |
| 685 | EDINBURGH— | | | | | | | | | | | | |
| | (1) St George (incl. Landward of St Cuthbert), | c. 38540 | 42068 | 632 | 630 | 1262 | 46 | 44 | 90 | 480 | 538 | 1018 | 307 |
| | (2) St Andrew, | c. 37435 | 38731 | 400 | 581 | 981 | 25 | 33 | 58 | 301 | 329 | 630 | 420 |
| | (3) Canongate (incl. Landward), | c. 29230 | 30169 | 604 | 575 | 1179 | 58 | 46 | 104 | 604 | 554 | 1158 | 239 |
| | (4) St Giles, | c. 29245 | 29679 | 653 | 637 | 1290 | 137 | 127 | 264 | 345 | 374 | 719 | 295 |
| | (5) Newington, | c. 27198 | 29797 | 523 | 490 | 1013 | 20 | 29 | 49 | 330 | 313 | 643 | 282 |
| 686 | Fala and Soutra, | 434 | 382 | 6 | 11 | 17 | 2 | 2 | 4 | 3 | 4 | 7 | 1 |
| 687 | Glencross, | 1138 | 1217 | 13 | 19 | 32 | – | – | – | 12 | 8 | 20 | 6 |
| 688 | Heriot, | 352 | 407 | 4 | 3 | 7 | – | 2 | 2 | 2 | 3 | 5 | 1 |
| 689 | Inveresk (incl. MUSSELBURGH), | 8653 | 9518 | 176 | 148 | 324 | 17 | 13 | 30 | 97 | 140 | 237 | 65 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 690 | Kirknewton and East-Calder, | 1630 | 1549 | 13 | 24 | 37 | 2 | 2 | 4 | 14 | 7 | 21 | 12 |
| 691 | Lasswade, | 5821 | 5688 | 104 | 120 | 224 | 6 | 14 | 20 | 48 | 55 | 103 | 25 |
| 692 | LEITH— | | | | | | | | | | | | |
| | (1) North Leith, | c. 9494 | 11562 | 196 | 215 | 411 | 7 | 8 | 15 | 101 | 98 | 199 | 87 |
| | (2) South Leith | c. 22725 | 24467 | 471 | 475 | 946 | 23 | 27 | 50 | 295 | 272 | 567 | 230 |
| 693 | Liberton, | 3528 | 3510 | 55 | 62 | 117 | 4 | 8 | 12 | 29 | 30 | 59 | 13 |
| 694 | Mid-Calder, | 1474 | 1389 | 22 | 24 | 46 | 3 | 1 | 4 | 6 | 8 | 14 | 8 |
| 695 | Newbattle, | 2518 | 2837 | 64 | 63 | 127 | 6 | – | 6 | 32 | 23 | 55 | 22 |
| 696 | Newton, | 1780 | 1553 | 33 | 32 | 65 | 1 | 5 | 6 | 11 | 8 | 19 | 10 |
| 697 | Penicuik, | 3003 | 3249 | 66 | 46 | 112 | 4 | 3 | 7 | 24 | 28 | 52 | 21 |
| 698 | Ratho, | 1718 | 1659 | 31 | 27 | 58 | 4 | 2 | 6 | 17 | 20 | 37 | 14 |
| 699 | Stow, | 1973 | 2171 | 47 | 35 | 82 | 6 | 4 | 10 | 13 | 15 | 28 | 11 |
| 700 | Temple, | 1414 | 1385 | 42 | 26 | 68 | 4 | 4 | 8 | 14 | 13 | 27 | 8 |
| 701 | West-Calder, | 2120 | 1927 | 42 | 33 | 75 | 2 | 2 | 4 | 15 | 6 | 21 | 14 |
| | Total, | 259493 | 274093 | 4666 | 4767 | 9433 | 412 | 404 | 816 | 3021 | 3105 | 6126 | 2287 |
| | 26. Haddington. | | | | | | | | | | | | |
| 702 | Aberlady, | 1099 | 1019 | 9 | 16 | 25 | 1 | – | 1 | 7 | 7 | 14 | 5 |
| 703 | Athelstaneford, | 971 | 902 | 11 | 14 | 25 | – | – | – | 4 | 10 | 14 | 10 |
| 704 | Bolton, | 373 | 332 | 7 | 10 | 17 | 1 | – | 1 | 4 | 5 | 9 | 1 |
| 705 | Dirleton, | 1634 | 1540 | 24 | 28 | 52 | 2 | – | 2 | 8 | 8 | 16 | 10 |
| 706 | DUNBAR (incl. Burgh), | 4415 | 4944 | 89 | 78 | 167 | 11 | 5 | 16 | 42 | 42 | 84 | 33 |
| 707 | Garvald, | 869 | 891 | 14 | 10 | 24 | 1 | 1 | 2 | 4 | 5 | 9 | 4 |
| 708 | Gladsmuir, | 1780 | 1945 | 27 | 34 | 61 | 2 | 1 | 3 | 13 | 13 | 26 | 6 |
| 709 | HADDINGTON (incl. Burgh), | 5525 | 5548 | 89 | 93 | 182 | 7 | 5 | 12 | 49 | 56 | 105 | 60 |
| 710 | Humbie, | 925 | 997 | 16 | 19 | 35 | 2 | 2 | 4 | 8 | 6 | 14 | 5 |
| 711 | Innerwick, | 1012 | 937 | 18 | 11 | 29 | 2 | 1 | 3 | 5 | 4 | 9 | 6 |
| 712 | Morham, | 249 | 281 | 3 | 9 | 12 | – | 1 | 1 | 2 | 3 | 5 | 1 |
| 713 | NORTH BERWICK (incl. Burgh), | 1643 | 2071 | 36 | 33 | 69 | 3 | 1 | 4 | 16 | 20 | 36 | 13 |
| 714 | Oldhamstocks, | 692 | 615 | 11 | 8 | 19 | 3 | – | 3 | 3 | 3 | 6 | 1 |
| 715 | Ormiston, | 811 | 915 | 22 | 15 | 37 | 4 | 2 | 6 | 7 | 12 | 19 | 4 |
| 716 | Pencaitland, | 1175 | 1187 | 30 | 18 | 48 | 4 | 2 | 6 | 7 | 15 | 22 | 6 |
| 717 | Prestonkirk, | 1894 | 1960 | 35 | 24 | 59 | 2 | 3 | 5 | 16 | 13 | 29 | 11 |
| 718 | Prestonpans, | 2123 | 2080 | 38 | 37 | 75 | 2 | 4 | 6 | 34 | 27 | 61 | 12 |
| 719 | Salton, | 697 | 712 | 12 | 11 | 23 | 3 | 5 | 8 | 3 | 2 | 5 | 3 |
| 720 | Spott, | 595 | 555 | 10 | 7 | 17 | 2 | 3 | 5 | 3 | 3 | 6 | 6 |
| 721 | Stenton, | 719 | 692 | 4 | 5 | 9 | – | 1 | 1 | 2 | 3 | 5 | 1 |
| 722 | Tranent (incl. Town), | 4158 | 4647 | 77 | 98 | 175 | 5 | 4 | 9 | 63 | 40 | 103 | 32 |
| 723 | Whitekirk & Tynninghame | 1131 | 1113 | 13 | 8 | 21 | 1 | 1 | 2 | 9 | 10 | 19 | 4 |
| 724 | Whittinghame, | 671 | 710 | 7 | 14 | 21 | 3 | – | 3 | 12 | 1 | 13 | 2 |
| 725 | Yester (or Gifford), | 1202 | 1033 | 16 | 11 | 27 | 4 | 2 | 6 | 10 | 6 | 16 | 10 |
| | Total, | 36363 | 37626 | 618 | 611 | 1229 | 65 | 44 | 109 | 331 | 314 | 645 | 246 |
| | 27. Berwick. | | | | | | | | | | | | |
| 726 | Abbey St Bathans, | 155 | 179 | 4 | 2 | 6 | 1 | – | 1 | 1 | 1 | 2 | 3 |
| 727 | Ayton, | 1959 | 2014 | 31 | 26 | 57 | 1 | 1 | 2 | 24 | 17 | 41 | 8 |
| 728 | Bunkle and Preston, | 715 | 756 | 13 | 10 | 23 | 1 | – | 1 | 4 | 2 | 6 | 2 |
| 729 | Channelkirk, | 728 | 671 | 15 | 9 | 24 | 3 | 2 | 5 | 5 | 3 | 8 | 5 |
| 730 | Chirnside, | 1384 | 1502 | 24 | 15 | 39 | 4 | 1 | 5 | 9 | 15 | 24 | 6 |
| 731 | Cockburnspath, | 1196 | 1194 | 15 | 20 | 35 | 3 | 3 | 6 | 4 | 12 | 16 | 10 |
| 732 | Coldingham, | 3188 | 3241 | 48 | 58 | 106 | 6 | 4 | 10 | 27 | 23 | 50 | 25 |
| 733 | Coldstream, | 3245 | 2823 | 47 | 31 | 78 | 8 | 5 | 13 | 32 | 34 | 66 | 9 |
| 734 | Cranshaws, | 127 | 134 | 1 | 3 | 4 | – | – | – | – | 2 | 2 | – |
| 735 | Dunse (incl. Town), | 3407 | 3595 | 68 | 58 | 126 | 7 | 7 | 14 | 36 | 26 | 62 | 33 |
| 736 | Earlston, | 1819 | 1825 | 30 | 25 | 55 | 2 | 4 | 6 | 20 | 9 | 29 | 9 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 737 | Eccles, . . . . | 1892 | 1861 | 31 | 22 | 53 | 6 | 5 | 11 | 9 | 15 | 24 | 13 |
| 738 | Edrom, . . . . | 1474 | 1592 | 22 | 28 | 50 | 4 | 4 | 8 | 9 | 11 | 20 | 4 |
| 739 | Eyemouth, . . . | 1488 | 1804 | 34 | 38 | 72 | – | 3 | 3 | 13 | 19 | 32 | 9 |
| 740 | Fogo, . . . . | 604 | 559 | 6 | 9 | 15 | – | – | – | 2 | 4 | 6 | 2 |
| 741 | Foulden, . . . | 430 | 431 | 3 | 7 | 10 | 1 | – | 1 | – | 2 | 2 | 2 |
| 742 | Gordon, . . . . | 983 | 931 | 15 | 14 | 29 | 3 | 3 | 6 | 9 | 10 | 19 | 6 |
| 743 | Greenlaw, . . . | 1378 | 1370 | 22 | 19 | 41 | 1 | 2 | 3 | 14 | 16 | 30 | 8 |
| 744 | Hume, . . . . | 406 | 420 | 8 | 10 | 18 | 1 | 2 | 3 | – | 3 | 3 | 3 |
| 745 | Hutton, . . . . | 1102 | 1067 | 13 | 15 | 28 | – | 2 | 2 | 6 | 7 | 13 | 2 |
| 746 | Ladykirk, . . . | 561 | 564 | 11 | 8 | 19 | 1 | – | 1 | 3 | 9 | 12 | 3 |
| 747 | Langton, . . . | 484 | 502 | 5 | 7 | 12 | 2 | 1 | 3 | 2 | 4 | 6 | 3 |
| 748 | LAUDER (incl. Burgh), | 2154 | 2198 | 40 | 32 | 72 | 5 | 2 | 7 | 11 | 15 | 26 | 11 |
| 749 | Legerwood, . . . | 587 | 599 | 12 | 10 | 22 | 1 | 1 | 2 | 5 | 6 | 11 | 3 |
| 750 | Longformacus, . . | 411 | 448 | 7 | 5 | 12 | 1 | – | 1 | 3 | – | 3 | 3 |
| 751 | Merton, . . . | 692 | 729 | 10 | 7 | 17 | – | – | – | 3 | 2 | 5 | 5 |
| 752 | Mordington, . . . | 427 | 377 | 5 | 6 | 11 | 1 | 1 | 2 | 1 | 3 | 4 | 2 |
| 753 | Nenthorn, . . . | 441 | 461 | 8 | 5 | 13 | 1 | 1 | 2 | 2 | 2 | 4 | 7 |
| 754 | Polwarth, . . . | 331 | 251 | 2 | 3 | 5 | – | – | – | 2 | – | 2 | 1 |
| 755 | Swinton, . . . | 994 | 964 | 16 | 15 | 31 | 1 | 1 | 2 | 8 | 7 | 15 | 5 |
| 756 | Westruther, . . . | 791 | 786 | 17 | 16 | 33 | 4 | 1 | 5 | 5 | 7 | 12 | 5 |
| 757 | Whitsome, . . . | 612 | 640 | 7 | 9 | 16 | – | – | – | 4 | 5 | 9 | 5 |
| | Total, | 36165 | 36488 | 590 | 542 | 1132 | 69 | 56 | 125 | 273 | 291 | 564 | 212 |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton, . . . | 284 | 297 | 3 | 7 | 10 | – | – | – | – | 1 | 1 | 4 |
| 759 | Drumelzier, . . . | 244 | 209 | 3 | 3 | 6 | – | 2 | 2 | 5 | – | 5 | 1 |
| 760 | Eddlestone, . . . | 790 | 753 | 11 | 9 | 20 | – | 2 | 2 | 3 | 4 | 7 | 3 |
| 761 | Glenholm, . . . | 252 | 198 | 2 | 1 | 3 | 1 | – | 1 | 1 | 2 | 3 | 2 |
| 762 | Innerleithen, . . . | 1236 | 1823 | 42 | 32 | 74 | 3 | 3 | 6 | 17 | 13 | 30 | 7 |
| 763 | Kilbucho, . . . | 345 | 228 | 5 | 6 | 11 | – | 1 | 1 | 3 | – | 3 | – |
| 764 | Kirkurd, . . . | 326 | 362 | 4 | 7 | 11 | 1 | – | 1 | 2 | 2 | 4 | – |
| 765 | Lyne, etc.—(1) Lyne, . | 95 | 81 | – | 1 | 1 | – | – | – | – | – | – | – |
| | (2) Meggat, | 63 | 53 | – | 2 | 2 | – | – | – | – | 1 | 1 | 1 |
| 766 | Manor, . . . | 256 | 247 | 6 | 6 | 12 | – | – | – | – | 3 | 3 | 2 |
| 767 | Newlands, . . . | 950 | 987 | 11 | 15 | 26 | 1 | 1 | 2 | 5 | 4 | 9 | 10 |
| 768 | PEEBLES (incl. Burgh), | 2673 | 2850 | 39 | 45 | 84 | – | 7 | 7 | 32 | 34 | 66 | 19 |
| 769 | Skirling, . . . | 316 | 317 | 4 | 2 | 6 | – | – | – | 3 | 1 | 4 | – |
| 770 | Stobo, . . . . | 478 | 478 | 10 | 12 | 22 | 1 | – | 1 | 3 | 3 | 6 | – |
| 771 | Traquair, . . . | 646 | 687 | 12 | 11 | 23 | 3 | 1 | 4 | 2 | 8 | 10 | 3 |
| 772 | Tweedsmuir, . . | 220 | 196 | 2 | 5 | 7 | – | 1 | 1 | 1 | 2 | 3 | 5 |
| 773 | West Linton, . . | 1630 | 1534 | 26 | 25 | 51 | 7 | 6 | 13 | 13 | 11 | 24 | 7 |
| | Total, | 10804 | 11300 | 180 | 189 | 369 | 17 | 24 | 41 | 90 | 89 | 179 | 64 |
| | 29. Selkirk. | | | | | | | | | | | | |
| 774 | Ettrick, . . . | 477 | 454 | 6 | 9 | 15 | – | 1 | 1 | – | 3 | 3 | 2 |
| 775 | Galashiels (incl. part of Town), . . . | 3014 | 3379 | 65 | 67 | 132 | 4 | 2 | 6 | 29 | 27 | 56 | 15 |
| 776 | Kirkhope, . . . | c. 600 | 555 | 4 | 9 | 13 | 1 | – | 1 | 1 | 4 | 5 | 4 |
| 777 | Roberton, . . . | 670 | 640 | 9 | 5 | 14 | 1 | – | 1 | 1 | 3 | 4 | 4 |
| 778 | SELKIRK (incl. Burgh), | 4347 | 4739 | 78 | 84 | 162 | 5 | 7 | 12 | 55 | 41 | 96 | 21 |
| 779 | Yarrow, . . . . | c. 694 | 643 | 10 | 8 | 18 | 2 | – | 2 | 9 | 5 | 14 | 3 |
| | Total, | 9802 | 10410 | 172 | 182 | 354 | 13 | 10 | 23 | 95 | 83 | 178 | 49 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, . . . | 1554 | 1511 | 35 | 24 | 59 | 5 | 2 | 7 | 13 | 14 | 27 | 6 |
| 781 | Ashkirk, . . . | 578 | 578 | 7 | 7 | 14 | – | 1 | 1 | 1 | 5 | 6 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 782 | Bedrule, | 240 | 222 | 3 | 2 | 5 | – | – | – | 2 | 1 | 3 | 1 |
| 783 | Bowden, | 981 | 864 | 10 | 17 | 27 | 3 | 3 | 6 | 4 | 6 | 10 | 3 |
| 784 | Castleton, | 2130 | 3688 | 59 | 70 | 129 | 10 | 2 | 12 | 60 | 30 | 90 | 21 |
| 785 | Cavers, | 1495 | 1824 | 25 | 33 | 58 | 2 | 3 | 5 | 14 | 17 | 31 | 5 |
| 786 | Crailing, | 734 | 673 | 9 | 5 | 14 | 2 | 1 | 3 | 2 | 4 | 6 | 8 |
| *a*787 | Eckford, | 1073 | 957 | 16 | 16 | 32 | 2 | 4 | 6 | 8 | 10 | 18 | 5 |
| *b*787 | Edgerston, | *c.* 373 | 359 | 6 | 4 | 10 | 2 | – | 2 | 1 | 8 | 9 | 2 |
| 788 | Ednam, | 658 | 599 | 9 | 10 | 19 | – | 1 | 1 | 2 | 1 | 3 | 5 |
| 789 | Hawick (incl. part of Town), | 7801 | 8726 | 180 | 168 | 348 | 29 | 23 | 52 | 122 | 107 | 229 | 57 |
| 790 | Hobkirk, | 720 | 771 | 15 | 12 | 27 | 2 | – | 2 | 6 | 6 | 12 | 4 |
| 791 | Hownam, | 252 | 289 | 2 | 1 | 3 | – | – | – | 2 | – | 2 | 1 |
| 792 | JEDBURGH (incl. Burgh), | *c.* 5220 | 5011 | 71 | 80 | 151 | 12 | 9 | 21 | 45 | 45 | 90 | 24 |
| 793 | Kelso (incl. Town), | 5634 | 5192 | 88 | 74 | 162 | 6 | 12 | 18 | 46 | 54 | 100 | 27 |
| 794 | Kirktown, | 282 | 421 | 7 | 6 | 13 | 1 | 2 | 3 | 4 | 9 | 13 | 1 |
| 795 | Lilliesleaf, | 798 | 772 | 8 | 5 | 13 | 1 | – | 1 | 3 | 8 | 11 | 4 |
| 796 | Linton, | 630 | 608 | 9 | 7 | 16 | 1 | 1 | 2 | 9 | – | 9 | 1 |
| 797 | Makerston, | 345 | 380 | 4 | 12 | 16 | – | 2 | 2 | 2 | 7 | 9 | 1 |
| 798 | Maxton, | 550 | 497 | 11 | 7 | 18 | – | 1 | 1 | 4 | 4 | 8 | 3 |
| 799 | Melrose— | | | | | | | | | | | | |
| | (1) Melrose, | 3592 | 3557 | 49 | 49 | 98 | 6 | 5 | 11 | 22 | 37 | 59 | 22 |
| | (2) Ladhope (incl. part of Galashiels), | 3773 | 4154 | 79 | 69 | 148 | 9 | 10 | 19 | 48 | 39 | 87 | 33 |
| 800 | Minto, | 467 | 430 | 7 | 5 | 12 | 1 | – | 1 | 3 | 3 | 6 | – |
| 801 | Morebattle, | 997 | 1031 | 8 | 14 | 22 | 1 | 1 | 2 | 5 | 6 | 11 | 9 |
| 802 | Oxnam, | *c.* 632 | 592 | 7 | 11 | 18 | – | 2 | 2 | 2 | 6 | 8 | 3 |
| 803 | Roxburgh, | 1141 | 1178 | 17 | 13 | 30 | 4 | – | 4 | 14 | 7 | 21 | 7 |
| 804 | St Boswells, | 884 | 865 | 14 | 15 | 29 | 1 | 1 | 2 | 8 | 9 | 17 | 5 |
| 805 | Smailholm, | 617 | 554 | 6 | 9 | 15 | 2 | – | 2 | 5 | 7 | 12 | 5 |
| 806 | Southdean, | *c.* 765 | 687 | 14 | 13 | 27 | 2 | – | 2 | 1 | 5 | 6 | 3 |
| 807 | Sprouston, | 1424 | 1305 | 18 | 24 | 42 | 2 | 4 | 6 | 11 | 14 | 25 | 8 |
| 808 | Stitchel, | 426 | 425 | 2 | 8 | 10 | – | 2 | 2 | 2 | 2 | 4 | 4 |
| 809 | Teviothead, | 550 | 438 | 6 | 7 | 13 | 1 | 3 | 4 | 6 | 1 | 7 | 3 |
| 810 | Wilton (incl. Town and part of Hawick), | 2557 | 3357 | 86 | 68 | 154 | 12 | 6 | 18 | 28 | 23 | 51 | 18 |
| 811 | Yetholm, | 1352 | 1207 | 26 | 21 | 47 | 5 | 2 | 7 | 20 | 8 | 28 | 7 |
| | Total, | 51225 | 53722 | 913 | 886 | 1799 | 124 | 103 | 227 | 525 | 503 | 1028 | 308 |
| | 31. Dumfries. | | | | | | | | | | | | |
| 812 | ANNAN (incl. part of Burgh), | *c.* 5128 | 5113 | 78 | 72 | 150 | 13 | 7 | 20 | 43 | 52 | 95 | 39 |
| *a*813 | Applegarth, | 918 | 935 | 14 | 13 | 27 | 2 | 1 | 3 | 11 | 10 | 21 | 5 |
| *b*813 | Brydekirk (incl. part of ANNAN), | *c.* 864 | 779 | 11 | 15 | 26 | 2 | 1 | 3 | 5 | 5 | 10 | 2 |
| 814 | Canonbie, | 3163 | 3219 | 50 | 51 | 101 | 8 | 12 | 20 | 23 | 24 | 47 | 20 |
| 815 | Carlaverock, | 1418 | 1248 | 14 | 15 | 29 | 2 | 1 | 3 | 8 | 11 | 19 | 3 |
| 816 | Closeburn, | 1732 | 1651 | 26 | 26 | 52 | 3 | 3 | 6 | 5 | 8 | 13 | 7 |
| 817 | Cummertrees, | *c.* 1334 | 1184 | 26 | 11 | 37 | 1 | 1 | 2 | 13 | 11 | 24 | 7 |
| 818 | Dalton, | 761 | 679 | 7 | 12 | 19 | 1 | 2 | 3 | 6 | 8 | 14 | 5 |
| 819 | Dornock, | 936 | 856 | 10 | 11 | 21 | 2 | 2 | 4 | 8 | 4 | 12 | 3 |
| 820 | Dryfesdale, | 2409 | 2509 | 51 | 31 | 82 | 7 | 5 | 12 | 27 | 26 | 53 | 19 |
| 821 | DUMFRIES (incl. part of Burgh), | 12298 | 13523 | 228 | 231 | 459 | 43 | 36 | 79 | 169 | 158 | 327 | 101 |
| 822 | Dunscore, | 1578 | 1554 | 24 | 19 | 43 | 2 | 2 | 4 | 12 | 13 | 25 | 9 |
| 823 | Durrisdeer, | 1795 | 1320 | 26 | 18 | 44 | 4 | 4 | 8 | 13 | 8 | 21 | 6 |
| 824 | Eskdalemuir, | 672 | 590 | 6 | 10 | 16 | 1 | – | 1 | 4 | 4 | 8 | 3 |
| 825 | Ewes, | 354 | 356 | 6 | 6 | 12 | – | 2 | 2 | – | 2 | 2 | 2 |
| 826 | Glencairn, | 1980 | 1867 | 17 | 27 | 44 | 1 | 2 | 3 | 17 | 18 | 35 | 14 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 827 | Graitney (or Gretna), . | 1830 | 1620 | 30 | 25 | 55 | 3 | 7 | 10 | 14 | 16 | 30 | 4 |
| 828 | Halfmorton, . . . | 687 | 713 | 6 | 17 | 23 | – | 4 | 4 | 4 | 3 | 7 | 1 |
| 829 | Hoddam, . . . | c. 1705 | 1568 | 24 | 26 | 50 | 4 | 4 | 8 | 11 | 14 | 25 | 5 |
| 830 | Holywood, . . . | 1060 | 1115 | 18 | 23 | 41 | 1 | 3 | 4 | 10 | 16 | 26 | 8 |
| 831 | Hutton, . . . . | 836 | 876 | 12 | 13 | 25 | 2 | 2 | 4 | 6 | 8 | 14 | 10 |
| 832 | Johnstone, . . . | 1261 | 1149 | 29 | 19 | 48 | 3 | 1 | 4 | 14 | 15 | 29 | 15 |
| 833 | Keir, . . . . | 960 | 849 | 18 | 8 | 26 | 1 | – | 1 | 9 | 3 | 12 | 6 |
| 834 | Kirkconnel, . . . | 1245 | 996 | 19 | 18 | 37 | 3 | 1 | 4 | 4 | 5 | 9 | 6 |
| 835 | Kirkmahoe, . . . | 1553 | 1462 | 24 | 20 | 44 | 2 | 2 | 4 | 17 | 15 | 32 | 8 |
| 836 | Kirkmichael, . . . | 1124 | 1026 | 19 | 12 | 31 | 6 | 2 | 8 | 5 | 9 | 14 | 4 |
| 837 | Kirkpatrick-Fleming, . | 1829 | 1925 | 37 | 28 | 65 | 8 | 4 | 12 | 15 | 11 | 26 | 16 |
| 838 | Kirkpatrick-Juxta, . | 1097 | 1025 | 19 | 14 | 33 | 3 | 2 | 5 | 9 | 3 | 12 | 4 |
| 839 | Langholm, . . . | 2990 | 2979 | 49 | 53 | 102 | 5 | 5 | 10 | 36 | 36 | 72 | 15 |
| 840 | LOCHMABEN (includ. Burgh), . . . | 3127 | 3087 | 58 | 52 | 110 | 12 | 10 | 22 | 36 | 30 | 66 | 23 |
| 841 | Middlebie, . . . | 2163 | 2004 | 39 | 24 | 63 | 8 | 2 | 10 | 17 | 14 | 31 | 14 |
| 842 | Moffat, . . . . | 2304 | 2232 | 35 | 36 | 71 | 3 | 4 | 7 | 16 | 21 | 37 | 10 |
| 843 | Morton, . . . . | 2482 | 2253 | 31 | 35 | 66 | 5 | 7 | 12 | 20 | 27 | 47 | 16 |
| 844 | Mousewald, . . . | 686 | 633 | 8 | 14 | 22 | 2 | 2 | 4 | 2 | 8 | 10 | 5 |
| 845 | Penpont, . . . | 1411 | 1326 | 25 | 14 | 39 | 4 | 1 | 5 | 16 | 13 | 29 | 5 |
| 846 | Ruthwell, . . . | 1110 | 1046 | 10 | 20 | 30 | – | 5 | 5 | 7 | 5 | 12 | 10 |
| 847 | St Mungo, . . . | 645 | 686 | 8 | 10 | 18 | 2 | 1 | 3 | 6 | 2 | 8 | 2 |
| 848 | SANQUHAR (including Burgh), . . . | c. 3155 | 2758 | 46 | 31 | 77 | 2 | 4 | 6 | 23 | 18 | 41 | 18 |
| 849 | Tinwald, . . . | 1080 | 1079 | 15 | 16 | 31 | 3 | 3 | 6 | 8 | 10 | 18 | 10 |
| 850 | Torthorwald, . . . | 1313 | 1254 | 24 | 27 | 51 | 4 | 5 | 9 | 17 | 14 | 31 | 5 |
| 851 | Tundergarth, . . . | 577 | 507 | 10 | 12 | 22 | – | 2 | 2 | 5 | 7 | 12 | 1 |
| 852 | Tynron, . . . . | 482 | 446 | 10 | 13 | 23 | 2 | – | 2 | 4 | 6 | 10 | 2 |
| 853 | Wamphray, . . . | 523 | 559 | 5 | 9 | 14 | 1 | 1 | 2 | 3 | 2 | 5 | 7 |
| 853 | Wanlockhead, . . | c. 916 | 811 | 8 | 12 | 20 | 2 | 2 | 4 | 6 | 12 | 18 | 1 |
| 854 | Westerkirk, . . . | 658 | 537 | 9 | 8 | 17 | 1 | 1 | 2 | 3 | 5 | 8 | 4 |
| | Total, | 78149 | 75904 | 1239 | 1177 | 2416 | 184 | 168 | 352 | 707 | 710 | 1417 | 480 |
| | 32. Kirkcudbright. | | | | | | | | | | | | |
| 855 | Anwoth, . . . . | 900 | 899 | 13 | 15 | 28 | 4 | 2 | 6 | 12 | 6 | 18 | 2 |
| 856 | Balmaclellan, . . . | c. 938 | 890 | 18 | 13 | 31 | 1 | 4 | 5 | 7 | 6 | 13 | 5 |
| 857 | Balmaghie, . . . | 1217 | 1225 | 18 | 18 | 36 | – | 3 | 3 | 7 | 6 | 13 | 3 |
| 858 | Borgue, . . . . | 1043 | 1162 | 23 | 17 | 40 | 1 | 3 | 4 | 3 | 3 | 6 | 6 |
| 859 | Buittle, . . . . | 1042 | 1165 | 18 | 21 | 39 | – | – | – | 11 | 13 | 24 | 3 |
| 860 | Carsphairn, . . . | 855 | 553 | 14 | 7 | 21 | 3 | 1 | 4 | 6 | 6 | 12 | 3 |
| 861 | Colvend, . . . | 1398 | 1366 | 15 | 22 | 37 | 1 | 5 | 6 | 8 | 10 | 18 | 4 |
| 862 | Corsock-Bridge, . . | c. 550 | 544 | 7 | 7 | 14 | 2 | 1 | 3 | 1 | 1 | 2 | 4 |
| 863 | Crossmichael, . . . | 1362 | 1536 | 34 | 24 | 58 | 7 | 2 | 9 | 13 | 22 | 35 | 11 |
| 864 | Dalbeattie, . . . | c. 1927 | 2054 | 37 | 21 | 58 | 10 | 3 | 13 | 22 | 25 | 47 | 12 |
| 865 | Dalry, . . . . | 1238 | 1149 | 16 | 22 | 38 | 4 | 7 | 11 | 7 | 9 | 16 | 5 |
| 866 | Girthon, . . . . | 1787 | 1702 | 26 | 25 | 51 | 4 | 1 | 5 | 11 | 15 | 26 | 7 |
| 867 | Irongray, . . . | 918 | 913 | 10 | 14 | 24 | 2 | 3 | 5 | 3 | 10 | 13 | 3 |
| 868 | Kells (incl. NEW GALLOWAY), . . . | 1091 | 1170 | 14 | 22 | 36 | 3 | 5 | 8 | 13 | 10 | 23 | 4 |
| 869 | Kelton (includ. Castle-Douglas), . . . | 3186 | 3436 | 65 | 62 | 127 | 4 | 10 | 14 | 32 | 32 | 64 | 30 |
| 870 | Kirkbean, . . . | 982 | 942 | 21 | 13 | 34 | – | 2 | 2 | 8 | 9 | 17 | 2 |
| 871 | KIRKCUDBRIGHT (including Burgh), . . | 3555 | 3407 | 45 | 45 | 90 | 7 | 5 | 12 | 32 | 40 | 72 | 19 |
| 872 | Kirkgunzeon, . . . | 734 | 793 | 18 | 16 | 34 | 3 | – | 3 | 3 | 3 | 6 | 5 |
| 873 | Kirkmabreck, . . . | c. 2266 | 1851 | 29 | 27 | 56 | 5 | 2 | 7 | 23 | 10 | 33 | 10 |
| 874 | Kirkpatrick-Durham, . | 1349 | 1323 | 22 | 22 | 44 | 4 | 4 | 8 | 12 | 10 | 22 | 7 |
| 875 | Lochrutton, . . . | 726 | 677 | 8 | 8 | 16 | 2 | 2 | 4 | 4 | 8 | 12 | 4 |
| 876 | Minnigaff, . . . | 2054 | 1804 | 34 | 33 | 67 | 4 | 6 | 10 | 14 | 8 | 22 | 10 |
| 877 | New Abbey, . . . | 1098 | 1063 | 20 | 18 | 38 | 3 | 1 | 4 | 13 | 12 | 25 | 3 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1851. | 1861. | Males. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem | Total. | |
| 878 | Parton, | *c.* 547 | 572 | 13 | 5 | 18 | 2 | – | 2 | 3 | 1 | 4 | 4 |
| 879 | Rerrick, | 1725 | 1738 | 27 | 33 | 60 | 3 | 1 | 4 | 11 | 9 | 20 | 9 |
| 880 | Terregles (incl. part of DUMFRIES Burgh), | 566 | 580 | 9 | 6 | 15 | 1 | 1 | 2 | 8 | 7 | 15 | 2 |
| 881 | Tongland, | 924 | 892 | 15 | 12 | 27 | 3 | 1 | 4 | 2 | 5 | 7 | 3 |
| 882 | Troqueer (incl. part of DUMFRIES Burgh), | 4925 | 4743 | 82 | 75 | 157 | 20 | 13 | 33 | 56 | 66 | 122 | 22 |
| 883 | Twynholm, | 782 | 815 | 15 | 10 | 25 | 4 | 1 | 5 | 6 | 9 | 15 | 3 |
| 884 | Urr, | *c.* 1436 | 1531 | 23 | 32 | 55 | 4 | 2 | 6 | 14 | 9 | 23 | 13 |
| | Total, | 43121 | 42495 | 709 | 665 | 1374 | 111 | 91 | 202 | 365 | 380 | 745 | 218 |
| | 33. Wigtown. | | | | | | | | | | | | |
| 885 | Glasserton, | 1487 | 1472 | 25 | 18 | 43 | 2 | 2 | 4 | 14 | 11 | 25 | 4 |
| 886 | Inch, | 2579 | 2460 | 25 | 45 | 70 | 1 | 6 | 7 | 12 | 17 | 29 | 11 |
| 887 | Kirkcolm, | 2018 | 1860 | 27 | 29 | 56 | 3 | 6 | 9 | 14 | 9 | 23 | 14 |
| 888 | Kirkcowan, | 1541 | 1434 | 19 | 21 | 40 | 6 | 3 | 9 | 13 | 14 | 27 | 10 |
| 889 | Kirkinner, | 1914 | 1716 | 26 | 24 | 50 | 3 | 3 | 6 | 9 | 12 | 21 | 11 |
| 890 | Kirkmaiden, | 2681 | 2333 | 37 | 40 | 77 | 3 | 15 | 18 | 18 | 20 | 38 | 11 |
| 891 | Leswalt, | 1703 | 1417 | 16 | 22 | 38 | – | 3 | 3 | 7 | 7 | 14 | 6 |
| 892 | Mochrum, | 2946 | 2694 | 37 | 49 | 86 | 7 | 7 | 14 | 24 | 30 | 54 | 13 |
| 893 | New Luce, | 791 | 731 | 8 | 11 | 19 | – | – | – | 8 | 6 | 14 | 4 |
| 894 | Old Luce (or Glenluce), | 2841 | 2800 | 46 | 43 | 89 | 7 | 9 | 16 | 18 | 32 | 50 | 21 |
| 895 | Penninghame (incl. Newton-Stewart), | 4155 | 4061 | 53 | 59 | 112 | 3 | 8 | 11 | 44 | 49 | 93 | 27 |
| 896 | Portpatrick, | 1963 | 2189 | 35 | 46 | 81 | 8 | 8 | 16 | 16 | 20 | 36 | 7 |
| 897 | Sorbie, | 1886 | 1814 | 24 | 27 | 51 | 3 | 1 | 4 | 17 | 27 | 44 | 11 |
| 898 | Stoneykirk, | 3321 | 3228 | 44 | 43 | 87 | 7 | 5 | 12 | 19 | 18 | 37 | 22 |
| 899 | STRANRAER (incl. Burgh) | 5738 | 6315 | 103 | 102 | 205 | 13 | 8 | 21 | 93 | 82 | 175 | 52 |
| 900 | WHITHORN (incl. Burgh) | 3001 | 2934 | 50 | 50 | 100 | 10 | 11 | 21 | 27 | 28 | 55 | 20 |
| 901 | WIGTOWN (incl. Burgh) | 2824 | 2637 | 42 | 35 | 77 | 10 | 2 | 12 | 17 | 27 | 44 | 6 |
| | Total, | 43389 | 42095 | 617 | 664 | 1281 | 86 | 97 | 183 | 370 | 409 | 779 | 250 |

## SUMMARY.

| Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1851. | 1861. | Mal. | Fem. | Total. | Mal. | Fem | Totl | Mal. | Fem. | Total. | |
| Insular, | 166,487 | 160,733 | 2345 | 2154 | 4499 | 111 | 116 | 227 | 1235 | 1327 | 2562 | 919 |
| Mainland-Rural, | 1,712,552 | 1,763,377 | 29702 | 28489 | 58191 | 2920 | 2726 | 5646 | 15329 | 15485 | 30814 | 10288 |
| Town, | 1,009,703 | 1,138,184 | 22559 | 21760 | 44319 | 2137 | 1919 | 4056 | 14326 | 14639 | 28965 | 9689 |
| SCOTLAND, | 2,888,742 | 3,062,294 | 54606 | 52403 | 107009 | 5168 | 4761 | 9929 | 30890 | 31451 | 62341 | 20896 |

MARRIAGES registered in SCOTLAND in 1861, and the Number of Persons who signed the Register by Marks.

| COUNTY. | Regular Marriages according to the Rites of | | | | | | | | Irregular Marriages. | Signed the Register by Marks. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Episcopalians. | Roman Catholics. | Other Denominations. | Not Stated. | TOTAL. | | Males. | Females. | TOTAL. |
| Shetland | 129 | 13 | 3 | – | 1 | 18 | 1 | 165 | 1 | 16 | 62 | 78 |
| Orkney | 98 | 44 | 56 | – | – | 8 | 4 | 210 | – | 4 | 10 | 14 |
| Caithness | 49 | 136 | 6 | – | – | 10 | 7 | 208 | – | 10 | 21 | 31 |
| Sutherland | 14 | 79 | – | – | – | – | – | 93 | – | 11 | 22 | 33 |
| Ross and Cromarty | 51 | 356 | 14 | 1 | – | 4 | – | 426 | – | 182 | 260 | 442 |
| Inverness | 189 | 178 | 28 | 5 | 57 | 4 | – | 461 | – | 147 | 243 | 390 |
| Nairn | 12 | 32 | 10 | – | 1 | – | – | 55 | – | 6 | 16 | 22 |
| Elgin | 105 | 101 | 21 | 2 | 7 | 6 | – | 242 | – | 5 | 22 | 27 |
| Banff | 238 | 98 | 16 | 4 | 18 | 3 | – | 377 | – | 10 | 48 | 58 |
| Aberdeen | 925 | 368 | 68 | 57 | 25 | 61 | 25 | 1529 | – | 32 | 108 | 140 |
| Kincardine | 160 | 40 | 6 | 10 | – | – | – | 216 | – | 2 | 24 | 26 |
| Forfar | 668 | 297 | 221 | 79 | 148 | 68 | 7 | 1488 | 2 | 156 | 418 | 574 |
| Perth | 433 | 228 | 101 | 10 | 28 | 18 | 7 | 825 | – | 29 | 70 | 99 |
| Fife | 588 | 153 | 161 | 5 | 11 | 22 | 39 | 979 | 1 | 34 | 100 | 134 |
| Kinross | 20 | 4 | 11 | – | – | – | 1 | 36 | – | – | 3 | 3 |
| Clackmannan | 43 | 46 | 26 | 2 | 2 | 7 | – | 126 | – | 13 | 29 | 42 |
| Stirling | 314 | 117 | 118 | 2 | 37 | 20 | 5 | 613 | – | 70 | 145 | 215 |
| Dumbarton | 144 | 45 | 53 | 5 | 64 | 14 | 3 | 328 | – | 70 | 107 | 177 |
| Argyll | 213 | 104 | 11 | 3 | 11 | 8 | 1 | 351 | – | 57 | 93 | 150 |
| Bute | 36 | 26 | 5 | – | 5 | 3 | – | 75 | – | 8 | 8 | 16 |
| Renfrew | 548 | 234 | 195 | 21 | 218 | 74 | 3 | 1293 | 1 | 210 | 406 | 616 |
| Ayr | 766 | 266 | 158 | 15 | 65 | 68 | 4 | 1342 | 1 | 157 | 336 | 493 |
| Lanark | 1455 | 1091 | 887 | 74 | 820 | 740 | 23 | 5090 | 9 | 746 | 1447 | 2193 |
| Linlithgow | 92 | 60 | 44 | – | 33 | 8 | 2 | 239 | – | 34 | 64 | 98 |
| Edinburgh | 1020 | 518 | 402 | 71 | 165 | 87 | 22 | 2285 | 2 | 107 | 223 | 330 |
| Haddington | 149 | 53 | 18 | 2 | 22 | 2 | – | 246 | – | 31 | 40 | 71 |
| Berwick | 94 | 38 | 75 | – | – | 4 | 1 | 212 | – | 4 | 7 | 11 |
| Peebles | 38 | 10 | 13 | – | – | 3 | – | 64 | – | – | 2 | 2 |
| Selkirk | 30 | 4 | 12 | 2 | – | 1 | – | 49 | – | 1 | 4 | 5 |
| Roxburgh | 147 | 46 | 75 | 7 | 22 | 11 | – | 308 | – | 16 | 25 | 41 |
| Dumfries | 271 | 95 | 68 | 3 | 18 | 11 | 6 | 472 | 8 | 12 | 39 | 51 |
| Kirkcudbright | 138 | 43 | 22 | 3 | 9 | 2 | 1 | 218 | – | 13 | 11 | 24 |
| Wigtown | 155 | 46 | 21 | 3 | 19 | 5 | 1 | 250 | – | 24 | 44 | 68 |
| SCOTLAND | 9332 | 4969 | 2925 | 386 | 1806 | 1290 | 163 | 20871 | 25 | 2217 | 4457 | 6674 |

## Ages and Condition of Persons married in Scotland in 1861.

| Condition combined with Age. | Total. | Ages of Parties at Marriage. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| Bachelors and Spinsters. | 17431 | – | – | – | 12 | 129 | 391 | 892 | 6725 | 5633 | 2044 | 909 | 399 | 151 | 84 | 38 | 10 | 2 | 1 | – | – | – | 11 |
| | 17431 | – | 11 | 65 | 252 | 739 | 1296 | 1791 | 7196 | 4348 | 1099 | 427 | 116 | 38 | 10 | 4 | – | – | – | – | – | – | 39 |
| Bachelors and Widows. | 441 | – | – | – | – | 1 | 5 | 5 | 59 | 116 | 91 | 74 | 45 | 26 | 9 | 3 | 1 | 3 | – | – | – | – | 3 |
| | 441 | – | – | – | – | – | 2 | – | 38 | 119 | 116 | 102 | 31 | 17 | 7 | 4 | – | – | – | – | – | – | 5 |
| Widowers and Spinsters. | 1768 | – | – | – | – | – | – | 1 | 29 | 225 | 320 | 327 | 289 | 234 | 146 | 98 | 66 | 23 | 4 | 4 | 1 | – | 1 |
| | 1768 | – | – | 1 | 7 | 15 | 27 | 58 | 295 | 450 | 341 | 271 | 183 | 74 | 30 | 8 | 1 | – | – | 1 | – | – | 6 |
| Widowers and Widows. | 517 | – | – | – | – | – | – | – | 3 | 28 | 52 | 85 | 88 | 77 | 77 | 47 | 36 | 14 | 7 | – | 1 | 1 | 1 |
| | 517 | – | – | – | – | – | – | – | 11 | 46 | 94 | 111 | 108 | 78 | 42 | 13 | 10 | 3 | – | – | – | – | 1 |
| Condition not stated. Males. | 739 | – | – | – | – | 3 | 14 | 27 | 254 | 225 | 99 | 57 | 24 | 14 | 8 | 2 | 2 | 2 | 1 | – | – | – | 7 |
| Condition not stated. Females. | 739 | – | – | 3 | 4 | 26 | 45 | 61 | 292 | 183 | 69 | 27 | 7 | 9 | 1 | 1 | 1 | – | 1 | – | – | – | 9 |
| Total Males ..... | 20896 | – | – | – | 12 | 133 | 410 | 925 | 7070 | 6227 | 2606 | 1452 | 845 | 502 | 324 | 188 | 115 | 44 | 13 | 4 | 2 | 1 | 23 |
| Total Females ... | 20896 | – | 11 | 69 | 263 | 780 | 1370 | 1910 | 7832 | 5146 | 1719 | 938 | 445 | 216 | 90 | 30 | 12 | 3 | 1 | 1 | – | – | 60 |

AGES of MALES married in Scotland in 1861.

| | Total Males. | AGES of MALES at MARRIAGE. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . | 20896 | – | – | – | 12 | 133 | 410 | 925 | 7070 | 6227 | 2606 | 1452 | 845 | 502 | 324 | 188 | 115 | 44 | 13 | 4 | 2 | 1 | 23 |
| DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Insular . . | 919 | – | – | – | 2 | 4 | 6 | 10 | 197 | 349 | 174 | 89 | 34 | 21 | 12 | 7 | 8 | 2 | 1 | 1 | – | – | 2 |
| Mainland-Rural | 10288 | – | – | – | 6 | 61 | 203 | 433 | 3475 | 3040 | 1316 | 719 | 431 | 246 | 165 | 91 | 52 | 21 | 7 | 3 | 1 | 1 | 17 |
| Town . . . | 9689 | – | – | – | 4 | 68 | 201 | 482 | 3398 | 2838 | 1116 | 644 | 380 | 235 | 147 | 90 | 55 | 21 | 5 | – | 1 | – | 4 |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . | 677 | – | – | – | 2 | 5 | 9 | 12 | 176 | 232 | 102 | 57 | 29 | 18 | 11 | 13 | 5 | 2 | 1 | 1 | 1 | – | 1 |
| 2. North-Western | 887 | – | – | – | – | 2 | – | 8 | 177 | 315 | 204 | 86 | 41 | 27 | 16 | 6 | 2 | 1 | 1 | – | – | – | 1 |
| 3. North-Eastern | 2419 | – | – | – | – | 15 | 43 | 78 | 742 | 715 | 369 | 195 | 119 | 57 | 37 | 25 | 14 | 5 | 3 | 1 | – | – | 1 |
| 4. East-Midland . | 3457 | – | – | – | – | 29 | 61 | 160 | 1229 | 1041 | 364 | 204 | 146 | 85 | 67 | 34 | 23 | 8 | 1 | 1 | – | – | 4 |
| 5. West-Midland | 1367 | – | – | – | 2 | 6 | 28 | 56 | 407 | 405 | 206 | 124 | 46 | 32 | 26 | 15 | 9 | 3 | – | – | – | – | 2 |
| 6. South-Western | 7736 | – | – | – | 5 | 56 | 196 | 432 | 2875 | 2260 | 807 | 472 | 274 | 165 | 91 | 49 | 37 | 9 | 3 | – | – | – | 5 |
| 7. South-Eastern | 3097 | – | – | – | – | 16 | 51 | 133 | 1047 | 884 | 403 | 223 | 127 | 89 | 54 | 31 | 13 | 14 | 3 | 1 | 1 | 1 | 6 |
| 8. Southern . . | 1256 | – | – | – | 3 | 4 | 22 | 46 | 417 | 375 | 151 | 91 | 63 | 29 | 22 | 15 | 12 | 2 | 1 | – | – | – | 3 |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . | 166 | – | – | – | 2 | 1 | 2 | 4 | 51 | 61 | 22 | 10 | 5 | 2 | 2 | 1 | 1 | – | 1 | – | – | – | 1 |
| Orkney . . | 210 | – | – | – | – | 3 | 1 | 3 | 54 | 73 | 31 | 15 | 11 | 9 | – | 5 | 3 | 1 | – | 1 | – | – | – |
| Caithness . . | 208 | – | – | – | – | 1 | 4 | 4 | 54 | 71 | 28 | 19 | 11 | 5 | 4 | 4 | 1 | 1 | – | – | 1 | – | – |
| Sutherland . . | 93 | – | – | – | – | – | 2 | 1 | 17 | 27 | 21 | 13 | 2 | 2 | 5 | 3 | – | – | – | – | – | – | – |
| Ross and Cromarty | 426 | – | – | – | – | 1 | – | 4 | 89 | 161 | 93 | 33 | 20 | 11 | 10 | 2 | – | 1 | – | – | – | – | 1 |
| Inverness . . | 461 | – | – | – | – | 1 | – | 4 | 88 | 154 | 111 | 53 | 21 | 16 | 6 | 4 | 2 | – | 1 | – | – | – | – |

AGES of MALES married in Scotland in 1861.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 55 | – | – | – | – | – | 2 | – | 17 | 14 | 6 | 5 | 3 | 3 | 3 | 1 | – | 1 | – | – | – | – | – |
| Elgin . . . | 242 | – | – | – | – | 2 | 3 | 8 | 80 | 66 | 47 | 16 | 6 | 4 | 5 | 1 | 2 | 1 | 1 | – | – | – | – |
| Banff . . . | 377 | – | – | – | – | 3 | 6 | 13 | 117 | 112 | 55 | 28 | 21 | 7 | 4 | 5 | 3 | 1 | 1 | 1 | – | – | – |
| Aberdeen . . | 1529 | – | – | – | – | 10 | 30 | 51 | 456 | 449 | 233 | 128 | 80 | 39 | 24 | 17 | 8 | 2 | 1 | – | – | – | 1 |
| Kincardine . . | 216 | – | – | – | – | – | 2 | 6 | 72 | 74 | 28 | 18 | 9 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| Forfar . . | 1490 | – | – | – | – | 11 | 28 | 66 | 529 | 448 | 165 | 90 | 66 | 35 | 24 | 11 | 11 | 5 | 1 | – | – | – | – |
| Perth . . . | 825 | – | – | – | – | 7 | 6 | 26 | 247 | 269 | 97 | 65 | 44 | 24 | 22 | 12 | 3 | 2 | – | – | – | – | 1 |
| Fife . . . | 980 | – | – | – | – | 9 | 22 | 60 | 384 | 281 | 88 | 44 | 32 | 20 | 17 | 10 | 9 | – | – | 1 | – | – | 3 |
| Kinross . . | 36 | – | – | – | – | 1 | 1 | 3 | 13 | 10 | 4 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Clackmannan . | 126 | – | – | – | – | 1 | 4 | 5 | 56 | 33 | 10 | 4 | 3 | 5 | 4 | 1 | – | – | – | – | – | – | – |
| Stirling . . | 613 | – | – | – | 1 | 3 | 15 | 31 | 213 | 171 | 75 | 43 | 19 | 13 | 10 | 10 | 6 | 2 | – | – | – | – | 1 |
| Dumbarton . . | 328 | – | – | – | 1 | 3 | 7 | 17 | 109 | 108 | 41 | 18 | 11 | 6 | 5 | 2 | – | – | – | – | – | – | – |
| Argyll . . | 351 | – | – | – | – | – | 5 | 7 | 70 | 101 | 75 | 55 | 11 | 12 | 10 | 3 | 1 | 1 | – | – | – | – | – |
| Bute . . . | 75 | – | – | – | – | – | 1 | 1 | 15 | 25 | 15 | 8 | 5 | 1 | 1 | – | 2 | – | – | – | – | – | 1 |
| Renfrew . . | 1294 | – | – | – | – | 10 | 28 | 74 | 452 | 408 | 130 | 87 | 32 | 35 | 18 | 8 | 8 | 3 | 1 | – | – | – | – |
| Ayr . . . | 1343 | – | – | – | 1 | 8 | 41 | 80 | 531 | 354 | 144 | 71 | 53 | 26 | 18 | 7 | 7 | 1 | – | – | – | – | 1 |
| Lanark . . | 5099 | – | – | – | 4 | 38 | 127 | 278 | 1892 | 1498 | 533 | 314 | 189 | 104 | 55 | 34 | 22 | 5 | 2 | – | – | – | 4 |
| Linlithgow . . | 239 | – | – | – | – | 3 | 11 | 13 | 95 | 60 | 25 | 13 | 7 | 5 | 1 | 2 | – | 1 | – | – | – | – | 3 |
| Edinburgh . . | 2287 | – | – | – | – | 10 | 31 | 104 | 755 | 647 | 314 | 170 | 93 | 70 | 43 | 24 | 12 | 10 | 2 | – | 1 | – | 1 |
| Haddington . | 246 | – | – | – | – | 1 | 5 | 6 | 86 | 81 | 26 | 11 | 15 | 4 | 5 | 1 | 1 | 2 | – | – | – | 1 | 1 |
| Berwick . . | 212 | – | – | – | – | 1 | 3 | 7 | 72 | 66 | 20 | 22 | 8 | 5 | 2 | 3 | – | 1 | 1 | – | – | – | 1 |
| Peebles . . | 64 | – | – | – | – | 1 | – | 3 | 21 | 17 | 11 | 4 | 4 | 2 | – | 1 | – | – | – | – | – | – | – |
| Selkirk . . | 49 | – | – | – | – | – | 1 | – | 18 | 13 | 7 | 3 | – | 3 | 3 | – | – | – | – | 1 | – | – | – |
| Roxburgh . . | 308 | – | – | – | – | – | 3 | 11 | 99 | 97 | 37 | 27 | 15 | 9 | 6 | 3 | 1 | – | – | – | – | – | – |
| Dumfries . . | 480 | – | – | – | 3 | 1 | 8 | 20 | 169 | 142 | 56 | 28 | 23 | 6 | 10 | 8 | 2 | 2 | – | – | – | – | 2 |
| Kirkcudbright . | 218 | – | – | – | – | 1 | 2 | 7 | 69 | 68 | 30 | 16 | 10 | 8 | 4 | – | 3 | – | – | – | – | – | – |
| Wigtown . . | 250 | – | – | – | – | 2 | 9 | 8 | 80 | 68 | 28 | 20 | 15 | 6 | 2 | 4 | 6 | – | 1 | – | – | – | 1 |

AGES of FEMALES married in Scotland in 1861.

| | Total Females | AGES of FEMALES at MARRIAGE. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . | 20896 | – | 11 | 69 | 263 | 780 | 1370 | 1910 | 7832 | 5146 | 1719 | 938 | 445 | 216 | 90 | 30 | 12 | 3 | 1 | 1 | – | – | 60 |
| DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Insular . . | 919 | – | – | 2 | 4 | 16 | 31 | 53 | 313 | 316 | 116 | 40 | 14 | 9 | 2 | – | – | – | – | – | – | – | 3 |
| Mainland-Rural | 10288 | – | 9 | 43 | 138 | 355 | 657 | 900 | 3845 | 2626 | 849 | 458 | 209 | 94 | 44 | 13 | 5 | 1 | 1 | 1 | – | – | 40 |
| Town . . . | 9689 | – | 2 | 24 | 121 | 409 | 682 | 957 | 3674 | 2204 | 754 | 440 | 222 | 113 | 44 | 17 | 7 | 2 | – | – | – | – | 17 |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 677 | – | 1 | 1 | 4 | 17 | 23 | 31 | 212 | 242 | 90 | 32 | 12 | 9 | 2 | – | – | – | – | – | – | – | 1 |
| 2. North-Western | 887 | – | 1 | 3 | 6 | 19 | 30 | 57 | 321 | 302 | 84 | 40 | 14 | 6 | 1 | – | – | – | – | – | – | – | 3 |
| 3. North-Eastern | 2419 | – | 1 | 8 | 33 | 73 | 138 | 216 | 864 | 646 | 213 | 133 | 47 | 26 | 15 | 3 | – | – | – | – | – | – | 3 |
| 4. East-Midland . | 3457 | – | 2 | 8 | 23 | 90 | 185 | 310 | 1344 | 904 | 273 | 167 | 82 | 31 | 18 | 8 | 4 | – | – | – | – | – | 8 |
| 5. West-Midland . | 1367 | – | 1 | 4 | 14 | 54 | 99 | 127 | 493 | 333 | 129 | 62 | 25 | 13 | 7 | – | – | – | – | – | – | – | 6 |
| 6. South-Western | 7736 | – | 3 | 36 | 135 | 380 | 625 | 781 | 3017 | 1607 | 548 | 306 | 152 | 73 | 27 | 12 | 5 | 1 | 1 | – | – | – | 27 |
| 7. South-Eastern | 3097 | – | 2 | 4 | 36 | 104 | 193 | 277 | 1137 | 777 | 276 | 133 | 80 | 43 | 17 | 5 | 3 | 2 | – | – | – | – | 8 |
| 8. Southern . . | 1256 | – | – | 5 | 12 | 43 | 77 | 111 | 444 | 335 | 106 | 65 | 33 | 15 | 3 | 2 | – | – | – | 1 | – | – | 4 |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . | 166 | – | – | – | – | 3 | 1 | 8 | 61 | 59 | 24 | 4 | 3 | 2 | – | – | – | – | – | – | – | – | 1 |
| Orkney . . | 210 | – | – | – | 1 | 5 | 9 | 11 | 58 | 72 | 31 | 14 | 5 | 4 | – | – | – | – | – | – | – | – | – |
| Caithness . . | 208 | – | – | – | 1 | 4 | 8 | 10 | 63 | 88 | 18 | 8 | 3 | 3 | 2 | – | – | – | – | – | – | – | – |
| Sutherland . . | 93 | – | 1 | 1 | 2 | 5 | 5 | 2 | 30 | 23 | 17 | 6 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ross and Cromarty | 426 | – | 1 | 2 | 2 | 8 | 16 | 23 | 165 | 144 | 36 | 18 | 6 | 2 | 1 | – | – | – | – | – | – | – | 2 |
| Inverness . . | 461 | – | – | 1 | 4 | 11 | 14 | 34 | 156 | 158 | 48 | 22 | 8 | 4 | – | – | – | – | – | – | – | – | 1 |

AGES of FEMALES married in Scotland in 1861.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 55 | – | – | – | – | 1 | 2 | 3 | 17 | 18 | 6 | 3 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Elgin . . . | 242 | – | – | 1 | 3 | 7 | 19 | 18 | 83 | 65 | 24 | 12 | 3 | 4 | 2 | 1 | – | – | – | – | – | – | – |
| Banff . . . | 377 | – | 1 | 1 | 8 | 10 | 16 | 31 | 130 | 108 | 33 | 22 | 9 | 3 | 3 | 1 | – | – | – | – | – | – | 1 |
| Aberdeen . . | 1529 | – | – | 6 | 19 | 47 | 89 | 136 | 554 | 403 | 129 | 90 | 28 | 16 | 9 | 1 | – | – | – | – | – | – | 2 |
| Kincardine . . | 216 | – | – | – | 3 | 8 | 12 | 28 | 80 | 52 | 21 | 6 | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| Forfar . . | 1490 | – | – | 2 | 12 | 35 | 78 | 140 | 590 | 372 | 118 | 81 | 34 | 16 | 5 | 3 | 3 | – | – | – | – | – | 1 |
| Perth . . . | 825 | – | 1 | 1 | 7 | 26 | 41 | 60 | 276 | 257 | 81 | 40 | 18 | 7 | 3 | 4 | 1 | – | – | – | – | – | 2 |
| Fife . . . | 980 | – | 1 | 5 | 1 | 24 | 52 | 94 | 411 | 236 | 68 | 39 | 29 | 6 | 9 | 1 | – | – | – | – | – | – | 4 |
| Kinross . . | 36 | – | – | – | – | 1 | 4 | 4 | 13 | 11 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Clackmannan . | 126 | – | – | – | 3 | 4 | 10 | 12 | 54 | 28 | 6 | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | 1 |
| Stirling . . | 613 | – | – | – | 10 | 31 | 53 | 74 | 216 | 128 | 47 | 28 | 12 | 6 | 4 | – | – | – | – | – | – | – | 4 |
| Dumbarton . | 328 | – | 1 | 4 | 2 | 14 | 28 | 23 | 127 | 76 | 34 | 11 | 4 | 3 | 1 | – | – | – | – | – | – | – | – |
| Argyll . . | 351 | – | – | – | 2 | 7 | 15 | 23 | 122 | 113 | 38 | 19 | 7 | 2 | 2 | – | – | – | – | – | – | – | 1 |
| Bute . . . | 75 | – | – | – | – | 2 | 3 | 7 | 28 | 16 | 10 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | 1 |
| Renfrew . . | 1294 | – | – | 3 | 18 | 48 | 89 | 130 | 547 | 263 | 99 | 49 | 23 | 11 | 6 | 2 | 3 | – | – | – | – | – | 3 |
| Ayr . . . | 1343 | – | 1 | 11 | 26 | 67 | 131 | 120 | 499 | 294 | 86 | 44 | 35 | 14 | 6 | 2 | 1 | – | – | – | – | – | 6 |
| Lanark . . | 5099 | – | 2 | 22 | 91 | 265 | 405 | 531 | 1971 | 1050 | 363 | 213 | 94 | 48 | 15 | 8 | 1 | 1 | 1 | – | – | – | 18 |
| Linlithgow . . | 239 | – | 1 | – | 5 | 16 | 27 | 29 | 92 | 42 | 17 | 6 | 1 | – | 1 | – | – | – | – | – | – | – | 2 |
| Edinburgh . . | 2287 | – | 1 | 3 | 27 | 82 | 136 | 211 | 829 | 573 | 201 | 103 | 64 | 37 | 11 | 5 | 1 | 1 | – | – | – | – | 2 |
| Haddington . | 246 | – | – | – | 1 | 2 | 16 | 16 | 85 | 72 | 30 | 11 | 4 | 3 | 3 | – | 1 | 1 | – | – | – | – | 1 |
| Berwick . . | 212 | – | – | 1 | 1 | 3 | 8 | 16 | 89 | 55 | 18 | 10 | 6 | 1 | – | – | 1 | – | – | – | – | – | 3 |
| Peebles . . | 64 | – | – | – | 1 | 1 | 5 | 2 | 27 | 16 | 5 | 2 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Selkirk . . | 49 | – | – | – | 1 | – | 1 | 3 | 15 | 19 | 5 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Roxburgh . . | 308 | – | – | 3 | 5 | 9 | 18 | 15 | 116 | 92 | 23 | 15 | 9 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Dumfries . . | 480 | – | – | 2 | 3 | 18 | 30 | 41 | 170 | 126 | 45 | 21 | 13 | 7 | 2 | – | – | – | – | – | – | – | 2 |
| Kirkcudbright . | 218 | – | – | – | 1 | 4 | 14 | 21 | 80 | 59 | 18 | 14 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Wigtown . . | 250 | – | – | – | 3 | 12 | 15 | 34 | 78 | 58 | 20 | 15 | 8 | 3 | – | 1 | – | – | – | 1 | – | – | 2 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 2888742 | 3062294 | 62341 | 5952 | 1954 | 3963 | 5542 | 2743 | 1736 | 1211 | 3059 | 1596 | 2174 | 2551 | 2221 |
| Insular . . | 166487 | 160733 | 2562 | 183 | 45 | 103 | 147 | 80 | 51 | 38 | 138 | 53 | 77 | 114 | 101 |
| Mainland . | 1712552 | 1763377 | 30814 | 2814 | 865 | 1619 | 2112 | 1140 | 727 | 511 | 1564 | 885 | 1174 | 1289 | 1066 |
| Towns . . | 1009703 | 1138184 | 28965 | 2955 | 1044 | 2241 | 3283 | 1523 | 958 | 662 | 1357 | 658 | 923 | 1148 | 1054 |
| Shetland . . | 31078 | 31670 | 488 | 29 | 14 | 19 | 42 | 19 | 13 | 6 | 19 | 8 | 12 | 23 | 23 |
| Orkney . . | 31455 | 32395 | 510 | 25 | 6 | 8 | 19 | 11 | 6 | 6 | 30 | 9 | 15 | 24 | 19 |
| Caithness . | 39782 | 42200 | 588 | 46 | 15 | 20 | 22 | 18 | 9 | 8 | 16 | 17 | 17 | 35 | 21 |
| Sutherland . | 24720 | 24157 | 350 | 17 | 12 | 14 | 11 | 10 | 5 | – | 5 | 5 | 17 | 14 | 11 |
| Ross & Cromarty | 83781 | 82427 | 1231 | 106 | 31 | 42 | 63 | 29 | 18 | 16 | 46 | 27 | 36 | 40 | 35 |
| Inverness . | 91954 | 84902 | 1373 | 109 | 25 | 58 | 77 | 40 | 25 | 24 | 68 | 35 | 38 | 59 | 55 |
| Nairn . . | 8076 | 8347 | 174 | 19 | 3 | 6 | 12 | 7 | 1 | 3 | 12 | 6 | 1 | 1 | 6 |
| Elgin . . | 40532 | 44218 | 699 | 64 | 19 | 25 | 33 | 19 | 18 | 9 | 29 | 25 | 36 | 27 | 19 |
| Banff . . | 51353 | 56020 | 889 | 66 | 18 | 52 | 61 | 43 | 22 | 8 | 38 | 29 | 24 | 34 | 32 |
| Aberdeen . | 213461 | 223344 | 4301 | 345 | 109 | 171 | 253 | 179 | 140 | 90 | 265 | 153 | 194 | 225 | 168 |
| Kincardine . | 34944 | 34854 | 529 | 38 | 14 | 17 | 15 | 10 | 15 | 13 | 30 | 11 | 21 | 19 | 20 |
| Forfar . . | 193627 | 206750 | 4515 | 518 | 155 | 290 | 335 | 201 | 153 | 95 | 224 | 111 | 138 | 154 | 139 |
| Perth . . | 137369 | 133198 | 2506 | 187 | 52 | 97 | 132 | 86 | 51 | 35 | 122 | 51 | 76 | 86 | 81 |
| Fife . . . | 153789 | 155021 | 2685 | 221 | 77 | 138 | 223 | 113 | 67 | 61 | 147 | 72 | 91 | 107 | 67 |
| Kinross . . | 9626 | 8731 | 157 | 16 | 4 | 8 | 10 | 4 | 3 | 2 | 6 | 1 | 6 | 5 | 2 |
| Clackmannan . | 21555 | 20122 | 378 | 31 | 7 | 25 | 33 | 24 | 12 | 7 | 19 | 11 | 12 | 16 | 13 |
| Stirling . . | 83802 | 88138 | 1619 | 165 | 66 | 107 | 126 | 48 | 39 | 22 | 84 | 45 | 55 | 54 | 52 |
| Dumbarton . | 46995 | 54179 | 1079 | 91 | 39 | 88 | 103 | 45 | 31 | 15 | 60 | 21 | 36 | 48 | 49 |
| Argyll . . | 94042 | 83859 | 1400 | 104 | 29 | 47 | 69 | 32 | 25 | 22 | 57 | 43 | 49 | 66 | 52 |
| Bute . . | 16608 | 16331 | 337 | 14 | 6 | 12 | 20 | 3 | 7 | 5 | 17 | 9 | 17 | 15 | 14 |
| Renfrew . . | 157950 | 168746 | 3795 | 363 | 145 | 309 | 421 | 179 | 97 | 92 | 175 | 129 | 173 | 177 | 126 |
| Ayr . . | 189973 | 199063 | 4304 | 413 | 154 | 267 | 411 | 239 | 136 | 81 | 276 | 131 | 187 | 189 | 180 |
| Lanark . . | 533169 | 640444 | 16035 | 1717 | 611 | 1436 | 2088 | 908 | 527 | 353 | 762 | 402 | 551 | 654 | 594 |
| Linlithgow . | 30590 | 39045 | 738 | 88 | 37 | 75 | 73 | 39 | 24 | 16 | 37 | 19 | 22 | 27 | 20 |
| Edinburgh . | 259493 | 274093 | 6126 | 602 | 174 | 378 | 542 | 279 | 175 | 144 | 253 | 105 | 161 | 250 | 230 |
| Haddington . | 36363 | 37626 | 645 | 64 | 15 | 30 | 59 | 15 | 13 | 11 | 29 | 13 | 21 | 14 | 23 |
| Berwick . . | 36165 | 36488 | 564 | 62 | 9 | 23 | 34 | 16 | 15 | 10 | 26 | 13 | 16 | 18 | 17 |
| Peebles . . | 10804 | 11300 | 179 | 16 | 1 | 10 | 6 | 11 | 6 | 2 | 4 | 3 | 7 | 8 | 2 |
| Selkirk . . | 9802 | 10410 | 178 | 19 | – | 12 | 12 | 13 | 7 | 10 | 11 | 6 | 4 | 7 | 14 |
| Roxburgh . | 51225 | 53722 | 1028 | 128 | 24 | 70 | 74 | 39 | 26 | 17 | 58 | 16 | 35 | 33 | 35 |
| Dumfries . . | 78149 | 75904 | 1417 | 143 | 44 | 45 | 87 | 29 | 32 | 13 | 65 | 29 | 50 | 53 | 51 |
| Kirkcudbright | 43121 | 42495 | 745 | 64 | 19 | 33 | 37 | 19 | 11 | 7 | 31 | 14 | 27 | 37 | 29 |
| Wigtown . . | 43389 | 42095 | 779 | 62 | 20 | 31 | 39 | 16 | 7 | 8 | 38 | 27 | 29 | 32 | 22 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861.—BOTH SEXES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . | 16496 | 16162 | 354 | 32 | 12 | 15 | 29 | 4 | 7 | 7 | 11 | 8 | 10 | 11 | 10 |
| Aberdeen . | 71973 | 73900 | 1780 | 152 | 52 | 92 | 125 | 74 | 72 | 35 | 105 | 49 | 76 | 92 | 79 |
| Arbroath . | 17238 | 17831 | 379 | 52 | 9 | 24 | 27 | 11 | 6 | 7 | 14 | 9 | 11 | 14 | 16 |
| Dundee . . | 80027 | 91664 | 2499 | 313 | 100 | 211 | 243 | 152 | 110 | 65 | 143 | 53 | 75 | 74 | 63 |
| Forfar . . | 11009 | 10838 | 195 | 25 | 7 | 8 | 9 | 6 | 6 | 3 | 9 | 7 | 9 | 15 | 3 |
| Montrose . | 16037 | 15668 | 353 | 24 | 6 | 8 | 15 | 5 | 5 | 5 | 11 | 8 | 6 | 16 | 22 |
| Perth . . | 23835 | 25293 | 665 | 44 | 13 | 31 | 62 | 31 | 17 | 13 | 33 | 11 | 16 | 22 | 23 |
| Dunfermline . | 13836 | 13506 | 270 | 32 | 9 | 13 | 30 | 16 | 9 | 13 | 20 | 4 | 12 | 6 | 8 |
| Kirkcaldy . | 10636 | 11117 | 181 | 13 | 8 | 12 | 22 | 9 | 5 | 5 | 6 | 2 | 3 | 6 | 1 |
| Stirling . . | 12401 | 14012 | 272 | 27 | 16 | 18 | 22 | 6 | 7 | 5 | 9 | 5 | 8 | 7 | 7 |
| Greenock . | 37436 | 43894 | 1113 | 108 | 49 | 88 | 135 | 58 | 27 | 36 | 48 | 38 | 31 | 41 | 40 |
| Paisley . . | 48071 | 47427 | 1207 | 121 | 47 | 97 | 137 | 62 | 33 | 20 | 57 | 36 | 53 | 63 | 35 |
| Ayr . . | 18845 | 19659 | 505 | 46 | 17 | 36 | 63 | 19 | 16 | 8 | 22 | 6 | 13 | 17 | 19 |
| Kilmarnock . | 21287 | 23556 | 591 | 65 | 22 | 29 | 56 | 25 | 15 | 10 | 33 | 17 | 29 | 33 | 29 |
| Glasgow . . | 329097 | 395503 | 10936 | 1133 | 423 | 988 | 1565 | 666 | 388 | 267 | 503 | 253 | 357 | 419 | 419 |
| Barony . . | 16050 | 22559 | 712 | 59 | 31 | 70 | 69 | 37 | 19 | 10 | 29 | 22 | 29 | 33 | 23 |
| Govan . . | 14996 | 28584 | 655 | 89 | 25 | 63 | 80 | 30 | 22 | 18 | 38 | 15 | 25 | 25 | 20 |
| Hamilton . . | 11740 | 14047 | 256 | 23 | 8 | 17 | 23 | 11 | 7 | 2 | 8 | 7 | 13 | 14 | 18 |
| Airdrie . . | 14435 | 12922 | 322 | 40 | 13 | 29 | 36 | 24 | 6 | 3 | 23 | 11 | 12 | 14 | 3 |
| Coatbridge, etc. | 13168 | 15303 | 337 | 36 | 16 | 42 | 42 | 20 | 15 | 7 | 22 | 11 | 8 | 13 | 9 |
| Edinburgh . | 161648 | 170444 | 4168 | 386 | 122 | 265 | 366 | 208 | 132 | 96 | 168 | 62 | 103 | 176 | 177 |
| Leith . . | 32219 | 36029 | 766 | 83 | 19 | 59 | 87 | 38 | 26 | 20 | 29 | 16 | 14 | 22 | 19 |
| Dumfries . | 17223 | 18266 | 449 | 52 | 20 | 26 | 40 | 11 | 8 | 7 | 16 | 8 | 10 | 15 | 11 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND | 1911 | 1972 | 1860 | 1906 | 2046 | 2090 | 2780 | 2685 | 3047 | 2870 | 2467 | 1223 | 511 | 130 | 42 | 99 |
| Insular | 79 | 63 | 65 | 56 | 78 | 104 | 139 | 127 | 186 | 162 | 172 | 98 | 58 | 22 | 8 | 15 |
| Mainland | 862 | 930 | 810 | 885 | 928 | 1022 | 1438 | 1516 | 1783 | 1831 | 1674 | 835 | 360 | 80 | 26 | 68 |
| Towns | 970 | 979 | 985 | 965 | 1040 | 964 | 1203 | 1042 | 1078 | 877 | 621 | 290 | 93 | 28 | 8 | 16 |
| Shetland | 8 | 8 | 8 | 11 | 14 | 20 | 24 | 23 | 34 | 33 | 36 | 20 | 10 | 6 | – | 6 |
| Orkney | 15 | 9 | 12 | 11 | 11 | 22 | 25 | 34 | 48 | 43 | 44 | 33 | 19 | 4 | 2 | – |
| Caithness | 13 | 17 | 11 | 12 | 14 | 21 | 37 | 35 | 39 | 39 | 52 | 27 | 17 | 2 | – | 8 |
| Sutherland | 10 | 7 | 11 | 13 | 7 | 21 | 13 | 27 | 22 | 35 | 25 | 15 | 19 | 2 | 2 | – |
| Ross and Cromarty | 35 | 35 | 30 | 33 | 39 | 43 | 60 | 64 | 84 | 95 | 124 | 53 | 30 | 12 | 5 | – |
| Inverness | 45 | 44 | 38 | 30 | 53 | 49 | 80 | 64 | 88 | 82 | 99 | 48 | 20 | 8 | 7 | 5 |
| Nairn | 6 | 7 | 2 | 1 | 5 | 4 | 19 | 5 | 9 | 13 | 9 | 13 | 2 | – | – | 2 |
| Elgin | 18 | 25 | 17 | 14 | 25 | 15 | 32 | 37 | 49 | 49 | 45 | 28 | 15 | 5 | 1 | 1 |
| Banff | 18 | 20 | 22 | 16 | 17 | 27 | 37 | 42 | 45 | 78 | 85 | 31 | 17 | 5 | 2 | – |
| Aberdeen | 113 | 123 | 105 | 121 | 121 | 126 | 195 | 197 | 227 | 276 | 228 | 103 | 58 | 10 | 4 | 2 |
| Kincardine | 13 | 10 | 15 | 16 | 17 | 15 | 37 | 29 | 28 | 38 | 45 | 23 | 14 | 4 | 1 | 1 |
| Forfar | 145 | 144 | 137 | 144 | 174 | 173 | 216 | 189 | 235 | 200 | 137 | 63 | 30 | 8 | 2 | 5 |
| Perth | 59 | 73 | 69 | 83 | 74 | 118 | 141 | 165 | 174 | 176 | 175 | 88 | 38 | 13 | 3 | 1 |
| Fife | 65 | 72 | 74 | 84 | 97 | 103 | 136 | 128 | 154 | 170 | 129 | 57 | 25 | 4 | – | 3 |
| Kinross | 5 | 5 | 3 | 4 | 2 | 3 | 7 | 8 | 17 | 13 | 19 | 3 | 1 | – | – | – |
| Clackmannan | 11 | 11 | 9 | 12 | 14 | 16 | 18 | 23 | 21 | 15 | 6 | 8 | 2 | – | – | 2 |
| Stirling | 54 | 53 | 42 | 49 | 41 | 81 | 73 | 86 | 84 | 79 | 64 | 31 | 14 | 3 | – | 2 |
| Dumbarton | 32 | 34 | 23 | 36 | 36 | 19 | 53 | 50 | 48 | 57 | 43 | 14 | 5 | 1 | – | 2 |
| Argyll | 43 | 42 | 40 | 55 | 57 | 57 | 82 | 71 | 97 | 81 | 85 | 55 | 19 | 10 | 4 | 7 |
| Bute | 13 | 14 | 11 | 10 | 16 | 11 | 22 | 16 | 31 | 16 | 17 | 14 | 5 | 1 | – | 1 |
| Renfrew | 111 | 124 | 97 | 124 | 113 | 105 | 151 | 134 | 154 | 131 | 94 | 40 | 21 | 6 | 1 | 3 |
| Ayr | 124 | 130 | 122 | 107 | 125 | 126 | 143 | 161 | 199 | 165 | 136 | 71 | 19 | 6 | 2 | 4 |
| Lanark | 548 | 528 | 539 | 504 | 552 | 448 | 601 | 484 | 467 | 354 | 238 | 121 | 27 | 5 | – | 16 |
| Linlithgow | 19 | 24 | 24 | 18 | 20 | 13 | 25 | 25 | 31 | 30 | 19 | 9 | 1 | 2 | – | 1 |
| Edinburgh | 223 | 237 | 229 | 242 | 225 | 243 | 307 | 282 | 296 | 251 | 176 | 82 | 31 | 5 | 3 | 1 |
| Haddington | 21 | 17 | 22 | 29 | 24 | 20 | 36 | 35 | 46 | 46 | 30 | 9 | 2 | – | – | 1 |
| Berwick | 18 | 19 | 12 | 18 | 18 | 18 | 31 | 39 | 30 | 34 | 39 | 22 | 5 | – | – | 2 |
| Peebles | 7 | 3 | 7 | 8 | 8 | 6 | 8 | 10 | 15 | 12 | 14 | 4 | – | – | – | 1 |
| Selkirk | 3 | 7 | 3 | 1 | 2 | 3 | 6 | 3 | 12 | 11 | 7 | 2 | 3 | – | – | – |
| Roxburgh | 24 | 28 | 38 | 20 | 39 | 38 | 42 | 46 | 61 | 60 | 42 | 24 | 4 | 1 | – | 6 |
| Dumfries | 46 | 48 | 39 | 48 | 52 | 64 | 59 | 84 | 88 | 98 | 88 | 40 | 16 | 4 | 1 | 1 |
| Kirkcudbright | 21 | 28 | 19 | 14 | 12 | 40 | 33 | 41 | 52 | 43 | 64 | 39 | 7 | 2 | 1 | 1 |
| Wigtown | 25 | 26 | 30 | 18 | 22 | 22 | 31 | 48 | 62 | 47 | 53 | 33 | 15 | 1 | 1 | 14 |
| DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861.—BOTH SEXES. | | | | | | | | | | | | | | | | |
| Inverness | 12 | 13 | 13 | 11 | 13 | 12 | 19 | 11 | 27 | 20 | 22 | 17 | 5 | 3 | – | – |
| Aberdeen | 53 | 52 | 56 | 55 | 63 | 61 | 72 | 81 | 88 | 85 | 66 | 29 | 10 | 5 | 1 | – |
| Arbroath | 9 | 10 | 12 | 12 | 23 | 18 | 27 | 11 | 20 | 23 | 8 | 6 | – | – | – | – |
| Dundee | 82 | 85 | 88 | 84 | 92 | 85 | 93 | 78 | 90 | 57 | 36 | 16 | 7 | 3 | 1 | – |
| Forfar | 5 | 6 | 3 | 1 | 11 | 8 | 11 | 8 | 14 | 13 | 6 | – | 2 | – | – | – |
| Montrose | 15 | 21 | 12 | 13 | 17 | 18 | 20 | 30 | 23 | 26 | 15 | 5 | 4 | 1 | 1 | 1 |
| Perth | 19 | 21 | 17 | 32 | 22 | 26 | 37 | 46 | 37 | 35 | 37 | 14 | 4 | – | 2 | – |
| Dunfermline | 3 | 7 | 9 | 6 | 11 | 13 | 7 | 10 | 10 | 13 | 6 | 3 | – | – | – | – |
| Kirkcaldy | 5 | 7 | 9 | 3 | 10 | 7 | 12 | 9 | 9 | 10 | 3 | 2 | 2 | 1 | – | – |
| Stirling | 13 | 6 | 10 | 7 | 8 | 20 | 9 | 18 | 14 | 13 | 7 | 7 | 3 | – | – | – |
| Greenock | 37 | 45 | 38 | 46 | 38 | 31 | 42 | 30 | 35 | 33 | 17 | 14 | 5 | 2 | – | 1 |
| Paisley | 34 | 27 | 27 | 34 | 37 | 39 | 51 | 54 | 50 | 39 | 37 | 6 | 7 | 3 | 1 | – |
| Ayr | 18 | 17 | 17 | 18 | 15 | 14 | 31 | 22 | 21 | 14 | 21 | 13 | 2 | – | – | – |
| Kilmarnock | 17 | 23 | 20 | 19 | 15 | 19 | 15 | 16 | 34 | 27 | 15 | 6 | – | 1 | – | 1 |
| Glasgow | 375 | 385 | 375 | 338 | 391 | 296 | 407 | 303 | 285 | 202 | 123 | 54 | 8 | 3 | – | 10 |
| Barony | 18 | 25 | 21 | 25 | 30 | 23 | 34 | 28 | 31 | 16 | 17 | 8 | 3 | 1 | – | 1 |
| Govan | 27 | 12 | 18 | 23 | 22 | 24 | 25 | 14 | 11 | 10 | 10 | 8 | – | – | – | 1 |
| Hamilton | 14 | 7 | 9 | 5 | 6 | 12 | 12 | 7 | 8 | 12 | 4 | 7 | 2 | – | – | – |
| Airdrie | 9 | 5 | 10 | 12 | 12 | 8 | 13 | 15 | 7 | 6 | 7 | 3 | 1 | – | – | – |
| Coatbridge, etc. | 6 | 8 | 14 | 14 | 10 | 6 | 12 | 8 | 7 | 5 | 5 | – | 1 | – | – | – |
| Edinburgh | 168 | 165 | 155 | 163 | 147 | 171 | 199 | 183 | 206 | 164 | 112 | 48 | 19 | 5 | 2 | – |
| Leith | 16 | 20 | 35 | 30 | 31 | 30 | 37 | 33 | 32 | 29 | 28 | 9 | 3 | – | – | 1 |
| Dumfries | 15 | 12 | 17 | 14 | 16 | 23 | 18 | 27 | 19 | 25 | 19 | 15 | 5 | – | – | – |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 1375479 | 1449848 | 30890 | 3407 | 1101 | 2145 | 2859 | 1396 | 871 | 611 | 1579 | 805 | 1077 | 1301 | 1022 |
| Insular . . | 76760 | 73409 | 1235 | 101 | 25 | 59 | 74 | 43 | 27 | 18 | 74 | 20 | 38 | 70 | 54 |
| Mainland . | 829259 | 849381 | 15329 | 1648 | 481 | 874 | 1072 | 592 | 364 | 266 | 810 | 451 | 590 | 676 | 521 |
| Towns . . | 469460 | 527058 | 14326 | 1658 | 595 | 1212 | 1713 | 761 | 480 | 327 | 695 | 334 | 449 | 555 | 447 |
| Shetland . . | 13145 | 13053 | 222 | 19 | 6 | 10 | 21 | 9 | 8 | 3 | 12 | 4 | 8 | 16 | 15 |
| Orkney . . | 14350 | 14924 | 238 | 15 | 4 | 5 | 10 | 8 | 4 | 3 | 18 | 3 | 6 | 14 | 10 |
| Caithness . | 18809 | 19846 | 306 | 27 | 10 | 14 | 15 | 10 | 2 | 4 | 10 | 9 | 12 | 17 | 15 |
| Sutherland . | 11437 | 11058 | 175 | 11 | 9 | 8 | 4 | 6 | 2 | – | 2 | 3 | 12 | 9 | 7 |
| Ross & Cromarty | 39489 | 38462 | 594 | 56 | 17 | 30 | 32 | 18 | 10 | 7 | 27 | 14 | 19 | 27 | 19 |
| Inverness . | 42814 | 39479 | 663 | 62 | 15 | 27 | 43 | 20 | 9 | 14 | 35 | 19 | 17 | 38 | 26 |
| Nairn . . | 3831 | 3976 | 99 | 10 | 2 | 5 | 6 | 4 | 1 | 2 | 10 | 1 | – | 1 | 2 |
| Elgin . . | 18943 | 20737 | 339 | 36 | 13 | 11 | 20 | 11 | 8 | 4 | 12 | 10 | 23 | 14 | 12 |
| Banff . . | 24195 | 26401 | 391 | 31 | 12 | 24 | 23 | 22 | 8 | 6 | 15 | 15 | 8 | 18 | 17 |
| Aberdeen . | 100935 | 105322 | 2088 | 186 | 57 | 91 | 132 | 93 | 74 | 44 | 124 | 82 | 92 | 124 | 79 |
| Kincardine . | 17188 | 16939 | 274 | 24 | 11 | 9 | 8 | 3 | 10 | 7 | 16 | 6 | 13 | 7 | 13 |
| Forfar . . | 89408 | 93280 | 2217 | 305 | 92 | 165 | 177 | 100 | 82 | 55 | 125 | 58 | 63 | 71 | 44 |
| Perth . . | 65697 | 63169 | 1220 | 107 | 32 | 53 | 73 | 43 | 23 | 23 | 64 | 24 | 39 | 45 | 36 |
| Fife . . . | 73305 | 72714 | 1310 | 139 | 42 | 64 | 122 | 58 | 39 | 32 | 80 | 35 | 46 | 47 | 33 |
| Kinross . . | 4660 | 4150 | 89 | 10 | 3 | 4 | 10 | 3 | 1 | 1 | 4 | – | 4 | 3 | 2 |
| Clackmannan . | 10634 | 9742 | 187 | 15 | 5 | 16 | 14 | 9 | 9 | 4 | 11 | 7 | 6 | 6 | 6 |
| Stirling . . | 41113 | 43487 | 830 | 99 | 28 | 63 | 69 | 25 | 24 | 13 | 43 | 22 | 25 | 26 | 18 |
| Dumbarton . | 23340 | 26455 | 531 | 48 | 20 | 40 | 44 | 25 | 12 | 9 | 31 | 7 | 16 | 26 | 25 |
| Argyll . . | 46197 | 40914 | 713 | 65 | 18 | 24 | 35 | 19 | 11 | 9 | 36 | 17 | 26 | 38 | 33 |
| Bute . . | 7518 | 7208 | 158 | 6 | 2 | 6 | 7 | 2 | 4 | 2 | 7 | 5 | 10 | 6 | 6 |
| Renfrew . . | 74224 | 79380 | 1881 | 212 | 81 | 164 | 217 | 86 | 48 | 46 | 90 | 71 | 82 | 87 | 55 |
| Ayr . . | 92933 | 97035 | 2131 | 238 | 88 | 147 | 200 | 121 | 69 | 37 | 131 | 59 | 87 | 106 | 81 |
| Lanark . . | 258449 | 308263 | 8065 | 969 | 352 | 778 | 1098 | 448 | 259 | 164 | 379 | 200 | 275 | 302 | 269 |
| Linlithgow . | 15422 | 20069 | 392 | 51 | 23 | 39 | 38 | 22 | 8 | 10 | 21 | 10 | 9 | 17 | 7 |
| Edinburgh . | 119428 | 126429 | 3021 | 326 | 99 | 201 | 259 | 141 | 84 | 79 | 135 | 60 | 74 | 144 | 95 |
| Haddington . | 17592 | 17866 | 331 | 40 | 5 | 22 | 31 | 10 | 7 | 6 | 15 | 7 | 12 | 8 | 13 |
| Berwick . . | 17367 | 17354 | 273 | 38 | 5 | 12 | 17 | 11 | 7 | 4 | 13 | 9 | 11 | 6 | 8 |
| Peebles . . | 5400 | 5603 | 90 | 8 | – | 5 | 2 | 5 | – | 2 | 3 | 1 | 2 | 6 | 1 |
| Selkirk . . | 4836 | 5069 | 95 | 12 | – | 5 | 8 | 7 | 4 | 3 | 9 | 2 | 1 | 2 | 8 |
| Roxburgh . | 25002 | 26593 | 525 | 76 | 11 | 48 | 36 | 17 | 16 | 5 | 29 | 8 | 16 | 14 | 21 |
| Dumfries . | 37200 | 35687 | 707 | 90 | 19 | 20 | 50 | 17 | 22 | 6 | 31 | 14 | 30 | 28 | 26 |
| Kirkcudbright | 20223 | 19789 | 365 | 41 | 10 | 21 | 22 | 13 | 2 | 3 | 16 | 8 | 16 | 16 | 11 |
| Wigtown . | 20335 | 19395 | 370 | 35 | 10 | 14 | 16 | 10 | 4 | 4 | 25 | 15 | 17 | 12 | 9 |
| MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861. | | | | | | | | | | | | | | | | |
| Inverness . | 7401 | 7261 | 173 | 19 | 7 | 5 | 17 | 2 | 4 | 5 | 7 | 7 | 7 | 8 | 7 |
| Aberdeen . | 31746 | 32554 | 853 | 84 | 25 | 49 | 67 | 39 | 38 | 16 | 52 | 25 | 39 | 48 | 32 |
| Arbroath . | 7866 | 7770 | 180 | 33 | 4 | 9 | 14 | 7 | 5 | 3 | 9 | 5 | 4 | 3 | 6 |
| Dundee . . | 36364 | 40395 | 1240 | 176 | 62 | 130 | 121 | 73 | 59 | 37 | 85 | 24 | 38 | 31 | 19 |
| Forfar . . | 5017 | 4735 | 96 | 16 | 3 | 4 | 6 | 3 | 2 | 2 | 4 | 3 | 3 | 9 | 2 |
| Montrose . | 7061 | 6736 | 157 | 15 | 6 | 3 | 12 | 3 | 3 | 2 | 6 | 3 | 1 | 10 | 4 |
| Perth . . | 11282 | 11564 | 320 | 28 | 7 | 17 | 35 | 17 | 8 | 7 | 18 | 9 | 8 | 12 | 12 |
| Dunfermline . | 6901 | 6447 | 132 | 23 | 5 | 5 | 18 | 6 | 5 | 4 | 10 | 2 | 5 | 2 | 4 |
| Kirkcaldy . | 4906 | 5074 | 91 | 9 | 4 | 4 | 9 | 3 | 2 | 3 | 4 | 1 | 3 | 2 | 1 |
| Stirling . . | 5908 | 6814 | 139 | 18 | 4 | 10 | 13 | 3 | 4 | 3 | 7 | 1 | 3 | 4 | 3 |
| Greenock . | 17905 | 21567 | 546 | 59 | 27 | 42 | 69 | 31 | 13 | 14 | 23 | 19 | 19 | 20 | 15 |
| Paisley . . | 22608 | 21913 | 589 | 66 | 34 | 51 | 71 | 30 | 16 | 13 | 31 | 20 | 17 | 32 | 14 |
| Ayr . . | 8675 | 9094 | 253 | 26 | 8 | 22 | 29 | 9 | 5 | 3 | 10 | 2 | 7 | 12 | 11 |
| Kilmarnock . | 10163 | 11398 | 274 | 36 | 12 | 14 | 31 | 12 | 7 | 3 | 15 | 12 | 14 | 11 | 10 |
| Glasgow . . | 154930 | 185556 | 5453 | 629 | 250 | 546 | 832 | 326 | 196 | 128 | 249 | 122 | 170 | 183 | 181 |
| Barony . . | 8090 | 11221 | 362 | 35 | 17 | 38 | 38 | 14 | 8 | 5 | 9 | 10 | 19 | 15 | 12 |
| Govan . . | 7286 | 13603 | 325 | 54 | 16 | 37 | 43 | 17 | 9 | 8 | 17 | 5 | 10 | 11 | 7 |
| Hamilton . | 5576 | 6798 | 133 | 7 | 5 | 9 | 13 | 7 | 3 | 1 | 3 | 5 | 9 | 7 | 10 |
| Airdrie . . | 7333 | 6242 | 166 | 20 | 6 | 18 | 14 | 15 | 4 | – | 14 | 5 | 6 | 7 | 2 |
| Coatbridge, etc. | 7084 | 8155 | 163 | 22 | 8 | 14 | 16 | 10 | 7 | 3 | 11 | 5 | 4 | 8 | 6 |
| Edinburgh . | 72067 | 76013 | 2060 | 205 | 64 | 139 | 174 | 110 | 65 | 54 | 90 | 35 | 53 | 102 | 72 |
| Leith . . | 15482 | 17894 | 396 | 44 | 13 | 33 | 46 | 18 | 12 | 11 | 16 | 9 | 6 | 15 | 9 |
| Dumfries . | 7809 | 8254 | 225 | 34 | 8 | 13 | 25 | 6 | 5 | 2 | 5 | 5 | 4 | 3 | 8 |

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—MALES.

| | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 860 | 888 | 870 | 950 | 1042 | 1059 | 1355 | 1264 | 1338 | 1291 | 1020 | 458 | 195 | 40 | 19 | 67 |
| Insular . . . | 46 | 31 | 33 | 23 | 38 | 52 | 62 | 66 | 77 | 67 | 64 | 37 | 23 | 6 | – | 7 |
| Mainland . . . | 384 | 410 | 374 | 444 | 481 | 530 | 710 | 733 | 804 | 853 | 697 | 328 | 140 | 28 | 15 | 53 |
| Towns . . . | 430 | 447 | 463 | 483 | 523 | 477 | 583 | 465 | 457 | 371 | 259 | 93 | 32 | 6 | 4 | 7 |
| Shetland . . . | 4 | 5 | 4 | 6 | 6 | 10 | 5 | 9 | 12 | 9 | 9 | 5 | 3 | 1 | – | 3 |
| Orkney . . . | 11 | 3 | 9 | 3 | 3 | 12 | 8 | 16 | 21 | 19 | 15 | 14 | 4 | – | – | – |
| Caithness . . . | 8 | 12 | 7 | 6 | 9 | 9 | 15 | 15 | 15 | 14 | 23 | 12 | 8 | – | – | 8 |
| Sutherland . . | 5 | 6 | 5 | 4 | 3 | 13 | 7 | 12 | 6 | 14 | 7 | 7 | 11 | 1 | 1 | – |
| Ross and Cromarty . | 15 | 12 | 11 | 20 | 18 | 21 | 28 | 31 | 36 | 41 | 44 | 19 | 15 | 5 | 2 | – |
| Inverness . . . | 25 | 24 | 17 | 11 | 23 | 21 | 42 | 32 | 33 | 34 | 39 | 19 | 10 | 2 | 4 | 2 |
| Nairn . . . | 3 | 5 | – | 1 | 3 | 3 | 13 | 3 | 5 | 7 | 4 | 6 | 1 | – | – | 1 |
| Elgin . . . | 8 | 10 | 3 | 2 | 16 | 8 | 16 | 20 | 20 | 19 | 22 | 11 | 7 | 2 | – | 1 |
| Banff . . . | 11 | 9 | 13 | 10 | 5 | 12 | 16 | 21 | 19 | 32 | 28 | 9 | 4 | 2 | 1 | – |
| Aberdeen . . . | 54 | 48 | 45 | 61 | 62 | 66 | 96 | 89 | 105 | 130 | 89 | 31 | 26 | 5 | 1 | 2 |
| Kincardine . . | 3 | 3 | 6 | 10 | 9 | 8 | 18 | 18 | 18 | 18 | 19 | 10 | 6 | – | – | 1 |
| Forfar . . . | 61 | 56 | 57 | 61 | 84 | 82 | 104 | 99 | 97 | 84 | 54 | 24 | 12 | – | 2 | 3 |
| Perth . . . | 26 | 29 | 31 | 47 | 37 | 58 | 65 | 77 | 75 | 78 | 76 | 33 | 18 | 7 | – | 1 |
| Fife . . . | 31 | 35 | 34 | 39 | 50 | 43 | 66 | 48 | 64 | 86 | 54 | 18 | 3 | 1 | – | 1 |
| Kinross . . . | 3 | 2 | 2 | 1 | 1 | 2 | 3 | 4 | 9 | 8 | 7 | 1 | 1 | – | – | – |
| Clackmannan . . | 6 | 4 | 5 | 6 | 7 | 11 | 10 | 9 | 7 | 6 | 3 | 3 | – | – | – | 2 |
| Stirling . . . | 20 | 26 | 18 | 25 | 22 | 48 | 30 | 50 | 43 | 44 | 26 | 16 | 5 | 1 | – | 1 |
| Dumbarton . . | 20 | 16 | 11 | 21 | 19 | 17 | 30 | 27 | 21 | 27 | 14 | 3 | – | 1 | – | 1 |
| Argyll . . . | 20 | 21 | 17 | 23 | 30 | 31 | 43 | 39 | 53 | 40 | 31 | 19 | 9 | 1 | 1 | 4 |
| Bute . . . . | 8 | 8 | 6 | 4 | 10 | 7 | 7 | 9 | 10 | 6 | 9 | 8 | 1 | 1 | – | 1 |
| Renfrew . . . | 46 | 50 | 36 | 65 | 55 | 60 | 81 | 60 | 74 | 59 | 37 | 8 | 8 | 1 | 1 | 1 |
| Ayr . . . . | 52 | 56 | 55 | 56 | 66 | 73 | 72 | 70 | 92 | 74 | 66 | 24 | 6 | 1 | 1 | 3 |
| Lanark . . . | 246 | 259 | 275 | 264 | 296 | 220 | 308 | 224 | 185 | 146 | 92 | 41 | 8 | 1 | – | 7 |
| Linlithgow . . | 11 | 12 | 14 | 7 | 15 | 6 | 12 | 13 | 16 | 15 | 11 | 3 | 1 | 1 | – | – |
| Edinburgh . . | 95 | 107 | 120 | 126 | 99 | 117 | 142 | 136 | 135 | 116 | 87 | 31 | 8 | 2 | 2 | 1 |
| Haddington . . | 6 | 4 | 8 | 14 | 14 | 12 | 21 | 18 | 18 | 22 | 13 | 3 | 1 | – | – | 1 |
| Berwick . . . | 8 | 9 | 6 | 8 | 10 | 9 | 12 | 18 | 10 | 13 | 17 | 9 | 2 | – | – | 1 |
| Peebles . . . | 1 | 2 | 4 | 4 | 2 | 4 | 4 | 3 | 9 | 11 | 8 | 2 | – | – | – | 1 |
| Selkirk . . . | 2 | 2 | 2 | – | – | 2 | 4 | 1 | 9 | 6 | 3 | 2 | 1 | – | – | – |
| Roxburgh . . | 10 | 9 | 21 | 9 | 19 | 15 | 19 | 19 | 34 | 33 | 19 | 13 | 1 | 1 | – | 6 |
| Dumfries . . . | 25 | 29 | 11 | 21 | 30 | 29 | 29 | 36 | 38 | 46 | 38 | 16 | 5 | – | 1 | – |
| Kirkcudbright . . | 7 | 9 | 5 | 7 | 8 | 21 | 14 | 14 | 26 | 15 | 33 | 20 | 4 | 2 | 1 | – |
| Wigtown . . . | 9 | 6 | 12 | 8 | 11 | 9 | 15 | 24 | 23 | 19 | 23 | 18 | 6 | 1 | 1 | 14 |
| DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861.—MALES. | | | | | | | | | | | | | | | | |
| Inverness . . . | 7 | 6 | 7 | 4 | 6 | 5 | 7 | 4 | 11 | 9 | 7 | 4 | 1 | – | – | – |
| Aberdeen . . . | 21 | 20 | 23 | 30 | 33 | 35 | 32 | 30 | 38 | 35 | 25 | 9 | 6 | 2 | – | – |
| Arbroath . . . | 4 | 7 | 8 | 3 | 14 | 5 | 10 | 6 | 6 | 11 | 3 | 1 | – | – | – | – |
| Dundee . . . | 34 | 29 | 34 | 35 | 41 | 45 | 48 | 38 | 38 | 23 | 12 | 3 | 4 | – | 1 | – |
| Forfar . . . | 3 | 2 | 1 | 1 | 7 | 4 | 3 | 1 | 7 | 6 | 3 | – | 1 | – | – | – |
| Montrose . . . | 6 | 7 | 4 | 6 | 5 | 9 | 9 | 14 | 11 | 10 | 5 | 2 | – | – | 1 | – |
| Perth . . . | 7 | 6 | 8 | 16 | 10 | 14 | 13 | 20 | 16 | 9 | 18 | 4 | 1 | – | – | – |
| Dunfermline . . | – | 4 | 5 | 3 | 4 | 6 | 4 | 2 | 6 | 5 | 4 | – | – | – | – | – |
| Kirkcaldy . . . | 3 | 6 | 5 | 2 | 5 | 2 | 7 | 1 | 6 | 6 | 2 | – | 1 | – | – | – |
| Stirling . . . | 5 | 3 | 5 | 3 | 5 | 10 | 4 | 12 | 5 | 6 | 2 | 5 | 1 | – | – | – |
| Greenock . . . | 20 | 21 | 16 | 24 | 16 | 17 | 22 | 13 | 17 | 18 | 7 | 3 | – | 1 | – | – |
| Paisley . . . | 12 | 9 | 6 | 15 | 22 | 19 | 29 | 23 | 22 | 19 | 12 | 3 | 2 | – | 1 | – |
| Ayr . . . | 9 | 8 | 8 | 10 | 8 | 9 | 16 | 8 | 9 | 5 | 12 | 6 | 1 | – | – | – |
| Kilmarnock . . | 5 | 8 | 8 | 10 | 11 | 9 | 7 | 5 | 16 | 12 | 5 | – | – | – | – | 1 |
| Glasgow . . . | 164 | 195 | 184 | 176 | 205 | 137 | 204 | 128 | 105 | 76 | 49 | 12 | 2 | – | – | 4 |
| Barony . . . | 9 | 10 | 11 | 13 | 14 | 11 | 21 | 15 | 14 | 9 | 8 | 4 | 2 | 1 | – | – |
| Govan . . . | 14 | 5 | 5 | 10 | 12 | 11 | 12 | 8 | 4 | 3 | 2 | 4 | – | – | – | 1 |
| Hamilton . . . | 8 | 2 | 7 | 2 | 2 | 10 | 5 | 3 | 6 | 5 | 1 | 3 | – | – | – | – |
| Airdrie . . . | 4 | 1 | 3 | 7 | 8 | 6 | 7 | 10 | 3 | 3 | 2 | 1 | – | – | – | – |
| Coatbridge, etc. . | 3 | 4 | 7 | 5 | 7 | 4 | 5 | 6 | 2 | 3 | 2 | – | 1 | – | – | – |
| Edinburgh . . | 75 | 76 | 78 | 84 | 63 | 80 | 99 | 91 | 92 | 74 | 59 | 18 | 5 | 2 | 1 | – |
| Leith . . . . | 7 | 10 | 24 | 16 | 16 | 14 | 14 | 16 | 15 | 14 | 11 | 4 | 2 | – | – | 1 |
| Dumfries . . . | 10 | 8 | 6 | 8 | 9 | 15 | 5 | 11 | 8 | 10 | 8 | 7 | 2 | – | – | – |

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1851. | 1861. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 1513263 | 1612446 | 31451 | 2545 | 853 | 1818 | 2683 | 1347 | 865 | 600 | 1480 | 791 | 1097 | 1250 | 1199 |
| Insular . . | 89727 | 87324 | 1327 | 82 | 20 | 44 | 73 | 37 | 24 | 20 | 64 | 33 | 39 | 44 | 47 |
| Mainland . | 883293 | 913996 | 15485 | 1166 | 384 | 745 | 1040 | 548 | 363 | 245 | 754 | 434 | 584 | 613 | 545 |
| Towns . . | 540243 | 611126 | 14639 | 1297 | 449 | 1029 | 1570 | 762 | 478 | 335 | 662 | 324 | 474 | 593 | 607 |
| Shetland . . | 17933 | 18617 | 266 | 10 | 8 | 9 | 21 | 10 | 5 | 3 | 7 | 4 | 4 | 7 | 8 |
| Orkney . . | 17105 | 17471 | 272 | 10 | 2 | 3 | 9 | 3 | 2 | 3 | 12 | 6 | 9 | 10 | 9 |
| Caithness . | 20973 | 22354 | 282 | 19 | 5 | 6 | 7 | 8 | 7 | 4 | 6 | 8 | 5 | 18 | 6 |
| Sutherland . | 13283 | 13099 | 175 | 6 | 3 | 6 | 7 | 4 | 3 | – | 3 | 2 | 5 | 5 | 4 |
| Ross & Cromarty | 44292 | 43965 | 637 | 50 | 14 | 12 | 31 | 11 | 8 | 9 | 19 | 13 | 17 | 13 | 16 |
| Inverness . | 49140 | 45523 | 710 | 47 | 10 | 31 | 34 | 20 | 16 | 10 | 33 | 16 | 21 | 21 | 29 |
| Nairn . . | 4245 | 4371 | 75 | 9 | 1 | 1 | 6 | 3 | – | 1 | 2 | 5 | 1 | – | 4 |
| Elgin . . | 21589 | 23481 | 360 | 28 | 6 | 14 | 13 | 8 | 10 | 5 | 17 | 15 | 13 | 13 | 7 |
| Banff . . | 27158 | 29619 | 498 | 35 | 6 | 28 | 38 | 21 | 14 | 2 | 23 | 14 | 16 | 16 | 15 |
| Aberdeen . | 112526 | 118022 | 2213 | 159 | 52 | 80 | 121 | 86 | 66 | 46 | 141 | 71 | 102 | 101 | 89 |
| Kincardine . | 17756 | 17915 | 255 | 14 | 3 | 8 | 7 | 7 | 5 | 6 | 14 | 5 | 8 | 12 | 7 |
| Forfar . . | 104219 | 113470 | 2298 | 213 | 63 | 125 | 158 | 101 | 71 | 40 | 99 | 53 | 75 | 83 | 95 |
| Perth . . | 71672 | 70029 | 1286 | 80 | 20 | 44 | 59 | 43 | 28 | 12 | 58 | 27 | 37 | 41 | 45 |
| Fife . . | 80484 | 82307 | 1375 | 82 | 35 | 74 | 101 | 55 | 28 | 29 | 67 | 37 | 45 | 60 | 34 |
| Kinross . . | 4966 | 4581 | 68 | 6 | 1 | 4 | – | 1 | 2 | 1 | 2 | 1 | 2 | 2 | – |
| Clackmannan . | 10921 | 10380 | 191 | 16 | 2 | 9 | 19 | 15 | 3 | 3 | 8 | 4 | 6 | 10 | 7 |
| Stirling . . | 42689 | 44651 | 789 | 66 | 38 | 44 | 57 | 23 | 15 | 9 | 41 | 23 | 30 | 28 | 34 |
| Dumbarton . | 23655 | 27724 | 548 | 43 | 19 | 48 | 59 | 20 | 19 | 6 | 29 | 14 | 20 | 22 | 24 |
| Argyll . . | 47845 | 42945 | 687 | 39 | 11 | 23 | 34 | 13 | 14 | 13 | 21 | 26 | 23 | 28 | 19 |
| Bute . . | 9090 | 9123 | 179 | 8 | 4 | 6 | 13 | 1 | 3 | 3 | 10 | 4 | 7 | 9 | 8 |
| Renfrew . . | 83726 | 89366 | 1914 | 151 | 64 | 145 | 204 | 93 | 49 | 46 | 85 | 58 | 91 | 90 | 71 |
| Ayr . . | 96980 | 102028 | 2173 | 175 | 66 | 120 | 211 | 118 | 67 | 44 | 145 | 72 | 100 | 83 | 99 |
| Lanark . . | 274420 | 332181 | 7970 | 748 | 259 | 658 | 990 | 460 | 268 | 189 | 383 | 202 | 276 | 352 | 325 |
| Linlithgow . | 15168 | 18976 | 346 | 37 | 14 | 36 | 35 | 17 | 16 | 6 | 16 | 9 | 13 | 10 | 13 |
| Edinburgh . | 140065 | 147664 | 3105 | 276 | 75 | 177 | 283 | 138 | 91 | 65 | 118 | 45 | 87 | 106 | 135 |
| Haddington . | 18771 | 19760 | 314 | 24 | 10 | 8 | 28 | 5 | 6 | 5 | 14 | 6 | 9 | 6 | 10 |
| Berwick . . | 18798 | 19134 | 291 | 24 | 4 | 11 | 17 | 5 | 8 | 6 | 13 | 4 | 5 | 12 | 9 |
| Peebles . . | 5404 | 5697 | 89 | 8 | 1 | 5 | 4 | 6 | 6 | – | 1 | 2 | 5 | 2 | 1 |
| Selkirk . . | 4966 | 5341 | 83 | 7 | – | 7 | 4 | 6 | 3 | 7 | 2 | 4 | 3 | 5 | 6 |
| Roxburgh . | 26223 | 27129 | 503 | 52 | 13 | 22 | 38 | 22 | 10 | 12 | 29 | 8 | 19 | 19 | 14 |
| Dumfries . | 40949 | 42217 | 710 | 53 | 25 | 25 | 37 | 12 | 10 | 7 | 34 | 15 | 20 | 25 | 25 |
| Kirkcudbright | 22898 | 22706 | 380 | 23 | 9 | 12 | 15 | 6 | 9 | 4 | 15 | 6 | 11 | 21 | 18 |
| Wigtown . | 23054 | 22700 | 409 | 27 | 10 | 17 | 23 | 6 | 3 | 4 | 13 | 12 | 12 | 20 | 13 |

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Inverness . | 9095 | 8901 | 181 | 13 | 5 | 10 | 12 | 2 | 3 | 2 | 4 | 1 | 3 | 3 | 3 |
| Aberdeen . | 40227 | 41346 | 927 | 68 | 27 | 43 | 58 | 35 | 34 | 19 | 53 | 24 | 37 | 44 | 47 |
| Arbroath . | 9372 | 10061 | 199 | 19 | 5 | 15 | 13 | 4 | 1 | 4 | 5 | 4 | 7 | 11 | 10 |
| Dundee . . | 43663 | 51269 | 1259 | 137 | 38 | 81 | 122 | 79 | 51 | 28 | 58 | 29 | 37 | 43 | 44 |
| Forfar . . | 5992 | 6103 | 99 | 9 | 4 | 4 | 3 | 3 | 4 | 1 | 5 | 4 | 6 | 6 | 1 |
| Montrose . | 8976 | 8932 | 196 | 9 | – | 5 | 3 | 2 | 2 | 3 | 5 | 5 | 5 | 6 | 18 |
| Perth . . | 12553 | 13729 | 345 | 16 | 6 | 14 | 27 | 14 | 9 | 6 | 15 | 2 | 8 | 10 | 11 |
| Dunfermline . | 6935 | 7059 | 138 | 9 | 4 | 8 | 12 | 10 | 4 | 9 | 10 | 2 | 7 | 4 | 4 |
| Kirkcaldy . | 5730 | 6043 | 90 | 4 | 4 | 8 | 13 | 6 | 3 | 2 | 2 | 1 | – | 4 | – |
| Stirling . . | 6493 | 7198 | 133 | 9 | 12 | 8 | 9 | 3 | 3 | 2 | 2 | 4 | 5 | 3 | 4 |
| Greenock . | 19531 | 22327 | 567 | 49 | 22 | 46 | 66 | 27 | 14 | 22 | 25 | 19 | 12 | 21 | 25 |
| Paisley . . | 25463 | 25514 | 618 | 55 | 13 | 46 | 66 | 32 | 17 | 7 | 26 | 16 | 36 | 31 | 21 |
| Ayr . . | 10170 | 10565 | 252 | 20 | 9 | 14 | 34 | 10 | 11 | 5 | 12 | 4 | 6 | 5 | 8 |
| Kilmarnock . | 11124 | 12158 | 317 | 29 | 10 | 15 | 25 | 13 | 8 | 7 | 18 | 5 | 15 | 22 | 19 |
| Glasgow . . | 174167 | 209947 | 5483 | 504 | 173 | 442 | 733 | 340 | 192 | 139 | 254 | 131 | 187 | 236 | 238 |
| Barony . . | 7960 | 11338 | 350 | 24 | 14 | 32 | 31 | 23 | 11 | 5 | 20 | 12 | 10 | 18 | 11 |
| Govan . . | 7710 | 14981 | 330 | 35 | 9 | 26 | 37 | 13 | 13 | 10 | 21 | 10 | 15 | 14 | 13 |
| Hamilton . . | 6164 | 7249 | 123 | 16 | 3 | 8 | 10 | 4 | 4 | 1 | 5 | 2 | 4 | 7 | 8 |
| Airdrie . . | 7102 | 6680 | 156 | 20 | 7 | 11 | 22 | 9 | 2 | 3 | 9 | 6 | 6 | 7 | 1 |
| Coatbridge, etc. | 6084 | 7148 | 174 | 14 | 8 | 28 | 26 | 10 | 8 | 4 | 11 | 6 | 4 | 5 | 3 |
| Edinburgh . | 89581 | 94431 | 2108 | 181 | 58 | 126 | 192 | 98 | 67 | 42 | 78 | 27 | 50 | 74 | 105 |
| Leith . . | 16737 | 18135 | 370 | 39 | 6 | 26 | 41 | 20 | 14 | 9 | 13 | 7 | 8 | 7 | 10 |
| Dumfries . | 9414 | 10012 | 224 | 18 | 12 | 13 | 15 | 5 | 3 | 5 | 11 | 3 | 6 | 12 | 3 |

**FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1861.—FEMALES.**

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 1051 | 1084 | 990 | 956 | 1004 | 1031 | 1425 | 1421 | 1709 | 1579 | 1447 | 765 | 316 | 90 | 23 | 32 |
| Insular . . . | 33 | 32 | 32 | 33 | 40 | 52 | 77 | 61 | 109 | 95 | 108 | 61 | 35 | 16 | 8 | 8 |
| Mainland . . . | 478 | 520 | 436 | 441 | 447 | 492 | 728 | 783 | 979 | 978 | 977 | 507 | 220 | 52 | 11 | 15 |
| Towns . . . | 540 | 532 | 522 | 482 | 517 | 487 | 620 | 577 | 621 | 506 | 362 | 197 | 61 | 22 | 4 | 9 |
| Shetland . . . | 4 | 3 | 4 | 5 | 8 | 10 | 19 | 14 | 22 | 24 | 27 | 15 | 7 | 5 | – | 3 |
| Orkney . . . | 4 | 6 | 3 | 8 | 8 | 10 | 17 | 18 | 27 | 24 | 29 | 19 | 15 | 4 | 2 | – |
| Caithness . . . | 5 | 5 | 4 | 6 | 5 | 12 | 22 | 20 | 24 | 25 | 29 | 15 | 9 | 2 | – | – |
| Sutherland . . | 5 | 1 | 6 | 9 | 4 | 8 | 6 | 15 | 16 | 21 | 18 | 8 | 8 | 1 | 1 | – |
| Ross and Cromarty . | 20 | 23 | 19 | 13 | 21 | 22 | 32 | 33 | 48 | 54 | 80 | 34 | 15 | 7 | 3 | – |
| Inverness . . . | 20 | 20 | 21 | 19 | 30 | 28 | 38 | 32 | 55 | 48 | 60 | 29 | 10 | 6 | 3 | 3 |
| Nairn . . . | 3 | 2 | 2 | – | 2 | 1 | 6 | 2 | 4 | 6 | 5 | 7 | 1 | – | – | 1 |
| Elgin . . . | 10 | 15 | 14 | 12 | 9 | 7 | 16 | 17 | 29 | 30 | 23 | 17 | 8 | 3 | 1 | – |
| Banff . . . | 7 | 11 | 9 | 6 | 12 | 15 | 21 | 21 | 26 | 46 | 57 | 22 | 13 | 3 | 1 | – |
| Aberdeen . . . | 59 | 75 | 60 | 60 | 59 | 60 | 99 | 108 | 122 | 146 | 139 | 72 | 32 | 5 | 3 | – |
| Kincardine . . | 10 | 7 | 9 | 6 | 8 | 7 | 19 | 11 | 10 | 20 | 26 | 13 | 8 | 4 | 1 | – |
| Forfar . . . | 84 | 88 | 80 | 83 | 90 | 91 | 112 | 90 | 138 | 116 | 83 | 39 | 18 | 8 | – | 2 |
| Perth . . . . | 33 | 44 | 38 | 36 | 37 | 60 | 76 | 88 | 99 | 98 | 99 | 55 | 20 | 6 | 3 | – |
| Fife . . . . | 34 | 37 | 40 | 45 | 47 | 60 | 70 | 80 | 90 | 84 | 75 | 39 | 22 | 3 | – | 2 |
| Kinross . . . | 2 | 3 | 1 | 3 | 1 | 1 | 4 | 4 | 8 | 5 | 12 | 2 | – | – | – | – |
| Clackmannan . . | 5 | 7 | 4 | 6 | 7 | 5 | 8 | 14 | 14 | 9 | 3 | 5 | 2 | – | – | – |
| Stirling . . . | 34 | 27 | 24 | 24 | 19 | 33 | 43 | 36 | 41 | 35 | 38 | 15 | 9 | 2 | – | 1 |
| Dumbarton . . | 12 | 18 | 12 | 15 | 17 | 2 | 23 | 23 | 27 | 30 | 29 | 11 | 5 | – | – | 1 |
| Argyll . . . | 23 | 21 | 23 | 32 | 27 | 26 | 39 | 32 | 44 | 41 | 54 | 36 | 10 | 9 | 3 | 3 |
| Bute . . . . | 5 | 6 | 5 | 6 | 6 | 4 | 15 | 7 | 21 | 10 | 8 | 6 | 4 | – | – | – |
| Renfrew . . . | 65 | 74 | 61 | 59 | 58 | 45 | 70 | 74 | 80 | 72 | 57 | 32 | 13 | 5 | – | 2 |
| Ayr . . . . | 72 | 74 | 67 | 51 | 59 | 53 | 71 | 91 | 107 | 91 | 70 | 47 | 13 | 5 | 1 | 1 |
| Lanark . . . | 302 | 269 | 264 | 240 | 256 | 228 | 293 | 260 | 282 | 208 | 146 | 80 | 19 | 4 | – | 9 |
| Linlithgow . . | 8 | 12 | 10 | 11 | 5 | 7 | 13 | 12 | 15 | 15 | 8 | 6 | – | 1 | – | 1 |
| Edinburgh . . | 128 | 130 | 109 | 116 | 126 | 126 | 165 | 146 | 161 | 135 | 89 | 51 | 23 | 3 | 1 | – |
| Haddington . . | 15 | 13 | 14 | 15 | 10 | 8 | 15 | 17 | 28 | 24 | 17 | 6 | 1 | – | – | – |
| Berwick . . . | 10 | 10 | 6 | 10 | 8 | 9 | 19 | 21 | 20 | 21 | 22 | 13 | 3 | – | – | 1 |
| Peebles . . . | 6 | 1 | 3 | 4 | 6 | 2 | 4 | 7 | 6 | 1 | 6 | 2 | – | – | – | – |
| Selkirk . . . | 1 | 5 | 1 | 1 | 2 | 1 | 2 | 2 | 3 | 5 | 4 | – | 2 | – | – | – |
| Roxburgh . . . | 14 | 19 | 17 | 11 | 20 | 23 | 23 | 27 | 27 | 27 | 23 | 11 | 3 | – | – | – |
| Dumfries . . . | 21 | 19 | 28 | 27 | 22 | 35 | 30 | 48 | 50 | 52 | 50 | 24 | 11 | 4 | – | 1 |
| Kirkcudbright . . | 14 | 19 | 14 | 7 | 4 | 19 | 19 | 27 | 26 | 28 | 31 | 19 | 3 | – | – | 1 |
| Wigtown . . . | 16 | 20 | 18 | 10 | 11 | 13 | 16 | 24 | 39 | 28 | 30 | 15 | 9 | – | – | – |
| DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1861.—FEMALES. | | | | | | | | | | | | | | | | |
| Inverness . . . | 5 | 7 | 6 | 7 | 7 | 7 | 12 | 7 | 16 | 11 | 15 | 13 | 4 | 3 | – | – |
| Aberdeen . . . | 32 | 32 | 33 | 25 | 30 | 26 | 40 | 51 | 50 | 50 | 41 | 20 | 4 | 3 | 1 | – |
| Arbroath . . . | 5 | 3 | 4 | 9 | 9 | 13 | 17 | 5 | 14 | 12 | 5 | 5 | – | – | – | – |
| Dundee . . . | 48 | 56 | 54 | 49 | 51 | 40 | 45 | 40 | 52 | 34 | 24 | 13 | 3 | 3 | – | – |
| Forfar . . . | 2 | 4 | 2 | – | 4 | 4 | 8 | 7 | 7 | 7 | 3 | – | 1 | – | – | – |
| Montrose . . . | 9 | 14 | 8 | 7 | 12 | 9 | 11 | 16 | 12 | 16 | 10 | 3 | 4 | 1 | – | 1 |
| Perth . . . | 12 | 15 | 9 | 16 | 12 | 12 | 24 | 26 | 21 | 26 | 19 | 10 | 3 | – | 2 | – |
| Dunfermline . . | 3 | 3 | 4 | 3 | 7 | 7 | 3 | 8 | 4 | 8 | 2 | 3 | – | – | – | – |
| Kirkcaldy . . | 2 | 1 | 4 | 1 | 5 | 5 | 5 | 8 | 3 | 4 | 1 | 2 | 1 | 1 | – | – |
| Stirling . . . | 8 | 3 | 5 | 4 | 3 | 10 | 5 | 6 | 9 | 7 | 5 | 2 | 2 | – | – | – |
| Greenock . . . | 17 | 24 | 22 | 22 | 22 | 14 | 20 | 17 | 18 | 15 | 10 | 11 | 5 | 1 | – | 1 |
| Paisley . . . | 22 | 18 | 21 | 19 | 15 | 20 | 22 | 31 | 28 | 20 | 25 | 3 | 5 | 3 | – | – |
| Ayr . . . . | 9 | 9 | 9 | 8 | 7 | 5 | 15 | 14 | 12 | 9 | 9 | 7 | 1 | – | – | – |
| Kilmarnock . . | 12 | 15 | 12 | 9 | 4 | 10 | 8 | 11 | 18 | 15 | 10 | 6 | – | 1 | – | – |
| Glasgow . . . | 211 | 190 | 191 | 162 | 186 | 159 | 203 | 175 | 180 | 126 | 74 | 42 | 6 | 3 | – | 6 |
| Barony . . . | 9 | 15 | 10 | 12 | 16 | 12 | 13 | 13 | 17 | 7 | 9 | 4 | 1 | – | – | 1 |
| Govan . . . | 13 | 7 | 13 | 13 | 10 | 13 | 13 | 6 | 7 | 7 | 8 | 4 | – | – | – | – |
| Hamilton . . . | 6 | 5 | 2 | 3 | 4 | 2 | 7 | 4 | 2 | 7 | 3 | 4 | 2 | – | – | – |
| Airdrie . . . | 5 | 4 | 7 | 5 | 4 | 2 | 6 | 5 | 4 | 3 | 5 | 2 | 1 | – | – | – |
| Coatbridge, etc. . | 3 | 4 | 7 | 9 | 3 | 2 | 7 | 2 | 5 | 2 | 3 | – | – | – | – | – |
| Edinburgh . . | 93 | 89 | 77 | 79 | 84 | 91 | 100 | 92 | 114 | 90 | 53 | 30 | 14 | 3 | 1 | – |
| Leith . . . . | 9 | 10 | 11 | 14 | 15 | 16 | 23 | 17 | 17 | 15 | 17 | 5 | 1 | – | – | – |
| Dumfries . . . | 5 | 4 | 11 | 6 | 7 | 8 | 13 | 16 | 11 | 15 | 11 | 8 | 3 | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—BOTH SEXES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES . . . . | 62341 | 488 | 510 | 588 | 350 | 1231 | 1373 | 174 | 699 | 889 | 4301 | 529 | 4515 | 2506 | 2685 | 157 |
| SPECIFIED CAUSES . . | 59417 | 420 | 469 | 559 | 315 | 1055 | 1178 | 165 | 627 | 837 | 4134 | 513 | 4365 | 2408 | 2563 | 150 |
| I. Zymotic Class . . | 12406 | 128 | 69 | 88 | 39 | 190 | 235 | 30 | 105 | 172 | 1044 | 101 | 985 | 466 | 580 | 28 |
| II. Diseases of Uncer. Seat | 2319 | 22 | 24 | 42 | 20 | 54 | 54 | 6 | 32 | 36 | 171 | 27 | 154 | 122 | 125 | 7 |
| III. Tubercular Class . | 10582 | 56 | 73 | 94 | 58 | 143 | 162 | 31 | 105 | 126 | 656 | 67 | 693 | 333 | 336 | 21 |
| IV. Brain and Nervous Sys. | 4823 | 15 | 40 | 54 | 12 | 71 | 75 | 11 | 59 | 65 | 370 | 48 | 378 | 218 | 242 | 13 |
| V. Organs of Circulation | 2491 | 4 | 11 | 18 | 8 | 21 | 35 | 5 | 39 | 34 | 169 | 27 | 228 | 118 | 129 | 10 |
| VI. Respiratory Organs . | 8400 | 22 | 43 | 45 | 29 | 92 | 136 | 8 | 61 | 85 | 431 | 56 | 608 | 303 | 285 | 21 |
| VII. Organs of Digestion . | 5036 | 22 | 26 | 32 | 27 | 61 | 83 | 11 | 61 | 87 | 322 | 46 | 387 | 203 | 230 | 12 |
| VIII. Urinary Organs . | 844 | 3 | 5 | 12 | 7 | 9 | 12 | 6 | 16 | 19 | 101 | 13 | 70 | 39 | 44 | 2 |
| IX. Organs of Generation | 506 | 3 | 3 | 3 | 1 | 12 | 19 | 2 | 2 | 3 | 35 | 4 | 26 | 16 | 21 | 1 |
| X. Organs of Locomotion | 428 | 6 | 7 | 7 | 1 | 13 | 12 | 1 | 7 | 4 | 55 | 2 | 36 | 13 | 22 | 3 |
| XI. Skin, etc. . . . | 72 | – | – | – | 1 | 1 | 1 | – | – | 2 | 9 | 1 | 5 | 4 | 5 | – |
| XII. Malformation . . | 152 | 1 | – | – | 1 | 1 | 1 | 3 | 1 | 1 | 9 | 2 | 14 | 10 | 5 | – |
| XIII. Premature Debility . | 2880 | 6 | 8 | 28 | 3 | 32 | 36 | 9 | 16 | 36 | 161 | 15 | 274 | 79 | 106 | 5 |
| XIV. Atrophy . . . | 492 | 2 | 3 | 3 | – | 6 | 9 | – | 1 | 7 | 24 | 1 | 21 | 15 | 24 | 1 |
| XV. Age . . . . | 5792 | 111 | 144 | 110 | 97 | 317 | 252 | 34 | 96 | 139 | 428 | 86 | 344 | 367 | 315 | 22 |
| XVI. Sudden Deaths . | 105 | 4 | – | – | – | 3 | 2 | – | 1 | 3 | 8 | 1 | 16 | 8 | 15 | – |
| XVII. Violent Deaths . . | 2089 | 15 | 13 | 23 | 11 | 26 | 54 | 8 | 25 | 18 | 141 | 16 | 126 | 94 | 79 | 4 |
| I. Small Pox . . . | 766 | – | – | 13 | 4 | 5 | 4 | – | 1 | 1 | 43 | 3 | 172 | 21 | 26 | 5 |
| Measles . . . | 971 | 1 | – | 1 | 4 | 1 | 43 | – | 7 | 18 | 9 | 1 | 36 | 47 | 6 | 2 |
| Scarlatina . . . | 1764 | – | 39 | 18 | 1 | 18 | 32 | 1 | – | 19 | 328 | 35 | 147 | 65 | 177 | 2 |
| Diphtheria . . | 681 | 1 | – | 1 | – | 10 | 17 | 9 | 18 | 34 | 200 | 9 | 56 | 47 | 35 | 2 |
| Hooping Cough . | 2204 | 97 | 1 | 2 | 18 | 69 | 34 | – | 14 | 17 | 68 | 5 | 32 | 20 | 80 | 1 |
| Croup . . . | 890 | – | 4 | 4 | 4 | 19 | 19 | 3 | 11 | 19 | 40 | 10 | 129 | 41 | 45 | 2 |
| Thrush . . . | 25 | – | – | – | – | – | – | 1 | – | 2 | 2 | – | 2 | – | 3 | – |
| Diarrhœa . . . | 1041 | 1 | – | 7 | – | 13 | 13 | 9 | 3 | 16 | 57 | 10 | 63 | 60 | 33 | 7 |
| Dysentery . . . | 361 | 3 | 3 | 5 | 1 | 1 | 2 | – | 4 | 9 | 17 | – | 48 | 49 | 16 | 2 |
| Cholera . . . | 67 | 2 | – | – | – | 1 | – | – | – | – | 1 | – | 6 | 1 | 5 | – |
| Influenza . . . | 232 | 6 | 7 | 15 | 1 | 3 | 13 | 1 | 1 | 4 | 23 | 6 | 24 | 6 | 4 | 1 |
| Purpura . . . | 49 | 1 | – | – | 1 | 1 | 1 | 1 | 2 | – | 6 | 2 | 2 | – | 3 | – |
| Ague . . . . | 6 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Worms . . . | 30 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 2 | 1 |
| Infantile Fever . . | 45 | 1 | – | – | – | 1 | – | – | – | – | 3 | 1 | 1 | 1 | – | – |
| Typhus . . . | 2579 | 12 | 11 | 19 | 4 | 38 | 43 | 4 | 38 | 29 | 184 | 15 | 192 | 80 | 123 | 1 |
| Metria . . . | 203 | – | – | 1 | – | 5 | 1 | – | 1 | – | 16 | 1 | 18 | 4 | 9 | – |
| Rheumatic Fever . | 104 | – | 1 | – | 1 | 2 | 6 | – | 1 | 2 | 11 | – | 6 | 9 | 2 | 1 |
| Erysipelas . . | 253 | 2 | 2 | 2 | – | 2 | 6 | 1 | 3 | 1 | 19 | 3 | 32 | 12 | 8 | 1 |
| Syphilis . . . | 122 | 1 | – | – | – | – | – | – | – | – | 15 | – | 17 | 3 | 3 | – |
| Noma . . . | 12 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – |
| Hydrophobia . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage . . | 65 | – | 1 | 1 | 3 | – | 3 | – | 3 | 2 | – | – | 3 | 5 | 2 | – |
| Dropsy . . . | 778 | 17 | 9 | 15 | 10 | 28 | 23 | – | 6 | 10 | 36 | 8 | 71 | 31 | 45 | 2 |
| Abscess . . . | 126 | – | 1 | 2 | – | 2 | – | 2 | 1 | 1 | 7 | 4 | 8 | 6 | 7 | – |
| Ulcer . . . | 35 | – | 1 | – | 1 | 1 | 1 | – | 2 | – | 1 | – | 2 | 4 | 1 | 1 |
| Fistula . . . | 19 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| Mortification . . | 115 | – | 1 | 4 | – | – | 1 | – | 2 | 1 | 15 | 1 | 9 | 4 | 8 | – |
| Cancer . . . | 1165 | 4 | 11 | 19 | 6 | 20 | 25 | 4 | 18 | 22 | 111 | 14 | 59 | 71 | 60 | 4 |
| Gout . . . | 16 | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – | 1 | – | 2 | – |
| III. Scrofula . . . | 699 | 3 | 6 | 9 | 2 | 4 | 8 | 1 | 4 | 24 | 74 | 6 | 42 | 28 | 23 | – |
| Tabes Mesenterica . | 782 | – | 2 | 5 | 1 | 2 | 2 | 1 | 6 | 5 | 24 | 1 | 31 | 15 | 22 | 1 |
| Phthisis . . . | 7571 | 50 | 60 | 69 | 49 | 132 | 147 | 26 | 82 | 82 | 460 | 55 | 502 | 255 | 232 | 17 |
| Hydrocephalus . . | 1530 | 3 | 5 | 11 | 6 | 5 | 5 | 3 | 13 | 15 | 98 | 5 | 118 | 35 | 59 | 3 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—BOTH SEXES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 378 | 1619 | 1079 | 1400 | 337 | 3795 | 4304 | 16035 | 738 | 6126 | 645 | 564 | 179 | 178 | 1028 | 1417 | 745 | 779 |
| SPECIFIED CAUSES | 345 | 1499 | 1021 | 1218 | 308 | 3603 | 4109 | 15544 | 705 | 6039 | 612 | 545 | 173 | 177 | 1000 | 1316 | 712 | 733 |
| Zymotic Class | 69 | 309 | 216 | 208 | 39 | 766 | 1010 | 3292 | 156 | 1153 | 117 | 96 | 30 | 62 | 229 | 205 | 83 | 106 |
| Uncertain Seat | 12 | 66 | 43 | 55 | 7 | 123 | 158 | 457 | 24 | 241 | 35 | 29 | 10 | 6 | 42 | 53 | 32 | 30 |
| Tubercular Class | 61 | 254 | 210 | 207 | 69 | 775 | 866 | 3147 | 114 | 1049 | 89 | 78 | 17 | 29 | 162 | 214 | 127 | 130 |
| Brain, etc. | 26 | 123 | 82 | 98 | 23 | 290 | 283 | 1083 | 43 | 636 | 46 | 52 | 21 | 14 | 92 | 116 | 62 | 62 |
| Heart, etc. | 18 | 76 | 33 | 56 | 13 | 122 | 135 | 502 | 26 | 366 | 36 | 38 | 18 | 4 | 65 | 57 | 34 | 36 |
| Respiratory Organs | 51 | 194 | 118 | 114 | 28 | 521 | 468 | 3008 | 123 | 915 | 72 | 51 | 22 | 21 | 124 | 152 | 95 | 98 |
| Digestive Organs | 29 | 140 | 95 | 111 | 40 | 338 | 365 | 1235 | 79 | 460 | 63 | 64 | 16 | 9 | 67 | 141 | 101 | 70 |
| Urinary Organs | 8 | 13 | 15 | 14 | 6 | 29 | 51 | 144 | 14 | 117 | 12 | 10 | 1 | 3 | 18 | 16 | 7 | 8 |
| Generative Organs | 1 | 9 | 9 | 23 | 2 | 26 | 41 | 124 | 3 | 61 | 6 | 4 | 3 | – | 10 | 12 | 11 | 10 |
| Locomotive Organs | 3 | 12 | 9 | 13 | 3 | 21 | 26 | 75 | 1 | 43 | 2 | 3 | – | – | 3 | 12 | 9 | 4 |
| Skin | – | 4 | 2 | 1 | – | 4 | 7 | 15 | – | 4 | 1 | – | – | 1 | – | 1 | 2 | 1 |
| Malformation | 1 | 3 | 2 | 2 | – | 10 | 20 | 38 | 1 | 19 | 1 | 2 | – | 1 | 1 | – | 1 | 1 |
| Premature Debility | 15 | 81 | 35 | 35 | 9 | 163 | 194 | 934 | 44 | 330 | 32 | 20 | 8 | 11 | 68 | 53 | 22 | 12 |
| Atrophy | 3 | 11 | 4 | 6 | 3 | 53 | 30 | 165 | 6 | 57 | 5 | 4 | 4 | – | 8 | 11 | 4 | 1 |
| Age | 32 | 156 | 102 | 217 | 55 | 248 | 304 | 724 | 46 | 374 | 67 | 74 | 19 | 11 | 77 | 199 | 102 | 123 |
| Sudden Deaths | – | 2 | 1 | 3 | – | 2 | 3 | 22 | – | 7 | 2 | – | – | – | – | – | 1 | 1 |
| Violent Deaths | 16 | 46 | 45 | 55 | 11 | 112 | 148 | 579 | 25 | 207 | 26 | 20 | 4 | 5 | 34 | 44 | 19 | 40 |
| Small Pox | – | 9 | 5 | 4 | – | 70 | 75 | 221 | 8 | 49 | 1 | 1 | – | – | 18 | 6 | – | 1 |
| Measles | 22 | 27 | 13 | 12 | – | 60 | 141 | 254 | 18 | 176 | 26 | 8 | – | – | 3 | 6 | 6 | 23 |
| Scarlatina | 14 | 23 | 24 | 25 | 1 | 34 | 181 | 140 | 27 | 247 | 18 | 8 | 3 | 34 | 65 | 16 | 4 | 18 |
| Diphtheria | – | 12 | 12 | 16 | 6 | 33 | 8 | 55 | 8 | 24 | 5 | 10 | 2 | 3 | 7 | 33 | 8 | – |
| Hooping Cough | 5 | 29 | 56 | 20 | 3 | 163 | 115 | 1042 | 6 | 200 | 5 | 18 | 7 | 3 | 31 | 27 | 12 | 4 |
| Croup | 4 | 36 | 20 | 34 | 9 | 60 | 54 | 199 | 13 | 50 | 10 | 11 | 5 | 3 | 14 | 9 | 5 | 4 |
| Thrush | – | – | 2 | – | – | 3 | 1 | 4 | – | 2 | 2 | – | – | – | – | 1 | – | – |
| Diarrhœa | 3 | 36 | 26 | 11 | 2 | 75 | 74 | 344 | 12 | 88 | 10 | 5 | 2 | 6 | 9 | 20 | 11 | 15 |
| Dysentery | 3 | 7 | 11 | 4 | – | 20 | 24 | 75 | 2 | 29 | 1 | 3 | 2 | 3 | 5 | 6 | 2 | 4 |
| Cholera | 1 | 5 | – | 2 | – | 2 | 4 | 21 | 1 | 11 | 3 | 1 | – | – | – | – | – | – |
| Influenza | – | 7 | 3 | 11 | 2 | 4 | 23 | 37 | 1 | 5 | 1 | – | 2 | – | 3 | 5 | 5 | 8 |
| Purpura | 1 | 2 | 1 | 3 | – | 3 | 3 | 8 | – | 6 | – | 1 | – | – | – | – | – | 1 |
| Ague | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Worms | – | – | – | 3 | – | 2 | 1 | 8 | – | 1 | 2 | 1 | – | – | 3 | 2 | 1 | 1 |
| Infantile Fever | 1 | 6 | – | – | – | 1 | 3 | 13 | – | 2 | 1 | – | – | – | – | 7 | – | 3 |
| Typhus | 14 | 96 | 34 | 46 | 15 | 187 | 244 | 718 | 51 | 179 | 19 | 18 | 6 | 9 | 59 | 48 | 24 | 19 |
| Metria | 1 | 4 | 4 | 5 | – | 13 | 22 | 45 | 7 | 26 | 4 | 5 | 1 | – | 3 | 6 | – | 1 |
| Rheumatic Fever | – | 4 | 1 | 1 | – | 5 | 6 | 17 | 1 | 13 | 3 | 4 | – | – | 2 | 3 | – | 2 |
| Erysipelas | – | 3 | 2 | 7 | 1 | 16 | 24 | 54 | – | 27 | 4 | 2 | – | 1 | 5 | 8 | 4 | 1 |
| Syphilis | – | 2 | 2 | 2 | – | 12 | 6 | 33 | 1 | 18 | 2 | – | – | – | 2 | 2 | – | 1 |
| Noma | – | – | – | 1 | – | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 4 | 1 | 2 | – | 6 | 1 | 16 | – | 5 | 1 | 1 | 1 | – | 1 | 1 | – | 2 |
| Dropsy | 8 | 26 | 17 | 23 | 1 | 53 | 59 | 164 | 2 | 45 | 15 | 8 | – | 1 | 12 | 14 | 11 | 8 |
| Abscess | – | 2 | 5 | 5 | – | 4 | 6 | 39 | 2 | 13 | 1 | 2 | – | 1 | 2 | 2 | 1 | – |
| Ulcer | – | 1 | – | – | – | 4 | 3 | 4 | – | 5 | – | – | – | – | 1 | – | 1 | 1 |
| Fistula | 1 | – | – | 1 | – | – | 4 | 8 | – | 1 | – | – | – | 1 | – | – | – | – |
| Mortification | – | 3 | 2 | 5 | – | 5 | 7 | 22 | 1 | 14 | 2 | 2 | – | – | 2 | 2 | – | 2 |
| Cancer | 3 | 30 | 18 | 19 | 6 | 51 | 76 | 203 | 19 | 157 | 14 | 16 | 9 | 3 | 24 | 34 | 18 | 17 |
| Gout | – | – | – | – | – | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | 1 | – |
| Scrofula | 3 | 15 | 7 | 12 | 6 | 48 | 51 | 179 | 14 | 77 | 4 | 5 | 3 | 2 | 6 | 13 | 10 | 10 |
| Tabes Mesenterica | 3 | 22 | 15 | 3 | 8 | 57 | 73 | 281 | 14 | 115 | 9 | 3 | 2 | 2 | 23 | 17 | 12 | 5 |
| Phthisis | 45 | 178 | 152 | 165 | 49 | 550 | 626 | 2218 | 64 | 672 | 66 | 52 | 12 | 20 | 106 | 181 | 93 | 104 |
| Hydrocephalus | 10 | 39 | 36 | 27 | 6 | 120 | 116 | 469 | 22 | 185 | 10 | 18 | – | 5 | 27 | 33 | 12 | 11 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—BOTH SEXES. (*Continued.*)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 354 | 3 | 4 | 1 | 2 | 13 | 5 | 1 | 4 | 9 | 28 | 2 | 21 | 10 | 18 | – |
| Apoplexy | 1008 | 3 | 6 | 6 | 3 | 7 | 10 | 2 | 13 | 11 | 78 | 10 | 65 | 52 | 48 | 1 |
| Paralysis | 1458 | 7 | 12 | 16 | 3 | 26 | 35 | 3 | 17 | 19 | 94 | 18 | 119 | 94 | 94 | 10 |
| Delirium Tremens | 54 | – | – | – | – | 1 | 2 | – | – | – | 6 | 1 | 6 | 2 | 3 | – |
| Chorea | 14 | 1 | – | – | – | – | – | – | – | – | 3 | – | 1 | – | 1 | – |
| Epilepsy | 213 | 1 | 6 | 3 | 2 | 5 | 4 | 1 | 2 | 6 | 19 | 2 | 17 | 9 | 9 | – |
| Tetanus | 44 | – | 3 | – | 1 | 4 | – | – | 1 | 2 | 4 | 1 | 2 | 1 | 4 | – |
| Insanity | 91 | – | 1 | 1 | – | 4 | 1 | – | – | – | 9 | 1 | 10 | 2 | 4 | – |
| Convulsions | 689 | – | 4 | 13 | – | 6 | 10 | – | 9 | 7 | 57 | 3 | 73 | 11 | 22 | 1 |
| Brain Disease | 896 | – | 4 | 14 | 1 | 5 | 8 | 4 | 13 | 11 | 72 | 10 | 64 | 37 | 39 | 1 |
| V. Pericarditis | 72 | – | 1 | 1 | 1 | – | – | – | – | – | 2 | 1 | 3 | 3 | 7 | 1 |
| Aneurism | 69 | – | – | – | 1 | – | – | – | – | 1 | 9 | 2 | 5 | – | – | – |
| Heart Disease | 2350 | 4 | 10 | 17 | 6 | 21 | 35 | 5 | 39 | 33 | 158 | 24 | 220 | 115 | 122 | 9 |
| VI. Laryngitis | 161 | – | 1 | 1 | – | – | 6 | – | 1 | 3 | 17 | 1 | 18 | 6 | 8 | – |
| Bronchitis | 5017 | 7 | 14 | 26 | 6 | 26 | 44 | 4 | 33 | 46 | 275 | 31 | 348 | 192 | 175 | 10 |
| Pleurisy | 268 | 1 | 6 | 2 | – | 4 | 31 | 1 | 4 | – | 14 | 4 | 21 | 13 | 8 | 1 |
| Pneumonia | 1974 | 5 | 8 | 12 | 4 | 20 | 18 | 2 | 13 | 15 | 89 | 13 | 134 | 60 | 61 | 8 |
| Asthma | 661 | 8 | 9 | 3 | 19 | 35 | 33 | 1 | 8 | 13 | 25 | 2 | 63 | 21 | 12 | 1 |
| Lung Disease | 319 | 1 | 5 | 1 | – | 7 | 4 | – | 2 | 8 | 11 | 5 | 24 | 11 | 21 | 1 |
| VII. Teething | 1137 | 5 | – | 3 | 2 | 6 | 18 | 2 | 14 | 13 | 77 | 5 | 118 | 45 | 54 | 5 |
| Quinsey | 87 | 2 | – | 1 | 1 | 6 | 3 | – | 4 | 2 | 7 | – | 6 | 3 | 6 | – |
| Gastritis | 152 | – | 2 | 2 | – | 4 | 2 | – | 2 | 2 | 12 | 1 | 8 | 7 | 8 | 1 |
| Enteritis | 947 | 2 | – | 7 | 5 | 7 | 5 | 1 | 11 | 16 | 31 | 7 | 45 | 25 | 27 | – |
| Peritonitis | 298 | – | 3 | 4 | – | 3 | 5 | 1 | 3 | 8 | 30 | 2 | 21 | 13 | 13 | – |
| Ascites | 61 | – | – | – | 1 | – | 1 | – | 1 | 1 | 5 | – | 1 | 4 | 1 | – |
| Ulceration of Intestines | 183 | 1 | 1 | 2 | – | 1 | 3 | – | 3 | 5 | 13 | 1 | 14 | 8 | 6 | – |
| Hernia | 110 | – | – | – | 1 | 2 | 2 | – | – | 2 | 12 | 1 | 7 | 8 | 7 | – |
| Ileus | 293 | 4 | 4 | 1 | 3 | 10 | 14 | 1 | 3 | 7 | 37 | 7 | 22 | 12 | 13 | 1 |
| Intussusception | 33 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Stricture of Intestines | 24 | – | 1 | – | – | – | – | 2 | 2 | 1 | – | 1 | – | 3 | 1 | – |
| Stomach Disease | 765 | 2 | 7 | 9 | 5 | 11 | 17 | 3 | 14 | 15 | 53 | 8 | 63 | 35 | 44 | 2 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 166 | 3 | 1 | 3 | – | 2 | 3 | – | – | – | 7 | 1 | 9 | 6 | 6 | 1 |
| Jaundice | 185 | 1 | 4 | – | 2 | 7 | 7 | – | – | 3 | 16 | 4 | 26 | 5 | 9 | – |
| Liver Disease | 572 | 2 | 2 | – | 7 | 5 | 3 | 1 | 4 | 9 | 21 | 7 | 44 | 27 | 33 | 2 |
| Spleen Disease | 22 | – | – | – | – | – | – | – | – | 2 | – | 1 | 3 | 2 | 1 | – |
| VIII. Nephritis | 58 | – | – | – | 1 | – | 1 | – | – | – | 6 | 2 | 6 | 1 | 1 | – |
| Nephria | 165 | – | 1 | 1 | 1 | – | 1 | 2 | – | 2 | 10 | – | 11 | 6 | 8 | 1 |
| Ischuria | 37 | – | – | 1 | 1 | 2 | 2 | – | – | 1 | 2 | – | 5 | 3 | 2 | – |
| Diabetes | 84 | – | – | 1 | – | 1 | 2 | – | 2 | 2 | 9 | 2 | 2 | 2 | 3 | 1 |
| Stone | 82 | 1 | 3 | 4 | 3 | 2 | 4 | 2 | 5 | 5 | 15 | 5 | 9 | 1 | – | – |
| Cystitis | 54 | 1 | – | 2 | – | 2 | 1 | – | 1 | 2 | 3 | – | 3 | 4 | 3 | – |
| Stricture of Urethra | 16 | – | – | – | – | – | – | – | – | – | 3 | – | 2 | – | – | – |
| Kidney Disease | 348 | 1 | 1 | 3 | 1 | 2 | 1 | 2 | 8 | 7 | 53 | 4 | 32 | 22 | 27 | – |
| IX. Paramenia | 28 | – | – | – | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 2 | 1 | – |
| Ovarian Dropsy | 81 | – | – | 1 | – | – | 2 | – | – | – | 9 | 2 | 4 | 1 | 4 | – |
| Childbirth | 308 | 3 | 3 | 1 | – | 9 | 15 | 2 | – | 2 | 18 | 2 | 18 | 9 | 8 | 1 |
| Organs of Generation | 89 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | 7 | – | 3 | 4 | 8 | – |
| X. Arthritis | 20 | – | – | – | – | 2 | 2 | – | – | – | 2 | – | – | 1 | 1 | – |
| Rheumatism | 181 | 6 | 5 | 5 | 1 | 8 | 8 | 1 | 3 | 2 | 21 | 2 | 14 | 6 | 7 | 1 |
| Joint and Bone Disease | 227 | – | 2 | 2 | – | 3 | 2 | – | 4 | 2 | 32 | – | 22 | 6 | 14 | 2 |
| XI. Carbuncle | 20 | – | – | – | – | 1 | – | – | – | – | – | 1 | 4 | 1 | 1 | – |
| Phlegmon | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Skin Disease | 40 | – | – | – | 1 | – | 1 | – | – | 2 | 9 | – | – | 2 | 3 | – |
| XII. Cyanosis | 56 | – | – | – | – | – | – | 1 | 1 | – | 4 | 2 | 7 | 7 | 2 | – |
| Spina Bifida | 32 | – | – | – | – | – | – | – | – | 1 | 2 | – | 3 | 3 | 2 | – |
| Other Malformations | 64 | 1 | – | – | 1 | 1 | 1 | 2 | – | – | 3 | – | 4 | – | 1 | – |
| XVII. Intemperance | 78 | – | – | – | – | – | – | – | – | 3 | 6 | 1 | 7 | 3 | 1 | – |
| Privation | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 70 | 1 | – | – | – | – | – | – | – | – | 7 | – | 2 | 1 | 1 | – |
| Neglect | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 34 | 1 | – | 1 | 1 | 3 | 1 | – | – | – | 6 | – | 2 | 5 | – | – |
| Poison | 44 | – | – | – | – | – | 2 | – | – | – | – | – | 1 | – | 1 | – |
| Burns and Scalds | 293 | 3 | 2 | 1 | 2 | 5 | 9 | 2 | 3 | 1 | 18 | – | 25 | 20 | 11 | 1 |
| Hanging, etc. | 49 | – | 1 | 2 | – | 1 | 1 | – | 1 | 1 | 5 | 1 | 5 | 2 | 4 | – |
| Suffocation | 102 | – | 1 | – | – | – | – | – | 2 | 4 | 4 | 6 | 5 | 3 | 2 | – |
| Drowning | 467 | 7 | 9 | 14 | 6 | 6 | 23 | 2 | 7 | 1 | 39 | 5 | 26 | 15 | 17 | – |
| Fracture and Contusion | 726 | 1 | – | 5 | 1 | 6 | 14 | 3 | 9 | 4 | 42 | 3 | 39 | 38 | 30 | 2 |
| Wounds | 93 | – | – | – | 1 | 2 | 3 | 1 | 1 | 2 | 9 | – | 7 | 1 | 6 | 1 |
| Other Violent Causes | 124 | 2 | – | – | – | 3 | 1 | – | 2 | 2 | 5 | – | 7 | 6 | 6 | – |
| Not Specified | 2924 | 68 | 41 | 29 | 35 | 176 | 195 | 9 | 72 | 52 | 167 | 16 | 150 | 98 | 122 | 7 |

AUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—BOTH SEXES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 8 | 9 | 6 | – | 20 | 27 | 81 | 6 | 42 | 2 | 4 | – | 1 | 5 | 10 | 7 | 5 |
| Apoplexy | 8 | 16 | 22 | 18 | 9 | 67 | 61 | 240 | 7 | 138 | 10 | 6 | 4 | 5 | 25 | 27 | 15 | 15 |
| Paralysis | 12 | 47 | 22 | 33 | 8 | 73 | 80 | 242 | 15 | 182 | 21 | 23 | 6 | 5 | 34 | 38 | 24 | 26 |
| Delirium Tremens | – | 1 | 3 | – | – | 5 | 3 | 9 | – | 10 | – | – | – | – | – | 2 | – | – |
| Chorea | – | – | – | – | – | – | 3 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | – | 8 | 1 | 3 | – | 14 | 9 | 48 | 1 | 24 | 1 | 4 | 1 | – | 2 | 8 | 1 | 2 |
| Tetanus | – | – | – | 4 | – | 1 | 8 | 5 | 2 | 3 | – | – | – | – | – | – | – | – |
| Insanity | – | 2 | 1 | 1 | 2 | 5 | 5 | 11 | – | 22 | – | 1 | – | – | 1 | 6 | – | 1 |
| Convulsions | 3 | 7 | 13 | 13 | – | 29 | 38 | 219 | 10 | 86 | 6 | 8 | 5 | 1 | 14 | 10 | 6 | 5 |
| Brain Disease | 3 | 34 | 11 | 20 | 4 | 76 | 49 | 224 | 2 | 128 | 6 | 6 | 5 | 2 | 11 | 15 | 9 | 8 |
| Pericarditis | 1 | 1 | 4 | 3 | – | 4 | 6 | 12 | 2 | 11 | 1 | 1 | – | – | 2 | 2 | 2 | – |
| Aneurism | – | 1 | 1 | – | – | 3 | 2 | 18 | 1 | 22 | – | – | – | – | 1 | 1 | – | 1 |
| Heart Disease | 17 | 74 | 28 | 53 | 13 | 115 | 127 | 472 | 23 | 333 | 35 | 37 | 18 | 4 | 62 | 54 | 32 | 35 |
| Laryngitis | 1 | 1 | 4 | 2 | – | 7 | 3 | 42 | 1 | 20 | 2 | 2 | 2 | – | 4 | 4 | 2 | 2 |
| Bronchitis | 27 | 92 | 64 | 64 | 18 | 335 | 260 | 1921 | 86 | 599 | 37 | 21 | 8 | 13 | 63 | 73 | 53 | 46 |
| Pleurisy | 1 | 8 | 3 | 1 | – | 12 | 20 | 44 | 1 | 31 | 6 | 3 | 1 | 1 | 6 | 9 | 4 | 7 |
| Pneumonia | 15 | 55 | 31 | 23 | 9 | 114 | 113 | 758 | 28 | 163 | 20 | 19 | 8 | 7 | 39 | 47 | 34 | 29 |
| Asthma | 5 | 20 | 13 | 18 | 1 | 37 | 52 | 161 | 6 | 54 | 4 | 5 | 2 | – | 5 | 15 | 2 | 8 |
| Lung Disease | 2 | 18 | 3 | 6 | – | 16 | 20 | 82 | 1 | 48 | 3 | 1 | 1 | – | 7 | 4 | – | 6 |
| Teething | 6 | 34 | 25 | 11 | 5 | 107 | 75 | 377 | 24 | 66 | 8 | 4 | 1 | – | 8 | 9 | 3 | 7 |
| Quinsey | – | 1 | 2 | 2 | – | 11 | 7 | 12 | – | 3 | 1 | 2 | – | 1 | – | 2 | – | 2 |
| Gastritis | 3 | 6 | – | 3 | 2 | 5 | 16 | 37 | 1 | 10 | 1 | 3 | – | – | 1 | 5 | 4 | 4 |
| Enteritis | 4 | 20 | 10 | 13 | 10 | 88 | 83 | 301 | 23 | 74 | 12 | 14 | 4 | – | 17 | 35 | 32 | 18 |
| Peritonitis | 2 | 5 | 5 | 3 | – | 19 | 23 | 57 | 7 | 40 | 5 | – | 3 | 2 | 2 | 10 | 8 | 1 |
| Ascites | – | – | – | 4 | – | 6 | 3 | 15 | 3 | 4 | 2 | 1 | – | – | 1 | 6 | 1 | – |
| Ulceration of Intestines | 3 | 4 | 6 | 5 | 1 | 9 | 16 | 29 | 2 | 24 | 2 | 3 | 1 | 2 | 2 | 5 | 2 | 9 |
| Hernia | 1 | – | 1 | 1 | 1 | 5 | 9 | 28 | 1 | 12 | 1 | 4 | – | – | – | 4 | – | – |
| Ileus | 1 | 13 | 5 | 6 | 3 | 10 | 11 | 43 | 5 | 24 | 2 | 5 | – | 1 | 3 | 11 | 4 | 7 |
| Intussusception | – | – | – | 3 | – | – | 8 | 10 | – | 4 | 1 | 2 | – | – | – | 1 | – | – |
| Stricture of Intestines | 1 | 1 | – | 1 | – | 1 | 1 | 3 | – | 2 | – | – | – | – | – | 1 | 2 | – |
| Stomach Disease | 3 | 31 | 19 | 34 | 9 | 26 | 49 | 116 | 4 | 92 | 12 | 15 | 4 | 1 | 11 | 26 | 20 | 5 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hepatitis | – | 5 | 10 | 5 | 1 | 14 | 14 | 38 | 5 | 10 | 2 | – | – | – | 2 | 3 | 7 | 8 |
| Jaundice | 1 | 3 | 3 | 3 | 1 | 6 | 18 | 33 | – | 16 | 3 | 3 | – | 1 | 2 | 3 | 3 | 2 |
| Liver Disease | 4 | 16 | 9 | 17 | 5 | 31 | 31 | 132 | 4 | 77 | 11 | 7 | 3 | – | 17 | 20 | 14 | 7 |
| Spleen Disease | – | 1 | – | – | 2 | – | 1 | 4 | – | 1 | – | 1 | – | 1 | 1 | – | 1 | – |
| Nephritis | 2 | 2 | – | 1 | – | 7 | 5 | 7 | – | 11 | 1 | – | – | 1 | 1 | – | 1 | 1 |
| Nephria | 2 | 2 | 2 | 3 | 1 | 4 | 8 | 35 | 4 | 40 | 4 | 2 | – | 1 | 5 | 4 | 1 | 3 |
| Ischuria | 1 | – | – | – | 1 | 2 | 2 | 6 | 1 | 3 | – | – | – | – | – | – | 1 | 1 |
| Diabetes | 1 | 2 | 3 | – | – | 4 | 4 | 19 | 5 | 11 | 3 | 2 | – | – | 1 | 2 | – | – |
| Stone | 1 | – | 5 | – | – | 2 | 6 | 5 | – | 1 | – | 1 | – | – | 1 | – | – | 1 |
| Cystitis | – | 1 | – | 3 | – | 3 | 6 | 10 | – | 6 | 1 | – | – | 1 | – | 1 | – | – |
| Stricture of Urethra | – | – | – | 1 | – | 1 | 1 | 7 | – | – | – | – | – | – | 1 | – | – | – |
| Kidney Disease | 1 | 6 | 5 | 6 | 4 | 6 | 19 | 55 | 4 | 45 | 3 | 5 | 1 | – | 9 | 9 | 4 | 2 |
| Paramenia | – | – | – | 1 | – | 1 | 3 | 6 | – | 2 | – | – | 1 | – | 3 | – | 1 | 1 |
| Ovarian Dropsy | 1 | 1 | 1 | 6 | – | 5 | 4 | 18 | – | 11 | 2 | – | 1 | – | – | 2 | 3 | 3 |
| Childbirth | – | 8 | 7 | 15 | – | 19 | 23 | 85 | 3 | 34 | 1 | 3 | 1 | – | 4 | 3 | 7 | 4 |
| Organs of Generation | – | – | 1 | 1 | 2 | 1 | 11 | 15 | – | 14 | 3 | 1 | – | – | 3 | 7 | – | 2 |
| Arthritis | – | – | – | 2 | – | – | 1 | 5 | – | 2 | – | – | – | – | – | 1 | – | 1 |
| Rheumatism | 2 | 6 | 3 | 6 | – | 11 | 10 | 30 | – | 12 | 1 | 2 | – | – | 1 | 4 | 3 | – |
| Joint Disease | 1 | 6 | 6 | 5 | 3 | 10 | 15 | 40 | 1 | 29 | 1 | 1 | – | – | 2 | 7 | 6 | 3 |
| Carbuncle | – | – | 2 | – | – | 1 | 2 | 2 | – | 2 | – | – | – | 1 | – | 1 | – | 1 |
| Phlegmon | – | 1 | – | – | – | 1 | – | 5 | – | 1 | 1 | – | – | – | – | – | – | – |
| Skin Disease | – | 3 | – | 1 | – | 2 | 5 | 8 | – | 1 | – | – | – | – | – | – | 2 | – |
| Cyanosis | 1 | 1 | – | 1 | – | 3 | 5 | 14 | – | 3 | 1 | 2 | – | – | – | – | 1 | – |
| Spina Bifida | – | 2 | 1 | – | – | 3 | 4 | 7 | – | 3 | – | – | – | 1 | – | – | – | – |
| Other Malformations | – | – | 1 | 1 | – | 4 | 11 | 17 | 1 | 13 | – | – | – | – | 1 | – | – | 1 |
| Intemperance | – | – | 2 | 2 | 1 | 8 | 1 | 21 | 3 | 12 | 1 | – | 1 | – | 3 | 2 | – | – |
| Privation | – | – | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | 2 | 1 | 1 | – | 2 | 5 | 33 | 1 | 12 | – | – | – | – | – | 1 | – | – |
| Neglect | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | 1 | – | 3 | – | – | 1 | 5 | – | – | – | 1 | – | – | – | 2 | 1 | – |
| Poison | 1 | 2 | – | 1 | 1 | 2 | 3 | 16 | – | 9 | 1 | – | – | – | 2 | – | 1 | 1 |
| Burns and Scalds | 2 | 6 | 6 | 4 | – | 24 | 15 | 85 | 7 | 21 | 5 | 5 | 1 | 1 | 1 | 2 | 3 | 2 |
| Hanging, etc. | 1 | 2 | 1 | – | – | 4 | 1 | 7 | – | 6 | 2 | 1 | – | – | – | – | – | – |
| Suffocation | – | 1 | 2 | 2 | – | 7 | 5 | 36 | – | 14 | 1 | – | 1 | – | – | 1 | 1 | 4 |
| Drowning | 5 | 5 | 23 | 26 | 6 | 23 | 26 | 94 | 2 | 21 | 5 | 8 | – | 1 | 7 | 12 | 6 | 20 |
| Fracture and Contusion | 5 | 24 | 7 | 13 | 1 | 34 | 73 | 212 | 9 | 82 | 10 | 5 | 1 | 2 | 17 | 21 | 4 | 9 |
| Wounds | 2 | 3 | – | 2 | 1 | 5 | 6 | 17 | 1 | 16 | – | – | – | – | 1 | 3 | 1 | 1 |
| Other Violent Causes | – | – | 3 | 1 | 1 | 3 | 11 | 47 | 2 | 12 | 1 | – | – | 1 | 3 | – | 2 | 3 |
| Not Specified | 33 | 120 | 58 | 182 | 29 | 192 | 195 | 491 | 33 | 87 | 33 | 19 | 6 | 1 | 28 | 101 | 33 | 46 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—MALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 30890 | 222 | 238 | 306 | 175 | 594 | 663 | 99 | 339 | 391 | 2088 | 274 | 2217 | 1220 | 1310 | 89 |
| SPECIFIED CAUSES | 29380 | 188 | 219 | 293 | 154 | 486 | 565 | 92 | 304 | 371 | 2009 | 264 | 2127 | 1175 | 1253 | 86 |
| I. Zymotic Class | 5939 | 62 | 34 | 51 | 18 | 91 | 119 | 16 | 41 | 74 | 499 | 51 | 484 | 231 | 275 | 15 |
| II. Diseases of Uncer. Seat | 894 | 8 | 10 | 24 | 9 | 25 | 12 | 3 | 14 | 8 | 62 | 14 | 57 | 48 | 53 | 5 |
| III. Tubercular Class | 5189 | 29 | 35 | 50 | 32 | 70 | 90 | 18 | 53 | 63 | 301 | 26 | 316 | 163 | 176 | 13 |
| IV. Brain and Nervous Sys. | 2546 | 7 | 23 | 32 | 9 | 35 | 40 | 6 | 27 | 29 | 193 | 21 | 200 | 117 | 129 | 4 |
| V. Organs of Circulation | 1278 | 1 | 4 | 10 | 5 | 9 | 19 | 3 | 24 | 18 | 85 | 13 | 111 | 59 | 68 | 5 |
| VI. Respiratory Organs | 4427 | 12 | 20 | 20 | 11 | 42 | 75 | 4 | 25 | 37 | 218 | 38 | 309 | 162 | 162 | 15 |
| VII. Organs of Digestion | 2545 | 15 | 17 | 14 | 15 | 40 | 32 | 7 | 37 | 40 | 171 | 30 | 197 | 91 | 106 | 10 |
| VIII. Urinary Organs | 593 | 2 | 5 | 9 | 6 | 8 | 10 | 6 | 14 | 18 | 74 | 10 | 45 | 30 | 24 | 1 |
| IX. Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 221 | 3 | 5 | 5 | – | 6 | 7 | – | 5 | 2 | 29 | 2 | 19 | 6 | 10 | 2 |
| XI. Skin, etc. | 33 | – | – | – | – | 1 | – | – | – | 1 | 4 | 1 | 3 | 2 | 2 | – |
| XII. Malformation | 90 | 1 | – | – | 1 | 1 | – | 2 | – | – | 4 | 1 | 11 | 7 | 2 | – |
| XIII. Premature Debility | 1619 | 6 | 5 | 15 | 3 | 15 | 19 | 3 | 7 | 17 | 89 | 9 | 160 | 44 | 59 | 3 |
| XIV. Atrophy | 223 | 2 | 2 | 3 | – | 3 | 3 | – | – | 2 | 11 | – | 11 | 6 | 12 | – |
| XV. Age | 2184 | 29 | 48 | 40 | 34 | 121 | 98 | 18 | 37 | 46 | 155 | 32 | 114 | 142 | 108 | 9 |
| XVI. Sudden Deaths | 50 | 2 | – | – | – | – | – | – | 1 | – | 5 | 1 | 5 | 4 | 9 | – |
| XVII. Violent Deaths | 1547 | 9 | 11 | 20 | 11 | 19 | 41 | 6 | 19 | 16 | 109 | 15 | 85 | 63 | 58 | 4 |
| I. Small Pox | 415 | – | – | 10 | 2 | 5 | 3 | – | 1 | 1 | 23 | 2 | 88 | 14 | 15 | 2 |
| Measles | 492 | 1 | – | 1 | 2 | 1 | 22 | – | 3 | 9 | 7 | – | 19 | 31 | 4 | 1 |
| Scarlatina | 891 | – | 24 | 10 | 1 | 13 | 15 | 1 | – | 10 | 149 | 17 | 79 | 32 | 96 | 1 |
| Diphtheria | 312 | 1 | – | – | – | 1 | 12 | 6 | 8 | 13 | 88 | 4 | 26 | 23 | 13 | 2 |
| Hooping Cough | 989 | 49 | – | 2 | 6 | 36 | 18 | – | 8 | 6 | 37 | 2 | 12 | 9 | 34 | – |
| Croup | 471 | – | 3 | 2 | 2 | 6 | 11 | 1 | 7 | 9 | 23 | 5 | 67 | 24 | 25 | 2 |
| Thrush | 16 | – | – | – | – | – | – | 1 | – | 1 | 2 | – | 1 | – | 2 | – |
| Diarrhœa | 515 | 1 | – | 5 | – | 5 | 5 | 6 | – | 6 | 28 | 6 | 41 | 31 | 13 | 5 |
| Dysentery | 147 | 2 | – | 1 | 1 | – | 1 | – | 2 | 5 | 7 | – | 20 | 11 | 8 | – |
| Cholera | 43 | 1 | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 2 | – |
| Influenza | 108 | 1 | 3 | 8 | 1 | 3 | 8 | – | – | 1 | 12 | 3 | 10 | 3 | 1 | – |
| Purpura | 23 | – | – | – | 1 | 1 | 1 | 1 | – | – | 3 | – | 1 | – | 3 | – |
| Ague | 5 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Worms | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 21 | 1 | – | – | – | 1 | – | – | – | – | 3 | 1 | 1 | 1 | – | – |
| Typhus | 1228 | 4 | 3 | 11 | 2 | 15 | 20 | – | 11 | 10 | 90 | 8 | 90 | 38 | 52 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 49 | – | – | – | – | 2 | 2 | – | – | 2 | 7 | – | – | 4 | 1 | 1 |
| Erysipelas | 129 | 1 | 1 | 1 | – | 2 | – | – | – | 1 | 12 | 3 | 15 | 9 | 3 | 1 |
| Syphilis | 69 | – | – | – | – | – | – | – | – | – | 7 | – | 12 | 1 | 3 | – |
| Noma | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 38 | – | 1 | 1 | 3 | – | – | – | 2 | 1 | – | – | – | 4 | 2 | – |
| Dropsy | 310 | 7 | 4 | 5 | 3 | 11 | 4 | – | 4 | 2 | 15 | 5 | 29 | 11 | 18 | 2 |
| Abscess | 73 | – | – | 1 | – | 2 | – | 2 | 1 | 1 | 3 | 4 | 6 | 4 | 5 | – |
| Ulcer | 18 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 2 | 1 | 1 |
| Fistula | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Mortification | 66 | – | – | 3 | – | – | 1 | – | 1 | – | 10 | – | 5 | 2 | 2 | – |
| Cancer | 367 | 1 | 4 | 13 | 3 | 10 | 7 | 1 | 6 | 4 | 32 | 5 | 16 | 25 | 23 | 2 |
| Gout | 10 | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | 2 | – |
| III. Scrofula | 388 | 3 | 3 | 7 | 1 | 3 | 3 | – | 3 | 13 | 39 | 4 | 24 | 17 | 18 | – |
| Tabes Mesenterica | 424 | – | 2 | 2 | – | – | 1 | 1 | 2 | 3 | 11 | – | 15 | 8 | 11 | – |
| Phthisis | 3518 | 24 | 27 | 33 | 27 | 66 | 84 | 15 | 40 | 41 | 203 | 20 | 209 | 115 | 106 | 11 |
| Hydrocephalus | 859 | 2 | 3 | 8 | 4 | 1 | 2 | 2 | 8 | 6 | 48 | 2 | 68 | 23 | 41 | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—MALES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 187 | 830 | 531 | 713 | 158 | 1881 | 2131 | 8065 | 392 | 3021 | 331 | 273 | 90 | 95 | 525 | 707 | 365 | 370 |
| SPECIFIED CAUSES | 173 | 767 | 504 | 625 | 144 | 1791 | 2018 | 7794 | 378 | 2977 | 315 | 265 | 87 | 94 | 508 | 660 | 346 | 348 |
| Zymotic Class | 33 | 143 | 95 | 100 | 14 | 382 | 486 | 1579 | 84 | 527 | 61 | 46 | 10 | 32 | 107 | 97 | 40 | 42 |
| Uncertain Seat | 3 | 27 | 14 | 27 | 3 | 52 | 55 | 179 | 10 | 86 | 13 | 9 | 5 | 4 | 14 | 20 | 10 | 11 |
| Tubercular Class | 30 | 128 | 108 | 111 | 34 | 346 | 405 | 1529 | 60 | 553 | 34 | 45 | 5 | 13 | 89 | 139 | 65 | 60 |
| Brain, etc. | 12 | 62 | 47 | 59 | 13 | 154 | 146 | 578 | 27 | 329 | 29 | 27 | 13 | 10 | 47 | 56 | 30 | 35 |
| Heart, etc. | 12 | 50 | 17 | 36 | 6 | 56 | 77 | 260 | 10 | 182 | 18 | 18 | 11 | 4 | 26 | 30 | 14 | 17 |
| Respiratory Organs | 27 | 115 | 54 | 60 | 13 | 282 | 243 | 1605 | 65 | 471 | 43 | 22 | 16 | 7 | 65 | 84 | 57 | 48 |
| Digestive Organs | 14 | 65 | 54 | 60 | 24 | 174 | 189 | 619 | 41 | 227 | 31 | 29 | 8 | 3 | 31 | 71 | 47 | 36 |
| Urinary Organs | 6 | 8 | 12 | 11 | 1 | 20 | 34 | 94 | 9 | 77 | 9 | 9 | 1 | 2 | 13 | 12 | 5 | 8 |
| Generative Organs | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 3 | 4 | 6 | 9 | 1 | 13 | 10 | 36 | – | 21 | 1 | 1 | – | – | 2 | 4 | 6 | 3 |
| Skin | – | 3 | 1 | – | – | 1 | 3 | 7 | – | 2 | 1 | – | – | – | – | 1 | – | – |
| Malformation | 1 | 2 | 2 | 1 | – | 4 | 15 | 20 | – | 12 | 1 | 1 | – | – | – | – | – | 1 |
| Premature Debility | 7 | 53 | 22 | 18 | 4 | 103 | 114 | 525 | 25 | 159 | 19 | 15 | 5 | 8 | 36 | 33 | 13 | 6 |
| Atrophy | 1 | 5 | 2 | 3 | 1 | 26 | 7 | 84 | 3 | 20 | 3 | 2 | 1 | – | 4 | 4 | 2 | – |
| Age | 11 | 65 | 38 | 86 | 20 | 95 | 120 | 246 | 24 | 159 | 32 | 28 | 9 | 7 | 43 | 78 | 45 | 47 |
| Sudden Deaths | – | 1 | – | 1 | – | – | – | 16 | – | 4 | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 13 | 36 | 32 | 43 | 10 | 83 | 113 | 416 | 20 | 148 | 19 | 13 | 3 | 4 | 31 | 31 | 12 | 34 |
| Small Pox | – | 5 | 2 | 2 | – | 35 | 42 | 115 | 5 | 26 | – | – | – | – | 12 | 4 | – | 1 |
| Measles | 9 | 17 | 5 | 4 | – | 32 | 70 | 135 | 8 | 75 | 14 | 4 | – | – | 3 | 3 | 4 | 8 |
| Scarlatina | 5 | 14 | 13 | 15 | – | 19 | 96 | 58 | 15 | 121 | 11 | 3 | 1 | 20 | 36 | 9 | 1 | 6 |
| Diphtheria | – | 5 | 5 | 7 | 2 | 18 | 1 | 32 | 4 | 9 | 2 | 5 | 1 | – | 5 | 13 | 6 | – |
| Hooping Cough | 3 | 9 | 18 | 8 | 2 | 79 | 53 | 468 | 2 | 79 | 2 | 9 | 2 | 1 | 13 | 14 | 6 | 2 |
| Croup | 4 | 20 | 12 | 21 | 4 | 29 | 30 | 99 | 8 | 25 | 5 | 9 | 1 | 1 | 7 | 7 | 1 | 1 |
| Thrush | – | – | 2 | – | – | 1 | – | 2 | – | 2 | 1 | – | – | – | – | 1 | – | – |
| Diarrhœa | 1 | 17 | 12 | 4 | 1 | 37 | 32 | 174 | 7 | 43 | 4 | 2 | – | 4 | 2 | 9 | 5 | 9 |
| Dysentery | 1 | 4 | 3 | 3 | – | 6 | 12 | 38 | 2 | 10 | – | 2 | 1 | 2 | 1 | 3 | 1 | – |
| Cholera | 1 | 3 | – | 2 | – | 2 | 4 | 14 | 1 | 7 | 2 | 1 | – | – | – | – | – | – |
| Influenza | – | 3 | 1 | 8 | – | 2 | 10 | 22 | – | 1 | – | – | 1 | – | 1 | 2 | 1 | 2 |
| Purpura | – | 1 | 1 | – | – | 2 | – | 4 | – | 4 | – | – | – | – | – | – | – | – |
| Ague | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Worms | – | – | – | – | – | 1 | 1 | 4 | – | – | – | 1 | – | – | 2 | 1 | 1 | – |
| Infantile Fever | 1 | 1 | – | – | – | – | 1 | 4 | – | 1 | – | – | – | – | – | 4 | – | 1 |
| Typhus | 8 | 40 | 18 | 21 | 4 | 100 | 121 | 353 | 31 | 86 | 13 | 7 | 3 | 3 | 22 | 20 | 12 | 12 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 2 | – | 1 | – | 2 | 1 | 10 | – | 8 | 3 | 1 | – | – | – | 2 | – | – |
| Erysipelas | – | 1 | 2 | 3 | 1 | 7 | 8 | 27 | – | 19 | 2 | 2 | – | 1 | 2 | 4 | 1 | – |
| Syphilis | – | – | 1 | – | – | 7 | 4 | 18 | 1 | 11 | 2 | – | – | – | 1 | 1 | – | – |
| Noma | – | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 3 | – | 1 | – | 5 | 1 | 9 | – | 2 | 1 | – | – | – | – | 1 | – | 1 |
| Dropsy | 2 | 11 | 5 | 11 | – | 24 | 28 | 69 | 2 | 13 | 4 | 2 | – | 1 | 6 | 5 | 4 | 3 |
| Abscess | – | – | 3 | 3 | – | 2 | 3 | 21 | 1 | 6 | 1 | 1 | – | 1 | 1 | 1 | – | – |
| Ulcer | – | – | – | – | – | 4 | 1 | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | 2 | 6 | – | 1 | – | – | – | 1 | – | – | – | – |
| Mortification | – | 3 | 1 | 4 | – | 3 | 4 | 13 | 1 | 7 | 1 | 1 | – | – | 1 | 2 | – | 1 |
| Cancer | – | 10 | 5 | 8 | 3 | 14 | 15 | 56 | 6 | 54 | 4 | 5 | 5 | 1 | 6 | 11 | 6 | 6 |
| Gout | – | – | – | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Scrofula | 1 | 9 | 4 | 3 | 4 | 23 | 28 | 103 | 8 | 41 | 1 | 3 | 1 | 1 | – | 5 | 8 | 7 |
| Tabes Mesenterica | 2 | 11 | 4 | 1 | 2 | 27 | 40 | 159 | 10 | 64 | 5 | 3 | 1 | 2 | 16 | 11 | 7 | 3 |
| Phthisis | 21 | 85 | 80 | 90 | 25 | 236 | 281 | 1003 | 31 | 337 | 23 | 28 | 3 | 7 | 56 | 103 | 44 | 44 |
| Hydrocephalus | 6 | 23 | 20 | 17 | 3 | 60 | 56 | 264 | 11 | 111 | 5 | 11 | – | 3 | 17 | 20 | 6 | 6 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—MALES. (*Continued.*)

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 188 | 2 | 3 | 1 | 1 | 9 | 3 | – | 3 | 5 | 15 | – | 9 | 6 | 9 | – |
| Apoplexy | 543 | 1 | 4 | 5 | 3 | 3 | 5 | 2 | 5 | 7 | 49 | 4 | 34 | 27 | 28 | – |
| Paralysis | 706 | 3 | 8 | 8 | 2 | 13 | 15 | 1 | 8 | 6 | 41 | 6 | 52 | 44 | 47 | 3 |
| Delirium Tremens | 43 | – | – | – | – | 1 | 2 | – | – | – | 4 | 1 | 5 | 2 | 2 | – |
| Chorea | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 112 | 1 | 2 | – | 1 | 2 | 1 | 1 | – | 3 | 11 | 1 | 12 | 3 | 3 | – |
| Tetanus | 28 | – | 2 | – | 1 | 3 | – | – | 1 | 1 | 2 | 1 | 1 | 1 | 1 | – |
| Insanity | 37 | – | – | – | – | 1 | 1 | – | – | – | 6 | – | 3 | 2 | 2 | – |
| Convulsions | 403 | – | 1 | 9 | – | 3 | 8 | – | 5 | 3 | 23 | 1 | 48 | 10 | 13 | – |
| Brain Disease | 481 | – | 3 | 9 | 1 | – | 5 | 2 | 5 | 4 | 42 | 7 | 36 | 22 | 24 | 1 |
| V. Pericarditis | 42 | – | – | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 | 2 | 3 | 1 |
| Aneurism | 44 | – | – | – | 1 | – | – | – | – | – | 4 | 2 | 4 | – | – | – |
| Heart Disease | 1192 | 1 | 4 | 9 | 3 | 9 | 19 | 3 | 24 | 18 | 80 | 10 | 106 | 57 | 65 | 4 |
| VI. Laryngitis | 91 | – | 1 | – | – | – | 4 | – | 1 | 3 | 10 | – | 9 | 3 | 3 | – |
| Bronchitis | 2541 | 4 | 9 | 7 | 4 | 12 | 23 | 2 | 10 | 21 | 122 | 23 | 168 | 99 | 105 | 6 |
| Pleurisy | 155 | 1 | 4 | 2 | – | 3 | 16 | 1 | 1 | – | 12 | 4 | 13 | 9 | 4 | 1 |
| Pneumonia | 1139 | 3 | 4 | 9 | 3 | 10 | 12 | 1 | 8 | 7 | 54 | 7 | 78 | 31 | 37 | 6 |
| Asthma | 331 | 3 | 2 | 1 | 4 | 12 | 20 | – | 4 | 3 | 16 | 1 | 28 | 12 | 5 | 1 |
| Lung Disease | 170 | 1 | – | 1 | – | 5 | – | – | 1 | 3 | 4 | 3 | 13 | 8 | 8 | 1 |
| VII. Teething | 595 | 3 | – | 1 | – | 5 | 6 | 1 | 11 | 5 | 38 | 4 | 73 | 20 | 22 | 5 |
| Quinsey | 45 | 1 | – | – | 1 | 3 | – | – | 2 | – | 3 | – | 3 | 2 | 3 | – |
| Gastritis | 82 | – | 2 | 2 | – | 2 | 1 | – | 2 | 1 | 7 | 1 | 3 | 6 | 5 | 1 |
| Enteritis | 534 | 1 | – | 4 | 4 | 5 | 4 | 1 | 6 | 10 | 20 | 4 | 19 | 9 | 18 | – |
| Peritonitis | 120 | – | 2 | 1 | – | 1 | 2 | 1 | 2 | 4 | 16 | 1 | 9 | 7 | 4 | – |
| Ascites | 21 | – | – | – | – | – | – | – | – | 1 | 3 | – | 1 | – | – | – |
| Ulceration of Intestines | 92 | 1 | 1 | 2 | – | – | 2 | – | 1 | 1 | 8 | – | 9 | 4 | 4 | – |
| Hernia | 54 | – | – | – | 1 | 1 | 1 | – | – | 2 | 6 | – | 4 | 6 | – | – |
| Ileus | 169 | 3 | 4 | – | 1 | 7 | 6 | 1 | 2 | 4 | 23 | 5 | 11 | 7 | 10 | – |
| Intussusception | 18 | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Stricture of Intestines | 10 | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – | 1 | 1 | – |
| Stomach Disease | 334 | 2 | 3 | 3 | 2 | 5 | 5 | 1 | 6 | 5 | 26 | 6 | 26 | 18 | 19 | 2 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 78 | 1 | 1 | 1 | – | 2 | 1 | – | – | – | 3 | 1 | 3 | 3 | 1 | 1 |
| Jaundice | 102 | 1 | 2 | – | 1 | 5 | 2 | – | – | 1 | 8 | 2 | 14 | 1 | 8 | – |
| Liver Disease | 281 | 2 | 1 | – | 5 | 4 | 2 | – | 4 | 3 | 9 | 5 | 22 | 7 | 10 | 1 |
| Spleen Disease | 9 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – |
| VIII. Nephritis | 31 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 2 | 1 | 1 | – |
| Nephria | 93 | – | 1 | – | 1 | – | 1 | 2 | – | 1 | 8 | – | 4 | 3 | 3 | – |
| Ischuria | 23 | – | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | – | 2 | 3 | 1 | – |
| Diabetes | 53 | – | – | 1 | – | 1 | 1 | – | 1 | 2 | 3 | 1 | 2 | 1 | 2 | 1 |
| Stone | 77 | 1 | 3 | 4 | 3 | 2 | 4 | 2 | 5 | 5 | 15 | 5 | 9 | 1 | – | – |
| Cystitis | 43 | – | – | 1 | – | 2 | 1 | – | 1 | 2 | 3 | – | 2 | 3 | 3 | – |
| Stricture of Urethra | 16 | – | – | – | – | – | – | – | – | – | 3 | – | 2 | – | – | – |
| Kidney Disease | 257 | 1 | 1 | 2 | 1 | 2 | 1 | 2 | 7 | 7 | 40 | 3 | 22 | 18 | 14 | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 12 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | 1 | – |
| Rheumatism | 77 | 3 | 4 | 3 | – | 3 | 4 | – | 1 | 1 | 8 | 2 | 7 | 2 | 2 | – |
| Joint and Bone Disease | 132 | – | 1 | 2 | – | 2 | 2 | – | 4 | 1 | 20 | – | 12 | 3 | 7 | 2 |
| XI. Carbuncle | 12 | – | – | – | – | 1 | – | – | – | – | – | 1 | 3 | – | – | – |
| Phlegmon | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 18 | – | – | – | – | – | – | – | – | 1 | 4 | – | – | 2 | 2 | – |
| XII. Cyanosis | 33 | – | – | – | – | – | – | – | – | – | 1 | 1 | 5 | 6 | 1 | – |
| Spina Bifida | 16 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – |
| Other Malformations | 41 | 1 | – | – | 1 | 1 | – | 2 | – | – | 2 | – | 4 | – | 1 | – |
| XVII. Intemperance | 48 | – | – | – | – | – | – | – | – | 2 | 4 | 1 | 5 | 1 | – | – |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 38 | – | – | – | – | – | – | – | – | – | 4 | – | 1 | – | 1 | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 21 | – | – | – | 1 | 2 | – | – | – | – | 4 | – | 2 | 2 | – | – |
| Poison | 19 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Burns and Scalds | 137 | 1 | 2 | 1 | 2 | 2 | 4 | 1 | 1 | – | 10 | – | 9 | 7 | 3 | 1 |
| Hanging, etc. | 35 | – | – | 1 | – | 1 | – | – | – | 1 | 4 | 1 | 1 | 2 | 3 | – |
| Suffocation | 71 | – | – | – | – | – | – | – | 1 | 4 | 4 | 5 | 2 | 2 | 2 | – |
| Drowning | 405 | 7 | 9 | 13 | 6 | 6 | 22 | 2 | 7 | 1 | 34 | 5 | 21 | 11 | 13 | – |
| Fracture and Contusion | 597 | – | – | 5 | 1 | 5 | 12 | 3 | 7 | 4 | 33 | 3 | 33 | 32 | 26 | 2 |
| Wounds | 79 | – | – | – | 1 | 1 | 2 | – | 1 | 2 | 8 | – | 6 | 1 | 4 | 1 |
| Other Violent Causes | 95 | 1 | – | – | – | 2 | 1 | – | 2 | 2 | 4 | – | 5 | 5 | 5 | – |
| Not Specified | 1510 | 34 | 19 | 13 | 21 | 108 | 98 | 7 | 35 | 20 | 79 | 10 | 90 | 45 | 57 | 3 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—MALES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 2 | 6 | 3 | – | 8 | 15 | 42 | 4 | 22 | 1 | 1 | – | 1 | 3 | 6 | 4 | 4 |
| Apoplexy | 2 | 8 | 15 | 12 | 5 | 34 | 30 | 128 | 3 | 71 | 6 | 2 | 3 | 2 | 12 | 14 | 7 | 12 |
| Paralysis | 5 | 26 | 8 | 20 | 4 | 40 | 43 | 125 | 10 | 88 | 11 | 10 | 6 | 4 | 15 | 15 | 9 | 10 |
| Delirium Tremens | – | 1 | 1 | – | – | 5 | 2 | 8 | – | 7 | – | – | – | – | – | 2 | – | – |
| Chorea | – | – | – | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 3 | 1 | 3 | – | 7 | 4 | 27 | – | 16 | 1 | 3 | – | – | 1 | 4 | 1 | – |
| Tetanus | – | – | – | 4 | – | – | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Insanity | – | 2 | – | – | 1 | – | 1 | 7 | – | 7 | – | 1 | – | – | – | 3 | – | – |
| Convulsions | 2 | 4 | 8 | 8 | – | 22 | 23 | 126 | 7 | 42 | 5 | 5 | 2 | 1 | 11 | 7 | 4 | 2 |
| Brain Disease | 3 | 16 | 8 | 9 | 3 | 38 | 21 | 109 | 2 | 75 | 5 | 5 | 2 | 2 | 5 | 5 | 5 | 7 |
| Pericarditis | 1 | 1 | 1 | 1 | – | 1 | 6 | 8 | – | 6 | – | 1 | – | – | 2 | 2 | 1 | – |
| Aneurism | – | 1 | – | – | – | 1 | 1 | 14 | – | 16 | – | – | – | – | – | – | – | – |
| Heart Disease | 11 | 48 | 16 | 35 | 6 | 54 | 70 | 238 | 10 | 160 | 18 | 17 | 11 | 4 | 24 | 28 | 13 | 17 |
| Laryngitis | 1 | – | 3 | 1 | – | 5 | 1 | 23 | – | 11 | 2 | 1 | 2 | – | 1 | 3 | 1 | 2 |
| Bronchitis | 15 | 49 | 26 | 32 | 9 | 179 | 128 | 967 | 44 | 314 | 19 | 10 | 7 | 5 | 31 | 34 | 35 | 22 |
| Pleurisy | – | 6 | 1 | 1 | – | 7 | 11 | 28 | 1 | 11 | 3 | 1 | – | – | 5 | 6 | – | 3 |
| Pneumonia | 7 | 35 | 14 | 16 | 4 | 69 | 61 | 456 | 15 | 80 | 13 | 7 | 6 | 2 | 21 | 29 | 20 | 14 |
| Asthma | 3 | 13 | 9 | 5 | – | 14 | 32 | 88 | 4 | 27 | 3 | 3 | 1 | – | 3 | 9 | 1 | 4 |
| Lung Disease | 1 | 12 | 1 | 5 | – | 8 | 10 | 43 | 1 | 28 | 3 | – | – | – | 4 | 3 | – | 3 |
| Teething | 1 | 19 | 13 | 4 | 4 | 57 | 37 | 193 | 12 | 38 | 7 | 1 | – | – | 4 | 5 | 3 | 3 |
| Quinsey | – | – | 1 | 2 | – | 8 | 4 | 9 | – | – | – | – | – | 1 | – | 1 | – | 1 |
| Gastritis | 2 | 4 | – | 2 | – | 2 | 8 | 14 | 1 | 4 | 1 | 3 | – | – | 1 | 2 | 1 | 4 |
| Enteritis | 2 | 12 | 7 | 6 | 6 | 52 | 51 | 169 | 16 | 37 | 6 | 8 | 1 | – | 8 | 20 | 17 | 11 |
| Peritonitis | 2 | 3 | 2 | 2 | – | 6 | 9 | 20 | 2 | 13 | 3 | – | 2 | – | – | 3 | 2 | 1 |
| Ascites | – | – | – | – | – | 2 | 3 | 4 | 1 | 3 | 2 | – | – | – | – | 1 | – | – |
| Ulceration of Intestines | 1 | – | 4 | 4 | 1 | 2 | 8 | 10 | 1 | 17 | 1 | 1 | 1 | 1 | – | 3 | – | 4 |
| Hernia | 1 | – | – | 1 | 1 | 4 | 6 | 12 | – | 5 | 1 | 1 | – | – | – | 1 | – | – |
| Ileus | 1 | 6 | 5 | 3 | 2 | 5 | 9 | 24 | 2 | 13 | – | 2 | – | – | 1 | 7 | 2 | 3 |
| Intussusception | – | – | – | 2 | – | – | 3 | 6 | – | 3 | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Stomach Disease | 2 | 8 | 10 | 18 | 4 | 12 | 19 | 56 | 1 | 34 | 5 | 6 | 3 | 1 | 5 | 10 | 10 | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hepatitis | – | 3 | 6 | 2 | 1 | 4 | 6 | 19 | 4 | 5 | – | – | – | – | 1 | 1 | 3 | 5 |
| Jaundice | 1 | 2 | 1 | 2 | – | 5 | 13 | 18 | – | 7 | 1 | 1 | – | – | 1 | 2 | 2 | 1 |
| Liver Disease | – | 8 | 5 | 11 | 3 | 14 | 12 | 64 | 1 | 46 | 4 | 4 | 1 | – | 9 | 15 | 6 | 2 |
| Spleen Disease | – | – | – | – | 2 | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Nephritis | 1 | 1 | – | 1 | – | 5 | 3 | 2 | – | 7 | 1 | – | – | 1 | 1 | – | – | 1 |
| Nephria | 1 | 1 | 1 | 1 | – | 3 | 4 | 18 | 2 | 23 | 3 | 2 | – | – | 3 | 4 | – | 3 |
| Ischuria | 1 | – | – | – | – | – | 2 | 5 | – | 1 | – | – | – | – | – | – | 1 | 1 |
| Diabetes | 1 | 2 | 2 | – | – | 3 | 3 | 11 | 3 | 8 | 2 | 2 | – | – | – | – | – | – |
| Stone | 1 | – | 4 | – | – | 2 | 4 | 4 | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Cystitis | – | 1 | – | 3 | – | 3 | 2 | 9 | – | 4 | 1 | – | – | 1 | – | 1 | – | – |
| Stricture of Urethra | – | – | – | 1 | – | 1 | 1 | 7 | – | – | – | – | – | – | 1 | – | – | – |
| Kidney Disease | 1 | 3 | 5 | 5 | 1 | 3 | 15 | 38 | 4 | 33 | 2 | 4 | 1 | – | 8 | 7 | 4 | 2 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | 2 | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 2 | 2 | 2 | – | 7 | 4 | 13 | – | 3 | – | – | – | – | – | 1 | 1 | – |
| Joint Disease | 1 | 2 | 4 | 5 | 1 | 6 | 6 | 19 | – | 17 | 1 | 1 | – | – | 2 | 3 | 5 | 3 |
| Carbuncle | – | – | 1 | – | – | – | 2 | 2 | – | 1 | – | – | – | – | – | 1 | – | – |
| Phlegmon | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Skin Disease | – | 3 | – | – | – | – | 1 | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Cyanosis | 1 | – | – | – | – | 2 | 4 | 9 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Spina Bifida | – | 2 | 1 | – | – | 1 | 2 | 3 | – | 3 | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | 1 | 1 | – | 1 | 9 | 8 | – | 8 | – | – | – | – | – | – | – | 1 |
| Intemperance | – | – | 1 | 2 | 1 | 2 | 1 | 13 | 2 | 6 | 1 | – | 1 | – | 3 | 2 | – | – |
| Privation | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | 1 | – | 1 | 2 | 20 | 1 | 6 | – | – | – | – | – | 1 | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 2 | – | – | 1 | 4 | – | – | – | – | – | – | – | 2 | 1 | – |
| Poison | 1 | 1 | – | – | 1 | 2 | 1 | 6 | – | 3 | 1 | – | – | – | 2 | – | – | – |
| Burns and Scalds | 2 | 3 | 2 | 2 | – | 14 | 4 | 41 | 5 | 13 | 3 | 1 | 1 | – | – | – | – | 2 |
| Hanging, etc. | 1 | 2 | 1 | – | – | 4 | – | 7 | – | 4 | 1 | 1 | – | – | – | – | – | – |
| Suffocation | – | 1 | 1 | 1 | – | 2 | 3 | 28 | – | 11 | 1 | – | – | – | – | 1 | – | 2 |
| Drowning | 4 | 4 | 21 | 23 | 6 | 21 | 25 | 69 | 2 | 19 | 5 | 7 | – | 1 | 6 | 10 | 5 | 20 |
| Fracture and Contusion | 4 | 22 | 5 | 9 | 1 | 30 | 61 | 178 | 8 | 60 | 6 | 4 | 1 | 2 | 17 | 13 | 4 | 6 |
| Wounds | 1 | 3 | – | 2 | 1 | 5 | 6 | 13 | 1 | 15 | – | – | – | – | 1 | 2 | 1 | 1 |
| Other Violent Causes | – | – | 1 | 1 | – | 2 | 8 | 36 | 1 | 11 | 1 | – | – | 1 | 2 | – | 1 | 3 |
| Not Specified | 14 | 63 | 27 | 88 | 14 | 90 | 113 | 271 | 14 | 44 | 16 | 8 | 3 | 1 | 17 | 47 | 19 | 22 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—FEMALES.

| DISEASES. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 31451 | 266 | 272 | 282 | 175 | 637 | 710 | 75 | 360 | 498 | 2213 | 255 | 2298 | 1286 | 1375 | 68 |
| SPECIFIED CAUSES | 30037 | 232 | 250 | 266 | 161 | 569 | 613 | 73 | 323 | 466 | 2125 | 249 | 2238 | 1233 | 1310 | 64 |
| I. Zymotic Class | 6467 | 66 | 35 | 37 | 21 | 99 | 116 | 14 | 64 | 98 | 545 | 50 | 501 | 235 | 305 | 13 |
| II. Diseases of Uncer. Seat | 1425 | 14 | 14 | 18 | 11 | 29 | 42 | 3 | 18 | 28 | 109 | 13 | 97 | 74 | 72 | 2 |
| III. Tubercular Class | 5393 | 27 | 38 | 44 | 26 | 73 | 72 | 13 | 52 | 63 | 355 | 41 | 377 | 170 | 160 | 8 |
| IV. Brain and Nervous Sys. | 2277 | 8 | 17 | 22 | 3 | 36 | 35 | 5 | 32 | 36 | 177 | 27 | 178 | 101 | 113 | 9 |
| V. Organs of Circulation | 1213 | 3 | 7 | 8 | 3 | 12 | 16 | 2 | 15 | 16 | 84 | 14 | 117 | 59 | 61 | 5 |
| VI. Respiratory Organs | 3973 | 10 | 23 | 25 | 18 | 50 | 61 | 4 | 36 | 48 | 213 | 18 | 299 | 141 | 123 | 6 |
| VII. Organs of Digestion | 2491 | 7 | 9 | 18 | 12 | 24 | 51 | 4 | 24 | 47 | 151 | 16 | 190 | 112 | 124 | 2 |
| VIII. Urinary Organs | 251 | 1 | – | 3 | 1 | 1 | 2 | – | 2 | 1 | 27 | 3 | 25 | 9 | 20 | 1 |
| IX. Organs of Generation | 504 | 3 | 3 | 3 | 1 | 12 | 19 | 2 | 2 | 3 | 35 | 4 | 26 | 16 | 21 | 1 |
| X. Organs of Locomotion | 207 | 3 | 2 | 2 | 1 | 7 | 5 | 1 | 2 | 2 | 26 | – | 17 | 7 | 12 | 1 |
| XI. Skin, etc. | 39 | – | – | – | 1 | – | 1 | – | – | 1 | 5 | – | 2 | 2 | 3 | – |
| XII. Malformation | 62 | – | – | – | – | – | 1 | 1 | 1 | 1 | 5 | 1 | 3 | 3 | 3 | – |
| XIII. Premature Debility | 1261 | – | 3 | 13 | – | 17 | 17 | 6 | 9 | 19 | 72 | 6 | 114 | 35 | 47 | 2 |
| XIV. Atrophy | 269 | – | 1 | – | – | 3 | 6 | – | 1 | 5 | 13 | 1 | 10 | 9 | 12 | 1 |
| XV. Age | 3608 | 82 | 96 | 70 | 63 | 196 | 154 | 16 | 59 | 93 | 273 | 54 | 230 | 225 | 207 | 13 |
| XVI. Sudden Deaths | 55 | 2 | – | – | – | 3 | 2 | – | – | 3 | 3 | – | 11 | 4 | 6 | – |
| XVII. Violent Deaths | 542 | 6 | 2 | 3 | – | 7 | 13 | 2 | 6 | 2 | 32 | 1 | 41 | 31 | 21 | – |
| I. Small Pox | 351 | – | – | 3 | 2 | – | 1 | – | – | – | 20 | 1 | 84 | 7 | 11 | 3 |
| Measles | 479 | – | – | – | 2 | – | 21 | – | 4 | 9 | 2 | 1 | 17 | 16 | 2 | 1 |
| Scarlatina | 873 | – | 15 | 8 | – | 5 | 17 | – | – | 9 | 179 | 18 | 68 | 33 | 81 | 1 |
| Diphtheria | 369 | – | – | 1 | – | 9 | 5 | 3 | 10 | 21 | 112 | 5 | 30 | 24 | 22 | – |
| Hooping Cough | 1215 | 48 | 1 | – | 12 | 33 | 16 | – | 6 | 11 | 31 | 3 | 20 | 11 | 46 | 1 |
| Croup | 419 | – | 1 | 2 | 2 | 13 | 8 | 2 | 4 | 10 | 17 | 5 | 62 | 17 | 20 | – |
| Thrush | 9 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| Diarrhœa | 526 | – | – | 2 | – | 8 | 8 | 3 | 3 | 10 | 29 | 4 | 22 | 29 | 20 | 2 |
| Dysentery | 214 | 1 | 3 | 4 | – | 1 | 1 | – | 2 | 4 | 10 | – | 28 | 38 | 8 | 2 |
| Cholera | 24 | 1 | – | – | – | 1 | – | – | – | – | – | – | 4 | 1 | 3 | – |
| Influenza | 124 | 5 | 4 | 7 | – | – | 5 | 1 | 1 | 3 | 11 | 3 | 14 | 3 | 3 | 1 |
| Purpura | 26 | 1 | – | – | – | – | – | – | 2 | – | 3 | 2 | 1 | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 19 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 2 | 1 |
| Infantile Fever | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1351 | 8 | 8 | 8 | 2 | 23 | 23 | 4 | 27 | 19 | 94 | 7 | 102 | 42 | 71 | 1 |
| Metria | 203 | – | – | 1 | – | 5 | 1 | – | 1 | – | 16 | 1 | 18 | 4 | 9 | – |
| Rheumatic Fever | 55 | – | 1 | – | 1 | – | 4 | – | 1 | – | 4 | – | 6 | 5 | 1 | – |
| Erysipelas | 124 | 1 | 1 | 1 | – | – | 6 | 1 | 3 | – | 7 | – | 17 | 3 | 5 | – |
| Syphilis | 53 | 1 | – | – | – | – | – | – | – | – | 8 | – | 5 | 2 | – | – |
| Noma | 7 | – | 1 | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 27 | – | – | – | – | – | 3 | – | 1 | 1 | – | – | 3 | 1 | – | – |
| Dropsy | 468 | 10 | 5 | 10 | 7 | 17 | 19 | – | 2 | 8 | 21 | 3 | 42 | 20 | 27 | – |
| Abscess | 53 | – | 1 | 1 | – | – | – | – | – | – | 4 | – | 2 | 2 | 2 | – |
| Ulcer | 17 | – | – | – | 1 | – | 1 | – | 2 | – | – | – | 2 | 2 | – | – |
| Fistula | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Mortification | 49 | – | 1 | 1 | – | – | – | – | 1 | 1 | 5 | 1 | 4 | 2 | 6 | – |
| Cancer | 798 | 3 | 7 | 6 | 3 | 10 | 18 | 3 | 12 | 18 | 79 | 9 | 43 | 46 | 37 | 2 |
| Gout | 6 | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 311 | – | 3 | 2 | 1 | 1 | 5 | 1 | 1 | 11 | 35 | 2 | 18 | 11 | 5 | – |
| Tabes Mesenterica | 358 | – | – | 3 | 1 | 2 | 1 | – | 4 | 2 | 13 | 1 | 16 | 7 | 11 | 1 |
| Phthisis | 4053 | 26 | 33 | 36 | 22 | 66 | 63 | 11 | 42 | 41 | 257 | 35 | 293 | 140 | 126 | 6 |
| Hydrocephalus | 671 | 1 | 2 | 3 | 2 | 4 | 3 | 1 | 5 | 9 | 50 | 3 | 50 | 12 | 18 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—FEMALES.

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 191 | 789 | 548 | 687 | 179 | 1914 | 2173 | 7970 | 346 | 3105 | 314 | 291 | 89 | 83 | 503 | 710 | 380 | 409 |
| SPECIFIED CAUSES | 172 | 732 | 517 | 593 | 164 | 1812 | 2091 | 7750 | 327 | 3062 | 297 | 280 | 86 | 83 | 492 | 656 | 366 | 385 |
| Zymotic Class | 36 | 166 | 121 | 108 | 25 | 384 | 524 | 1713 | 72 | 626 | 56 | 50 | 20 | 30 | 122 | 108 | 43 | 64 |
| Uncertain Seat | 9 | 39 | 29 | 28 | 4 | 71 | 103 | 278 | 14 | 155 | 22 | 20 | 5 | 2 | 28 | 33 | 22 | 19 |
| Tubercular Class | 31 | 126 | 102 | 96 | 35 | 429 | 461 | 1618 | 54 | 496 | 55 | 33 | 12 | 16 | 73 | 105 | 62 | 70 |
| Brain, etc. | 14 | 61 | 35 | 39 | 10 | 136 | 137 | 505 | 16 | 307 | 17 | 25 | 8 | 4 | 45 | 60 | 32 | 27 |
| Heart, etc. | 6 | 26 | 16 | 20 | 7 | 66 | 58 | 242 | 16 | 184 | 18 | 20 | 7 | – | 39 | 27 | 20 | 19 |
| Respiratory Organs | 24 | 79 | 64 | 54 | 15 | 239 | 225 | 1403 | 58 | 444 | 29 | 29 | 6 | 14 | 59 | 68 | 38 | 50 |
| Digestive Organs | 15 | 75 | 41 | 51 | 16 | 164 | 176 | 616 | 38 | 233 | 32 | 35 | 8 | 6 | 36 | 70 | 24 | 34 |
| Urinary Organs | 2 | 5 | 3 | 3 | 5 | 9 | 17 | 50 | 5 | 40 | 3 | 1 | – | 1 | 5 | 4 | 2 | – |
| Generative Organs | 1 | 9 | 9 | 23 | 2 | 26 | 40 | 123 | 3 | 61 | 6 | 4 | 3 | – | 10 | 12 | 11 | 10 |
| Locomotive Organs | – | 8 | 3 | 4 | 2 | 8 | 16 | 39 | 1 | 22 | 1 | 2 | – | – | 1 | 8 | 3 | 1 |
| Skin | – | 1 | 1 | 1 | – | 3 | 4 | 8 | – | 2 | – | – | – | 1 | – | – | 2 | 1 |
| Malformation | – | 1 | – | 1 | – | 6 | 5 | 18 | 1 | 7 | – | 1 | – | 1 | 1 | – | 1 | – |
| Premature Debility | 8 | 28 | 13 | 17 | 5 | 60 | 80 | 409 | 19 | 171 | 13 | 5 | 3 | 3 | 32 | 20 | 9 | 6 |
| Atrophy | 2 | 6 | 2 | 3 | 2 | 27 | 23 | 81 | 3 | 37 | 2 | 2 | 3 | – | 4 | 7 | 2 | 1 |
| Age | 21 | 91 | 64 | 131 | 35 | 153 | 184 | 478 | 22 | 215 | 35 | 46 | 10 | 4 | 34 | 121 | 57 | 76 |
| Sudden Deaths | – | 1 | 1 | 2 | – | 2 | 3 | 6 | – | 3 | 1 | – | – | – | – | – | 1 | 1 |
| Violent Deaths | 3 | 10 | 13 | 12 | 1 | 29 | 35 | 163 | 5 | 59 | 7 | 7 | 1 | 1 | 3 | 13 | 7 | 6 |
| Small Pox | – | 4 | 3 | 2 | – | 35 | 33 | 106 | 3 | 23 | 1 | 1 | – | – | 6 | 2 | – | – |
| Measles | 13 | 10 | 8 | 8 | – | 28 | 71 | 119 | 10 | 101 | 12 | 4 | – | – | – | 3 | 2 | 15 |
| Scarlatina | 9 | 9 | 11 | 10 | 1 | 15 | 85 | 82 | 12 | 126 | 7 | 5 | 2 | 14 | 29 | 7 | 3 | 12 |
| Diphtheria | – | 7 | 7 | 9 | 4 | 15 | 7 | 23 | 4 | 15 | 3 | 5 | 1 | 3 | 2 | 20 | 2 | – |
| Hooping Cough | 2 | 20 | 38 | 12 | 1 | 84 | 62 | 574 | 4 | 121 | 3 | 9 | 5 | 2 | 18 | 13 | 6 | 2 |
| Croup | – | 16 | 8 | 13 | 5 | 31 | 24 | 100 | 5 | 25 | 5 | 2 | 4 | 2 | 7 | 2 | 4 | 3 |
| Thrush | – | – | – | – | – | 2 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 19 | 14 | 7 | 1 | 38 | 42 | 170 | 5 | 45 | 6 | 3 | 2 | 2 | 7 | 11 | 6 | 6 |
| Dysentery | 2 | 3 | 8 | 1 | – | 14 | 12 | 37 | – | 19 | 1 | 1 | 1 | 1 | 4 | 3 | 1 | 4 |
| Cholera | – | 2 | – | – | – | – | – | 7 | – | 4 | 1 | – | – | – | – | – | – | – |
| Influenza | – | 4 | 2 | 3 | 2 | 2 | 13 | 15 | 1 | 4 | 1 | – | 1 | – | 2 | 3 | 4 | 6 |
| Purpura | 1 | 1 | – | 3 | – | 1 | 3 | 4 | – | 2 | – | 1 | – | – | – | – | – | 1 |
| Ague | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | 3 | – | 1 | – | 4 | – | 1 | 2 | – | – | – | 1 | 1 | – | 1 |
| Infantile Fever | – | 5 | – | – | – | 1 | 2 | 9 | – | 1 | 1 | – | – | – | – | 3 | – | 2 |
| Typhus | 6 | 56 | 16 | 25 | 11 | 87 | 123 | 365 | 20 | 93 | 6 | 11 | 3 | 6 | 37 | 28 | 12 | 7 |
| Metria | 1 | 4 | 4 | 5 | – | 13 | 22 | 45 | 7 | 26 | 4 | 5 | 1 | – | 3 | 6 | – | 1 |
| Rheumatic Fever | – | 2 | 1 | – | – | 3 | 5 | 7 | 1 | 5 | – | 3 | – | – | 2 | 1 | – | 2 |
| Erysipelas | – | 2 | – | 4 | – | 9 | 16 | 27 | – | 8 | 2 | – | – | – | 3 | 4 | 3 | 1 |
| Syphilis | – | 2 | 1 | 2 | – | 5 | 2 | 15 | – | 7 | – | – | – | – | 1 | 1 | – | 1 |
| Noma | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | 1 | – | 1 | – | 7 | – | 3 | – | 1 | 1 | – | 1 | – | – | 1 |
| Dropsy | 6 | 15 | 12 | 12 | 1 | 29 | 31 | 95 | – | 32 | 11 | 6 | – | – | 6 | 9 | 7 | 5 |
| Abscess | – | 2 | 2 | 2 | – | 2 | 3 | 18 | 1 | 7 | – | 1 | – | – | 1 | 1 | 1 | – |
| Ulcer | – | 1 | – | – | – | – | 2 | – | – | 3 | – | – | – | – | 1 | – | 1 | 1 |
| Fistula | – | – | – | 1 | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | 1 | – | 2 | 3 | 9 | – | 7 | 1 | 1 | – | – | 1 | – | – | 1 |
| Cancer | 3 | 20 | 13 | 11 | 3 | 37 | 61 | 147 | 13 | 103 | 10 | 11 | 4 | 2 | 18 | 23 | 12 | 11 |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Scrofula | 2 | 6 | 3 | 9 | 2 | 25 | 23 | 76 | 6 | 36 | 3 | 2 | 2 | 1 | 6 | 8 | 2 | 3 |
| Tabes Mesenterica | 1 | 11 | 11 | 2 | 6 | 30 | 33 | 122 | 4 | 51 | 4 | – | 1 | – | 7 | 6 | 5 | 2 |
| Phthisis | 24 | 93 | 72 | 75 | 24 | 314 | 345 | 1215 | 33 | 335 | 43 | 24 | 9 | 13 | 50 | 78 | 49 | 60 |
| Hydrocephalus | 4 | 16 | 16 | 10 | 3 | 60 | 60 | 205 | 11 | 74 | 5 | 7 | – | 2 | 10 | 13 | 6 | 5 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—FEMALES. (*Continued.*)

| DISEASES. | Scotland. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 116 | 1 | 1 | – | 1 | 4 | 2 | 1 | 1 | 4 | 13 | 2 | 12 | 4 | 9 | – |
| Apoplexy | 465 | 2 | 2 | 1 | – | 4 | 5 | – | 8 | 4 | 29 | 6 | 31 | 25 | 20 | 1 |
| Paralysis | 752 | 4 | 4 | 8 | 1 | 13 | 20 | 2 | 9 | 13 | 53 | 12 | 67 | 50 | 47 | 7 |
| Delirium Tremens | 11 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| Chorea | 9 | 1 | – | – | – | – | – | – | – | – | 3 | – | 1 | – | 1 | – |
| Epilepsy | 101 | – | 4 | 3 | 1 | 3 | 3 | – | 2 | 3 | 8 | 1 | 5 | 6 | 6 | – |
| Tetanus | 18 | – | 1 | – | – | 1 | – | – | – | 1 | 2 | – | 1 | – | 3 | – |
| Insanity | 54 | – | 1 | 1 | – | 3 | – | – | – | – | 3 | 1 | 7 | – | 2 | – |
| Convulsions | 286 | – | 3 | 4 | – | 3 | 2 | – | 4 | 4 | 34 | 2 | 25 | 1 | 9 | 1 |
| Brain Disease | 415 | – | 1 | 5 | – | 5 | 3 | 2 | 8 | 7 | 30 | 3 | 28 | 15 | 15 | – |
| V. Pericarditis | 30 | – | 1 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 4 | – |
| Aneurism | 25 | – | – | – | – | – | – | – | – | 1 | 5 | – | 1 | – | – | – |
| Heart Disease | 1158 | 3 | 6 | 8 | 3 | 12 | 16 | 2 | 15 | 15 | 78 | 14 | 114 | 58 | 57 | 5 |
| VI. Laryngitis | 70 | – | – | 1 | – | – | 2 | – | – | – | 7 | 1 | 9 | 3 | 5 | – |
| Bronchitis | 2476 | 3 | 5 | 19 | 2 | 14 | 21 | 2 | 23 | 25 | 153 | 8 | 180 | 93 | 70 | 4 |
| Pleurisy | 113 | – | 2 | – | – | 1 | 15 | – | 3 | – | 2 | – | 8 | 4 | 4 | – |
| Pneumonia | 835 | 2 | 4 | 3 | 1 | 10 | 6 | 1 | 5 | 8 | 35 | 6 | 56 | 29 | 24 | 2 |
| Asthma | 330 | 5 | 7 | 2 | 15 | 23 | 13 | 1 | 4 | 10 | 9 | 1 | 35 | 9 | 7 | – |
| Lung Disease | 149 | – | 5 | – | – | 2 | 4 | – | 1 | 5 | 7 | 2 | 11 | 3 | 13 | – |
| VII. Teething | 542 | 2 | – | 2 | 2 | 1 | 12 | 1 | 3 | 8 | 39 | 1 | 45 | 25 | 32 | – |
| Quinsey | 42 | 1 | – | 1 | – | 3 | 3 | – | 2 | 2 | 4 | – | 3 | 1 | 3 | – |
| Gastritis | 70 | – | – | – | – | 2 | 1 | – | – | 1 | 5 | – | 5 | 1 | 3 | – |
| Enteritis | 413 | 1 | – | 3 | 1 | 2 | 1 | – | 5 | 6 | 11 | 3 | 26 | 16 | 9 | – |
| Peritonitis | 178 | – | 1 | 3 | – | 2 | 3 | – | 1 | 4 | 14 | 1 | 12 | 6 | 9 | – |
| Ascites | 40 | – | – | – | 1 | – | 1 | – | 1 | – | 2 | – | – | 4 | 1 | – |
| Ulceration of Intestines | 91 | – | – | – | – | 1 | 1 | – | 2 | 4 | 5 | 1 | 5 | 4 | 2 | – |
| Hernia | 56 | – | – | – | – | 1 | 1 | – | – | – | 6 | 1 | 3 | 2 | 7 | – |
| Ileus | 124 | 1 | – | 1 | 2 | 3 | 8 | – | 1 | 3 | 14 | 2 | 11 | 5 | 3 | 1 |
| Intussusception | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | 14 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | 2 | – | – |
| Stomach Disease | 431 | – | 4 | 6 | 3 | 6 | 12 | 2 | 8 | 10 | 27 | 2 | 37 | 17 | 25 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 88 | 2 | – | 2 | – | – | 2 | – | – | – | 4 | – | 6 | 3 | 5 | – |
| Jaundice | 83 | – | 2 | – | 1 | 2 | 5 | – | – | 2 | 8 | 2 | 12 | 4 | 1 | – |
| Liver Disease | 291 | – | 1 | – | 2 | 1 | 1 | 1 | – | 6 | 12 | 2 | 22 | 20 | 23 | 1 |
| Spleen Disease | 13 | – | – | – | – | – | – | – | – | 1 | – | – | 3 | 2 | – | – |
| VIII. Nephritis | 27 | – | – | – | 1 | – | – | – | – | – | 5 | 1 | 4 | – | – | – |
| Nephria | 72 | – | – | 1 | – | – | – | – | – | 1 | 2 | – | 7 | 3 | 5 | 1 |
| Ischuria | 14 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | 3 | – | 1 | – |
| Diabetes | 31 | – | – | – | – | – | 1 | – | 1 | – | 6 | 1 | – | 1 | 1 | – |
| Stone | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 11 | 1 | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 91 | – | – | 1 | – | – | – | – | 1 | – | 13 | 1 | 10 | 4 | 13 | – |
| IX. Paramenia | 28 | – | – | – | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | 2 | 1 | – |
| Ovarian Dropsy | 81 | – | – | 1 | – | – | 2 | – | – | – | 9 | 2 | 4 | 1 | 4 | – |
| Childbirth | 308 | 3 | 3 | 1 | – | 9 | 15 | 2 | – | 2 | 18 | 2 | 18 | 9 | 8 | 1 |
| Organs of Generation | 87 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | 7 | – | 3 | 4 | 8 | – |
| X. Arthritis | 8 | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Rheumatism | 104 | 3 | 1 | 2 | 1 | 5 | 4 | 1 | 2 | 1 | 13 | – | 7 | 4 | 5 | 1 |
| Joint and Bone Disease | 95 | – | 1 | – | – | 1 | – | – | – | 1 | 12 | – | 10 | 3 | 7 | – |
| XI. Carbuncle | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Phlegmon | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| Skin Disease | 22 | – | – | – | 1 | – | 1 | – | – | 1 | 5 | – | – | – | 1 | – |
| XII. Cyanosis | 23 | – | – | – | – | – | – | 1 | 1 | – | 3 | 1 | 2 | 1 | 1 | – |
| Spina Bifida | 16 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 2 | 2 | – |
| Other Malformations | 23 | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| XVII. Intemperance | 30 | – | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 2 | 1 | – |
| Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 32 | 1 | – | – | – | – | – | – | – | – | 3 | – | 1 | 1 | – | – |
| Neglect | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 13 | 1 | – | 1 | – | 1 | 1 | – | – | – | 2 | – | – | 3 | – | – |
| Poison | 25 | – | – | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – |
| Burns and Scalds | 156 | 2 | – | – | – | 3 | 5 | 1 | 2 | 1 | 8 | – | 16 | 13 | 8 | – |
| Hanging, etc. | 14 | – | 1 | 1 | – | – | 1 | – | 1 | – | 1 | – | 4 | – | 1 | – |
| Suffocation | 31 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | 3 | 1 | – | – |
| Drowning | 62 | – | – | 1 | – | – | 1 | – | – | – | 5 | – | 5 | 4 | 4 | – |
| Fracture and Contusion | 129 | 1 | – | – | – | 1 | 2 | – | 2 | – | 9 | – | 6 | 6 | 4 | – |
| Wounds | 14 | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | 1 | – | 2 | – |
| Other Violent Causes | 29 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | 2 | 1 | 1 | – |
| Not Specified | 1414 | 34 | 22 | 16 | 14 | 68 | 97 | 2 | 37 | 32 | 88 | 6 | 60 | 53 | 65 | 4 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1861.—FEMALES. (*Continued.*)

| DISEASES. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 6 | 3 | 3 | – | 12 | 12 | 39 | 2 | 20 | 1 | 3 | – | – | 2 | 4 | 3 | 1 |
| Apoplexy | 6 | 8 | 7 | 6 | 4 | 33 | 31 | 112 | 4 | 67 | 4 | 4 | 1 | 3 | 13 | 13 | 8 | 3 |
| Paralysis | 7 | 21 | 14 | 13 | 4 | 33 | 37 | 117 | 5 | 94 | 10 | 13 | – | 1 | 19 | 23 | 15 | 16 |
| Delirium Tremens | – | – | 2 | – | – | – | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | – | 5 | – | – | – | 7 | 5 | 21 | 1 | 8 | – | 1 | 1 | – | 1 | 4 | – | 2 |
| Tetanus | – | – | – | – | – | 1 | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | 1 | 1 | 5 | 4 | 4 | – | 15 | – | – | – | – | 1 | 3 | – | 1 |
| Convulsions | 1 | 3 | 5 | 5 | – | 7 | 15 | 93 | 3 | 44 | 1 | 3 | 3 | – | 3 | 3 | 2 | 3 |
| Brain Disease | – | 18 | 3 | 11 | 1 | 38 | 28 | 115 | – | 53 | 1 | 1 | 3 | – | 6 | 10 | 4 | 1 |
| Pericarditis | – | – | 3 | 2 | – | 3 | – | 4 | 2 | 5 | 1 | – | – | – | – | – | 1 | – |
| Aneurism | – | – | 1 | – | – | 2 | 1 | 4 | 1 | 6 | – | – | – | – | 1 | 1 | – | 1 |
| Heart Disease | 6 | 26 | 12 | 18 | 7 | 61 | 57 | 234 | 13 | 173 | 17 | 20 | 7 | – | 38 | 26 | 19 | 18 |
| Laryngitis | – | 1 | 1 | 1 | – | 2 | 2 | 19 | 1 | 9 | – | 1 | – | – | 3 | 1 | 1 | – |
| Bronchitis | 12 | 43 | 38 | 32 | 9 | 156 | 132 | 954 | 42 | 285 | 18 | 11 | 1 | 8 | 32 | 39 | 18 | 24 |
| Pleurisy | 1 | 2 | 2 | – | – | 5 | 9 | 16 | – | 20 | 3 | 2 | 1 | 1 | 1 | 3 | 4 | 4 |
| Pneumonia | 8 | 20 | 17 | 7 | 5 | 45 | 52 | 302 | 13 | 83 | 7 | 12 | 2 | 5 | 18 | 18 | 14 | 15 |
| Asthma | 2 | 7 | 4 | 13 | 1 | 23 | 20 | 73 | 2 | 27 | 1 | 2 | 1 | – | 2 | 6 | 1 | 4 |
| Lung Disease | 1 | 6 | 2 | 1 | – | 8 | 10 | 39 | – | 20 | – | 1 | 1 | – | 3 | 1 | – | 3 |
| Teething | 5 | 15 | 12 | 7 | 1 | 50 | 38 | 184 | 12 | 28 | 1 | 3 | 1 | – | 4 | 4 | – | 4 |
| Quinsey | – | 1 | 1 | – | – | 3 | 3 | 3 | – | 3 | 1 | 2 | – | – | – | 1 | – | 1 |
| Gastritis | 1 | 2 | – | 1 | 2 | 3 | 8 | 23 | – | 6 | – | – | – | – | – | 3 | 3 | – |
| Enteritis | 2 | 8 | 3 | 7 | 4 | 36 | 32 | 132 | 7 | 37 | 6 | 6 | 3 | – | 9 | 15 | 15 | 7 |
| Peritonitis | – | 2 | 3 | 1 | – | 13 | 14 | 37 | 5 | 27 | 2 | – | 1 | 2 | 2 | 7 | 6 | – |
| Ascites | – | – | – | 4 | – | 4 | – | 11 | 2 | 1 | – | 1 | – | – | 1 | 5 | 1 | – |
| Ulceration of Intestines | 2 | 4 | 2 | 1 | – | 7 | 8 | 19 | 1 | 7 | 1 | 2 | – | 1 | 2 | 2 | 2 | 5 |
| Hernia | – | – | 1 | – | – | 1 | 3 | 16 | 1 | 7 | – | 3 | – | – | – | 3 | – | – |
| Ileus | – | 7 | – | 3 | 1 | 5 | 2 | 19 | 3 | 11 | 2 | 3 | – | 1 | 2 | 4 | 2 | 4 |
| Intussusception | – | – | – | 1 | – | – | 5 | 4 | – | 1 | 1 | 1 | – | – | – | 1 | – | – |
| Stricture of Intestines | 1 | 1 | – | – | – | – | 1 | 2 | – | 2 | – | – | – | – | – | 1 | 1 | – |
| Stomach Disease | 1 | 23 | 9 | 16 | 5 | 14 | 30 | 60 | 3 | 58 | 7 | 9 | 1 | – | 6 | 16 | 10 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 2 | 4 | 3 | – | 10 | 8 | 19 | 1 | 5 | 2 | – | – | – | 1 | 2 | 4 | 3 |
| Jaundice | – | 1 | 2 | 1 | 1 | 1 | 5 | 15 | – | 9 | 2 | 2 | – | 1 | 1 | 1 | 1 | 1 |
| Liver Disease | 3 | 8 | 4 | 6 | 2 | 17 | 19 | 68 | 3 | 31 | 7 | 3 | 2 | – | 8 | 5 | 8 | 5 |
| Spleen Disease | – | 1 | – | – | – | – | – | 4 | – | – | – | – | – | 1 | – | – | 1 | – |
| Nephritis | 1 | 1 | – | – | – | 2 | 2 | 5 | – | 4 | – | – | – | – | – | – | 1 | – |
| Nephria | 1 | 1 | 1 | 2 | 1 | 1 | 4 | 17 | 2 | 17 | 1 | – | – | 1 | 2 | – | 1 | – |
| Ischuria | – | – | – | – | 1 | 2 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 1 | – | – | 1 | 1 | 8 | 2 | 3 | 1 | – | – | – | 1 | 2 | – | – |
| Stone | – | – | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Cystitis | – | – | – | – | – | – | 4 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 3 | – | 1 | 3 | 3 | 4 | 17 | – | 12 | 1 | 1 | – | – | 1 | 2 | – | – |
| Paramenia | – | – | – | 1 | – | 1 | 3 | 6 | – | 2 | – | – | 1 | – | 3 | – | 1 | 1 |
| Ovarian Dropsy | 1 | 1 | 1 | 6 | – | 5 | 4 | 18 | – | 11 | 2 | – | 1 | – | – | 2 | 3 | 3 |
| Childbirth | – | 8 | 7 | 15 | – | 19 | 23 | 85 | 3 | 34 | 1 | 3 | 1 | – | 4 | 3 | 7 | 4 |
| Organs of Generation | – | – | 1 | 1 | 2 | 1 | 10 | 14 | – | 14 | 3 | 1 | – | – | 3 | 7 | – | 2 |
| Arthritis | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Rheumatism | – | 4 | 1 | 4 | – | 4 | 6 | 17 | – | 9 | 1 | 2 | – | – | 1 | 3 | 2 | – |
| Joint Disease | – | 4 | 2 | – | 2 | 4 | 9 | 21 | 1 | 12 | – | – | – | – | – | 4 | 1 | – |
| Carbuncle | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Phlegmon | – | 1 | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | 1 | – | 2 | 4 | 4 | – | – | – | – | – | – | – | – | 2 | – |
| Cyanosis | – | 1 | – | 1 | – | 1 | 1 | 5 | – | 2 | – | 1 | – | – | – | – | 1 | – |
| Spina Bifida | – | – | – | – | – | 2 | 2 | 4 | – | – | – | – | – | 1 | – | – | – | – |
| Other Malformations | – | – | – | – | – | 3 | 2 | 9 | 1 | 5 | – | – | – | – | 1 | – | – | – |
| Intemperance | – | – | 1 | – | – | 6 | – | 8 | 1 | 6 | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | 2 | 1 | – | – | 1 | 3 | 13 | – | 6 | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Poison | – | 1 | – | 1 | – | – | 2 | 10 | – | 6 | – | – | – | – | – | – | 1 | 1 |
| Burns and Scalds | – | 3 | 4 | 2 | – | 10 | 11 | 44 | 2 | 8 | 2 | 4 | – | 1 | 1 | 2 | 3 | – |
| Hanging, etc. | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Suffocation | – | – | 1 | 1 | – | 5 | 2 | 8 | – | 3 | – | – | 1 | – | – | – | 1 | 2 |
| Drowning | 1 | 1 | 2 | 3 | – | 2 | 1 | 25 | – | 2 | – | 1 | – | – | 1 | 2 | 1 | – |
| Fracture and Contusion | 1 | 2 | 2 | 4 | – | 4 | 12 | 34 | 1 | 22 | 4 | 1 | – | – | – | 8 | – | 3 |
| Wounds | 1 | – | – | – | – | – | – | 4 | – | 1 | – | – | – | – | – | 1 | – | – |
| Other Violent Causes | – | – | 2 | – | 1 | 1 | 3 | 11 | 1 | 1 | – | – | – | – | 1 | – | 1 | – |
| Not Specified | 19 | 57 | 31 | 94 | 15 | 102 | 82 | 220 | 19 | 43 | 17 | 11 | 3 | – | 11 | 54 | 14 | 24 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—BOTH SEXES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES . . . . . | 10936 | 712 | 655 | 4168 | 2499 | 1780 | 1207 | 1113 | 766 | 665 |
| SPECIFIED CAUSES . . . | 10725 | 652 | 626 | 4138 | 2435 | 1770 | 1179 | 1054 | 758 | 655 |
| I. Zymotic Class . . . | 2266 | 114 | 150 | 801 | 651 | 419 | 270 | 234 | 171 | 167 |
| II. Diseases of Uncertain Seat | 291 | 30 | 19 | 165 | 76 | 72 | 47 | 25 | 24 | 22 |
| III. Tubercular Class . . | 2216 | 111 | 117 | 759 | 391 | 335 | 229 | 230 | 125 | 91 |
| IV. Brain and Nervous System | 734 | 58 | 49 | 433 | 178 | 166 | 81 | 107 | 73 | 66 |
| V. Organs of Circulation . | 356 | 18 | 25 | 235 | 108 | 70 | 27 | 42 | 47 | 37 |
| VI. Respiratory Organs . | 2240 | 131 | 103 | 624 | 368 | 218 | 179 | 131 | 127 | 70 |
| VII. Organs of Digestion . | 838 | 40 | 50 | 301 | 211 | 151 | 125 | 85 | 48 | 57 |
| VIII. Urinary Organs . . | 110 | 5 | 7 | 92 | 29 | 43 | 10 | 9 | 9 | 9 |
| IX. Organs of Generation . | 72 | 9 | 7 | 41 | 17 | 10 | 8 | 8 | 4 | 5 |
| X. Organs of Locomotion . | 48 | 5 | 3 | 28 | 13 | 30 | 8 | 5 | 6 | 1 |
| XI. Skin, etc. . . . . | 8 | – | 3 | 3 | 4 | 2 | – | 2 | – | 3 |
| XII. Malformation . . . | 28 | – | 2 | 11 | – | 4 | 3 | 3 | 5 | 3 |
| XIII. Premature Debility . . | 643 | 35 | 47 | 224 | 176 | 76 | 54 | 52 | 34 | 22 |
| XIV. Atrophy . . . . | 106 | 16 | 3 | 40 | 10 | 9 | 21 | 20 | 4 | 4 |
| XV. Age . . . . . | 415 | 49 | 19 | 254 | 133 | 107 | 92 | 62 | 47 | 70 |
| XVI. Sudden Deaths . . | 16 | 1 | – | 1 | 10 | 3 | – | 2 | 3 | 2 |
| XVII. Violent Deaths . . | 338 | 30 | 22 | 126 | 60 | 55 | 25 | 37 | 31 | 26 |
| I. Small Pox . . . | 131 | 4 | 5 | 46 | 148 | 27 | 35 | 20 | – | 4 |
| Measles . . . . | 150 | 3 | 20 | 115 | 33 | 7 | 42 | 11 | 47 | 39 |
| Scarlatina . . . | 102 | 4 | 2 | 193 | 121 | 109 | 19 | 6 | 23 | 17 |
| Diphtheria . . . | 34 | 2 | 9 | 11 | 35 | 54 | 1 | 21 | 6 | 2 |
| Hooping Cough . . | 842 | 37 | 35 | 154 | 17 | 46 | 70 | 33 | 36 | 8 |
| Croup . . . . | 136 | 10 | 15 | 23 | 98 | 18 | 15 | 32 | 9 | 8 |
| Thrush . . . . | 4 | – | – | 2 | 1 | 1 | – | 2 | – | – |
| Diarrhœa . . . . | 182 | 28 | 17 | 52 | 40 | 31 | 10 | 33 | 14 | 32 |
| Dysentery . . . | 38 | 5 | 6 | 17 | 24 | 7 | 14 | 3 | 5 | 37 |
| Cholera . . . . | 13 | – | – | 9 | 3 | 1 | – | – | 1 | 1 |
| Influenza . . . . | 27 | 1 | 2 | 4 | 10 | 12 | – | 2 | – | – |
| Purpura . . . . | 6 | – | 1 | 4 | 1 | 2 | 2 | 1 | – | – |
| Ague . . . . | 2 | – | – | – | – | – | – | – | – | – |
| Worms . . . . | 8 | – | – | – | – | – | 1 | – | – | – |
| Infantile Fever . . | 11 | – | – | 1 | 1 | 1 | – | – | – | – |
| Typhus . . . . | 475 | 18 | 32 | 111 | 85 | 60 | 45 | 58 | 20 | 16 |
| Metria . . . . | 29 | 2 | 3 | 16 | 6 | 11 | 3 | 5 | 2 | 2 |
| Rheumatic Fever . . | 8 | – | – | 10 | 3 | 6 | – | – | 1 | – |
| Erysipelas . . . | 39 | – | 2 | 19 | 9 | 9 | 8 | 1 | 4 | – |
| Syphilis . . . . | 28 | – | 1 | 14 | 14 | 15 | 5 | 6 | 3 | 1 |
| Noma . . . . | 1 | – | – | – | 2 | 2 | – | – | – | – |
| Hydrophobia . . . | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage . . . | 8 | 3 | – | 4 | – | – | 2 | 1 | – | 1 |
| Dropsy . . . . | 99 | 14 | 3 | 26 | 50 | 19 | 27 | 5 | 5 | 3 |
| Abscess . . . . | 28 | 6 | 1 | 9 | 6 | 4 | 2 | 1 | 1 | 3 |
| Ulcer . . . . | 3 | – | – | 4 | – | – | – | 1 | – | – |
| Fistula . . . . | 4 | – | 1 | 1 | – | – | – | – | – | – |
| Mortification . . . | 13 | 2 | – | 10 | 4 | 4 | 2 | 2 | – | 1 |
| Cancer . . . . | 136 | 5 | 14 | 110 | 16 | 45 | 14 | 15 | 18 | 14 |
| Gout . . . . | – | – | – | 1 | – | – | – | – | – | – |
| III. Scrofula . . . . | 104 | 8 | 9 | 59 | 14 | 27 | 12 | 17 | 7 | 8 |
| Tabes Mesenterica . . | 187 | 5 | 13 | 77 | 15 | 11 | 20 | 19 | 15 | 8 |
| Phthisis . . . . | 1586 | 87 | 73 | 483 | 282 | 236 | 171 | 167 | 75 | 63 |
| Hydrocephalus . . | 339 | 11 | 22 | 140 | 80 | 61 | 26 | 27 | 28 | 12 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—BOTH SEXES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 354 | 379 | 195 | 353 | 270 | 181 | 272 | 505 | 591 | 256 | 322 | 337 | 449 |
| SPECIFIED CAUSES | 341 | 372 | 186 | 350 | 262 | 177 | 267 | 488 | 585 | 246 | 300 | 330 | 426 |
| Zymotic Class | 56 | 59 | 26 | 45 | 80 | 25 | 54 | 94 | 125 | 43 | 89 | 111 | 59 |
| Uncertain Seat | 16 | 17 | 3 | 15 | 10 | 9 | 7 | 17 | 20 | 7 | 16 | 3 | 13 |
| Tubercular Class | 41 | 60 | 46 | 69 | 31 | 24 | 42 | 95 | 142 | 50 | 47 | 56 | 81 |
| Brain, etc. | 32 | 35 | 18 | 53 | 21 | 23 | 25 | 35 | 41 | 21 | 15 | 16 | 49 |
| Heart, etc. | 12 | 20 | 17 | 19 | 11 | 10 | 25 | 11 | 32 | 11 | 9 | 4 | 22 |
| Respiratory Organs | 37 | 52 | 28 | 53 | 33 | 29 | 31 | 71 | 80 | 28 | 45 | 48 | 68 |
| Digestive Organs | 42 | 40 | 13 | 30 | 19 | 17 | 33 | 52 | 38 | 24 | 23 | 24 | 45 |
| Urinary Organs | 5 | 8 | 3 | 8 | 2 | 1 | 2 | 9 | 5 | 2 | 2 | 1 | 3 |
| Generative Organs | 5 | 3 | – | 1 | 5 | 1 | 2 | 6 | 5 | 2 | 4 | 3 | 2 |
| Locomotive Organs | 2 | 6 | 3 | 1 | 3 | 2 | 4 | 4 | 2 | – | 1 | 3 | 2 |
| Skin | 1 | – | – | – | – | – | 2 | 1 | 3 | – | – | 1 | – |
| Malformation | 1 | 3 | 2 | 2 | – | – | 1 | 2 | 3 | – | 1 | – | – |
| Premature Debility | 19 | 29 | 13 | 14 | 22 | 8 | 16 | 23 | 35 | 17 | 14 | 24 | 20 |
| Atrophy | 4 | 2 | 1 | 4 | 6 | – | 2 | 3 | 1 | 1 | 8 | 2 | 4 |
| Age | 56 | 23 | 9 | 29 | 16 | 22 | 13 | 44 | 38 | 16 | 18 | 13 | 42 |
| Sudden Deaths | – | 4 | – | – | 2 | 2 | – | – | 1 | 2 | – | – | – |
| Violent Deaths | 12 | 11 | 4 | 7 | 1 | 4 | 8 | 21 | 14 | 22 | 8 | 21 | 16 |
| Small Pox | – | 10 | 3 | – | 2 | – | – | 1 | 28 | – | 4 | 23 | 1 |
| Measles | – | 2 | – | – | – | – | 9 | 35 | 11 | 8 | 23 | 4 | – |
| Scarlatina | – | 1 | – | 6 | 26 | 5 | 1 | 6 | 5 | – | – | 1 | 5 |
| Diphtheria | 2 | – | – | 4 | 5 | 1 | 5 | – | – | 3 | – | 1 | – |
| Hooping Cough | 16 | 5 | 1 | – | 19 | 4 | 11 | 20 | 4 | 7 | 15 | 39 | 20 |
| Croup | 11 | 4 | 1 | 5 | – | 5 | 2 | 4 | 8 | 3 | 5 | 3 | 2 |
| Thrush | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 9 | 5 | 3 | 2 | 2 | 1 | 8 | 3 | 9 | 8 | 21 | 5 | 13 |
| Dysentery | 1 | – | 2 | 2 | 5 | 1 | 4 | 3 | 3 | 1 | 4 | 4 | 2 |
| Cholera | – | – | – | 2 | – | 2 | – | 1 | – | – | 1 | 2 | – |
| Influenza | – | 6 | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| Purpura | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus | 14 | 20 | 10 | 14 | 19 | 4 | 10 | 14 | 45 | 12 | 13 | 26 | 11 |
| Metria | – | 1 | 1 | 5 | 1 | – | – | – | 3 | 1 | – | 1 | 2 |
| Rheumatic Fever | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – |
| Erysipelas | 3 | 4 | 3 | 4 | – | 1 | – | 2 | 9 | – | 2 | – | 2 |
| Syphilis | – | 1 | 2 | – | – | – | – | 3 | – | – | – | – | 1 |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | 1 |
| Dropsy | 6 | 5 | – | 1 | 4 | 1 | 3 | 4 | 5 | 1 | 6 | 3 | 6 |
| Abscess | – | – | – | 1 | – | 2 | – | 1 | – | 1 | – | – | – |
| Ulcer | 1 | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – |
| Fistula | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – |
| Mortification | – | 4 | – | – | – | 1 | – | – | 1 | 1 | 2 | – | – |
| Cancer | 8 | 4 | 3 | 11 | 4 | 5 | 3 | 9 | 14 | 4 | 7 | – | 6 |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | – | 3 | 5 | 5 | 3 | 1 | 1 | 5 | 4 | 5 | 3 | 6 | 3 |
| Tabes Mesenterica | – | 3 | 4 | 4 | 2 | 1 | 1 | 7 | 9 | – | 4 | 7 | 4 |
| Phthisis | 37 | 45 | 29 | 52 | 15 | 21 | 39 | 69 | 117 | 39 | 31 | 27 | 63 |
| Hydrocephalus | 4 | 9 | 8 | 8 | 11 | 1 | 1 | 14 | 12 | 6 | 9 | 16 | 11 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—BOTH SEXES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 48 | 7 | 5 | 25 | 9 | 10 | 4 | 10 | 8 | 4 |
| Apoplexy | 162 | 7 | 9 | 82 | 31 | 33 | 23 | 19 | 19 | 16 |
| Paralysis | 155 | 24 | 9 | 121 | 43 | 38 | 23 | 26 | 21 | 22 |
| Delirium Tremens | 5 | 1 | – | 6 | 3 | 5 | – | 4 | 2 | 1 |
| Chorea | 3 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 32 | 2 | 4 | 14 | 7 | 4 | 3 | 3 | 3 | 3 |
| Tetanus | 5 | – | – | 1 | – | 2 | – | 1 | – | – |
| Insanity | 3 | – | 6 | 21 | – | 4 | 3 | 1 | – | 2 |
| Convulsions | 162 | 9 | 5 | 61 | 55 | 36 | 9 | 6 | 12 | 2 |
| Brain Disease | 159 | 8 | 11 | 102 | 30 | 34 | 16 | 37 | 8 | 16 |
| V. Pericarditis | 5 | 1 | – | 2 | 1 | 2 | 2 | 1 | 4 | 1 |
| Aneurism | 15 | 1 | 1 | 17 | – | 7 | 3 | – | 3 | – |
| Heart Disease | 336 | 16 | 24 | 216 | 107 | 61 | 22 | 41 | 40 | 36 |
| VI. Laryngitis | 35 | – | – | 12 | 13 | 10 | 2 | 2 | 3 | 1 |
| Bronchitis | 1451 | 84 | 66 | 411 | 205 | 146 | 132 | 84 | 81 | 51 |
| Pleurisy | 24 | 3 | 2 | 23 | 11 | 4 | 2 | 5 | 3 | 3 |
| Pneumonia | 547 | 35 | 28 | 105 | 88 | 35 | 30 | 28 | 31 | 10 |
| Asthma | 109 | 8 | 5 | 38 | 43 | 17 | 11 | 9 | 6 | 3 |
| Lung Disease | 74 | 1 | 2 | 35 | 8 | 6 | 2 | 3 | 3 | 2 |
| VII. Teething | 292 | 14 | 18 | 41 | 87 | 53 | 44 | 28 | 4 | 29 |
| Quinsey | 7 | – | 4 | 2 | 5 | 5 | 2 | 1 | – | 1 |
| Gastritis | 20 | 1 | 2 | 5 | 5 | 4 | 3 | 1 | 2 | – |
| Enteritis | 200 | 7 | 5 | 47 | 19 | 8 | 38 | 17 | 6 | 2 |
| Peritonitis | 30 | 2 | 6 | 27 | 12 | 18 | 7 | 7 | 5 | 3 |
| Ascites | 12 | – | – | 3 | – | 4 | – | – | 1 | – |
| Ulceration of Intestines | 16 | – | 1 | 17 | 2 | 9 | 2 | 2 | 1 | – |
| Hernia | 19 | – | 1 | 10 | 3 | 2 | 3 | 2 | 2 | 3 |
| Ileus | 18 | 5 | 1 | 14 | 11 | 12 | 3 | 4 | 5 | 3 |
| Intussusception | 10 | – | – | 2 | – | – | – | – | 1 | – |
| Stricture of Intestines | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Stomach Disease | 72 | 4 | 4 | 69 | 27 | 18 | 10 | 6 | 8 | 8 |
| Pancreas Disease | – | – | – | 1 | – | – | – | – | – | – |
| Hepatitis | 24 | – | 5 | 4 | 2 | 3 | 4 | 2 | 2 | – |
| Jaundice | 19 | 1 | 1 | 8 | 14 | 5 | 1 | 3 | 1 | 1 |
| Liver Disease | 95 | 5 | 2 | 48 | 23 | 10 | 8 | 12 | 10 | 7 |
| Spleen Disease | 2 | – | – | 1 | 1 | – | – | – | – | – |
| VIII. Nephritis | 6 | – | – | 5 | 3 | 2 | 1 | 2 | 3 | 1 |
| Nephria | 28 | 1 | 3 | 36 | 4 | 3 | 2 | 1 | 1 | 3 |
| Ischuria | 6 | – | – | 3 | 3 | – | 2 | – | – | – |
| Diabetes | 10 | 2 | 1 | 9 | 2 | 2 | 1 | 1 | 1 | 2 |
| Stone | 4 | – | 1 | 1 | 2 | 7 | 2 | – | – | – |
| Cystitis | 8 | 1 | – | 4 | – | 1 | 1 | 1 | 1 | 1 |
| Stricture of Urethra | 6 | – | 1 | – | – | 3 | – | 1 | – | – |
| Kidney Disease | 42 | 1 | 1 | 34 | 15 | 25 | 1 | 3 | 3 | 2 |
| IX. Paramenia | 2 | 1 | – | 2 | – | 1 | – | – | – | – |
| Ovarian Dropsy | 8 | 3 | 2 | 7 | 2 | 3 | 3 | 2 | 1 | – |
| Childbirth | 49 | 4 | 5 | 24 | 13 | 5 | 5 | 6 | 3 | 3 |
| Organs of Generation | 13 | 1 | – | 8 | 2 | 1 | – | – | – | 2 |
| X. Arthritis | 3 | – | – | 2 | – | 1 | – | – | – | – |
| Rheumatism | 18 | 1 | 1 | 7 | 8 | 10 | 2 | 2 | 2 | 1 |
| Joint and Bone Disease | 27 | 4 | 2 | 19 | 5 | 19 | 6 | 3 | 4 | – |
| XI. Carbuncle | 2 | – | – | 1 | 4 | – | – | – | – | 1 |
| Phlegmon | 3 | – | 1 | 1 | – | – | – | – | – | 1 |
| Skin Disease | 3 | – | 2 | 1 | – | 2 | – | 2 | – | 1 |
| XII. Cyanosis | 8 | – | 1 | 1 | – | 1 | 1 | – | 2 | 2 |
| Spina Bifida | 5 | – | – | 2 | – | 1 | – | 3 | – | 1 |
| Other Malformations | 15 | – | 1 | 8 | – | 2 | 2 | – | 3 | – |
| XVII. Intemperance | 16 | – | – | 8 | 4 | 2 | 3 | 3 | 2 | 2 |
| Privation | 2 | – | – | 2 | – | – | – | – | – | – |
| Want of Breast Milk | 27 | – | 2 | 11 | 2 | 7 | – | 1 | 1 | 1 |
| Neglect | 4 | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | 1 | – | – | – | – | – |
| Poison | 10 | 1 | 1 | 8 | 1 | – | 1 | – | – | – |
| Burns and Scalds | 43 | 1 | – | 16 | 13 | 8 | 2 | 8 | 2 | 6 |
| Hanging, etc. | 6 | – | – | 4 | 1 | 2 | 2 | 1 | 1 | – |
| Suffocation | 16 | – | – | 7 | 1 | 2 | 4 | 1 | 1 | – |
| Drowning | 48 | 11 | 9 | 2 | 12 | 15 | 7 | 5 | 9 | 6 |
| Fracture and Contusion | 118 | 15 | 8 | 48 | 20 | 17 | 5 | 15 | 13 | 11 |
| Wounds | 13 | 1 | 1 | 12 | 1 | 1 | 1 | 2 | – | – |
| Other Violent Causes | 34 | 1 | 1 | 8 | 4 | 1 | – | 1 | 2 | – |
| Not Specified | 211 | 60 | 29 | 30 | 64 | 10 | 28 | 59 | 8 | 10 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—BOTH SEXES. (*Contd.*)

| DISEASES. | Inverness | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 6 | – | 3 | 2 | 4 | 1 | 2 | 2 | – | 1 | 1 | 4 |
| Apoplexy | 4 | 7 | 1 | 12 | 3 | 3 | 2 | 12 | 5 | 6 | 7 | 3 | 13 |
| Paralysis | 17 | 12 | 6 | 20 | 9 | 8 | 8 | 10 | 13 | 8 | 2 | 2 | 13 |
| Delirium Tremens | 2 | 1 | – | 2 | 1 | 1 | – | 1 | – | 1 | 1 | – | 2 |
| Chorea | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 2 | 3 | – | 1 | – | – | – | 1 | – | – | 4 |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Insanity | – | – | – | 10 | – | – | 2 | 1 | – | – | – | – | 6 |
| Convulsions | 7 | 4 | 4 | 1 | 2 | 1 | 1 | 5 | 9 | 1 | 1 | 6 | 4 |
| Brain Disease | 1 | 4 | 5 | 2 | 4 | 5 | 11 | 4 | 11 | 4 | 3 | 4 | 3 |
| Pericarditis | – | 1 | 1 | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Aneurism | – | 3 | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| Heart Disease | 12 | 16 | 16 | 18 | 11 | 10 | 25 | 10 | 31 | 10 | 8 | 4 | 20 |
| Laryngitis | 1 | 2 | – | 1 | – | – | – | – | 1 | – | – | – | 2 |
| Bronchitis | 14 | 29 | 16 | 37 | 20 | 22 | 16 | 32 | 55 | 16 | 26 | 33 | 36 |
| Pleurisy | – | – | 2 | 3 | – | – | – | – | 2 | 1 | 1 | 1 | 2 |
| Pneumonia | 8 | 12 | 5 | 10 | 10 | 4 | 7 | 18 | 10 | 11 | 10 | 10 | 24 |
| Asthma | 13 | 9 | 2 | 1 | – | 1 | 6 | 18 | 11 | – | 6 | 4 | 3 |
| Lung Disease | 1 | – | 3 | 1 | 3 | 2 | 2 | 3 | 1 | – | 2 | – | 1 |
| Teething | 15 | 14 | 1 | 3 | 4 | 7 | 8 | 21 | 2 | 6 | 6 | 2 | 4 |
| Quinsey | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| Gastritis | – | – | – | 2 | 4 | – | 1 | 6 | 2 | – | 3 | 1 | 1 |
| Enteritis | 1 | 3 | 1 | 7 | 4 | 2 | 3 | 6 | 12 | 8 | 5 | 6 | 7 |
| Peritonitis | 3 | 4 | 1 | 1 | – | 1 | 3 | 1 | 4 | 1 | 1 | – | 1 |
| Ascites | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | 2 |
| Ulceration of Intestines | – | – | 3 | 4 | 1 | – | – | – | 2 | 1 | 1 | 2 | 3 |
| Hernia | 2 | – | 1 | 2 | 1 | 1 | – | 1 | 2 | 1 | – | 1 | 3 |
| Ileus | 5 | 1 | 1 | 1 | 2 | – | 6 | – | 2 | 2 | 1 | 4 | 2 |
| Intussusception | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 10 | 6 | 1 | 6 | 2 | 2 | 7 | 8 | 5 | 4 | 3 | 4 | 8 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 2 | – | – | – | – | 2 | 2 | 1 | 1 | 1 | 1 | – |
| Jaundice | 1 | 3 | 3 | 1 | – | – | – | – | 2 | – | – | 1 | 2 |
| Liver Disease | 2 | 6 | – | 3 | 1 | 3 | 3 | 5 | 2 | – | 2 | 2 | 11 |
| Spleen Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| Nephria | 1 | 3 | – | 2 | – | – | 1 | – | 3 | – | – | 1 | 1 |
| Ischuria | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Stone | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Cystitis | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 1 | 5 | 2 | – | 1 | 5 | 2 | 1 | 1 | – | 2 |
| Paramenia | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Ovarian Dropsy | 1 | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Childbirth | 3 | 2 | – | 1 | 2 | 1 | 2 | 3 | 2 | 2 | 4 | 2 | 2 |
| Organs of Generation | 1 | – | – | – | 3 | – | – | – | 2 | – | – | – | – |
| Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | 1 | 1 | – | 1 | 2 | – | 2 | 1 | – | – | 1 | 1 | 1 |
| Joint Disease | – | 5 | 3 | – | 1 | 2 | 2 | 3 | 2 | – | – | 1 | 1 |
| Carbuncle | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – |
| Cyanosis | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | 1 | – | – | – | – | 2 | 3 | – | 1 | – | – |
| Intemperance | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 |
| Privation | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | 1 | – | – | 1 | – | – | 1 |
| Poison | 1 | – | – | – | – | – | 1 | 2 | – | – | – | 1 | – |
| Burns and Scalds | 2 | 3 | 1 | – | – | – | – | 2 | 4 | 3 | 2 | 7 | 2 |
| Hanging, etc. | – | 1 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – |
| Suffocation | – | 1 | – | – | – | – | – | – | – | 12 | – | 1 | – |
| Drowning | 3 | 2 | – | – | – | – | – | 6 | 1 | 1 | – | 4 | 2 |
| Fracture and Contusion | 5 | 2 | 2 | 4 | – | 1 | 6 | 10 | 7 | 2 | 5 | 6 | 8 |
| Wounds | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Violent Causes | – | – | – | 1 | – | 2 | – | – | 1 | – | 1 | – | – |
| Not Specified | 13 | 7 | 9 | 3 | 8 | 4 | 5 | 17 | 6 | 10 | 22 | 7 | 23 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—MALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 5453 | 362 | 325 | 2060 | 1240 | 853 | 589 | 546 | 396 | 320 |
| SPECIFIED CAUSES | 5332 | 330 | 311 | 2046 | 1197 | 850 | 576 | 524 | 392 | 313 |
| I. Zymotic Class | 1099 | 55 | 74 | 361 | 330 | 207 | 129 | 118 | 93 | 75 |
| II. Diseases of Uncertain Seat | 114 | 9 | 8 | 61 | 26 | 23 | 20 | 9 | 11 | 7 |
| III. Tubercular Class | 1072 | 54 | 54 | 412 | 185 | 139 | 106 | 93 | 64 | 43 |
| IV. Brain and Nervous System | 388 | 35 | 27 | 229 | 105 | 84 | 43 | 62 | 33 | 33 |
| V. Organs of Circulation | 183 | 10 | 13 | 112 | 53 | 35 | 15 | 24 | 21 | 17 |
| VI. Respiratory Organs | 1162 | 77 | 54 | 322 | 179 | 111 | 98 | 70 | 75 | 39 |
| VII. Organs of Digestion | 418 | 21 | 24 | 153 | 106 | 77 | 60 | 46 | 21 | 24 |
| VIII. Urinary Organs | 71 | 2 | 5 | 63 | 12 | 37 | 6 | 7 | 6 | 5 |
| IX. Organs of Generation | 1 | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 24 | 3 | 1 | 15 | 6 | 15 | 5 | 3 | 3 | – |
| XI. Skin, etc. | 5 | – | 2 | 2 | 3 | – | – | – | – | 1 |
| XII. Malformation | 14 | – | 2 | 7 | – | 1 | – | 1 | 3 | 2 |
| XIII. Premature Debility | 355 | 15 | 28 | 104 | 95 | 45 | 31 | 35 | 15 | 15 |
| XIV. Atrophy | 52 | 8 | 1 | 15 | 4 | 5 | 9 | 10 | 1 | 3 |
| XV. Age | 132 | 20 | 4 | 108 | 48 | 31 | 38 | 20 | 17 | 30 |
| XVI. Sudden Deaths | 11 | 1 | – | – | 2 | 1 | – | – | 3 | 2 |
| XVII. Violent Deaths | 231 | 20 | 14 | 82 | 43 | 39 | 16 | 26 | 26 | 17 |
| I. Small Pox | 77 | 1 | 3 | 24 | 75 | 15 | 15 | 11 | – | 1 |
| Measles | 83 | 1 | 11 | 43 | 18 | 6 | 23 | 6 | 25 | 25 |
| Scarlatina | 45 | 3 | 2 | 96 | 65 | 54 | 10 | 3 | 10 | 9 |
| Diphtheria | 19 | 1 | 6 | 4 | 16 | 21 | 1 | 11 | 3 | 1 |
| Hooping Cough | 374 | 23 | 19 | 61 | 5 | 24 | 38 | 13 | 16 | 4 |
| Croup | 70 | 4 | 7 | 12 | 50 | 8 | 8 | 16 | 6 | 4 |
| Thrush | 2 | – | – | 2 | – | 1 | – | 1 | – | – |
| Diarrhœa | 91 | 14 | 9 | 26 | 26 | 13 | 6 | 19 | 10 | 16 |
| Dysentery | 20 | 2 | 1 | 3 | 10 | 4 | 5 | – | 4 | 7 |
| Cholera | 9 | – | – | 5 | 1 | 1 | – | – | 1 | – |
| Influenza | 16 | 1 | 1 | 1 | 4 | 7 | – | 1 | – | – |
| Purpura | 3 | – | 1 | 2 | – | 1 | 1 | 1 | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – |
| Worms | 4 | – | – | – | – | – | 1 | – | – | – |
| Infantile Fever | 4 | – | – | – | 1 | 1 | – | – | – | – |
| Typhus | 247 | 5 | 12 | 56 | 44 | 33 | 17 | 33 | 11 | 8 |
| Metria | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 4 | – | – | 5 | – | 4 | – | – | 1 | – |
| Erysipelas | 15 | – | 2 | 12 | 5 | 7 | – | 1 | 4 | – |
| Syphilis | 14 | – | – | 9 | 10 | 7 | 4 | 2 | 2 | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | 2 | – | 2 | – | – | 2 | 1 | – | 1 |
| Dropsy | 41 | 6 | 2 | 8 | 18 | 7 | 12 | 3 | 2 | – |
| Abscess | 18 | 1 | – | 5 | 4 | 2 | 1 | – | 1 | 2 |
| Ulcer | 3 | – | – | 1 | – | – | – | 1 | – | – |
| Fistula | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Mortification | 10 | – | – | 4 | 1 | 4 | 1 | 2 | – | – |
| Cancer | 35 | – | 5 | 39 | 3 | 10 | 4 | 2 | 8 | 4 |
| Gout | – | – | – | 1 | – | – | – | – | – | – |
| III. Scrofula | 63 | 5 | 3 | 33 | 8 | 11 | 6 | 6 | 2 | 4 |
| Tabes Mesenterica | 107 | 3 | 9 | 45 | 7 | 5 | 12 | 8 | 11 | 4 |
| Phthisis | 707 | 41 | 27 | 246 | 124 | 96 | 74 | 68 | 38 | 29 |
| Hydrocephalus | 195 | 5 | 15 | 88 | 46 | 27 | 14 | 11 | 13 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—MALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES . . . | 173 | 180 | 96 | 157 | 132 | 91 | 139 | 253 | 274 | 133 | 166 | 163 | 225 |
| SPECIFIED CAUSES . | 166 | 176 | 90 | 155 | 129 | 88 | 136 | 244 | 271 | 129 | 157 | 157 | 214 |
| Zymotic Class . . | 30 | 27 | 12 | 19 | 31 | 13 | 31 | 43 | 61 | 19 | 44 | 51 | 25 |
| Uncertain Seat . . | 4 | 7 | 2 | 5 | 4 | 5 | 3 | – | 2 | 1 | 8 | 1 | 5 |
| Tubercular Class . . | 27 | 27 | 23 | 20 | 16 | 11 | 23 | 45 | 67 | 27 | 23 | 20 | 42 |
| Brain, etc. . . . | 17 | 14 | 7 | 29 | 13 | 12 | 12 | 23 | 16 | 14 | 7 | 8 | 27 |
| Heart, etc. . . . | 8 | 7 | 8 | 8 | 4 | 8 | 16 | 6 | 19 | 4 | 8 | 4 | 10 |
| Respiratory Organs . | 21 | 30 | 15 | 30 | 22 | 16 | 16 | 36 | 36 | 15 | 32 | 26 | 36 |
| Digestive Organs . . | 17 | 22 | 5 | 13 | 10 | 6 | 13 | 27 | 21 | 13 | 13 | 11 | 25 |
| Urinary Organs . . | 4 | 6 | 2 | 4 | 1 | 1 | 1 | 8 | 2 | 2 | 1 | 1 | 3 |
| Generative Organs . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs . | 1 | 3 | 2 | – | 1 | – | – | 2 | 1 | – | – | 2 | 1 |
| Skin . . . . | – | – | – | – | – | – | 1 | – | 3 | – | – | – | – |
| Malformation . . | – | 2 | 1 | 2 | – | – | 1 | 2 | 2 | – | – | – | – |
| Premature Debility . | 11 | 20 | 10 | 8 | 16 | 3 | 10 | 14 | 19 | 6 | 6 | 14 | 13 |
| Atrophy . . . | 2 | – | – | 4 | 2 | – | – | 1 | – | – | 5 | – | 2 |
| Age . . . . | 14 | 6 | 1 | 7 | 6 | 9 | 4 | 20 | 12 | 6 | 3 | 5 | 14 |
| Sudden Deaths . . | – | 1 | – | – | 2 | 1 | – | – | – | 2 | – | – | – |
| Violent Deaths . . | 10 | 4 | 2 | 6 | 1 | 3 | 5 | 17 | 10 | 20 | 7 | 14 | 11 |
| Small Pox . . . | – | 6 | 2 | – | – | – | – | 1 | 16 | – | – | 12 | 1 |
| Measles . . . . | – | 1 | – | – | – | – | 8 | 15 | 4 | 4 | 13 | 1 | – |
| Scarlatina . . . | – | 1 | – | 5 | 14 | 2 | 1 | 2 | 2 | – | – | 1 | 3 |
| Diphtheria . . . | 2 | – | – | 1 | – | – | 2 | – | – | 2 | – | 1 | – |
| Hooping Cough . . | 9 | 1 | – | – | 5 | 2 | 3 | 9 | 2 | 1 | 5 | 15 | 9 |
| Croup . . . . | 7 | 2 | – | 3 | – | 4 | 1 | 2 | 4 | 3 | 2 | – | 1 |
| Thrush . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa . . . | 3 | 4 | 1 | 2 | 1 | – | 7 | 2 | 4 | 3 | 12 | 4 | 7 |
| Dysentery . . . | 1 | – | 2 | 1 | 3 | 1 | 3 | 3 | 3 | – | 3 | 4 | – |
| Cholera . . . . | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 2 | – |
| Influenza . . . | – | 3 | – | – | – | – | – | – | – | – | – | 1 | – |
| Purpura . . . | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ague . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . . | 8 | 6 | 4 | 6 | 8 | 1 | 5 | 6 | 24 | 6 | 6 | 10 | 3 |
| Metria . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever . . | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Erysipelas . . . | – | 2 | 2 | – | – | 1 | – | – | 2 | – | 1 | – | – |
| Syphilis . . . . | – | 1 | 1 | – | – | – | – | 2 | – | – | – | – | 1 |
| Noma . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage . . . | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 |
| Dropsy . . . . | 2 | 4 | – | 1 | 1 | – | 2 | – | 1 | – | 3 | 1 | 2 |
| Abscess . . . . | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ulcer . . . . | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Fistula . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification . . . | – | 3 | – | – | – | – | – | – | – | – | 1 | – | – |
| Cancer . . . . | 2 | – | 2 | 3 | 1 | 4 | 1 | – | 1 | 1 | 3 | – | 2 |
| Gout . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula . . . . | – | 2 | 2 | 2 | 2 | 1 | – | 1 | 2 | 4 | – | 2 | 2 |
| Tabes Mesenterica . | – | 1 | 2 | 1 | 1 | 1 | 1 | 4 | 6 | – | 3 | 3 | 3 |
| Phthisis . . . . | 26 | 18 | 15 | 14 | 5 | 9 | 22 | 33 | 54 | 21 | 14 | 10 | 29 |
| Hydrocephalus . . | 1 | 6 | 4 | 3 | 8 | – | – | 7 | 5 | 2 | 6 | 5 | 8 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—MALES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 28 | 3 | 2 | 12 | 4 | 5 | 1 | 4 | 4 | 1 |
| Apoplexy | 89 | 2 | 6 | 43 | 18 | 20 | 12 | 11 | 8 | 6 |
| Paralysis | 71 | 17 | 7 | 62 | 21 | 16 | 14 | 16 | 9 | 10 |
| Delirium Tremens | 5 | 1 | – | 3 | 2 | 3 | – | 4 | 2 | 1 |
| Chorea | 2 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 16 | 2 | 2 | 9 | 6 | 1 | 2 | 1 | 2 | 1 |
| Tetanus | 3 | – | – | – | – | 2 | – | – | – | – |
| Insanity | 2 | – | 3 | 7 | – | 2 | – | – | – | 2 |
| Convulsions | 100 | 5 | 1 | 30 | 37 | 13 | 7 | 6 | 4 | 2 |
| Brain Disease | 72 | 5 | 6 | 63 | 17 | 22 | 7 | 20 | 4 | 10 |
| V. Pericarditis | 3 | 1 | – | 1 | – | 1 | – | 1 | 2 | 1 |
| Aneurism | 12 | – | 1 | 13 | – | 3 | 1 | – | 2 | – |
| Heart Disease | 168 | 9 | 12 | 98 | 53 | 31 | 14 | 23 | 17 | 16 |
| VI. Laryngitis | 19 | – | – | 6 | 4 | 7 | – | 2 | 1 | – |
| Bronchitis | 717 | 47 | 31 | 216 | 97 | 62 | 76 | 42 | 47 | 29 |
| Pleurisy | 13 | 2 | 1 | 6 | 5 | 4 | 1 | 2 | 3 | 2 |
| Pneumonia | 326 | 21 | 17 | 54 | 51 | 23 | 18 | 17 | 18 | 5 |
| Asthma | 49 | 6 | 3 | 17 | 20 | 11 | 2 | 4 | 5 | 1 |
| Lung Disease | 38 | 1 | 2 | 23 | 2 | 4 | 1 | 3 | 1 | 2 |
| VII. Teething | 151 | 9 | 11 | 26 | 55 | 28 | 21 | 16 | 2 | 13 |
| Quinsey | 5 | – | 4 | – | 3 | 2 | – | 1 | – | – |
| Gastritis | 6 | – | – | 2 | 2 | 1 | 1 | 1 | 1 | – |
| Enteritis | 116 | 2 | 2 | 23 | 6 | 5 | 24 | 9 | 3 | 1 |
| Peritonitis | 9 | 1 | 2 | 11 | 5 | 8 | 2 | 2 | 1 | 2 |
| Ascites | 4 | – | – | 2 | – | 2 | – | – | 1 | – |
| Ulceration of Intestines | 6 | – | – | 10 | 1 | 6 | – | 1 | 1 | – |
| Hernia | 8 | – | – | 4 | 3 | – | 2 | 2 | 1 | 3 |
| Ileus | 12 | 4 | – | 11 | 4 | 7 | 1 | 2 | – | 2 |
| Intussusception | 6 | – | – | 1 | – | – | – | – | 1 | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 32 | 1 | 2 | 26 | 7 | 9 | 6 | 2 | 3 | 2 |
| Pancreas Disease | – | – | – | 1 | – | – | – | – | – | – |
| Hepatitis | 15 | – | 1 | 2 | 1 | 2 | 1 | – | 2 | – |
| Jaundice | 10 | – | 1 | 4 | 8 | 3 | 1 | 3 | 1 | – |
| Liver Disease | 37 | 4 | 1 | 29 | 11 | 4 | 1 | 7 | 4 | 1 |
| Spleen Disease | – | – | – | 1 | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | 5 | – | 1 | 1 | 2 | 1 | 1 |
| Nephria | 14 | – | 2 | 21 | – | 3 | 1 | 1 | 1 | 1 |
| Ischuria | 5 | – | – | 1 | 1 | – | – | – | – | – |
| Diabetes | 5 | 1 | – | 7 | 2 | 1 | – | 1 | – | 1 |
| Stone | 3 | – | 1 | 1 | 2 | 7 | 2 | – | – | – |
| Cystitis | 7 | 1 | – | 2 | – | 1 | 1 | 1 | 1 | 1 |
| Stricture of Urethra | 6 | – | 1 | – | – | 3 | – | 1 | – | – |
| Kidney Disease | 29 | – | 1 | 26 | 7 | 21 | 1 | 1 | 3 | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | 1 | – | – | – | – | – | – |
| Rheumatism | 9 | – | – | 2 | 3 | 4 | 1 | 2 | 1 | – |
| Joint and Bone Disease | 13 | 3 | 1 | 12 | 3 | 11 | 4 | 1 | 2 | – |
| XI. Carbuncle | 2 | – | – | 1 | 3 | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | 2 | 1 | – | – | – | – | – | 1 |
| XII. Cyanosis | 5 | – | 1 | 1 | – | – | – | – | – | 2 |
| Spina Bifida | 2 | – | – | 2 | – | – | – | 1 | – | – |
| Other Malformations | 7 | – | 1 | 4 | – | 1 | – | – | 3 | – |
| XVII. Intemperance | 9 | – | – | 5 | 3 | 1 | – | – | – | 1 |
| Privation | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 17 | – | 1 | 5 | 1 | 4 | – | – | 1 | – |
| Neglect | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | 1 | – | – | – | – | – |
| Poison | 4 | – | – | 2 | – | – | 1 | – | – | – |
| Burns and Scalds | 18 | 1 | – | 10 | 3 | 3 | – | 4 | 2 | 1 |
| Hanging, etc. | 6 | – | – | 2 | – | 2 | 2 | 1 | 1 | – |
| Suffocation | 8 | – | – | 5 | 1 | 2 | 1 | – | 1 | – |
| Drowning | 39 | 7 | 5 | 2 | 11 | 12 | 7 | 5 | 9 | 5 |
| Fracture and Contusion | 93 | 11 | 6 | 32 | 20 | 13 | 4 | 14 | 11 | 10 |
| Wounds | 10 | 1 | 1 | 11 | 1 | 1 | 1 | 2 | – | – |
| Other Violent Causes | 26 | – | 1 | 8 | 2 | 1 | – | – | 1 | – |
| Not Specified | 121 | 32 | 14 | 14 | 43 | 3 | 13 | 22 | 4 | 7 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—MALES. (*Contd.*)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 2 | – | 2 | 2 | 1 | 1 | 2 | 2 | – | – | – | – |
| Apoplexy | 3 | 3 | – | 7 | 2 | 2 | – | 10 | 2 | 4 | 3 | 2 | 7 |
| Paralysis | 6 | 2 | 3 | 10 | 4 | 5 | 3 | 6 | 4 | 6 | 1 | – | 7 |
| Delirium Tremens | 2 | 1 | – | 2 | 1 | 1 | – | 1 | – | 1 | 1 | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | 2 | – | 1 | – | – | – | 1 | – | – | 3 |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Insanity | – | – | – | 3 | – | – | 2 | – | – | – | – | – | 3 |
| Convulsions | 5 | 3 | 3 | 1 | 1 | – | 1 | 3 | 3 | 1 | – | 4 | 4 |
| Brain Disease | 1 | 3 | 1 | 2 | 3 | 2 | 5 | 1 | 4 | 1 | 2 | 2 | 1 |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Heart Disease | 8 | 5 | 7 | 7 | 4 | 8 | 16 | 5 | 19 | 4 | 7 | 4 | 10 |
| Laryngitis | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | 2 |
| Bronchitis | 8 | 16 | 4 | 20 | 14 | 12 | 8 | 20 | 24 | 8 | 17 | 16 | 19 |
| Pleurisy | – | – | 2 | 1 | – | – | – | – | – | – | 1 | – | 2 |
| Pneumonia | 6 | 8 | 4 | 7 | 7 | 2 | 5 | 6 | 5 | 7 | 7 | 9 | 12 |
| Asthma | 6 | 4 | 2 | – | – | 1 | 2 | 8 | 6 | – | 6 | 1 | – |
| Lung Disease | – | – | 3 | 1 | 1 | 1 | 1 | 2 | 1 | – | 1 | – | 1 |
| Teething | 6 | 9 | – | 1 | 2 | 2 | 4 | 10 | 1 | 3 | 3 | 1 | 3 |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | 2 | – | – | 3 | 1 | – | 2 | – | – |
| Enteritis | 1 | 2 | – | 4 | 4 | 2 | 2 | 6 | 6 | 6 | 3 | 3 | 4 |
| Peritonitis | 1 | 1 | 1 | 1 | – | 1 | 2 | – | 2 | – | – | – | – |
| Ascites | – | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Ulceration of Intestines | – | – | 1 | 3 | – | – | – | – | – | 1 | – | 1 | 2 |
| Hernia | 1 | – | 1 | – | – | – | – | – | 2 | – | – | – | 1 |
| Ileus | 2 | 1 | 1 | – | 1 | – | 2 | – | 1 | – | – | 2 | 2 |
| Intussusception | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 3 | 3 | – | 3 | – | 1 | 1 | 4 | 4 | 2 | 3 | 2 | 3 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | 2 | 2 | 1 | 1 | – | – | – |
| Jaundice | 1 | 2 | 1 | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Liver Disease | 2 | 3 | – | 1 | 1 | – | – | 1 | 1 | – | 2 | 1 | 7 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| Nephria | 1 | 2 | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Ischuria | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Stone | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 1 | 3 | 1 | – | 1 | 4 | 1 | 1 | 1 | – | 2 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | 1 |
| Joint Disease | – | 2 | 2 | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Carbuncle | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Cyanosis | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Malformations | – | 1 | 1 | – | – | – | – | 2 | 2 | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 |
| Privation | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Poison | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | 4 | – |
| Hanging, etc. | – | – | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | 12 | – | 1 | – |
| Drowning | 3 | 1 | – | – | – | – | – | 6 | 1 | 1 | – | 2 | 2 |
| Fracture and Contusion | 5 | 1 | 1 | 4 | – | – | 5 | 8 | 7 | 2 | 5 | 6 | 5 |
| Wounds | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Other Violent Causes | – | – | – | 1 | – | 2 | – | – | 1 | – | 1 | – | – |
| Not Specified | 7 | 4 | 6 | 2 | 3 | 3 | 3 | 9 | 3 | 4 | 9 | 6 | 11 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—FEMALES.

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 5483 | 350 | 330 | 2108 | 1259 | 927 | 618 | 567 | 370 | 345 |
| SPECIFIED CAUSES | 5393 | 322 | 315 | 2092 | 1238 | 920 | 603 | 530 | 366 | 342 |
| I. Zymotic Class | 1167 | 59 | 76 | 440 | 321 | 212 | 141 | 116 | 78 | 92 |
| II. Diseases of Uncertain Seat | 177 | 21 | 11 | 104 | 50 | 49 | 27 | 16 | 13 | 15 |
| III. Tubercular Class | 1144 | 57 | 63 | 347 | 206 | 196 | 123 | 137 | 61 | 48 |
| IV. Brain and Nervous System | 346 | 23 | 22 | 204 | 73 | 82 | 38 | 45 | 40 | 33 |
| V. Organs of Circulation | 173 | 8 | 12 | 123 | 55 | 35 | 12 | 18 | 26 | 20 |
| VI. Respiratory Organs | 1078 | 54 | 49 | 302 | 189 | 107 | 81 | 61 | 52 | 31 |
| VII. Organs of Digestion | 420 | 19 | 26 | 148 | 105 | 74 | 65 | 39 | 27 | 33 |
| VIII. Urinary Organs | 39 | 3 | 2 | 29 | 17 | 6 | 4 | 2 | 3 | 4 |
| IX. Organs of Generation | 71 | 9 | 7 | 41 | 17 | 10 | 8 | 8 | 4 | 5 |
| X. Organs of Locomotion | 24 | 2 | 2 | 13 | 7 | 15 | 3 | 2 | 3 | 1 |
| XI. Skin, etc. | 3 | – | 1 | 1 | 1 | 2 | – | 2 | – | 2 |
| XII. Malformation | 14 | – | – | 4 | – | 3 | 3 | 2 | 2 | 1 |
| XIII. Premature Debility | 288 | 20 | 19 | 120 | 81 | 31 | 23 | 17 | 19 | 7 |
| XIV. Atrophy | 54 | 8 | 2 | 25 | 6 | 4 | 12 | 10 | 3 | 1 |
| XV. Age | 283 | 29 | 15 | 146 | 85 | 76 | 54 | 42 | 30 | 40 |
| XVI. Sudden Deaths | 5 | – | – | 1 | 8 | 2 | – | 2 | – | – |
| XVII. Violent Deaths | 107 | 10 | 8 | 44 | 17 | 16 | 9 | 11 | 5 | 9 |
| I. Small Pox | 54 | 3 | 2 | 22 | 73 | 12 | 20 | 9 | – | 3 |
| Measles | 67 | 2 | 9 | 72 | 15 | 1 | 19 | 5 | 22 | 14 |
| Scarlatina | 57 | 1 | – | 97 | 56 | 55 | 9 | 3 | 13 | 8 |
| Diphtheria | 15 | 1 | 3 | 7 | 19 | 33 | – | 10 | 3 | 1 |
| Hooping Cough | 468 | 14 | 16 | 93 | 12 | 22 | 32 | 20 | 20 | 4 |
| Croup | 66 | 6 | 8 | 11 | 48 | 10 | 7 | 16 | 3 | 4 |
| Thrush | 2 | – | – | – | 1 | – | – | 1 | – | – |
| Diarrhœa | 91 | 14 | 8 | 26 | 14 | 18 | 4 | 14 | 4 | 16 |
| Dysentery | 18 | 3 | 5 | 14 | 14 | 3 | 9 | 3 | 1 | 30 |
| Cholera | 4 | – | – | 4 | 2 | – | – | – | – | 1 |
| Influenza | 11 | – | 1 | 3 | 6 | 5 | – | 1 | – | – |
| Purpura | 3 | – | – | 2 | 1 | 1 | 1 | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – |
| Worms | 4 | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 7 | – | – | 1 | – | – | – | – | – | – |
| Typhus | 228 | 13 | 20 | 55 | 41 | 27 | 28 | 25 | 9 | 8 |
| Metria | 29 | 2 | 3 | 16 | 6 | 11 | 3 | 5 | 2 | 2 |
| Rheumatic Fever | 4 | – | – | 5 | 3 | 2 | – | – | – | – |
| Erysipelas | 24 | – | – | 7 | 4 | 2 | 8 | – | – | – |
| Syphilis | 14 | – | 1 | 5 | 4 | 8 | 1 | 4 | 1 | 1 |
| Noma | – | – | – | – | 2 | 2 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | 1 | – | 2 | – | – | – | – | – | – |
| Dropsy | 58 | 8 | 1 | 18 | 32 | 12 | 15 | 2 | 3 | 3 |
| Abscess | 10 | 5 | 1 | 4 | 2 | 2 | 1 | 1 | – | 1 |
| Ulcer | – | – | – | 3 | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | 2 | – | 6 | 3 | – | 1 | – | – | 1 |
| Cancer | 101 | 5 | 9 | 71 | 13 | 35 | 10 | 13 | 10 | 10 |
| Gout | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 41 | 3 | 6 | 26 | 6 | 16 | 6 | 11 | 5 | 4 |
| Tabes Mesenterica | 80 | 2 | 4 | 32 | 8 | 6 | 8 | 11 | 4 | 4 |
| Phthisis | 879 | 46 | 46 | 237 | 158 | 140 | 97 | 99 | 37 | 34 |
| Hydrocephalus | 144 | 6 | 7 | 52 | 34 | 34 | 12 | 16 | 15 | 6 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—FEMALES.

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ALL CAUSES | 181 | 199 | 99 | 196 | 138 | 90 | 133 | 252 | 317 | 123 | 156 | 174 | 224 |
| SPECIFIED CAUSES | 175 | 196 | 96 | 195 | 133 | 89 | 131 | 244 | 314 | 117 | 143 | 173 | 212 |
| Zymotic Class | 26 | 32 | 14 | 26 | 49 | 12 | 23 | 51 | 64 | 24 | 45 | 60 | 34 |
| Uncertain Seat | 12 | 10 | 1 | 10 | 6 | 4 | 4 | 17 | 18 | 6 | 8 | 2 | 8 |
| Tubercular Class | 14 | 33 | 23 | 49 | 15 | 13 | 19 | 50 | 75 | 23 | 24 | 36 | 39 |
| Brain, etc. | 15 | 21 | 11 | 24 | 8 | 11 | 13 | 12 | 25 | 7 | 8 | 8 | 22 |
| Heart, etc. | 4 | 13 | 9 | 11 | 7 | 2 | 9 | 5 | 13 | 7 | 1 | – | 12 |
| Respiratory Organs | 16 | 22 | 13 | 23 | 11 | 13 | 15 | 35 | 44 | 13 | 13 | 22 | 32 |
| Digestive Organs | 25 | 18 | 8 | 17 | 9 | 11 | 20 | 25 | 17 | 11 | 10 | 13 | 20 |
| Urinary Organs | 1 | 2 | 1 | 4 | 1 | – | 1 | 1 | 3 | – | 1 | – | – |
| Generative Organs | 5 | 3 | – | 1 | 5 | 1 | 2 | 6 | 5 | 2 | 4 | 3 | 2 |
| Locomotive Organs | 1 | 3 | 1 | 1 | 2 | 2 | 4 | 2 | 1 | – | 1 | 1 | 1 |
| Skin | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Malformation | 1 | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – | – |
| Premature Debility | 8 | 9 | 3 | 6 | 6 | 5 | 6 | 9 | 16 | 11 | 8 | 10 | 7 |
| Atrophy | 2 | 2 | 1 | – | 4 | – | 2 | 2 | 1 | 1 | 3 | 2 | 2 |
| Age | 42 | 17 | 8 | 22 | 10 | 13 | 9 | 24 | 26 | 10 | 15 | 8 | 28 |
| Sudden Deaths | – | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Violent Deaths | 2 | 7 | 2 | 1 | – | 1 | 3 | 4 | 4 | 2 | 1 | 7 | 5 |
| Small Pox | – | 4 | 1 | – | 2 | – | – | – | 12 | – | 4 | 11 | – |
| Measles | – | 1 | – | – | – | – | 1 | 20 | 7 | 4 | 10 | 3 | – |
| Scarlatina | – | – | – | 1 | 12 | 3 | – | 4 | 3 | – | – | – | 2 |
| Diphtheria | – | – | – | 3 | 5 | 1 | 3 | – | – | 1 | – | – | – |
| Hooping Cough | 7 | 4 | 1 | – | 14 | 2 | 8 | 11 | 2 | 6 | 10 | 24 | 11 |
| Croup | 4 | 2 | 1 | 2 | – | 1 | 1 | 2 | 4 | – | 3 | 3 | 1 |
| Thrush | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 6 | 1 | 2 | – | 1 | 1 | 1 | 1 | 5 | 5 | 9 | 1 | 6 |
| Dysentery | – | – | – | 1 | 2 | – | 1 | – | – | 1 | 1 | – | 2 |
| Cholera | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Influenza | – | 3 | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus | 6 | 14 | 6 | 8 | 11 | 3 | 5 | 8 | 21 | 6 | 7 | 16 | 8 |
| Metria | – | 1 | 1 | 5 | 1 | – | – | – | 3 | 1 | – | 1 | 2 |
| Rheumatic Fever | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Erysipelas | 3 | 2 | 1 | 4 | – | – | – | 2 | 7 | – | 1 | – | 2 |
| Syphilis | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 1 | 2 | – | 1 | – | – | | – | – | – | – | – | – |
| Dropsy | 4 | 1 | – | – | 3 | 1 | 1 | 4 | 4 | 1 | 3 | 2 | 4 |
| Abscess | – | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Ulcer | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Fistula | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – |
| Mortification | – | 1 | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – |
| Cancer | 6 | 4 | 1 | 8 | 3 | 1 | 2 | 9 | 13 | 3 | 4 | – | 4 |
| Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Scrofula | – | 1 | 3 | 3 | 1 | – | 1 | 4 | 2 | 1 | 3 | 4 | 1 |
| Tabes Mesenterica | – | 2 | 2 | 3 | 1 | – | – | 3 | 3 | – | 1 | 4 | 1 |
| Phthisis | 11 | 27 | 14 | 38 | 10 | 12 | 17 | 36 | 63 | 18 | 17 | 17 | 34 |
| Hydrocephalus | 3 | 3 | 4 | 5 | 3 | 1 | 1 | 7 | 7 | 4 | 3 | 11 | 3 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—FEMALES. (*Contd.*)

| DISEASES. | Glasgow. | Barony. | Govan. | Edinburgh. | Dundee. | Aberdeen. | Paisley. | Greenock. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| IV. Cephalitis | 20 | 4 | 3 | 13 | 5 | 5 | 3 | 6 | 4 | 3 |
| Apoplexy | 73 | 5 | 3 | 39 | 13 | 13 | 11 | 8 | 11 | 10 |
| Paralysis | 84 | 7 | 2 | 59 | 22 | 22 | 9 | 10 | 12 | 12 |
| Delirium Tremens | – | – | – | 3 | 1 | 2 | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | – |
| Epilepsy | 16 | – | 2 | 5 | 1 | 3 | 1 | 2 | 1 | 2 |
| Tetanus | 2 | – | – | 1 | – | – | – | 1 | – | – |
| Insanity | 1 | – | 3 | 14 | – | 2 | 3 | 1 | – | – |
| Convulsions | 62 | 4 | 4 | 31 | 18 | 23 | 2 | – | 8 | – |
| Brain Disease | 87 | 3 | 5 | 39 | 13 | 12 | 9 | 17 | 4 | 6 |
| V. Pericarditis | 2 | – | – | 1 | 1 | 1 | 2 | – | 2 | – |
| Aneurism | 3 | 1 | – | 4 | – | 4 | 2 | – | 1 | – |
| Heart Disease | 168 | 7 | 12 | 118 | 54 | 30 | 8 | 18 | 23 | 20 |
| VI. Laryngitis | 16 | – | – | 6 | 9 | 3 | 2 | – | 2 | 1 |
| Bronchitis | 734 | 37 | 35 | 195 | 108 | 84 | 56 | 42 | 34 | 22 |
| Pleurisy | 11 | 1 | 1 | 17 | 6 | – | 1 | 3 | – | 1 |
| Pneumonia | 221 | 14 | 11 | 51 | 37 | 12 | 12 | 11 | 13 | 5 |
| Asthma | 60 | 2 | 2 | 21 | 23 | 6 | 9 | 5 | 1 | 2 |
| Lung Disease | 36 | – | – | 12 | 6 | 2 | 1 | – | 2 | – |
| VII. Teething | 141 | 5 | 7 | 15 | 32 | 25 | 23 | 12 | 2 | 16 |
| Quinsey | 2 | – | – | 2 | 2 | 3 | 2 | – | – | 1 |
| Gastritis | 14 | 1 | 2 | 3 | 3 | 3 | 2 | – | 1 | – |
| Enteritis | 84 | 5 | 3 | 24 | 13 | 3 | 14 | 8 | 3 | 1 |
| Peritonitis | 21 | 1 | 4 | 16 | 7 | 10 | 5 | 5 | 4 | 1 |
| Ascites | 8 | – | – | 1 | – | 2 | – | – | – | – |
| Ulceration of Intestines | 10 | – | 1 | 7 | 1 | 3 | 2 | 1 | – | – |
| Hernia | 11 | – | 1 | 6 | – | 2 | 1 | – | 1 | – |
| Ileus | 6 | 1 | 1 | 3 | 7 | 5 | 2 | 2 | 5 | 1 |
| Intussusception | 4 | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Stomach Disease | 40 | 3 | 2 | 43 | 20 | 9 | 4 | 4 | 5 | 6 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 9 | – | 4 | 2 | 1 | 1 | 3 | 2 | – | – |
| Jaundice | 9 | 1 | – | 4 | 6 | 2 | – | – | – | 1 |
| Liver Disease | 58 | 1 | 1 | 19 | 12 | 6 | 7 | 5 | 6 | 6 |
| Spleen Disease | 2 | – | – | – | 1 | – | – | – | – | – |
| VIII. Nephritis | 4 | – | – | – | 3 | 1 | – | – | 2 | – |
| Nephria | 14 | 1 | 1 | 15 | 4 | – | 1 | – | – | 2 |
| Ischuria | 1 | – | – | 2 | 2 | – | 2 | – | – | – |
| Diabetes | 5 | 1 | 1 | 2 | – | 1 | 1 | – | 1 | 1 |
| Stone | 1 | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | 2 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 13 | 1 | – | 8 | 8 | 4 | – | 2 | – | 1 |
| IX. Paramenia | 2 | 1 | – | 2 | – | 1 | – | – | – | – |
| Ovarian Dropsy | 8 | 3 | 2 | 7 | 2 | 3 | 3 | 2 | 1 | – |
| Childbirth | 49 | 4 | 5 | 24 | 13 | 5 | 5 | 6 | 3 | 3 |
| Organs of Generation | 12 | 1 | – | 8 | 2 | 1 | – | – | – | 2 |
| X. Arthritis | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Rheumatism | 9 | 1 | 1 | 5 | 5 | 6 | 1 | – | 1 | 1 |
| Joint and Bone Disease | 14 | 1 | 1 | 7 | 2 | 8 | 2 | 2 | 2 | – |
| XI. Carbuncle | – | – | – | – | 1 | – | – | – | – | 1 |
| Phlegmon | 2 | – | 1 | 1 | – | – | – | – | – | 1 |
| Skin Disease | 1 | – | – | – | – | 2 | – | 2 | – | – |
| XII. Cyanosis | 3 | – | – | – | – | 1 | 1 | – | 2 | – |
| Spina Bifida | 3 | – | – | – | – | 1 | – | 2 | – | 1 |
| Other Malformations | 8 | – | – | 4 | – | 1 | 2 | – | – | – |
| XVII. Intemperance | 7 | – | – | 3 | 1 | 1 | 3 | 3 | 2 | 1 |
| Privation | 1 | – | – | 2 | – | – | – | – | – | – |
| Want of Breast Milk | 10 | – | 1 | 6 | 1 | 3 | – | 1 | – | 1 |
| Neglect | 4 | – | – | – | – | – | – | – | – | – |
| Cold | 1 | – | – | – | – | – | – | – | – | – |
| Poison | 6 | 1 | 1 | 6 | 1 | – | – | – | – | – |
| Burns and Scalds | 25 | – | – | 6 | 10 | 5 | 2 | 4 | – | 5 |
| Hanging, etc. | – | – | – | 2 | 1 | – | – | – | – | – |
| Suffocation | 8 | – | – | 2 | – | – | 3 | 1 | – | – |
| Drowning | 9 | 4 | 4 | – | 1 | 3 | – | – | – | 1 |
| Fracture and Contusion | 25 | 4 | 2 | 16 | – | 4 | 1 | 1 | 2 | 1 |
| Wounds | 3 | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | 8 | 1 | – | – | 2 | – | – | 1 | 1 | – |
| Not Specified | 90 | 28 | 15 | 16 | 21 | 7 | 15 | 37 | 4 | 3 |

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1861.—FEMALES. (*Contd.*)

| DISEASES. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Ayr. | Kilmarnock. | Hamilton. | Airdrie. | Coatbridge, etc. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 4 | – | 1 | – | 3 | – | – | – | – | 1 | 1 | 4 |
| Apoplexy | 1 | 4 | 1 | 5 | 1 | 1 | 2 | 2 | 3 | 2 | 4 | 1 | 6 |
| Paralysis | 11 | 10 | 3 | 10 | 5 | 3 | 5 | 4 | 9 | 2 | 1 | 2 | 6 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 7 | – | – | – | 1 | – | – | – | – | 3 |
| Convulsions | 2 | 1 | 1 | – | 1 | 1 | – | 2 | 6 | – | 1 | 2 | – |
| Brain Disease | – | 1 | 4 | – | 1 | 3 | 6 | 3 | 7 | 3 | 1 | 2 | 2 |
| Pericarditis | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Aneurism | – | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Heart Disease | 4 | 11 | 9 | 11 | 7 | 2 | 9 | 5 | 12 | 6 | 1 | – | 10 |
| Laryngitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Bronchitis | 6 | 13 | 12 | 17 | 6 | 10 | 8 | 12 | 31 | 8 | 9 | 17 | 17 |
| Pleurisy | – | – | – | 2 | – | – | – | – | 2 | 1 | – | 1 | – |
| Pneumonia | 2 | 4 | 1 | 3 | 3 | 2 | 2 | 12 | 5 | 4 | 3 | 1 | 12 |
| Asthma | 7 | 5 | – | 1 | – | – | 4 | 10 | 5 | – | – | 3 | 3 |
| Lung Disease | 1 | – | – | – | 2 | 1 | 1 | 1 | – | – | 1 | – | – |
| Teething | 9 | 5 | 1 | 2 | 2 | 5 | 4 | 11 | 1 | 3 | 3 | 1 | 1 |
| Quinsey | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| Gastritis | – | – | – | 2 | 2 | – | 1 | 3 | 1 | – | 1 | 1 | 1 |
| Enteritis | – | 1 | 1 | 3 | – | – | 1 | – | 6 | 2 | 2 | 3 | 3 |
| Peritonitis | 2 | 3 | – | – | – | – | 1 | 1 | 2 | 1 | 1 | – | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ulceration of Intestines | – | – | 2 | 1 | 1 | – | – | – | 2 | – | 1 | 1 | 1 |
| Hernia | 1 | – | – | 2 | 1 | 1 | – | 1 | – | 1 | – | 1 | 2 |
| Ileus | 3 | – | – | 1 | 1 | – | 4 | – | 1 | 2 | 1 | 2 | – |
| Intussusception | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 7 | 3 | 1 | 3 | 2 | 1 | 6 | 4 | 1 | 2 | – | 2 | 5 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Jaundice | – | 1 | 2 | 1 | – | – | – | – | 1 | – | – | – | – |
| Liver Disease | – | 3 | – | 2 | – | 3 | 3 | 4 | 1 | – | – | 1 | 4 |
| Spleen Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Nephria | – | 1 | – | 2 | – | – | 1 | – | 2 | – | – | – | – |
| Ischuria | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | 2 | 1 | – | – | 1 | 1 | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| Ovarian Dropsy | 1 | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| Childbirth | 3 | 2 | – | 1 | 2 | 1 | 2 | 3 | 2 | 2 | 4 | 2 | 2 |
| Organs of Generation | 1 | – | – | – | 3 | – | – | – | 2 | – | – | – | – |
| Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | 1 | – | 2 | – | – | – | 1 | 1 | – |
| Joint Disease | – | 3 | 1 | – | 1 | 2 | 2 | 2 | 1 | – | – | – | 1 |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Cyanosis | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Intemperance | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – |
| Burns and Scalds | 1 | 2 | 1 | – | – | – | – | 1 | 3 | 2 | 1 | 3 | 2 |
| Hanging, etc. | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | – | – | – | – | – | – | – | – | 2 | – |
| Fracture and Contusion | – | 1 | 1 | – | – | 1 | 1 | 2 | – | – | – | – | 3 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 6 | 3 | 3 | 1 | 5 | 1 | 2 | 8 | 3 | 6 | 13 | 1 | 12 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 62341 | 5952 | 1954 | 3963 | 5542 | 2743 | 1736 | 1211 | 3059 | 1596 | 2174 | 2551 | 2221 |
| Specified Causes | 59417 | 5104 | 1713 | 3715 | 5276 | 2611 | 1674 | 1170 | 2938 | 1522 | 2103 | 2487 | 2159 |
| I. Zymotic Class | 12406 | 583 | 429 | 1236 | 2141 | 1350 | 967 | 640 | 1418 | 450 | 401 | 390 | 312 |
| II. Diseases of Uncertain Seat | 2319 | 31 | 10 | 18 | 29 | 20 | 14 | 23 | 54 | 33 | 31 | 37 | 48 |
| III. Tubercular Class | 10582 | 140 | 220 | 578 | 886 | 424 | 243 | 209 | 698 | 534 | 1054 | 1274 | 1007 |
| IV. Brain and Nervous System | 4823 | 385 | 100 | 173 | 188 | 92 | 72 | 62 | 188 | 98 | 121 | 129 | 119 |
| V. Organs of Circulation | 2491 | 3 | 9 | 8 | 11 | 7 | 4 | 10 | 37 | 48 | 58 | 70 | 100 |
| VI. Respiratory Organs | 8400 | 645 | 505 | 911 | 1007 | 430 | 224 | 127 | 220 | 83 | 100 | 158 | 163 |
| VII. Organs of Digestion | 5036 | 465 | 209 | 600 | 767 | 144 | 47 | 35 | 99 | 80 | 92 | 123 | 111 |
| VIII. Urinary Organs | 844 | 5 | – | 3 | 1 | 8 | 5 | 11 | 19 | 22 | 29 | 43 | 44 |
| IX. Organs of Generation | 506 | – | – | – | – | 1 | – | – | – | 1 | 30 | 70 | 82 |
| X. Organs of Locomotion | 428 | 2 | 1 | 2 | 2 | 5 | 6 | 4 | 32 | 53 | 36 | 27 | 25 |
| XI. Skin, etc. | 72 | 9 | 10 | 8 | 3 | 1 | 2 | – | 2 | – | – | 6 | 1 |
| XII. Malformation | 152 | 128 | 7 | 3 | 8 | 1 | 1 | – | 2 | – | 1 | – | 1 |
| XIII. Premature Debility | 2880 | 2583 | 168 | 129 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 492 | – | – | – | 154 | 51 | 24 | 12 | 44 | 19 | 18 | 5 | 4 |
| XV. Age | 5792 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 105 | 20 | 10 | 9 | 4 | – | – | – | 1 | – | 2 | 2 | 1 |
| XVII. Violent Deaths | 2089 | 105 | 35 | 37 | 75 | 77 | 65 | 37 | 124 | 101 | 130 | 153 | 141 |
| I. Small Pox | 766 | 60 | 50 | 118 | 126 | 80 | 58 | 43 | 63 | 23 | 25 | 28 | 20 |
| Measles | 971 | 16 | 18 | 129 | 370 | 184 | 80 | 52 | 92 | 9 | 7 | 5 | 1 |
| Scarlatina | 1764 | 6 | 21 | 109 | 279 | 287 | 242 | 179 | 427 | 94 | 36 | 23 | 20 |
| Diphtheria | 681 | 15 | 10 | 38 | 72 | 92 | 75 | 68 | 175 | 52 | 27 | 20 | 9 |
| Hooping Cough | 2204 | 132 | 153 | 471 | 692 | 315 | 209 | 99 | 120 | 9 | 1 | 1 | – |
| Croup | 890 | 42 | 26 | 93 | 230 | 181 | 120 | 92 | 102 | 4 | – | – | – |
| Thrush | 25 | 16 | 2 | 5 | 2 | – | – | – | – | – | – | – | – |
| Diarrhœa | 1041 | 145 | 72 | 156 | 172 | 49 | 24 | 10 | 15 | 12 | 9 | 14 | 9 |
| Dysentery | 361 | 11 | 12 | 19 | 33 | 14 | 5 | 2 | 9 | 3 | 4 | 8 | 8 |
| Cholera | 67 | 1 | 6 | 10 | 11 | 3 | 4 | – | 4 | – | – | 3 | 3 |
| Influenza | 232 | 12 | 10 | 9 | 9 | 9 | 5 | 1 | 5 | 1 | 5 | 5 | 2 |
| Purpura | 49 | 1 | 1 | 5 | 4 | 2 | 1 | – | 5 | 2 | 3 | 2 | 2 |
| Ague | 6 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Worms | 30 | – | – | 1 | 2 | 6 | 6 | 3 | 10 | 1 | 1 | – | – |
| Infantile Fever | 45 | 9 | 4 | 7 | 13 | 3 | 6 | 2 | 1 | – | – | – | – |
| Typhus | 2579 | 10 | 17 | 36 | 114 | 118 | 124 | 87 | 361 | 221 | 255 | 212 | 152 |
| Metria | 203 | – | – | – | – | – | – | – | – | – | 6 | 44 | 64 |
| Rheumatic Fever | 104 | – | – | – | – | – | – | 2 | 16 | 9 | 12 | 12 | 8 |
| Erysipelas | 253 | 66 | 7 | 11 | 4 | 5 | 6 | – | 11 | 9 | 6 | 8 | 8 |
| Syphilis | 122 | 41 | 20 | 18 | 7 | 1 | 1 | – | – | 1 | 2 | 5 | 6 |
| Noma | 12 | – | – | 1 | – | 1 | – | – | 1 | – | 2 | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 65 | 8 | – | 3 | 1 | 2 | – | – | 2 | 2 | 1 | 2 | 4 |
| Dropsy | 778 | 5 | 3 | 4 | 12 | 11 | 9 | 16 | 35 | 19 | 10 | 16 | 15 |
| Abscess | 126 | 12 | 2 | 3 | 5 | 2 | 2 | 3 | 8 | 8 | 7 | 7 | 11 |
| Ulcer | 35 | 2 | 1 | – | 2 | – | 2 | – | – | 1 | – | 2 | – |
| Fistula | 19 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 |
| Mortification | 115 | 4 | 3 | 6 | 7 | 1 | 1 | – | 5 | 2 | 1 | 2 | 2 |
| Cancer | 1165 | – | 1 | 1 | 1 | 4 | – | 4 | 3 | – | 12 | 8 | 15 |
| Gout | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 699 | 14 | 15 | 34 | 50 | 29 | 22 | 20 | 75 | 75 | 97 | 68 | 54 |
| Tabes Mesenterica | 782 | 56 | 36 | 97 | 218 | 92 | 41 | 31 | 93 | 40 | 19 | 15 | 4 |
| Phthisis | 7571 | 17 | 53 | 95 | 227 | 133 | 71 | 73 | 344 | 369 | 930 | 1186 | 947 |
| Hydrocephalus | 1530 | 53 | 116 | 352 | 391 | 170 | 109 | 85 | 186 | 50 | 8 | 5 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 1911 | 1972 | 1860 | 1906 | 2046 | 2090 | 2780 | 2685 | 3047 | 2870 | 2467 | 1223 | 511 | 130 | 42 | 99 |
| Specified Causes | 1836 | 1895 | 1785 | 1834 | 1949 | 1964 | 2635 | 2685 | 3045 | 2869 | 2467 | 1223 | 511 | 130 | 42 | 75 |
| Zymotic Class | 226 | 214 | 182 | 183 | 175 | 150 | 239 | 187 | 209 | 151 | 109 | 36 | 24 | – | – | 4 |
| Uncertain Seat | 45 | 94 | 151 | 166 | 192 | 215 | 274 | 246 | 256 | 187 | 99 | 31 | 13 | 1 | – | 1 |
| Tubercular Class | 749 | 641 | 483 | 394 | 338 | 221 | 219 | 148 | 74 | 25 | 12 | 4 | 2 | – | 1 | 4 |
| Brain, etc. | 132 | 144 | 158 | 198 | 245 | 287 | 396 | 410 | 428 | 360 | 230 | 81 | 17 | 4 | – | 6 |
| Heart, etc. | 94 | 129 | 130 | 169 | 192 | 198 | 321 | 278 | 263 | 212 | 96 | 33 | 5 | – | 1 | 5 |
| Respiratory Organs | 172 | 212 | 251 | 267 | 329 | 385 | 515 | 494 | 483 | 352 | 242 | 96 | 25 | 3 | – | 1 |
| Digestive Organs | 125 | 169 | 168 | 208 | 244 | 274 | 301 | 246 | 245 | 165 | 74 | 40 | 4 | – | – | 1 |
| Urinary Organs | 47 | 41 | 51 | 38 | 47 | 52 | 70 | 81 | 80 | 69 | 53 | 20 | 4 | – | – | 1 |
| Generative Organs | 85 | 88 | 55 | 30 | 15 | 11 | 9 | 10 | 10 | 2 | 5 | 1 | – | – | – | 1 |
| Locomotive Organs | 13 | 17 | 23 | 22 | 19 | 21 | 34 | 28 | 26 | 22 | 6 | 1 | – | – | – | 1 |
| Skin | – | 3 | 3 | 4 | 4 | 4 | 1 | 1 | 1 | 2 | 5 | 2 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 13 | 20 | 12 | 24 | 33 | 58 | – | – | – | – | – | – | – | – | – | 1 |
| Age | – | – | – | – | – | – | 172 | 501 | 910 | 1274 | 1502 | 861 | 408 | 122 | 40 | 2 |
| Sudden Deaths | 5 | 7 | 8 | 4 | 4 | 3 | 3 | 6 | 9 | 6 | 1 | – | – | – | – | – |
| Violent Deaths | 130 | 116 | 110 | 127 | 112 | 85 | 81 | 49 | 51 | 42 | 33 | 17 | 9 | – | – | 47 |
| Small Pox | 23 | 10 | 6 | 10 | 5 | 7 | 8 | 1 | – | 1 | – | – | – | – | – | 1 |
| Measles | 2 | 2 | 2 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scarlatina | 14 | 12 | 5 | 4 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 7 | 1 | 4 | 2 | 3 | 2 | 6 | 2 | – | 1 | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 9 | 18 | 12 | 22 | 20 | 28 | 50 | 35 | 53 | 40 | 39 | 18 | 10 | – | – | – |
| Dysentery | 5 | 10 | 8 | 20 | 22 | 20 | 30 | 36 | 29 | 23 | 17 | 6 | 7 | – | – | – |
| Cholera | 1 | 3 | 3 | 6 | 1 | 1 | 2 | 1 | 3 | – | – | – | 1 | – | – | – |
| Influenza | 2 | 3 | 6 | 5 | 9 | 9 | 17 | 29 | 28 | 23 | 20 | 3 | 5 | – | – | – |
| Purpura | 3 | 2 | 5 | – | – | 4 | 1 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 94 | 102 | 101 | 99 | 99 | 64 | 93 | 68 | 81 | 45 | 20 | 6 | – | – | – | – |
| Metria | 45 | 33 | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 5 | 5 | 8 | 5 | 3 | 4 | 7 | 1 | 3 | 2 | 1 | – | – | – | – | 1 |
| Erysipelas | 9 | 10 | 9 | 7 | 8 | 9 | 19 | 10 | 9 | 10 | 9 | 2 | 1 | – | – | – |
| Syphilis | 7 | 3 | 3 | 2 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | 2 | – | – | 3 | 1 | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | 4 | 7 | 1 | 5 | 4 | 7 | 2 | 4 | 1 | 3 | – | – | – | – | – |
| Dropsy | 16 | 34 | 39 | 37 | 44 | 50 | 83 | 81 | 104 | 72 | 48 | 8 | 6 | – | – | 1 |
| Abscess | 6 | 3 | 5 | 4 | 9 | 6 | 11 | 6 | 4 | 1 | – | 1 | – | – | – | – |
| Ulcer | 1 | 1 | – | 2 | 4 | 4 | – | 6 | 2 | 4 | 1 | – | – | – | – | – |
| Fistula | – | – | 1 | 3 | 2 | – | 1 | 2 | 4 | 1 | – | – | – | – | – | – |
| Mortification | 2 | 1 | 1 | 3 | 4 | 2 | 6 | 10 | 12 | 18 | 12 | 7 | 3 | – | – | – |
| Cancer | 18 | 51 | 96 | 116 | 124 | 147 | 164 | 136 | 125 | 86 | 35 | 14 | 3 | 1 | – | – |
| Gout | – | – | 2 | – | – | 2 | 2 | 3 | 1 | 4 | – | 1 | 1 | – | – | – |
| Scrofula | 25 | 20 | 25 | 20 | 19 | 8 | 8 | 9 | 6 | 3 | 1 | 2 | – | – | – | – |
| Tabes Mesenterica | 14 | 3 | 2 | 5 | 2 | 5 | 1 | 2 | 2 | 1 | – | – | 2 | – | – | 1 |
| Phthisis | 709 | 618 | 456 | 368 | 316 | 208 | 210 | 137 | 66 | 21 | 11 | 2 | – | – | 1 | 3 |
| Hydrocephalus | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Contd.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 354 | 6 | 14 | 28 | 27 | 14 | 15 | 16 | 49 | 28 | 34 | 30 | 19 |
| Apoplexy | 1008 | 15 | 8 | 9 | 12 | 14 | 6 | 8 | 16 | 8 | 6 | 9 | 18 |
| Paralysis | 1458 | – | – | – | 4 | 1 | 1 | – | 1 | 6 | 8 | 12 | 12 |
| Delirium Tremens | 54 | – | – | – | – | – | – | – | – | – | – | – | 6 |
| Chorea | 14 | – | – | – | 2 | – | 1 | 1 | 3 | 1 | 2 | – | 2 |
| Epilepsy | 213 | – | – | – | 1 | 2 | 2 | 1 | 4 | 8 | 20 | 28 | 20 |
| Tetanus | 46 | 17 | – | 1 | 1 | 2 | 2 | – | 5 | 3 | 2 | 2 | 1 |
| Insanity | 91 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 6 | 8 |
| Convulsions | 689 | 333 | 62 | 103 | 97 | 35 | 25 | 10 | 23 | – | – | 1 | – |
| Brain Disease | 896 | 14 | 16 | 32 | 44 | 24 | 19 | 26 | 86 | 43 | 48 | 41 | 33 |
| V. Pericarditis | 72 | – | 1 | – | – | – | – | 2 | 3 | 4 | 2 | 6 | 3 |
| Aneurism | 69 | – | – | – | – | – | – | – | – | 1 | 1 | – | 5 |
| Heart Disease | 2350 | 3 | 8 | 8 | 11 | 7 | 4 | 8 | 34 | 43 | 55 | 64 | 92 |
| VI. Laryngitis | 161 | 3 | 11 | 13 | 18 | 14 | 11 | 7 | 25 | 4 | 3 | 7 | 10 |
| Bronchitis | 5017 | 465 | 358 | 670 | 710 | 265 | 140 | 71 | 94 | 26 | 39 | 49 | 60 |
| Pleurisy | 268 | 9 | 3 | 5 | 11 | 12 | 5 | 7 | 11 | 12 | 5 | 14 | 16 |
| Pneumonia | 1974 | 156 | 123 | 207 | 250 | 134 | 61 | 40 | 77 | 27 | 33 | 70 | 55 |
| Asthma | 661 | 1 | 1 | 2 | 1 | – | – | – | 1 | 2 | 2 | 3 | 6 |
| Lung Disease | 319 | 11 | 9 | 14 | 17 | 5 | 7 | 2 | 12 | 12 | 18 | 15 | 16 |
| VII. Teething | 1137 | 3 | 43 | 428 | 593 | 63 | 4 | 3 | – | – | – | – | – |
| Quinsey | 87 | 2 | 7 | 8 | 10 | 7 | 4 | 9 | 8 | 5 | 3 | 3 | 2 |
| Gastritis | 152 | 10 | 3 | 5 | 6 | 2 | 1 | 2 | 6 | 4 | 2 | 7 | 4 |
| Enteritis | 947 | 255 | 97 | 98 | 105 | 39 | 17 | 7 | 33 | 21 | 15 | 20 | 17 |
| Peritonitis | 298 | 20 | 12 | 9 | 8 | 4 | 3 | 2 | 9 | 11 | 30 | 26 | 19 |
| Ascites | 61 | 1 | – | – | – | 1 | – | 1 | 5 | 3 | 1 | – | 2 |
| Ulceration of Intestines | 183 | 11 | 4 | 3 | 3 | 2 | 2 | 1 | 4 | 2 | 1 | 10 | 18 |
| Hernia | 110 | 3 | 3 | 4 | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Ileus | 293 | 24 | 8 | 4 | 5 | 1 | 1 | – | 6 | 5 | 10 | 14 | 6 |
| Intussusception | 33 | – | 2 | 3 | – | – | – | – | 2 | 1 | 1 | 2 | – |
| Stricture of Intestines | 24 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Stomach Disease | 765 | 65 | 22 | 30 | 26 | 16 | 7 | 4 | 11 | 8 | 15 | 17 | 16 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 166 | 2 | 1 | 3 | 3 | 1 | – | 2 | 2 | 4 | 6 | 5 | 6 |
| Jaundice | 185 | 62 | 4 | – | 3 | 4 | 5 | 3 | 3 | – | 3 | – | 2 |
| Liver Disease | 572 | 7 | 3 | 5 | 4 | 3 | 3 | – | 9 | 15 | 5 | 13 | 17 |
| Spleen Disease | 22 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 |
| VIII. Nephritis | 58 | – | – | – | – | 1 | 3 | 4 | 7 | 2 | – | 5 | 1 |
| Nephria | 165 | – | – | – | – | 3 | 1 | 4 | 4 | 8 | 10 | 12 | 18 |
| Ischuria | 37 | 4 | – | – | – | 1 | – | – | – | 1 | – | 2 | 1 |
| Diabetes | 84 | – | – | 1 | – | 1 | – | 1 | – | 5 | 8 | 7 | 7 |
| Stone | 82 | – | – | 1 | 1 | 1 | – | – | 1 | 1 | 1 | 1 | 1 |
| Cystitis | 54 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Stricture of Urethra | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 348 | 1 | – | 1 | – | 1 | 1 | 2 | 7 | 5 | 9 | 14 | 15 |
| IX. Paramenia | 28 | – | – | – | – | – | – | – | – | 1 | 14 | 5 | 3 |
| Ovarian Dropsy | 81 | – | – | – | – | – | – | – | – | – | 2 | 9 | 6 |
| Childbirth | 308 | – | – | – | – | – | – | – | – | – | 12 | 51 | 66 |
| Organs of Generation | 89 | – | – | – | – | 1 | – | – | – | – | 2 | 5 | 7 |
| X. Arthritis | 20 | – | – | 1 | – | – | – | – | 3 | 6 | 1 | 3 | – |
| Rheumatism | 181 | – | – | – | – | – | 1 | 1 | 5 | 6 | 8 | 7 | 8 |
| Joint and Bone Disease | 227 | 2 | 1 | 1 | 2 | 5 | 5 | 3 | 24 | 41 | 27 | 17 | 17 |
| XI. Carbuncle | 20 | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | 12 | 1 | – | – | – | – | – | – | – | – | – | 4 | – |
| Skin Disease | 40 | 8 | 9 | 8 | 3 | 1 | 2 | – | 2 | – | – | 1 | 1 |
| XII. Cyanosis | 56 | 52 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| Spina Bifida | 32 | 26 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Other Malformations | 64 | 50 | 4 | 1 | 4 | 1 | 1 | – | 1 | – | 1 | – | 1 |
| XVII. Intemperance | 78 | – | – | – | – | – | – | – | – | – | – | 1 | 8 |
| Privation | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 70 | 41 | 16 | 11 | 2 | – | – | – | – | – | – | – | – |
| Neglect | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 34 | 4 | 1 | – | – | 2 | – | – | 1 | – | 2 | – | 2 |
| Poison | 44 | 3 | 1 | 2 | 2 | 1 | 3 | – | 2 | 1 | – | 1 | 5 |
| Burns and Scalds | 293 | 2 | 1 | 14 | 43 | 41 | 38 | 22 | 41 | 9 | 8 | 5 | 4 |
| Hanging, etc. | 49 | – | – | – | – | – | – | – | 1 | – | 3 | 1 | 6 |
| Suffocation | 102 | 33 | 11 | 5 | 6 | 2 | 2 | – | 2 | 3 | 8 | 3 | 7 |
| Drowning | 467 | – | 2 | – | 15 | 16 | 9 | 3 | 28 | 25 | 42 | 49 | 46 |
| Fracture and Contusion | 726 | 1 | 3 | 4 | 6 | 13 | 12 | 9 | 43 | 48 | 53 | 73 | 48 |
| Wounds | 93 | – | – | – | 1 | 1 | 1 | 1 | 1 | 4 | 9 | 8 | 8 |
| Other Violent Causes | 124 | 19 | – | – | – | 1 | – | 2 | 5 | 11 | 5 | 12 | 7 |
| Not Specified | 2924 | 848 | 241 | 248 | 266 | 132 | 62 | 41 | 121 | 74 | 71 | 64 | 62 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Contd.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 18 | 10 | 9 | 9 | 5 | 4 | 7 | 6 | 4 | 1 | 1 | – | – | – | – | – |
| Apoplexy | 21 | 27 | 43 | 46 | 86 | 86 | 125 | 124 | 118 | 104 | 71 | 24 | 1 | – | – | 3 |
| Paralysis | 24 | 34 | 41 | 65 | 75 | 108 | 184 | 202 | 252 | 221 | 134 | 53 | 15 | 4 | – | 1 |
| Delirium Tremens | 4 | 11 | 5 | 13 | 7 | 5 | 3 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 22 | 18 | 13 | 9 | 12 | 13 | 13 | 10 | 7 | 4 | 4 | 1 | – | – | – | 1 |
| Tetanus | 1 | 1 | – | 4 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Insanity | 7 | 4 | 9 | 5 | 12 | 9 | 7 | 9 | 5 | 5 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 35 | 39 | 38 | 47 | 47 | 61 | 56 | 59 | 41 | 24 | 18 | 3 | 1 | – | – | 1 |
| Pericarditis | 2 | 4 | 9 | 3 | 5 | 2 | 6 | 6 | 5 | 5 | 3 | 1 | – | – | – | – |
| Aneurism | 4 | 5 | 8 | 12 | 11 | 9 | 6 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| Heart Disease | 88 | 120 | 113 | 154 | 176 | 187 | 309 | 270 | 256 | 205 | 92 | 32 | 5 | – | 1 | 5 |
| Laryngitis | 2 | 5 | 6 | 3 | 4 | 6 | 5 | 2 | 2 | – | – | – | – | – | – | – |
| Bronchitis | 70 | 94 | 99 | 128 | 166 | 187 | 265 | 291 | 285 | 217 | 173 | 70 | 21 | 3 | – | 1 |
| Pleurisy | 13 | 13 | 12 | 15 | 11 | 17 | 17 | 17 | 18 | 12 | 9 | 3 | 1 | – | – | – |
| Pneumonia | 57 | 60 | 76 | 66 | 73 | 81 | 96 | 69 | 71 | 56 | 27 | 7 | 2 | – | – | – |
| Asthma | 16 | 24 | 36 | 37 | 55 | 70 | 112 | 94 | 95 | 60 | 28 | 14 | 1 | – | – | – |
| Lung Disease | 14 | 16 | 22 | 18 | 20 | 24 | 20 | 21 | 12 | 7 | 5 | 2 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 3 | 1 | – | – | 1 | 3 | 3 | 4 | 3 | – | – | 1 | – | – | – | – |
| Gastritis | 6 | 11 | 7 | 10 | 4 | 20 | 13 | 11 | 2 | 6 | 8 | 2 | – | – | – | – |
| Enteritis | 18 | 18 | 18 | 16 | 36 | 23 | 26 | 16 | 26 | 18 | 6 | 2 | – | – | – | – |
| Peritonitis | 19 | 21 | 12 | 20 | 10 | 15 | 12 | 10 | 9 | 10 | 2 | 5 | – | – | – | – |
| Ascites | 4 | 5 | 1 | 3 | 11 | 4 | 3 | 8 | 2 | 4 | 2 | – | – | – | – | – |
| Ulceration of Intestines | 8 | 12 | 16 | 10 | 13 | 15 | 16 | 11 | 7 | 11 | 3 | – | – | – | – | – |
| Hernia | 1 | 3 | 7 | 13 | 9 | 11 | 11 | 11 | 10 | 12 | 3 | 4 | – | – | – | – |
| Ileus | 7 | 14 | 11 | 13 | 16 | 26 | 25 | 22 | 29 | 26 | 12 | 7 | 1 | – | – | – |
| Intussusception | 1 | – | 2 | 5 | 3 | 1 | 1 | 1 | 5 | 1 | 2 | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 1 | 1 | 2 | 2 | 1 | – | – | – | – |
| Stomach Disease | 24 | 32 | 31 | 46 | 46 | 66 | 80 | 72 | 67 | 35 | 18 | 8 | 2 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | 10 | 11 | 11 | 12 | 12 | 17 | 23 | 8 | 16 | 5 | 3 | 2 | 1 | – | – | – |
| Jaundice | 1 | 4 | 7 | 6 | 9 | 11 | 10 | 17 | 14 | 9 | 3 | 5 | – | – | – | – |
| Liver Disease | 22 | 34 | 42 | 50 | 70 | 57 | 71 | 51 | 53 | 26 | 9 | 3 | – | – | – | – |
| Spleen Disease | – | 2 | 1 | 2 | 2 | 2 | 3 | 3 | 1 | – | 1 | – | – | – | – | – |
| Nephritis | – | 2 | 4 | 2 | 5 | 3 | 3 | 5 | 2 | 7 | 2 | – | – | – | – | – |
| Nephria | 18 | 17 | 15 | 11 | 7 | 7 | 11 | 6 | 7 | 2 | 3 | – | 1 | – | – | – |
| Ischuria | 2 | – | – | – | 2 | 2 | 2 | 6 | 4 | 4 | 3 | 2 | 1 | – | – | – |
| Diabetes | 8 | 4 | 6 | 6 | 7 | 6 | 5 | 7 | 4 | 1 | – | – | – | – | – | – |
| Stone | 1 | – | 2 | 1 | 2 | 2 | 9 | 10 | 14 | 14 | 11 | 7 | 1 | – | – | – |
| Cystitis | 3 | 2 | 4 | 1 | 3 | 5 | 6 | 5 | 8 | 7 | 5 | 2 | – | – | – | – |
| Stricture of Urethra | 2 | 1 | – | 1 | 2 | 2 | 2 | 1 | 3 | – | – | – | 1 | – | – | – |
| Kidney Disease | 13 | 15 | 20 | 16 | 19 | 25 | 32 | 41 | 38 | 34 | 29 | 9 | – | – | – | 1 |
| Paramenia | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 5 | 5 | 12 | 6 | 11 | 6 | 3 | 5 | 6 | 1 | 3 | – | – | – | – | 1 |
| Childbirth | 70 | 69 | 30 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 8 | 13 | 12 | 13 | 4 | 5 | 6 | 5 | 4 | 1 | 2 | 1 | – | – | – | – |
| Arthritis | – | – | 1 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Rheumatism | 6 | 6 | 7 | 13 | 9 | 13 | 24 | 20 | 21 | 18 | 6 | 1 | – | – | – | 1 |
| Joint Disease | 7 | 11 | 15 | 8 | 8 | 8 | 10 | 7 | 4 | 4 | – | – | – | – | – | – |
| Carbuncle | – | 2 | 1 | 3 | 2 | 2 | 1 | – | – | 2 | 4 | 1 | – | – | – | – |
| Phlegmon | – | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 9 | 9 | 6 | 16 | 12 | 3 | 8 | 2 | 2 | 2 | – | – | – | – | – | – |
| Privation | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 3 | – | 4 | 1 | 5 | 2 | 2 | 2 | – | – | – | 1 | – | – | 1 |
| Poison | 3 | 3 | 3 | 3 | 4 | 3 | 3 | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | 3 | 7 | 9 | 8 | 4 | 4 | 5 | 1 | 4 | 10 | 7 | 2 | 1 | – | – | – |
| Hanging, etc. | 2 | 3 | 3 | 6 | 8 | 7 | 5 | 2 | 1 | – | 1 | – | – | – | – | – |
| Suffocation | 2 | 2 | 1 | 2 | 2 | 1 | 2 | 1 | 2 | | 2 | 1 | – | – | – | 2 |
| Drowning | 32 | 35 | 34 | 25 | 24 | 18 | 16 | 10 | 7 | 2 | 1 | 1 | – | – | – | 27 |
| Fracture and Contusion | 58 | 38 | 46 | 48 | 46 | 27 | 26 | 26 | 30 | 22 | 21 | 12 | 7 | – | – | 6 |
| Wounds | 12 | 9 | 4 | 9 | 3 | 10 | 1 | 4 | 1 | 2 | 1 | 1 | – | – | – | 2 |
| Other Violent Causes | 7 | 7 | 3 | 5 | 7 | 6 | 12 | 1 | 2 | 3 | – | – | – | – | – | 9 |
| Not Specified | 75 | 77 | 75 | 72 | 97 | 126 | 145 | – | 2 | – | – | – | – | – | – | 24 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 30890 | 3407 | 1101 | 2145 | 2859 | 1396 | 871 | 611 | 1579 | 805 | 1077 | 1301 | 1022 |
| SPECIFIED CAUSES | 29380 | 2926 | 974 | 2029 | 2723 | 1324 | 836 | 590 | 1507 | 768 | 1047 | 1270 | 986 |
| I. Zymotic Class | 5939 | 316 | 235 | 610 | 1060 | 654 | 504 | 318 | 672 | 207 | 175 | 174 | 108 |
| II. Diseases of Uncertain Seat | 894 | 20 | 6 | 12 | 22 | 9 | 8 | 16 | 34 | 14 | 12 | 17 | 20 |
| III. Tubercular Class | 5189 | 81 | 122 | 327 | 490 | 234 | 117 | 101 | 381 | 254 | 495 | 653 | 451 |
| IV. Brain and Nervous System | 2546 | 234 | 65 | 103 | 97 | 52 | 29 | 32 | 94 | 47 | 69 | 69 | 64 |
| V. Organs of Circulation | 1278 | 2 | 6 | 3 | 4 | 4 | 3 | 5 | 21 | 16 | 34 | 28 | 47 |
| VI. Respiratory Organs | 4427 | 390 | 295 | 541 | 521 | 216 | 101 | 65 | 116 | 41 | 55 | 88 | 84 |
| VII. Organs of Digestion | 2545 | 285 | 119 | 320 | 403 | 74 | 22 | 13 | 53 | 46 | 48 | 52 | 46 |
| VIII. Urinary Organs | 593 | 4 | – | 3 | 1 | 5 | 3 | 8 | 13 | 11 | 17 | 23 | 25 |
| IX. Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 221 | 2 | – | 1 | 2 | 2 | 3 | 3 | 17 | 34 | 22 | 19 | 15 |
| XI. Skin, etc. | 33 | 6 | 3 | 2 | 1 | – | 2 | – | – | – | – | 2 | 1 |
| XII. Malformation | 90 | 78 | 5 | – | 3 | 1 | – | – | 2 | – | – | – | 1 |
| XIII. Premature Debility | 1619 | 1446 | 93 | 80 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 223 | – | – | – | 68 | 31 | 12 | 9 | 23 | 11 | 5 | 2 | – |
| XV. Age | 2184 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 50 | 8 | 5 | 7 | 2 | – | – | – | – | – | – | 2 | 1 |
| XVII. Violent Deaths | 1547 | 54 | 20 | 20 | 49 | 42 | 32 | 20 | 81 | 87 | 115 | 141 | 123 |
| I. Small Pox | 415 | 40 | 26 | 61 | 63 | 42 | 35 | 20 | 36 | 7 | 14 | 14 | 11 |
| Measles | 492 | 10 | 11 | 68 | 179 | 97 | 43 | 29 | 43 | 4 | 3 | 4 | – |
| Scarlatina | 891 | 5 | 16 | 58 | 148 | 131 | 131 | 99 | 217 | 48 | 10 | 9 | 3 |
| Diphtheria | 312 | 6 | 5 | 22 | 36 | 45 | 39 | 27 | 70 | 27 | 11 | 9 | 6 |
| Hooping Cough | 989 | 63 | 70 | 200 | 317 | 151 | 96 | 41 | 45 | 3 | 1 | 1 | – |
| Croup | 471 | 20 | 20 | 52 | 124 | 90 | 62 | 49 | 51 | 3 | – | – | – |
| Thrush | 16 | 11 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 515 | 79 | 36 | 93 | 98 | 22 | 15 | 5 | 6 | 5 | 5 | 3 | 5 |
| Dysentery | 147 | 4 | 4 | 9 | 17 | 9 | 4 | – | 5 | 2 | 3 | 5 | 6 |
| Cholera | 43 | 1 | 3 | 6 | 6 | 2 | 3 | – | 2 | – | – | 1 | 2 |
| Influenza | 108 | 4 | 7 | 4 | 5 | 5 | 4 | 1 | 3 | – | 2 | 2 | 1 |
| Purpura | 23 | – | 1 | 1 | 3 | 2 | 1 | – | 4 | 1 | – | 1 | 2 |
| Ague | 5 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Worms | 11 | – | – | – | – | 3 | 2 | 2 | 3 | 1 | – | – | – |
| Infantile Fever | 21 | 3 | 3 | 5 | 5 | 1 | 3 | 1 | – | – | – | – | – |
| Typhus | 1228 | 7 | 12 | 16 | 54 | 50 | 65 | 42 | 172 | 95 | 115 | 110 | 64 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 49 | – | – | – | – | – | – | 2 | 8 | 4 | 6 | 8 | 1 |
| Erysipelas | 129 | 35 | 4 | 3 | 1 | 4 | 2 | – | 7 | 6 | 2 | 4 | 4 |
| Syphilis | 69 | 28 | 16 | 9 | 2 | – | – | – | – | 1 | 1 | 3 | 3 |
| Noma | 5 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 38 | 7 | – | 2 | – | – | – | – | 1 | – | 1 | 2 | 4 |
| Dropsy | 310 | 4 | – | 1 | 9 | 7 | 4 | 12 | 20 | 8 | 2 | 4 | 5 |
| Abscess | 73 | 6 | 2 | 3 | 5 | – | 1 | 2 | 4 | 6 | 3 | 5 | 4 |
| Ulcer | 18 | 2 | 1 | – | 2 | – | 2 | – | – | – | – | – | – |
| Fistula | 12 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Mortification | 66 | 1 | 2 | 4 | 5 | 1 | 1 | – | 5 | – | – | 1 | 1 |
| Cancer | 367 | – | 1 | 1 | – | 1 | – | 2 | 3 | – | 6 | 5 | 6 |
| Gout | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 388 | 7 | 9 | 15 | 23 | 15 | 15 | 9 | 53 | 51 | 51 | 45 | 30 |
| Tabes Mesenterica | 424 | 35 | 20 | 51 | 116 | 56 | 17 | 15 | 58 | 18 | 13 | 8 | 1 |
| Phthisis | 3518 | 11 | 25 | 56 | 120 | 69 | 36 | 29 | 169 | 158 | 429 | 596 | 420 |
| Hydrocephalus | 859 | 28 | 68 | 205 | 231 | 94 | 49 | 48 | 101 | 27 | 2 | 4 | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 860 | 888 | 870 | 950 | 1042 | 1059 | 1355 | 1264 | 1338 | 1291 | 1020 | 458 | 195 | 40 | 19 | 67 |
| SPECIFIED CAUSES | 824 | 858 | 836 | 919 | 995 | 1003 | 1291 | 1264 | 1336 | 1290 | 1020 | 458 | 195 | 40 | 19 | 52 |
| Zymotic Class | 79 | 85 | 90 | 81 | 82 | 74 | 113 | 90 | 84 | 61 | 48 | 14 | 3 | – | – | 2 |
| Uncertain Seat | 18 | 27 | 43 | 49 | 66 | 76 | 102 | 100 | 100 | 74 | 37 | 10 | 1 | – | – | 1 |
| Tubercular Class | 319 | 278 | 199 | 185 | 168 | 99 | 104 | 75 | 39 | 10 | 3 | 1 | – | – | – | 3 |
| Brain, etc. | 73 | 86 | 87 | 112 | 136 | 159 | 212 | 203 | 186 | 178 | 120 | 29 | 7 | 1 | – | 2 |
| Heart, etc. | 40 | 61 | 57 | 94 | 100 | 110 | 168 | 148 | 144 | 119 | 45 | 15 | – | – | 1 | 3 |
| Respiratory Organs | 87 | 111 | 134 | 148 | 182 | 215 | 250 | 221 | 231 | 172 | 114 | 38 | 10 | 1 | – | – |
| Digestive Organs | 52 | 76 | 80 | 105 | 119 | 136 | 139 | 120 | 115 | 68 | 42 | 11 | 1 | – | – | – |
| Urinary Organs | 23 | 20 | 29 | 26 | 28 | 37 | 56 | 66 | 65 | 62 | 47 | 18 | 2 | – | – | 1 |
| Generative Organs | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Locomotive Organs | 10 | 9 | 11 | 11 | 5 | 9 | 13 | 13 | 7 | 11 | 1 | – | – | – | – | 1 |
| Skin | – | 1 | – | 11 | 3 | 4 | 1 | 1 | – | 2 | 3 | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 5 | 8 | 6 | 10 | 13 | 20 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 66 | 187 | 337 | 510 | 543 | 318 | 166 | 38 | 18 | 1 |
| Sudden Deaths | 3 | 4 | 3 | 3 | 2 | 1 | 2 | 2 | 4 | 1 | – | – | – | – | – | – |
| Violent Deaths | 115 | 92 | 97 | 94 | 91 | 63 | 64 | 38 | 24 | 22 | 16 | 4 | 5 | – | – | 38 |
| Small Pox | 15 | 6 | 4 | 7 | 1 | 4 | 6 | 1 | – | 1 | – | – | – | – | – | 1 |
| Measles | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 5 | 2 | 2 | 2 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | 2 | – | – | 1 | 4 | 2 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | 9 | 7 | 7 | 11 | 14 | 20 | 15 | 21 | 12 | 17 | 7 | 1 | – | – | – |
| Dysentery | 1 | 2 | 4 | 6 | 8 | 6 | 9 | 11 | 14 | 7 | 6 | 3 | 2 | – | – | – |
| Cholera | 1 | 2 | 3 | 4 | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | 2 | 1 | 4 | 5 | 8 | 18 | 7 | 13 | 8 | 2 | – | – | – | – |
| Purpura | 2 | – | 1 | – | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 46 | 53 | 54 | 46 | 49 | 32 | 45 | 35 | 34 | 20 | 10 | 2 | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | 4 | 3 | 3 | 1 | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | 5 | 5 | 5 | 3 | 6 | 11 | 6 | 4 | 6 | 4 | – | – | – | – | – |
| Syphilis | – | 1 | 2 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 4 | 1 | 2 | 3 | 3 | 2 | 3 | – | 2 | – | – | – | – | – |
| Dropsy | 6 | 10 | 15 | 15 | 15 | 15 | 33 | 33 | 41 | 26 | 20 | 3 | 1 | – | – | 1 |
| Abscess | 3 | 2 | 2 | 1 | 7 | 2 | 5 | 4 | 4 | 1 | – | 1 | – | – | – | – |
| Ulcer | – | – | – | 1 | 2 | 2 | – | 2 | 2 | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | 2 | 2 | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Mortification | 1 | 1 | 1 | 3 | 2 | 2 | 3 | 6 | 4 | 13 | 6 | 3 | – | – | – | – |
| Cancer | 8 | 13 | 19 | 26 | 36 | 50 | 56 | 48 | 44 | 30 | 9 | 3 | – | – | – | – |
| Gout | – | – | 2 | – | – | 2 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| Scrofula | 10 | 11 | 12 | 10 | 9 | 5 | 2 | 3 | 2 | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 6 | – | 1 | 2 | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Phthisis | 302 | 267 | 186 | 172 | 158 | 91 | 101 | 71 | 37 | 8 | 3 | 1 | – | – | – | 3 |
| Hydrocephalus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 188 | 4 | 7 | 17 | 14 | 8 | 2 | 8 | 27 | 12 | 16 | 15 | 14 |
| Apoplexy | 543 | 10 | 5 | 4 | 9 | 7 | 4 | 4 | 10 | 5 | 3 | 6 | 10 |
| Paralysis | 706 | – | – | – | 1 | – | – | – | – | 2 | 5 | 5 | 10 |
| Delirium Tremens | 43 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Chorea | 5 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Epilepsy | 112 | – | – | – | 1 | – | – | – | 2 | 5 | 13 | 16 | 9 |
| Tetanus | 28 | 12 | – | 1 | – | 1 | 1 | – | 1 | 3 | 1 | 1 | 1 |
| Insanity | 37 | – | – | – | – | – | 1 | – | – | – | 1 | 3 | 4 |
| Convulsions | 403 | 199 | 44 | 61 | 51 | 20 | 12 | 5 | 10 | – | – | 1 | – |
| Brain Disease | 481 | 9 | 9 | 20 | 20 | 16 | 8 | 14 | 44 | 20 | 30 | 22 | 13 |
| V. Pericarditis | 42 | – | – | – | – | – | – | 1 | 1 | 3 | 1 | 3 | 1 |
| Aneurism | 44 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| Heart Disease | 1192 | 2 | 6 | 3 | 4 | 4 | 3 | 4 | 20 | 13 | 32 | 25 | 41 |
| VI. Laryngitis | 91 | 2 | 5 | 12 | 10 | 7 | 3 | 5 | 11 | 1 | 3 | 5 | 6 |
| Bronchitis | 2541 | 274 | 199 | 381 | 362 | 143 | 67 | 37 | 49 | 10 | 16 | 28 | 31 |
| Pleurisy | 155 | 3 | 2 | 2 | 5 | 4 | 2 | 3 | 10 | 7 | 3 | 8 | 8 |
| Pneumonia | 1139 | 103 | 82 | 135 | 137 | 58 | 26 | 18 | 40 | 17 | 24 | 40 | 27 |
| Asthma | 331 | – | 1 | 2 | – | – | – | – | – | 2 | – | 2 | 4 |
| Lung Disease | 170 | 8 | 6 | 9 | 7 | 4 | 3 | 2 | 6 | 4 | 9 | 5 | 8 |
| VII. Teething | 595 | 1 | 23 | 224 | 310 | 33 | 2 | 2 | – | – | – | – | – |
| Quinsey | 45 | 1 | 4 | 5 | 6 | 4 | 2 | 3 | 2 | 3 | 2 | 1 | 1 |
| Gastritis | 82 | 10 | 2 | 3 | 2 | 1 | – | 2 | 1 | 2 | 1 | 4 | 1 |
| Enteritis | 534 | 154 | 54 | 59 | 57 | 21 | 9 | 2 | 22 | 15 | 7 | 8 | 7 |
| Peritonitis | 120 | 11 | 7 | 6 | 4 | 1 | 1 | – | 3 | 6 | 13 | 8 | 4 |
| Ascites | 21 | 1 | – | – | – | 1 | – | – | 4 | 1 | 1 | – | – |
| Ulceration of Intestines | 92 | 7 | 3 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | 3 | 7 |
| Hernia | 54 | 2 | 3 | 4 | 1 | 1 | – | – | 1 | – | – | 2 | – |
| Ileus | 169 | 19 | 5 | 1 | 3 | – | 1 | – | 5 | 3 | 6 | 10 | 5 |
| Intussusception | 18 | – | 1 | 2 | – | – | – | – | 1 | – | 1 | 1 | – |
| Stricture of Intestines | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 334 | 37 | 11 | 10 | 12 | 5 | 2 | 2 | 5 | 5 | 7 | 7 | 8 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 78 | – | – | 2 | 2 | 1 | – | – | 2 | 1 | 5 | 1 | 2 |
| Jaundice | 102 | 38 | 3 | – | 2 | 3 | 3 | 1 | 1 | – | 2 | – | 1 |
| Liver Disease | 281 | 4 | 3 | 2 | 1 | 2 | 1 | – | 4 | 9 | 2 | 7 | 10 |
| Spleen Disease | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 31 | – | – | – | – | – | 1 | 2 | 5 | – | – | 3 | 1 |
| Nephria | 93 | – | – | – | – | 3 | 1 | 4 | 2 | 7 | 6 | 6 | 6 |
| Ischuria | 23 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 53 | – | – | 1 | – | 1 | – | 1 | – | 1 | 6 | 2 | 4 |
| Stone | 77 | – | – | 1 | 1 | 1 | – | – | 1 | – | 1 | 1 | 1 |
| Cystitis | 43 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 16 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 257 | 1 | – | 1 | – | – | 1 | 1 | 5 | 3 | 4 | 11 | 12 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 12 | – | – | 1 | – | – | – | – | 2 | 3 | 1 | 3 | – |
| Rheumatism | 77 | – | – | – | – | – | – | – | 3 | 4 | 3 | 4 | 5 |
| Joint and Bone Disease | 132 | 2 | – | – | 2 | 2 | 3 | 3 | 12 | 27 | 18 | 12 | 10 |
| XI. Carbuncle | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 18 | 6 | 3 | 2 | 1 | – | 2 | – | – | – | – | 1 | 1 |
| XII. Cyanosis | 33 | 31 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Spina Bifida | 16 | 14 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 41 | 33 | 4 | – | 1 | 1 | – | – | 1 | – | – | – | 1 |
| XVII. Intemperance | 48 | – | – | – | – | – | – | – | – | – | – | 1 | 5 |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 38 | 23 | 7 | 6 | 2 | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 21 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Poison | 19 | 2 | 1 | 2 | – | – | – | – | – | – | – | 1 | 2 |
| Burns and Scalds | 137 | 1 | 1 | 5 | 25 | 24 | 18 | 9 | 14 | 5 | 5 | 4 | 3 |
| Hanging, etc. | 35 | – | – | – | – | – | – | – | 1 | – | 3 | – | 2 |
| Suffocation | 71 | 16 | 9 | 5 | 6 | 1 | 1 | – | 2 | 2 | 8 | 3 | 6 |
| Drowning | 405 | – | 1 | – | 12 | 8 | 7 | 2 | 22 | 24 | 39 | 41 | 43 |
| Fracture and Contusion | 597 | – | 1 | 2 | 4 | 8 | 6 | 6 | 37 | 44 | 47 | 71 | 46 |
| Wounds | 79 | – | – | – | – | – | – | 1 | 1 | 4 | 8 | 8 | 8 |
| Other Violent Causes | 95 | 11 | – | – | – | 1 | – | 2 | 4 | 8 | 4 | 12 | 7 |
| Not Specified | 1510 | 481 | 127 | 116 | 136 | 72 | 35 | 21 | 72 | 37 | 30 | 31 | 36 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 8 | 8 | 3 | 7 | 4 | 4 | 5 | 4 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 13 | 15 | 31 | 25 | 42 | 49 | 66 | 65 | 56 | 54 | 37 | 11 | 1 | – | – | 1 |
| Paralysis | 14 | 23 | 20 | 35 | 44 | 50 | 100 | 97 | 103 | 107 | 66 | 18 | 5 | 1 | – | – |
| Delirium Tremens | 4 | 9 | 2 | 11 | 7 | 5 | 2 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 14 | 8 | 7 | 2 | 6 | 10 | 9 | 3 | 2 | 2 | 2 | – | – | – | – | 1 |
| Tetanus | – | 1 | – | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Insanity | 2 | – | 5 | 3 | 4 | 3 | 3 | 3 | 2 | 3 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 18 | 22 | 19 | 28 | 28 | 37 | 26 | 31 | 21 | 11 | 14 | – | 1 | – | – | – |
| Pericarditis | 2 | 2 | 4 | 3 | 2 | 1 | 4 | 3 | 4 | 5 | 2 | – | – | – | – | – |
| Aneurism | 4 | 4 | 6 | 6 | 10 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| Heart Disease | 34 | 55 | 47 | 85 | 88 | 107 | 161 | 144 | 139 | 113 | 43 | 15 | – | – | 1 | 3 |
| Laryngitis | 2 | 3 | 3 | 1 | 2 | 5 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Bronchitis | 23 | 36 | 52 | 66 | 86 | 91 | 128 | 110 | 128 | 103 | 84 | 28 | 8 | 1 | – | – |
| Pleurisy | 11 | 9 | 6 | 8 | 8 | 10 | 11 | 8 | 10 | 9 | 7 | – | 1 | – | – | – |
| Pneumonia | 32 | 41 | 45 | 40 | 48 | 53 | 48 | 48 | 37 | 26 | 10 | 3 | 1 | – | – | – |
| Asthma | 10 | 14 | 16 | 21 | 28 | 40 | 53 | 43 | 48 | 31 | 9 | 7 | – | – | – | – |
| Lung Disease | 9 | 8 | 12 | 12 | 10 | 16 | 8 | 11 | 6 | 3 | 4 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | 1 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Gastritis | 4 | 5 | 4 | 5 | – | 12 | 5 | 7 | 1 | 2 | 7 | 1 | – | – | – | – |
| Enteritis | 7 | 8 | 8 | 8 | 18 | 11 | 17 | 12 | 17 | 11 | 2 | – | – | – | – | – |
| Peritonitis | 6 | 7 | 5 | 7 | 9 | 4 | 4 | 4 | 1 | 5 | 2 | 2 | – | – | – | – |
| Ascites | 2 | – | 1 | 1 | 2 | 3 | 1 | 3 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 4 | 5 | 6 | 7 | 7 | 10 | 9 | 5 | 4 | 3 | – | – | – | – | – | – |
| Hernia | – | 1 | 4 | 7 | 3 | 3 | 4 | 7 | 2 | 6 | 3 | – | – | – | – | – |
| Ileus | 3 | 9 | 6 | 6 | 11 | 14 | 12 | 12 | 18 | 8 | 8 | 3 | 1 | – | – | – |
| Intussusception | – | – | 1 | 3 | 1 | 1 | 1 | – | 4 | – | 1 | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | – | – | 2 | 1 | 6 | – | 1 | 2 | 1 | – | – | – | – |
| Stomach Disease | 8 | 11 | 19 | 22 | 20 | 28 | 33 | 26 | 31 | 14 | 9 | 2 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | 6 | 5 | 6 | 5 | 9 | 11 | 6 | 7 | 2 | 1 | 1 | – | – | – | – |
| Jaundice | 1 | 3 | 3 | 2 | 3 | 6 | 5 | 8 | 7 | 6 | 3 | 1 | – | – | – | – |
| Liver Disease | 11 | 20 | 18 | 29 | 39 | 28 | 32 | 24 | 21 | 10 | 4 | – | – | – | – | – |
| Spleen Disease | – | – | – | 2 | – | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Nephritis | – | 1 | 1 | 1 | 4 | 1 | 1 | 3 | 1 | 5 | 1 | – | – | – | – | – |
| Nephria | 8 | 6 | 8 | 8 | 4 | 5 | 6 | 5 | 5 | 2 | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | 2 | 6 | 3 | 4 | 3 | 2 | – | – | – | – |
| Diabetes | 5 | 2 | 3 | 5 | 3 | 5 | 5 | 5 | 3 | 1 | – | – | – | – | – | – |
| Stone | 1 | – | 2 | 1 | 2 | 1 | 9 | 9 | 12 | 14 | 11 | 7 | 1 | – | – | – |
| Cystitis | 1 | 2 | 3 | 1 | 2 | 3 | 5 | 5 | 8 | 6 | 5 | 2 | – | – | – | – |
| Stricture of Urethra | 2 | 1 | – | 1 | 2 | 2 | 2 | 1 | 3 | – | – | – | 1 | – | – | – |
| Kidney Disease | 6 | 8 | 12 | 9 | 11 | 20 | 26 | 32 | 30 | 30 | 26 | 7 | – | – | – | 1 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | 4 | 5 | 4 | 7 | 2 | 4 | 7 | 8 | 6 | 9 | 1 | – | – | – | – | 1 |
| Joint Disease | 6 | 4 | 7 | 4 | 2 | 5 | 6 | 4 | 1 | 2 | – | – | – | – | – | – |
| Carbuncle | – | 1 | – | 1 | 2 | 2 | 1 | – | – | 2 | 2 | – | – | – | – | – |
| Phlegmon | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 5 | 6 | 5 | 8 | 8 | 2 | 5 | 2 | – | 1 | – | – | – | – | – | – |
| Privation | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 3 | – | 3 | 1 | 5 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| Poison | 1 | – | 2 | – | 2 | 3 | 2 | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | 1 | 3 | 6 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | – | 1 | – | – | – |
| Hanging, etc. | 2 | 1 | 2 | 4 | 6 | 5 | 5 | 2 | 1 | – | 1 | – | – | – | – | – |
| Suffocation | 2 | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – |
| Drowning | 29 | 32 | 31 | 19 | 23 | 14 | 15 | 7 | 5 | 2 | 1 | 1 | – | – | – | 27 |
| Fracture and Contusion | 55 | 34 | 44 | 44 | 40 | 19 | 22 | 21 | 12 | 13 | 9 | 2 | 4 | – | – | 6 |
| Wounds | 12 | 7 | 3 | 8 | 2 | 8 | 1 | 3 | 1 | 2 | 1 | – | – | – | – | 1 |
| Other Violent Causes | 7 | 5 | 3 | 4 | 6 | 5 | 10 | 1 | 1 | 1 | – | – | – | – | – | 3 |
| Not Specified | 36 | 30 | 34 | 31 | 47 | 56 | 64 | – | 2 | 1 | – | – | – | – | – | 15 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 31451 | 2545 | 853 | 1818 | 2683 | 1347 | 865 | 600 | 1480 | 791 | 1097 | 1250 | 1199 |
| SPECIFIED CAUSES | 30037 | 2178 | 739 | 1686 | 2553 | 1287 | 838 | 580 | 1431 | 754 | 1056 | 1217 | 1173 |
| I. Zymotic Class | 6467 | 267 | 194 | 626 | 1081 | 696 | 463 | 322 | 746 | 243 | 226 | 216 | 204 |
| II. Diseases of Uncertain Seat | 1425 | 11 | 4 | 6 | 7 | 11 | 6 | 7 | 20 | 19 | 19 | 20 | 28 |
| III. Tubercular Class | 5393 | 59 | 98 | 251 | 396 | 190 | 126 | 108 | 317 | 280 | 559 | 621 | 556 |
| IV. Brain and Nervous System | 2277 | 151 | 35 | 70 | 91 | 40 | 43 | 30 | 94 | 51 | 52 | 60 | 55 |
| V. Organs of Circulation | 1213 | 1 | 3 | 5 | 7 | 3 | 1 | 5 | 16 | 32 | 24 | 42 | 53 |
| VI. Respiratory Organs | 3973 | 255 | 210 | 370 | 486 | 214 | 123 | 62 | 104 | 42 | 45 | 70 | 79 |
| VII. Organs of Digestion | 2491 | 180 | 90 | 280 | 364 | 70 | 25 | 22 | 46 | 34 | 44 | 71 | 65 |
| VIII. Urinary Organs | 251 | 1 | – | – | – | 3 | 2 | 3 | 6 | 11 | 12 | 20 | 19 |
| IX. Organs of Generation | 504 | – | – | – | – | 1 | – | – | – | 1 | 30 | 70 | 82 |
| X. Organs of Locomotion | 207 | – | 1 | 1 | – | 3 | 3 | 1 | 15 | 19 | 14 | 8 | 10 |
| XI. Skin, etc. | 39 | 3 | 7 | 6 | 2 | 1 | – | – | 2 | – | – | 4 | – |
| XII. Malformation | 62 | 50 | 2 | 3 | 5 | – | 1 | – | – | – | 1 | – | – |
| XIII. Premature Debility | 1261 | 1137 | 75 | 49 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 269 | – | – | – | 86 | 20 | 12 | 3 | 21 | 8 | 13 | 3 | 4 |
| XV. Age | 3608 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 55 | 12 | 5 | 2 | 2 | – | – | – | 1 | – | 2 | – | – |
| XVII. Violent Deaths | 542 | 51 | 15 | 17 | 26 | 35 | 33 | 17 | 43 | 14 | 15 | 12 | 18 |
| I. Small Pox | 351 | 20 | 24 | 57 | 63 | 38 | 23 | 23 | 27 | 16 | 11 | 14 | 9 |
| Measles | 479 | 6 | 7 | 61 | 191 | 87 | 37 | 23 | 49 | 5 | 4 | 1 | 1 |
| Scarlatina | 873 | 1 | 5 | 51 | 131 | 156 | 111 | 80 | 210 | 46 | 26 | 14 | 17 |
| Diphtheria | 369 | 9 | 5 | 16 | 36 | 47 | 38 | 41 | 105 | 25 | 16 | 11 | 3 |
| Hooping Cough | 1215 | 69 | 83 | 271 | 375 | 164 | 113 | 58 | 75 | 6 | – | – | – |
| Croup | 419 | 22 | 6 | 41 | 106 | 91 | 58 | 43 | 51 | 1 | – | – | – |
| Thrush | 9 | 5 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 526 | 66 | 36 | 63 | 74 | 27 | 9 | 5 | 9 | 7 | 4 | 11 | 4 |
| Dysentery | 214 | 7 | 8 | 10 | 16 | 5 | 1 | 2 | 4 | 1 | 1 | 3 | 2 |
| Cholera | 24 | – | 3 | 4 | 5 | 1 | 1 | – | 2 | – | – | 2 | 1 |
| Influenza | 124 | 8 | 3 | 5 | 4 | 4 | 1 | – | 2 | 1 | 3 | 3 | 1 |
| Purpura | 26 | 1 | – | 4 | 1 | – | – | – | 1 | 1 | 3 | 1 | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 19 | – | – | 1 | 2 | 3 | 4 | 1 | 7 | – | 1 | – | – |
| Infantile Fever | 24 | 6 | 1 | 2 | 8 | 2 | 3 | 1 | 1 | – | – | – | – |
| Typhus | 1351 | 3 | 5 | 20 | 60 | 68 | 59 | 45 | 189 | 126 | 140 | 102 | 88 |
| Metria | 203 | – | – | – | – | – | – | – | – | – | 6 | 44 | 64 |
| Rheumatic Fever | 55 | – | – | – | – | – | – | – | 8 | 5 | 6 | 4 | 7 |
| Erysipelas | 124 | 31 | 3 | 8 | 3 | 1 | 4 | – | 4 | 3 | 4 | 4 | 4 |
| Syphilis | 53 | 13 | 4 | 9 | 5 | 1 | 1 | – | – | – | 1 | 2 | 3 |
| Noma | 7 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 27 | 1 | – | 1 | 1 | 2 | – | – | 1 | 2 | – | – | – |
| Dropsy | 468 | 1 | 3 | 3 | 3 | 4 | 5 | 4 | 15 | 11 | 8 | 12 | 10 |
| Abscess | 53 | 6 | – | – | – | 2 | 1 | 1 | 4 | 2 | 4 | 2 | 7 |
| Ulcer | 17 | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| Fistula | 7 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Mortification | 49 | 3 | 1 | 2 | 2 | – | – | – | – | 2 | 1 | 1 | 1 |
| Cancer | 798 | – | – | – | 1 | 3 | – | 2 | – | – | 6 | 3 | 9 |
| Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 311 | 7 | 6 | 19 | 27 | 14 | 7 | 11 | 22 | 24 | 46 | 23 | 24 |
| Tabes Mesenterica | 358 | 21 | 16 | 46 | 102 | 36 | 24 | 16 | 35 | 22 | 6 | 7 | 3 |
| Phthisis | 4053 | 6 | 28 | 39 | 107 | 64 | 35 | 44 | 175 | 211 | 501 | 590 | 527 |
| Hydrocephalus | 671 | 25 | 48 | 147 | 160 | 76 | 60 | 37 | 85 | 23 | 6 | 1 | 2 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 1051 | 1084 | 990 | 956 | 1004 | 1031 | 1425 | 1421 | 1709 | 1579 | 1447 | 765 | 316 | 90 | 23 | 32 |
| SPECIFIED CAUSES | 1012 | 1037 | 949 | 915 | 954 | 961 | 1344 | 1421 | 1709 | 1579 | 1447 | 765 | 316 | 90 | 23 | 23 |
| Zymotic Class | 147 | 129 | 92 | 102 | 93 | 76 | 126 | 97 | 125 | 90 | 61 | 22 | 21 | – | – | 2 |
| Uncertain Seat | 27 | 67 | 108 | 117 | 126 | 139 | 172 | 146 | 156 | 113 | 62 | 21 | 12 | 1 | – | – |
| Tubercular Class | 430 | 363 | 284 | 209 | 170 | 122 | 115 | 73 | 35 | 15 | 9 | 3 | 2 | – | 1 | 1 |
| Brain, etc. | 59 | 58 | 71 | 86 | 109 | 128 | 184 | 207 | 242 | 182 | 110 | 52 | 10 | 3 | – | 4 |
| Heart, etc. | 54 | 68 | 73 | 75 | 92 | 88 | 153 | 130 | 119 | 93 | 51 | 18 | 5 | – | – | 2 |
| Respiratory Organs | 85 | 101 | 117 | 119 | 147 | 170 | 265 | 273 | 252 | 180 | 128 | 58 | 15 | 2 | – | 1 |
| Digestive Organs | 73 | 93 | 88 | 103 | 125 | 138 | 162 | 126 | 130 | 97 | 32 | 29 | 3 | – | – | 1 |
| Urinary Organs | 24 | 21 | 22 | 12 | 19 | 15 | 14 | 15 | 15 | 7 | 6 | 2 | 2 | – | – | – |
| Generative Organs | 85 | 88 | 55 | 30 | 15 | 11 | 8 | 10 | 10 | 2 | 4 | 1 | – | – | – | 1 |
| Locomotive Organs | 3 | 8 | 12 | 11 | 14 | 12 | 21 | 15 | 19 | 11 | 5 | 1 | – | – | – | – |
| Skin | – | 2 | 3 | 3 | 1 | – | – | – | 1 | – | 2 | 2 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 8 | 12 | 6 | 14 | 20 | 38 | – | – | – | – | – | – | – | – | – | 1 |
| Age | – | – | – | – | – | – | 106 | 314 | 573 | 764 | 959 | 543 | 242 | 84 | 22 | 1 |
| Sudden Deaths | 2 | 3 | 5 | 1 | 2 | 2 | 1 | 4 | 5 | 5 | 1 | – | – | – | – | – |
| Violent Deaths | 15 | 24 | 13 | 33 | 21 | 22 | 17 | 11 | 27 | 20 | 17 | 13 | 4 | – | – | 9 |
| Small Pox | 8 | 4 | 2 | 3 | 4 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| Measles | 2 | 2 | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Scarlatina | 9 | 10 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 5 | 1 | 2 | 2 | 3 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 7 | 9 | 5 | 15 | 9 | 14 | 30 | 20 | 32 | 28 | 22 | 11 | 9 | – | – | – |
| Dysentery | 4 | 8 | 4 | 14 | 14 | 14 | 21 | 25 | 15 | 16 | 11 | 3 | 5 | – | – | – |
| Cholera | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Influenza | 1 | 2 | 4 | 4 | 5 | 4 | 9 | 11 | 21 | 10 | 12 | 1 | 5 | – | – | – |
| Purpura | 1 | 2 | 4 | – | – | 2 | 1 | – | 2 | 2 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 48 | 49 | 47 | 53 | 50 | 32 | 48 | 33 | 47 | 25 | 10 | 4 | – | – | – | – |
| Metria | 45 | 33 | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 3 | 1 | 5 | 2 | 2 | 2 | 4 | 1 | 2 | 1 | 1 | – | – | – | – | 1 |
| Erysipelas | 7 | 5 | 4 | 2 | 5 | 3 | 8 | 4 | 5 | 4 | 5 | 2 | 1 | – | – | – |
| Syphilis | 7 | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 3 | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | 3 | 3 | – | 3 | 1 | 4 | – | 1 | 1 | 1 | – | – | – | – | – |
| Dropsy | 10 | 24 | 24 | 22 | 29 | 35 | 50 | 48 | 63 | 46 | 28 | 5 | 5 | – | – | – |
| Abscess | 3 | 1 | 3 | 3 | 2 | 4 | 6 | 2 | – | – | – | – | – | – | – | – |
| Ulcer | 1 | 1 | – | 1 | 2 | 2 | – | 4 | – | 2 | 1 | – | – | – | – | – |
| Fistula | – | – | 1 | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 2 | – | 3 | 4 | 8 | 5 | 6 | 4 | 3 | – | – | – |
| Cancer | 10 | 38 | 77 | 90 | 88 | 97 | 108 | 88 | 81 | 56 | 26 | 11 | 3 | 1 | – | – |
| Gout | – | – | – | – | – | – | 1 | – | 1 | 2 | – | 1 | 1 | – | – | – |
| Scrofula | 15 | 9 | 13 | 10 | 10 | 3 | 6 | 6 | 4 | 2 | 1 | 2 | – | – | – | – |
| Tabes Mesenterica | 8 | 3 | 1 | 3 | 1 | 2 | – | 1 | 2 | – | – | – | 2 | – | – | 1 |
| Phthisis | 407 | 351 | 270 | 196 | 158 | 117 | 109 | 66 | 29 | 13 | 8 | 1 | – | – | 1 | – |
| Hydrocephalus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 166 | 2 | 7 | 11 | 13 | 6 | 13 | 8 | 22 | 16 | 18 | 15 | 5 |
| Apoplexy | 465 | 5 | 3 | 5 | 3 | 7 | 2 | 4 | 6 | 3 | 3 | 3 | 8 |
| Paralysis | 752 | – | – | – | 3 | 1 | 1 | – | 1 | 4 | 3 | 7 | 2 |
| Delirium Tremens | 11 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Chorea | 9 | – | – | – | 1 | – | – | – | 3 | 1 | 2 | – | 2 |
| Epilepsy | 101 | – | – | – | – | 2 | 2 | 1 | 2 | 3 | 7 | 12 | 11 |
| Tetanus | 18 | 5 | – | – | 1 | 1 | 1 | – | 4 | – | 1 | 1 | – |
| Insanity | 54 | – | – | – | – | – | – | – | 1 | 1 | – | 3 | 4 |
| Convulsions | 286 | 134 | 18 | 42 | 46 | 15 | 13 | 5 | 13 | – | – | – | – |
| Brain Disease | 415 | 5 | 7 | 12 | 24 | 8 | 11 | 12 | 42 | 23 | 18 | 19 | 20 |
| V. Pericarditis | 30 | – | 1 | – | – | – | – | 1 | 2 | 1 | 1 | 3 | 2 |
| Aneurism | 25 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Heart Disease | 1158 | 1 | 2 | 5 | 7 | 3 | 1 | 4 | 14 | 30 | 23 | 39 | 51 |
| VI. Laryngitis | 70 | 1 | 6 | 1 | 8 | 7 | 8 | 2 | 14 | 3 | – | 2 | 4 |
| Bronchitis | 2476 | 191 | 159 | 289 | 348 | 122 | 73 | 34 | 45 | 16 | 23 | 21 | 29 |
| Pleurisy | 113 | 6 | 1 | 3 | 6 | 8 | 3 | 4 | 1 | 5 | 2 | 6 | 8 |
| Pneumonia | 835 | 53 | 41 | 72 | 113 | 76 | 35 | 22 | 37 | 10 | 9 | 30 | 28 |
| Asthma | 330 | 1 | – | – | 1 | – | – | – | 1 | – | 2 | 1 | 2 |
| Lung Disease | 149 | 3 | 3 | 5 | 10 | 1 | 4 | – | 6 | 8 | 9 | 10 | 8 |
| VII. Teething | 542 | 2 | 20 | 204 | 283 | 30 | 2 | 1 | – | – | – | – | – |
| Quinsey | 42 | 1 | 3 | 3 | 4 | 3 | 2 | 6 | 6 | 2 | 1 | 2 | 1 |
| Gastritis | 70 | – | 1 | 2 | 4 | 1 | 1 | – | 5 | 2 | 1 | 3 | 3 |
| Enteritis | 413 | 101 | 43 | 39 | 48 | 18 | 8 | 5 | 11 | 6 | 8 | 12 | 10 |
| Peritonitis | 178 | 9 | 5 | 3 | 4 | 3 | 2 | 2 | 6 | 5 | 17 | 18 | 15 |
| Ascites | 40 | – | – | – | – | – | – | 1 | 1 | 2 | – | – | 2 |
| Ulceration of Intestines | 91 | 4 | 1 | 1 | – | 1 | 1 | – | 2 | 1 | – | 7 | 11 |
| Hernia | 56 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 124 | 5 | 3 | 3 | 2 | 1 | – | – | 1 | 2 | 4 | 4 | 1 |
| Intussusception | 15 | – | 1 | 1 | – | – | – | – | 1 | 1 | – | 1 | – |
| Stricture of Intestines | 14 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Stomach Disease | 431 | 28 | 11 | 20 | 14 | 11 | 5 | 2 | 6 | 3 | 8 | 10 | 8 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 88 | 2 | 1 | 1 | 1 | – | – | 2 | – | 3 | 1 | 4 | 4 |
| Jaundice | 83 | 24 | 1 | – | 1 | 1 | 2 | 2 | 2 | – | 1 | – | 1 |
| Liver Disease | 291 | 3 | – | 3 | 3 | 1 | 2 | – | 5 | 6 | 3 | 6 | 7 |
| Spleen Disease | 13 | – | – | – | – | – | – | 1 | – | 1 | – | 2 | 1 |
| VIII. Nephritis | 27 | – | – | – | – | 1 | 2 | 2 | 2 | 2 | – | 2 | – |
| Nephria | 72 | – | – | – | – | – | – | – | 2 | 1 | 4 | 6 | 12 |
| Ischuria | 14 | 1 | – | – | – | 1 | – | – | – | 1 | – | 2 | 1 |
| Diabetes | 31 | – | – | – | – | – | – | – | – | 4 | 2 | 5 | 3 |
| Stone | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cystitis | 11 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 91 | – | – | – | – | 1 | – | 1 | 2 | 2 | 5 | 3 | 3 |
| IX. Paramenia | 28 | – | – | – | – | – | – | – | – | 1 | 14 | 5 | 3 |
| Ovarian Dropsy | 81 | – | – | – | – | – | – | – | – | – | 2 | 9 | 6 |
| Childbirth | 308 | – | – | – | – | – | – | – | – | – | 12 | 51 | 66 |
| Organs of Generation | 87 | – | – | – | – | 1 | – | – | – | – | 2 | 5 | 7 |
| X. Arthritis | 8 | – | – | – | – | – | – | – | 1 | 3 | – | – | – |
| Rheumatism | 104 | – | – | – | – | – | 1 | 1 | 2 | 2 | 5 | 3 | 3 |
| Joint and Bone Disease | 95 | – | 1 | 1 | – | 3 | 2 | – | 12 | 14 | 9 | 5 | 7 |
| XI. Carbuncle | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 9 | 1 | – | – | – | – | – | – | – | – | – | 4 | – |
| Skin Disease | 22 | 2 | 6 | 6 | 2 | 1 | – | – | 2 | – | – | – | – |
| XII. Cyanosis | 23 | 21 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 16 | 12 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 23 | 17 | – | 1 | 3 | – | 1 | – | – | – | 1 | – | – |
| XVII. Intemperance | 30 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 32 | 18 | 9 | 5 | – | – | – | – | – | – | – | – | – |
| Neglect | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 13 | 3 | 1 | – | – | 2 | – | – | 1 | – | 1 | – | 1 |
| Poison | 25 | 1 | – | – | 2 | 1 | 3 | – | 2 | 1 | – | – | 3 |
| Burns and Scalds | 156 | 1 | – | 9 | 18 | 17 | 20 | 13 | 27 | 4 | 3 | 1 | 1 |
| Hanging, etc. | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Suffocation | 31 | 17 | 2 | – | – | 1 | 1 | – | – | 1 | – | – | 1 |
| Drowning | 62 | – | 1 | – | 3 | 8 | 2 | 1 | 6 | 1 | 3 | 8 | 3 |
| Fracture and Contusion | 129 | 1 | 2 | 2 | 2 | 5 | 6 | 3 | 6 | 4 | 6 | 2 | 2 |
| Wounds | 14 | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – |
| Other Violent Causes | 29 | 8 | – | – | – | – | – | – | 1 | 3 | 1 | – | – |
| Not Specified | 1414 | 367 | 114 | 132 | 130 | 60 | 27 | 20 | 49 | 37 | 41 | 33 | 26 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 10 | 2 | 6 | 2 | 1 | – | 2 | 2 | 3 | 1 | 1 | 1 | – | – | – | – |
| Apoplexy | 8 | 12 | 12 | 21 | 44 | 37 | 59 | 59 | 62 | 50 | 34 | 13 | – | – | – | 2 |
| Paralysis | 10 | 11 | 21 | 30 | 31 | 58 | 84 | 105 | 149 | 114 | 68 | 35 | 10 | 3 | – | 1 |
| Delirium Tremens | – | 2 | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 8 | 10 | 6 | 7 | 6 | 3 | 4 | 7 | 5 | 2 | 2 | 1 | – | – | – | – |
| Tetanus | 1 | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 5 | 4 | 4 | 2 | 8 | 6 | 4 | 6 | 3 | 2 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 17 | 17 | 19 | 19 | 19 | 24 | 30 | 28 | 20 | 13 | 4 | 3 | – | – | – | 1 |
| Pericarditis | – | 2 | 5 | – | 3 | 1 | 2 | 3 | 1 | – | 1 | 1 | – | – | – | – |
| Aneurism | – | 1 | 2 | 6 | 1 | 7 | 3 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Heart Disease | 54 | 65 | 66 | 69 | 88 | 80 | 148 | 126 | 117 | 92 | 49 | 17 | 5 | – | – | 2 |
| Laryngitis | – | 2 | 3 | 2 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 47 | 58 | 47 | 62 | 80 | 96 | 137 | 181 | 157 | 114 | 89 | 42 | 13 | 2 | – | 1 |
| Pleurisy | 2 | 4 | 6 | 7 | 3 | 7 | 6 | 9 | 8 | 3 | 2 | 3 | – | – | – | – |
| Pneumonia | 25 | 19 | 31 | 26 | 25 | 28 | 48 | 21 | 34 | 30 | 17 | 4 | 1 | – | – | – |
| Asthma | 6 | 10 | 20 | 16 | 27 | 30 | 59 | 51 | 47 | 29 | 19 | 7 | 1 | – | – | – |
| Lung Disease | 5 | 8 | 10 | 6 | 10 | 8 | 12 | 10 | 6 | 4 | 1 | 2 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | – | – | 1 | 2 | 2 | – | – | 1 | – | – | – | – |
| Gastritis | 2 | 6 | 3 | 5 | 4 | 8 | 8 | 4 | 1 | 4 | 1 | 1 | – | – | – | – |
| Enteritis | 11 | 10 | 10 | 8 | 18 | 12 | 9 | 4 | 9 | 7 | 4 | 2 | – | – | – | – |
| Peritonitis | 13 | 14 | 7 | 13 | 1 | 11 | 8 | 6 | 8 | 5 | – | 3 | – | – | – | – |
| Ascites | 2 | 5 | – | 2 | 9 | 1 | 2 | 5 | 2 | 4 | 2 | – | – | – | – | – |
| Ulceration of Intestines | 4 | 7 | 10 | 3 | 6 | 5 | 7 | 6 | 3 | 8 | 3 | – | – | – | – | – |
| Hernia | 1 | 2 | 3 | 6 | 6 | 8 | 7 | 4 | 8 | 6 | – | 4 | – | – | – | – |
| Ileus | 4 | 5 | 5 | 7 | 5 | 12 | 13 | 10 | 11 | 18 | 4 | 4 | – | – | – | – |
| Intussusception | 1 | – | 1 | 2 | 2 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Stricture of Intestines | – | – | 2 | 2 | 2 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Stomach Disease | 16 | 21 | 12 | 24 | 26 | 38 | 47 | 46 | 36 | 21 | 9 | 6 | 2 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 7 | 5 | 6 | 6 | 7 | 8 | 12 | 2 | 9 | 3 | 2 | 1 | 1 | – | – | – |
| Jaundice | – | 1 | 4 | 4 | 6 | 5 | 5 | 9 | 7 | 3 | – | 4 | – | – | – | – |
| Liver Disease | 11 | 14 | 24 | 21 | 31 | 29 | 39 | 27 | 32 | 16 | 5 | 3 | – | – | – | – |
| Spleen Disease | – | 2 | 1 | – | 2 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Nephritis | – | 1 | 3 | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Nephria | 10 | 11 | 7 | 3 | 3 | 2 | 5 | 1 | 2 | – | 2 | – | 1 | – | – | – |
| Ischuria | 2 | – | – | – | 2 | 2 | – | – | 1 | – | – | – | 1 | – | – | – |
| Diabetes | 3 | 2 | 3 | 1 | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| Cystitis | 2 | – | 1 | – | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 7 | 7 | 8 | 7 | 8 | 5 | 6 | 9 | 8 | 4 | 3 | 2 | – | – | – | – |
| Paramenia | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 5 | 5 | 12 | 6 | 11 | 6 | 3 | 5 | 6 | 1 | 3 | – | – | – | – | 1 |
| Childbirth | 70 | 69 | 30 | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 8 | 13 | 12 | 13 | 4 | 5 | 5 | 5 | 4 | 1 | 1 | 1 | – | – | – | – |
| Arthritis | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | 2 | 1 | 3 | 6 | 7 | 9 | 17 | 12 | 15 | 9 | 5 | 1 | – | – | – | – |
| Joint Disease | 1 | 7 | 8 | 4 | 6 | 3 | 4 | 3 | 3 | 2 | – | – | – | – | – | – |
| Carbuncle | – | 1 | 1 | 2 | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Phlegmon | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 4 | 3 | 1 | 8 | 4 | 1 | 3 | – | 2 | 1 | – | – | – | – | – | – |
| Privation | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – |
| Poison | 2 | 3 | 1 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 4 | 3 | 7 | 3 | 3 | 3 | – | 3 | 8 | 4 | 2 | – | – | – | – |
| Hanging, etc. | – | 2 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | 2 |
| Drowning | 3 | 3 | 3 | 6 | 1 | 4 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | 4 | 2 | 4 | 6 | 8 | 4 | 5 | 18 | 9 | 12 | 10 | 3 | – | – | – |
| Wounds | – | 2 | 1 | 1 | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Other Violent Causes | – | 2 | – | 1 | 1 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | 6 |
| Not Specified | 39 | 47 | 41 | 41 | 50 | 70 | 81 | – | – | – | – | – | – | – | – | 9 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 2562 | 183 | 45 | 103 | 147 | 80 | 51 | 38 | 138 | 53 | 77 | 114 | 101 |
| Specified Causes | 2178 | 105 | 31 | 69 | 125 | 60 | 43 | 32 | 112 | 42 | 64 | 103 | 94 |
| I. Zymotic Class | 477 | 31 | 14 | 43 | 67 | 43 | 25 | 21 | 74 | 19 | 13 | 23 | 12 |
| II. Diseases of Uncertain Seat | 100 | – | 1 | 1 | – | 1 | – | – | 1 | 1 | – | 2 | 1 |
| III. Tubercular Class | 341 | – | 3 | 7 | 19 | 5 | 7 | 1 | 15 | 13 | 32 | 55 | 43 |
| IV. Brain and Nervous System | 121 | 9 | 1 | 3 | 4 | 3 | 1 | 3 | 4 | 2 | 4 | 4 | 6 |
| V. Organs of Circulation | 56 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| VI. Respiratory Organs | 204 | 11 | 7 | 7 | 14 | 3 | 3 | 4 | 9 | 4 | 5 | 4 | 4 |
| VII. Organs of Digestion | 139 | 5 | 4 | 5 | 13 | 1 | 2 | – | 4 | 1 | 1 | 3 | 9 |
| VIII. Urinary Organs | 20 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 23 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| X. Organs of Locomotion | 27 | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | 1 |
| XI. Skin, etc. | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 48 | 45 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 3 | – | 1 | – | 2 | 1 | – | – | – |
| XV. Age | 519 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| XVII. Violent Deaths | 83 | 2 | – | 1 | 3 | 4 | 4 | 2 | 3 | – | 4 | 11 | 12 |
| I. Small Pox | 6 | – | – | – | – | – | – | 1 | – | – | – | 3 | – |
| Measles | 42 | 3 | – | 4 | 9 | 7 | – | 1 | 8 | 2 | 3 | 2 | 1 |
| Scarlatina | 71 | – | – | 3 | 8 | 8 | 5 | 5 | 32 | 4 | 1 | 4 | 1 |
| Diphtheria | 14 | 1 | – | – | 4 | 1 | 1 | 2 | 3 | 1 | – | 1 | – |
| Hooping Cough | 140 | 14 | 10 | 22 | 32 | 20 | 13 | 8 | 11 | 6 | 1 | 1 | – |
| Croup | 41 | 8 | 2 | 7 | 8 | 5 | 3 | 2 | 6 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 17 | 1 | – | 3 | – | – | – | – | – | 1 | – | – | – |
| Dysentery | 10 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Cholera | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 32 | 4 | 2 | 3 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus | 77 | – | – | – | 1 | – | 1 | 2 | 9 | 4 | 6 | 11 | 7 |
| Metria | 7 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Erysipelas | 8 | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| Syphilis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 47 | – | 1 | – | – | 1 | – | – | 1 | – | – | 2 | 1 |
| Abscess | 3 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 23 | – | 2 | 1 | – | 2 | 1 | – | 4 | – | 3 | 4 | 4 |
| Tabes Mesenterica | 12 | – | – | 2 | 5 | – | 1 | – | 2 | 1 | – | – | – |
| Phthisis | 283 | – | – | – | 8 | 3 | 2 | – | 7 | 7 | 29 | 50 | 39 |
| Hydrocephalus | 23 | – | 1 | 4 | 6 | – | 3 | 1 | 2 | 5 | – | 1 | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 79 | 63 | 65 | 56 | 78 | 104 | 139 | 127 | 186 | 162 | 172 | 98 | 58 | 22 | 8 | 15 |
| Specified Causes | 71 | 51 | 54 | 46 | 63 | 75 | 99 | 127 | 186 | 162 | 172 | 98 | 58 | 22 | 8 | 6 |
| Zymotic Class | 10 | 7 | 6 | 3 | 7 | 8 | 12 | 8 | 8 | 7 | 10 | 2 | 2 | – | – | 2 |
| Uncertain Seat | 1 | 4 | 3 | 7 | 8 | 8 | 13 | 9 | 18 | 9 | 5 | 3 | 4 | – | – | – |
| Tubercular Class | 27 | 19 | 11 | 15 | 16 | 13 | 15 | 9 | 5 | 6 | 3 | 1 | – | – | – | 1 |
| Brain, etc. | 4 | 2 | 3 | 1 | 7 | 6 | 7 | 9 | 16 | 9 | 6 | 6 | – | 1 | – | – |
| Heart, etc. | 2 | 3 | 3 | 5 | 3 | 5 | 9 | 6 | 11 | 4 | 1 | 1 | – | – | – | – |
| Respiratory Organs | 6 | 2 | 5 | 3 | 8 | 14 | 16 | 20 | 25 | 16 | 10 | 2 | 1 | – | – | 1 |
| Digestive Organs | 7 | 4 | 6 | 7 | 7 | 13 | 15 | 9 | 13 | 4 | 4 | 1 | 1 | – | – | – |
| Urinary Organs | 2 | – | – | 1 | 4 | 3 | – | 2 | 3 | 3 | – | 1 | – | – | – | – |
| Generative Organs | 5 | 4 | 6 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Locomotive Organs | – | – | 2 | – | 1 | 1 | 4 | 6 | 2 | 5 | 1 | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 5 | 48 | 81 | 95 | 129 | 81 | 50 | 21 | 8 | 1 |
| Sudden Deaths | – | – | – | 1 | – | – | – | – | 3 | 1 | – | – | – | – | – | – |
| Violent Deaths | 6 | 6 | 9 | 3 | 1 | 3 | 2 | 1 | 1 | 2 | 2 | – | – | – | – | 1 |
| Small Pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | – | 3 | 1 | 2 | – | 3 | – | 2 | – | – | – |
| Dysentery | – | – | – | – | 1 | 1 | 2 | – | 1 | – | 3 | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | 2 | 1 | 4 | 2 | 5 | 1 | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 6 | 3 | 5 | 1 | 5 | 5 | 4 | 2 | 2 | 1 | 1 | 1 | – | – | – | – |
| Metria | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | 1 | – | 2 | – | – | – | 2 | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 2 | 1 | 4 | 4 | 1 | 5 | 5 | 8 | 6 | 3 | – | 1 | – | – | – |
| Abscess | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Cancer | – | 2 | 1 | 1 | 2 | 5 | 6 | 4 | 10 | 3 | 1 | 1 | 2 | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Scrofula | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phthisis | 27 | 19 | 11 | 14 | 15 | 13 | 15 | 9 | 4 | 6 | 3 | 1 | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 9 | – | – | – | 1 | – | – | – | – | – | – | 2 | 1 |
| Apoplexy | 21 | – | – | – | – | 1 | – | 2 | 2 | – | – | – | – |
| Paralysis | 42 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 2 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 11 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 |
| Tetanus | 2 | 4 | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – |
| Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Convulsions | 10 | 5 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Brain Disease | 14 | – | – | – | – | 1 | – | – | 2 | – | 2 | – | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 54 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 71 | 4 | 3 | 1 | 7 | 2 | 2 | – | 3 | 2 | 1 | 1 | 1 |
| Pleurisy | 37 | 5 | 1 | 4 | 5 | 1 | – | 3 | 3 | 1 | 1 | 1 | 1 |
| Pneumonia | 42 | 2 | 3 | 1 | 2 | – | 1 | 1 | 2 | 1 | 2 | 1 | 2 |
| Asthma | 42 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Lung Disease | 11 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| VII. Teething | 11 | – | – | 1 | 10 | – | – | – | – | – | – | – | – |
| Quinsey | 3 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Gastritis | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 16 | 1 | 1 | 1 | 2 | – | – | – | 2 | 1 | – | – | – |
| Peritonitis | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 7 | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 20 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | 1 |
| Intussusception | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 29 | 1 | 2 | 2 | – | – | – | – | – | – | – | 2 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 9 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| Jaundice | 11 | 3 | – | – | – | – | – | – | – | – | – | – | 1 |
| Liver Disease | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 19 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| Organs of Generation | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 20 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Joint and Bone Disease | 6 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 13 | – | – | 1 | 2 | 2 | 3 | 2 | 1 | – | – | – | 1 |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 48 | – | – | – | 1 | 1 | 1 | – | 1 | – | 3 | 10 | 9 |
| Fracture and Contusion | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Wounds | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 384 | 78 | 14 | 34 | 22 | 20 | 8 | 6 | 26 | 11 | 13 | 11 | 7 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Apoplexy | – | 1 | 1 | – | 3 | – | 2 | 2 | 4 | 2 | 1 | – | – | – | – | – |
| Paralysis | – | – | – | 1 | 2 | 3 | 3 | 2 | 10 | 6 | 3 | 6 | – | 1 | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | 1 | – | 1 | – | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 3 | 2 | 5 | 3 | 5 | 9 | 6 | 11 | 4 | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 2 | 1 | 3 | 5 | 7 | 6 | 8 | 3 | 6 | 1 | – | – | – | 1 |
| Pleurisy | 1 | 1 | 1 | – | – | 1 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| Pneumonia | 4 | 1 | – | 1 | 2 | 3 | 2 | 5 | 4 | 1 | – | – | 1 | – | – | – |
| Asthma | – | – | 1 | 1 | 3 | 3 | 5 | 4 | 9 | 11 | 3 | 1 | – | – | – | – |
| Lung Disease | – | – | 1 | – | – | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 1 | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 1 | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | 1 | 2 | 2 | 3 | 4 | 2 | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stomach Disease | – | 2 | – | 3 | 1 | 2 | 4 | 1 | 2 | 2 | 1 | 1 | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | 1 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | 2 | 2 | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Cystitis | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | 3 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | 1 | 3 | 5 | 2 | 5 | 1 | – | – | – | – | – |
| Joint Disease | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | 4 | 8 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Wounds | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | 8 | 12 | 11 | 10 | 15 | 29 | 40 | – | – | – | – | – | – | – | – | 9 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1235 | 101 | 25 | 59 | 74 | 43 | 27 | 18 | 74 | 20 | 38 | 70 | 54 |
| SPECIFIED CAUSES | 1034 | 52 | 18 | 39 | 60 | 32 | 24 | 14 | 60 | 13 | 32 | 66 | 50 |
| I. Zymotic Class | 231 | 15 | 8 | 23 | 30 | 22 | 16 | 11 | 35 | 9 | 5 | 15 | 2 |
| II. Diseases of Uncertain Seat | 43 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| III. Tubercular Class | 171 | – | 2 | 3 | 9 | 3 | 4 | 1 | 10 | 2 | 15 | 32 | 24 |
| IV. Brain and Nervous System | 65 | 6 | – | 1 | 1 | 3 | – | 1 | 3 | – | 3 | 3 | 5 |
| V. Organs of Circulation | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. Respiratory Organs | 100 | 5 | 6 | 4 | 8 | 1 | 2 | – | 5 | – | 3 | 2 | 2 |
| VII. Organs of Digestion | 87 | 3 | 2 | 5 | 7 | – | 1 | – | 3 | 1 | 1 | 3 | 7 |
| VIII. Urinary Organs | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 15 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 24 | 23 | – | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 6 | – | – | – | 2 | – | 1 | – | 1 | 1 | – | – | – |
| XV. Age | 185 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 64 | – | – | 1 | 2 | 2 | – | 1 | 2 | – | 4 | 10 | 9 |
| I. Small Pox | 5 | – | – | – | – | – | – | 1 | – | – | – | 2 | – |
| Measles | 22 | 3 | – | 1 | 5 | 4 | – | – | 4 | 1 | 1 | 2 | – |
| Scarlatina | 37 | – | – | 1 | 4 | 4 | 3 | 5 | 15 | 2 | – | 3 | – |
| Diphtheria | 7 | – | – | – | 2 | 1 | – | – | 2 | 1 | – | 1 | – |
| Hooping Cough | 73 | 7 | 6 | 13 | 15 | 10 | 8 | 5 | 3 | 3 | 1 | 1 | – |
| Croup | 18 | 3 | 1 | 4 | 2 | 2 | 2 | – | 4 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 9 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 16 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Typhus | 33 | – | – | – | 1 | – | 1 | – | 4 | 1 | 3 | 5 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 21 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Abscess | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 13 | – | 1 | 1 | – | 1 | – | – | 4 | – | 1 | 2 | 3 |
| Tabes Mesenterica | 4 | – | – | – | 2 | – | – | – | 2 | – | – | – | – |
| Phthisis | 141 | – | – | – | 4 | 2 | 2 | – | 2 | 1 | 14 | 29 | 21 |
| Hydrocephalus | 13 | – | 1 | 2 | 3 | – | 2 | 1 | 2 | 1 | – | 1 | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 46 | 31 | 33 | 23 | 38 | 52 | 62 | 66 | 77 | 67 | 64 | 37 | 23 | 6 | – | 7 |
| SPECIFIED CAUSES | 41 | 25 | 30 | 20 | 34 | 39 | 42 | 66 | 77 | 67 | 64 | 37 | 23 | 6 | – | 3 |
| Zymotic Class | 5 | 2 | 3 | 2 | 3 | 3 | 7 | 3 | 2 | 4 | 4 | 1 | – | – | – | 1 |
| Uncertain Seat | 1 | – | 1 | 4 | 4 | 3 | 6 | 5 | 6 | 6 | 2 | 2 | – | – | – | – |
| Tubercular Class | 17 | 11 | 8 | 2 | 8 | 4 | 3 | 5 | 3 | 2 | 2 | – | – | – | – | 1 |
| Brain, etc. | 2 | 1 | 2 | – | 4 | 4 | 1 | 7 | 6 | 6 | 4 | 2 | – | – | – | – |
| Heart, etc. | – | 2 | 1 | 3 | 1 | 4 | 3 | 5 | 6 | 1 | – | – | – | – | – | – |
| Respiratory Organs | 3 | 2 | 2 | 2 | 4 | 7 | 9 | 8 | 12 | 7 | 5 | – | 1 | – | – | – |
| Digestive Organs | 5 | 2 | 3 | 3 | 4 | 10 | 9 | 7 | 7 | 2 | 2 | – | – | – | – | – |
| Urinary Organs | 2 | – | – | – | 3 | 1 | – | 1 | 2 | 2 | – | 1 | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | 1 | – | 1 | 1 | – | 4 | 2 | 3 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 20 | 28 | 31 | 44 | 31 | 22 | 6 | – | – |
| Sudden Deaths | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Violent Deaths | 6 | 5 | 9 | 3 | 1 | 2 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | 1 |
| Small Pox | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | 1 | 1 | 1 | – | 4 | 1 | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 4 | 1 | 2 | – | 2 | 2 | 2 | 1 | – | – | 1 | 1 | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | – | – | 3 | 2 | – | 1 | 3 | 3 | 4 | 2 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Cancer | – | – | – | – | 1 | 1 | 5 | 2 | 3 | 2 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 17 | 11 | 8 | 2 | 8 | 4 | 3 | 5 | 3 | 2 | 2 | – | – | – | – | 1 |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 5 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Apoplexy | 12 | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – |
| Paralysis | 24 | – | – | – | 1 | – | – | – | – | – | 1 | – | 2 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Tetanus | 7 | 4 | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Brain Disease | 8 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 26 | – | – | – | – | – | – | – | – | – | – | – | – |
| VI. Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 36 | 2 | 2 | 1 | 4 | 1 | 1 | – | 1 | – | 1 | – | 1 |
| Pleurisy | 20 | 2 | 1 | 1 | 3 | – | – | – | 3 | – | – | 1 | – |
| Pneumonia | 26 | 1 | 3 | 1 | 1 | – | 1 | – | 1 | – | 1 | 1 | 1 |
| Asthma | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 4 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| VII. Teething | 7 | – | – | 1 | 6 | – | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 10 | 1 | – | 1 | – | – | – | – | 2 | 1 | – | – | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 15 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | 1 |
| Intussusception | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 15 | 1 | 1 | 2 | – | – | – | – | – | – | – | 2 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| Jaundice | 6 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Liver Disease | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 11 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 7 | – | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 46 | – | – | – | – | 1 | – | – | 1 | – | 3 | 10 | 9 |
| Fracture and Contusion | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Wounds | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 201 | 49 | 7 | 20 | 14 | 11 | 3 | 4 | 14 | 7 | 6 | 4 | 4 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 1 | – | 2 | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Paralysis | – | – | – | – | 1 | 3 | 1 | 2 | 4 | 5 | 2 | 2 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | – | – | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 2 | 1 | 3 | 1 | 4 | 3 | 5 | 6 | 1 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | 1 | 1 | 1 | 3 | 4 | 2 | 5 | 2 | 3 | – | – | – | – | – |
| Pleurisy | 1 | 1 | 1 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Pneumonia | 2 | 1 | – | 1 | 2 | 1 | 2 | 3 | 2 | – | – | – | 1 | – | – | – |
| Asthma | – | – | – | – | 1 | 1 | 1 | 2 | 3 | 4 | 1 | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 1 | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | 1 | 2 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | – | – | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 2 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Cystitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | – | 1 | – | 3 | 2 | 3 | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 4 | 4 | 8 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Wounds | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 5 | 6 | 3 | 3 | 4 | 13 | 20 | – | – | – | – | – | – | – | – | 4 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1327 | 82 | 20 | 44 | 73 | 37 | 24 | 20 | 64 | 33 | 39 | 44 | 47 |
| SPECIFIED CAUSES | 1144 | 53 | 13 | 30 | 65 | 28 | 19 | 18 | 52 | 29 | 32 | 37 | 44 |
| I. Zymotic Class | 246 | 16 | 6 | 20 | 37 | 21 | 9 | 10 | 39 | 10 | 8 | 8 | 10 |
| II. Diseases of Uncertain Seat | 57 | – | 1 | – | – | – | – | – | – | 1 | – | 2 | 1 |
| III. Tubercular Class | 170 | – | 1 | 4 | 10 | 2 | 3 | – | 5 | 11 | 17 | 23 | 19 |
| IV. Brain and Nervous System | 56 | 3 | 1 | 2 | 3 | – | 1 | 2 | 1 | 2 | 1 | 1 | 1 |
| V. Organs of Circulation | 30 | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| VI. Respiratory Organs | 104 | 6 | 1 | 3 | 6 | 2 | 1 | 4 | 4 | 4 | 2 | 2 | 2 |
| VII. Organs of Digestion | 52 | 2 | 2 | – | 6 | 1 | 1 | – | 1 | – | – | – | 2 |
| VIII. Urinary Organs | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 23 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| X. Organs of Locomotion | 12 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| XI. Skin, etc. | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 24 | 22 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 4 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| XV. Age | 334 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 4 | – | – | – | – | – | – | – | – | – | 2 | – | – |
| XVII. Violent Deaths | 19 | 2 | – | – | 1 | 2 | 4 | 1 | 1 | – | – | 1 | 3 |
| I. Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Measles | 20 | – | – | 3 | 4 | 3 | – | 1 | 4 | 1 | 2 | – | 1 |
| Scarlatina | 34 | – | – | 2 | 4 | 4 | 2 | – | 17 | 2 | 1 | 1 | 1 |
| Diphtheria | 7 | 1 | – | – | 2 | – | 1 | 2 | 1 | – | – | – | – |
| Hooping Cough | 67 | 7 | 4 | 9 | 17 | 10 | 5 | 3 | 8 | 3 | – | – | – |
| Croup | 23 | 5 | 1 | 3 | 6 | 3 | 1 | 2 | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 8 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Dysentery | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 16 | 2 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 44 | – | – | – | – | – | – | 2 | 5 | 3 | 3 | 6 | 5 |
| Metria | 7 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Erysipelas | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 26 | – | 1 | – | – | – | – | – | – | – | – | 2 | 1 |
| Abscess | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 10 | – | 1 | – | – | 1 | 1 | – | – | – | 2 | 2 | 1 |
| Tabes Mesenterica | 8 | – | – | 2 | 3 | – | 1 | – | – | 1 | – | – | – |
| Phthisis | 142 | – | – | – | 4 | 1 | – | – | 5 | 6 | 15 | 21 | 18 |
| Hydrocephalus | 10 | – | – | 2 | 3 | – | 1 | – | – | 4 | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 33 | 32 | 32 | 33 | 40 | 52 | 77 | 61 | 109 | 95 | 108 | 61 | 35 | 16 | 8 | 8 |
| SPECIFIED CAUSES | 30 | 26 | 24 | 26 | 29 | 36 | 57 | 61 | 109 | 95 | 108 | 61 | 35 | 16 | 8 | 3 |
| Zymotic Class | 5 | 5 | 3 | 1 | 4 | 5 | 5 | 5 | 6 | 3 | 6 | 1 | 2 | – | – | 1 |
| Uncertain Seat | – | 4 | 2 | 3 | 4 | 5 | 7 | 4 | 12 | 3 | 3 | 1 | 4 | – | – | – |
| Tubercular Class | 10 | 8 | 3 | 13 | 8 | 9 | 12 | 4 | 2 | 4 | 1 | 1 | – | – | – | – |
| Brain, etc. | 2 | 1 | 1 | 1 | 3 | 2 | 6 | 2 | 10 | 3 | 2 | 4 | – | 1 | – | – |
| Heart, etc. | 2 | 1 | 2 | 2 | 2 | 1 | 6 | 1 | 5 | 3 | 1 | 1 | – | – | – | – |
| Respiratory Organs | 3 | – | 3 | 1 | 4 | 7 | 7 | 12 | 13 | 9 | 5 | 2 | – | – | – | 1 |
| Digestive Organs | 2 | 2 | 3 | 4 | 3 | 3 | 6 | 2 | 6 | 2 | 2 | 1 | 1 | – | – | – |
| Urinary Organs | – | – | – | 1 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Generative Organs | 5 | 4 | 6 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Locomotive Organs | – | – | 1 | – | – | – | 4 | 2 | – | 2 | 1 | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 28 | 53 | 64 | 85 | 50 | 28 | 15 | 8 | 1 |
| Sudden Deaths | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Violent Deaths | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – | 2 | – | – | – |
| Dysentery | – | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | 1 | – | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 2 | 3 | 1 | 3 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Metria | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | – | 2 | 1 | 1 | 2 | 1 | 4 | 2 | 5 | 2 | 1 | – | 1 | – | – | – |
| Abscess | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | – | 2 | 1 | 1 | 1 | 4 | 1 | 2 | 7 | 1 | 1 | – | 2 | – | – | – |
| Gout | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Scrofula | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Phthisis | 10 | 8 | 3 | 12 | 7 | 9 | 12 | 4 | 1 | 4 | 1 | 1 | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 9 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Paralysis | 18 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Epilepsy | 6 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Tetanus | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 7 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 28 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 35 | 2 | 1 | – | 3 | 1 | 1 | – | 2 | 2 | – | 1 | – |
| Pleurisy | 17 | 3 | – | 3 | 2 | 1 | – | 3 | – | 1 | 1 | – | 1 |
| Pneumonia | 16 | 1 | – | – | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 |
| Asthma | 29 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Lung Disease | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 4 | – | – | – | 4 | – | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Gastritis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 6 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 14 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 19 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| Organs of Generation | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 2 | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | – | – | 1 | 3 | 1 | – | – | – | – | 1 |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Fracture and Contusion | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 183 | 29 | 7 | 14 | 8 | 9 | 5 | 2 | 12 | 4 | 7 | 7 | 3 |

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | – | 1 | – | 2 | – | 3 | 1 | – | – | – | – | – | – |
| Paralysis | – | – | – | 1 | 1 | – | 2 | – | 6 | 1 | 1 | 4 | – | 1 | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 1 | 1 | 2 | 2 | 1 | 6 | 1 | 5 | 3 | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 1 | – | 2 | 2 | 3 | 4 | 3 | 1 | 3 | 1 | – | – | – | 1 |
| Pleurisy | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Pneumonia | 2 | – | – | – | – | 2 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Asthma | – | – | 1 | 1 | 2 | 2 | 4 | 2 | 6 | 7 | 2 | 1 | – | – | – | – |
| Lung Disease | – | – | 1 | – | – | 1 | – | 4 | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | – | 3 | 1 | – | 3 | 1 | 1 | 1 | – | 1 | 1 | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | 3 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | 3 | 2 | – | 2 | 1 | – | – | – | – | – |
| Joint Disease | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | 6 | 8 | 7 | 11 | 16 | 20 | – | – | – | – | – | – | – | – | 5 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 30814 | 2814 | 865 | 1619 | 2112 | 1140 | 727 | 511 | 1564 | 885 | 1174 | 1289 | 1066 |
| Specified Causes | 28917 | 2250 | 699 | 1466 | 1926 | 1068 | 680 | 486 | 1493 | 836 | 1126 | 1247 | 1022 |
| I. Zymotic Class | 5820 | 255 | 171 | 474 | 818 | 575 | 413 | 276 | 787 | 300 | 249 | 203 | 157 |
| II. Diseases of Uncertain Seat | 1295 | 15 | 5 | 9 | 20 | 8 | 3 | 9 | 23 | 14 | 15 | 18 | 22 |
| III. Tubercular Class | 4853 | 67 | 94 | 246 | 315 | 159 | 76 | 95 | 302 | 258 | 531 | 626 | 502 |
| IV. Brain and Nervous System | 2373 | 153 | 47 | 65 | 76 | 34 | 32 | 24 | 95 | 55 | 63 | 63 | 53 |
| V. Organs of Circulation | 1267 | 2 | 7 | 5 | 5 | 6 | 2 | 4 | 19 | 24 | 24 | 36 | 42 |
| VI. Respiratory Organs | 3402 | 277 | 184 | 316 | 297 | 148 | 83 | 30 | 94 | 45 | 49 | 78 | 61 |
| VII. Organs of Digestion | 2591 | 255 | 102 | 266 | 286 | 61 | 19 | 16 | 54 | 39 | 49 | 65 | 56 |
| VIII. Urinary Organs | 450 | – | – | 2 | 1 | 4 | 3 | 6 | 7 | 13 | 12 | 24 | 20 |
| IX. Organs of Generation | 263 | – | – | – | – | 1 | – | – | – | – | 21 | 37 | 30 |
| X. Organs of Locomotion | 221 | 2 | – | 1 | 2 | 2 | 4 | 2 | 18 | 24 | 18 | 12 | 14 |
| XI. Skin, etc. | 37 | 6 | 8 | 2 | 2 | 1 | – | – | – | – | – | 2 | 1 |
| XII. Malformation | 77 | 63 | 5 | 3 | 3 | 1 | – | – | 2 | – | – | – | – |
| XIII. Premature Debility | 1215 | 1105 | 53 | 57 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 211 | – | – | – | 58 | 20 | 9 | 6 | 19 | 9 | 12 | 3 | 2 |
| XV. Age | 3686 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 49 | 6 | 7 | 2 | 3 | – | – | – | 1 | – | – | 1 | 1 |
| XVII. Violent Deaths | 1107 | 44 | 16 | 18 | 40 | 48 | 36 | 18 | 72 | 55 | 83 | 79 | 61 |
| I. Small Pox | 268 | 28 | 18 | 37 | 30 | 19 | 12 | 11 | 17 | 10 | 14 | 13 | 9 |
| Measles | 370 | 10 | 7 | 43 | 134 | 71 | 31 | 16 | 45 | 5 | 2 | 3 | – |
| Scarlatina | 1041 | 3 | 14 | 61 | 155 | 172 | 132 | 100 | 254 | 70 | 26 | 9 | 15 |
| Diphtheria | 471 | 9 | 4 | 26 | 40 | 56 | 46 | 44 | 139 | 44 | 24 | 12 | 9 |
| Hooping Cough | 625 | 52 | 51 | 149 | 182 | 85 | 52 | 18 | 34 | 2 | – | – | – |
| Croup | 432 | 22 | 15 | 45 | 101 | 83 | 61 | 41 | 61 | 3 | – | – | – |
| Thrush | 14 | 8 | 1 | 4 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 496 | 63 | 23 | 57 | 85 | 18 | 10 | 6 | 7 | 2 | 7 | 9 | 4 |
| Dysentery | 163 | 5 | 7 | 6 | 15 | 5 | 1 | – | 4 | 2 | 2 | 6 | 1 |
| Cholera | 28 | – | 5 | 5 | 3 | – | 2 | – | 3 | – | – | 3 | 1 |
| Influenza | 132 | 5 | 7 | 2 | – | 3 | 1 | – | 1 | 1 | 5 | 4 | 1 |
| Purpura | 27 | – | 1 | 2 | 1 | 1 | – | – | 1 | 1 | 2 | 1 | 2 |
| Ague | 4 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Worms | 20 | – | – | 1 | 2 | 3 | 3 | 2 | 7 | 1 | 1 | – | – |
| Infantile Fever | 29 | 8 | 2 | 6 | 7 | 1 | 3 | 1 | 1 | – | – | – | – |
| Typhus | 1370 | 6 | 7 | 21 | 56 | 53 | 53 | 37 | 194 | 144 | 153 | 110 | 76 |
| Metria | 102 | – | – | – | – | – | – | – | – | – | 2 | 22 | 32 |
| Rheumatic Fever | 71 | – | – | – | – | – | – | – | 12 | 8 | 7 | 8 | 5 |
| Erysipelas | 124 | 28 | 3 | 4 | 2 | 4 | 5 | – | 6 | 7 | 2 | 3 | 1 |
| Syphilis | 26 | 8 | 6 | 4 | 3 | 1 | – | – | – | – | 1 | – | 1 |
| Noma | 6 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 35 | 3 | – | 2 | – | 2 | – | – | 1 | 2 | 1 | 1 | 4 |
| Dropsy | 435 | 3 | 1 | – | 8 | 2 | 1 | 3 | 14 | 5 | 5 | 8 | 8 |
| Abscess | 57 | 7 | – | 1 | 4 | 1 | 1 | 2 | 2 | 5 | 3 | 3 | 3 |
| Ulcer | 20 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | 1 | – |
| Fistula | 10 | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Mortification | 65 | 1 | 2 | 5 | 5 | – | – | – | 4 | 1 | – | 1 | 1 |
| Cancer | 662 | – | 1 | – | 1 | 3 | – | 4 | 1 | – | 6 | 4 | 6 |
| Gout | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 367 | 8 | 7 | 17 | 19 | 2 | 8 | 8 | 33 | 36 | 53 | 46 | 31 |
| Tabes Mesenterica | 354 | 23 | 16 | 47 | 93 | 35 | 15 | 11 | 45 | 15 | 11 | 14 | 4 |
| Phthisis | 3481 | 10 | 17 | 35 | 68 | 46 | 19 | 35 | 125 | 178 | 462 | 564 | 466 |
| Hydrocephalus | 651 | 26 | 54 | 147 | 135 | 76 | 34 | 41 | 99 | 29 | 5 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—BOTH SEXES.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES . . . | 862 | 930 | 810 | 885 | 928 | 1022 | 1438 | 1516 | 1783 | 1831 | 1674 | 835 | 360 | 80 | 26 | 68 |
| SPECIFIED CAUSES . | 818 | 884 | 761 | 835 | 871 | 944 | 1345 | 1516 | 1781 | 1831 | 1674 | 835 | 360 | 80 | 26 | 57 |
| Zymotic Class . . | 111 | 111 | 84 | 92 | 90 | 75 | 129 | 109 | 134 | 92 | 68 | 28 | 17 | – | – | 2 |
| Uncertain Seat . . | 18 | 39 | 71 | 84 | 97 | 119 | 158 | 141 | 178 | 131 | 66 | 22 | 8 | 1 | – | 1 |
| Tubercular Class . . | 335 | 313 | 208 | 173 | 176 | 105 | 115 | 84 | 47 | 13 | 6 | 3 | 1 | – | – | 3 |
| Brain, etc. . . . | 52 | 56 | 57 | 91 | 100 | 127 | 204 | 221 | 234 | 230 | 170 | 49 | 14 | 3 | – | 5 |
| Heart, etc. . . . | 33 | 49 | 59 | 67 | 69 | 95 | 159 | 161 | 152 | 141 | 71 | 24 | 5 | – | 1 | 5 |
| Respiratory Organs . | 68 | 78 | 95 | 94 | 111 | 149 | 206 | 232 | 257 | 211 | 164 | 58 | 16 | 1 | – | – |
| Digestive Organs . . | 64 | 97 | 87 | 105 | 122 | 154 | 173 | 165 | 157 | 106 | 55 | 34 | 3 | – | – | 1 |
| Urinary Organs . . | 14 | 18 | 17 | 18 | 19 | 26 | 39 | 51 | 50 | 54 | 33 | 15 | 3 | – | – | 1 |
| Generative Organs . | 48 | 44 | 24 | 18 | 8 | 6 | 5 | 6 | 8 | 1 | 4 | 1 | – | – | – | 1 |
| Locomotive Organs . | 7 | 9 | 6 | 11 | 7 | 12 | 18 | 14 | 18 | 13 | 5 | 1 | – | – | – | 1 |
| Skin . . . . | – | 1 | – | 2 | 1 | 2 | – | 1 | 1 | 1 | 4 | 2 | – | – | – | – |
| Malformation . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy . . . | 5 | 8 | 4 | 16 | 13 | 26 | – | – | – | – | – | – | – | – | – | 1 |
| Age . . . | – | – | – | – | – | – | 93 | 297 | 506 | 809 | 1008 | 587 | 285 | 75 | 25 | 1 |
| Sudden Deaths . . | 2 | 3 | 5 | 1 | 1 | 1 | 1 | 4 | 5 | 4 | 1 | – | – | – | – | – |
| Violent Deaths . . | 61 | 58 | 44 | 63 | 57 | 47 | 45 | 30 | 34 | 25 | 19 | 11 | 8 | – | – | 35 |
| Small Pox . . . | 13 | 5 | 4 | 9 | 4 | 5 | 8 | 1 | – | – | – | – | – | – | – | 1 |
| Measles . . . | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina . . . | 10 | 10 | 4 | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria . . . | 4 | 1 | 3 | 1 | 2 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| Hooping Cough . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa . . . | 5 | 12 | 7 | 14 | 10 | 14 | 22 | 22 | 28 | 25 | 25 | 14 | 7 | – | – | – |
| Dysentery . . . | 1 | 4 | 6 | 8 | 8 | 7 | 11 | 18 | 19 | 13 | 4 | 6 | 4 | – | – | – |
| Cholera . . . | 1 | – | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Influenza . . . | 2 | 1 | 1 | 3 | 2 | 6 | 12 | 14 | 20 | 17 | 17 | 2 | 5 | – | – | – |
| Purpura . . . | 3 | 1 | 3 | – | – | 3 | 1 | – | 1 | 2 | 1 | – | – | – | – | – |
| Ague . . . . | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Worms . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus . . . | 41 | 51 | 42 | 48 | 56 | 30 | 52 | 42 | 54 | 27 | 14 | 3 | – | – | – | – |
| Metria . . . . | 24 | 17 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever . . | 3 | 4 | 5 | 2 | 3 | 2 | 6 | 1 | 3 | – | 1 | – | – | – | – | 1 |
| Erysipelas . . . | 4 | 3 | 4 | 2 | 3 | 5 | 9 | 9 | 7 | 6 | 4 | 2 | 1 | – | – | – |
| Syphilis . . . | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Noma . . . . | – | – | – | – | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – |
| Hydrophobia . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage . . | 2 | 2 | 3 | – | 2 | 2 | 3 | 1 | 2 | – | 2 | – | – | – | – | – |
| Dropsy . . . . | 5 | 16 | 20 | 16 | 24 | 33 | 49 | 45 | 73 | 51 | 33 | 6 | 5 | – | – | 1 |
| Abscess . . . | 1 | – | 2 | – | 4 | 3 | 6 | 3 | 4 | 1 | – | 1 | – | – | – | – |
| Ulcer . . . . | 1 | 1 | – | 1 | 2 | 1 | – | 2 | 2 | 3 | 1 | – | – | – | – | – |
| Fistula . . . . | – | – | – | 1 | – | – | – | 2 | 3 | 1 | – | – | – | – | – | – |
| Mortification . . | 1 | 1 | – | 1 | 2 | – | 3 | 6 | 5 | 13 | 7 | 4 | 2 | – | – | – |
| Cancer . . . . | 8 | 19 | 45 | 65 | 63 | 78 | 96 | 79 | 88 | 59 | 23 | 11 | 1 | 1 | – | – |
| Gout . . . . | – | – | 1 | – | – | 2 | 1 | 3 | 1 | 3 | – | – | – | – | – | – |
| Scrofula . . . | 16 | 16 | 18 | 11 | 11 | 5 | 6 | 6 | 5 | 2 | 1 | 2 | – | – | – | – |
| Tabes Mesenterica . | 11 | 2 | 1 | – | – | 5 | 1 | 2 | 1 | – | – | – | 1 | – | – | 1 |
| Phthisis . . . | 307 | 295 | 189 | 161 | 165 | 95 | 108 | 76 | 41 | 11 | 5 | 1 | – | – | – | 2 |
| Hydrocephalus . . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 189 | 3 | 7 | 9 | 18 | 3 | 6 | 5 | 28 | 19 | 22 | 14 | 12 |
| Apoplexy | 508 | 8 | 1 | 4 | 5 | 5 | 2 | 4 | 9 | 5 | 2 | 2 | 10 |
| Paralysis | 806 | – | – | – | 2 | – | 1 | – | – | 2 | 2 | 6 | – |
| Delirium Tremens | 15 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Chorea | 9 | – | – | – | 2 | – | – | – | 2 | – | 1 | – | 2 |
| Epilepsy | 115 | – | – | – | 1 | 1 | 1 | – | 1 | 5 | 11 | 13 | 11 |
| Tetanus | 27 | 7 | – | 1 | – | – | 1 | – | 5 | 3 | 1 | 1 | – |
| Insanity | 28 | – | – | – | – | – | – | – | 1 | – | – | 4 | – |
| Convulsions | 276 | 130 | 33 | 40 | 30 | 16 | 14 | 4 | 8 | – | – | 1 | – |
| Brain Disease | 400 | 5 | 6 | 11 | 18 | 9 | 7 | 11 | 41 | 21 | 24 | 22 | 15 |
| V. Pericarditis | 46 | – | 1 | – | – | – | – | 2 | 1 | 2 | – | 4 | 1 |
| Aneurism | 15 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Heart Disease | 1206 | 2 | 6 | 5 | 5 | 6 | 2 | 2 | 18 | 21 | 24 | 32 | 41 |
| VI. Laryngitis | 75 | 2 | 3 | 6 | 7 | 8 | 3 | 1 | 14 | 3 | 2 | 1 | 5 |
| Bronchitis | 1883 | 186 | 121 | 225 | 199 | 88 | 54 | 19 | 42 | 10 | 19 | 24 | 22 |
| Pleurisy | 139 | 2 | 1 | 1 | 5 | 3 | 3 | 2 | 4 | 7 | 3 | 8 | 8 |
| Pneumonia | 856 | 81 | 54 | 77 | 81 | 49 | 22 | 8 | 26 | 15 | 15 | 35 | 16 |
| Asthma | 296 | – | – | 1 | – | – | – | – | – | 2 | – | 1 | 3 |
| Lung Disease | 153 | 6 | 5 | 6 | 5 | – | 1 | – | 8 | 8 | 10 | 9 | 7 |
| VII. Teething | 423 | 2 | 16 | 175 | 208 | 20 | 1 | 1 | – | – | – | – | – |
| Quinsey | 54 | 1 | 5 | 3 | 6 | 3 | 1 | 5 | 7 | 3 | 3 | 2 | 1 |
| Gastritis | 82 | 9 | 2 | 3 | 3 | 1 | – | 1 | 2 | 1 | 1 | 4 | 2 |
| Enteritis | 517 | 143 | 47 | 57 | 49 | 18 | 10 | 1 | 20 | 10 | 7 | 11 | 9 |
| Peritonitis | 156 | 7 | 9 | 7 | 1 | 3 | 2 | 1 | 5 | 6 | 14 | 12 | 6 |
| Ascites | 35 | – | – | – | – | 1 | – | – | 2 | 1 | – | – | 1 |
| Ulceration of Intestines | 109 | 9 | 1 | 2 | 1 | 1 | – | – | 1 | 2 | 1 | 5 | 10 |
| Hernia | 48 | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Ileus | 170 | 10 | 1 | 3 | 1 | – | – | – | 5 | 4 | 5 | 9 | 3 |
| Intussusception | 15 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Stricture of Intestines | 18 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Stomach Disease | 444 | 34 | 14 | 12 | 12 | 9 | 2 | 1 | 7 | 1 | 11 | 9 | 7 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 99 | 2 | 1 | – | 1 | 1 | – | 2 | 1 | 2 | 4 | 2 | 4 |
| Jaundice | 107 | 33 | 3 | – | 1 | 3 | 2 | 3 | 1 | – | 1 | – | 1 |
| Liver Disease | 299 | 4 | 3 | 2 | 2 | 1 | 1 | – | 3 | 7 | 2 | 8 | 10 |
| Spleen Disease | 15 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| VIII. Nephritis | 31 | – | – | – | – | – | 1 | 2 | 2 | 1 | – | 3 | 1 |
| Nephria | 68 | – | – | – | – | 2 | 1 | 3 | 3 | 4 | 5 | 6 | 7 |
| Ischuria | 18 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | 49 | – | – | – | – | 1 | – | 1 | – | 3 | 5 | 5 | 5 |
| Stone | 56 | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 | 1 |
| Cystitis | 31 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 193 | – | – | 1 | – | – | 1 | – | 2 | 4 | 2 | 7 | 6 |
| IX. Paramenia | 20 | – | – | – | – | – | – | – | – | – | 11 | 3 | 2 |
| Ovarian Dropsy | 44 | – | – | – | – | – | – | – | – | – | 2 | 3 | 4 |
| Childbirth | 146 | – | – | – | – | – | – | – | – | – | 6 | 29 | 23 |
| Organs of Generation | 53 | – | – | – | – | 1 | – | – | – | – | 2 | 2 | 1 |
| X. Arthritis | 11 | – | – | – | – | – | – | – | 2 | 4 | 1 | 2 | – |
| Rheumatism | 98 | – | – | – | – | – | – | – | 5 | 2 | 3 | 2 | 3 |
| Joint and Bone Disease | 112 | 2 | – | 1 | 2 | 2 | 4 | 2 | 11 | 18 | 14 | 8 | 11 |
| XI. Carbuncle | 9 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 5 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 23 | 5 | 7 | 2 | 2 | 1 | – | – | – | – | – | 1 | 1 |
| XII. Cyanosis | 36 | 32 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| Spina Bifida | 18 | 13 | 2 | 2 | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 23 | 18 | 2 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| XVII. Intemperance | 32 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 14 | 7 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 27 | 2 | 1 | – | – | 1 | – | – | 1 | – | 2 | – | 1 |
| Poison | 16 | 2 | – | 2 | 1 | – | 1 | – | 1 | – | – | 1 | 1 |
| Burns and Scalds | 155 | 1 | 1 | 8 | 23 | 21 | 21 | 11 | 24 | 4 | 5 | 2 | 1 |
| Hanging, etc. | 24 | – | – | – | – | – | – | – | 1 | – | 2 | – | 3 |
| Suffocation | 55 | 18 | 8 | 3 | 2 | 1 | 1 | – | 2 | 3 | 2 | 1 | 2 |
| Drowning | 276 | – | 2 | – | 11 | 13 | 5 | 3 | 15 | 13 | 31 | 26 | 21 |
| Fracture and Contusion | 392 | 1 | 1 | 1 | 3 | 11 | 7 | 2 | 26 | 28 | 31 | 38 | 26 |
| Wounds | 53 | – | – | – | – | – | 1 | 1 | – | 2 | 7 | 5 | 4 |
| Other Violent Caus es | 63 | 13 | – | – | – | 1 | – | 1 | 2 | 5 | 3 | 5 | 1 |
| Not Specified | 1897 | 564 | 166 | 153 | 186 | 72 | 47 | 25 | 71 | 49 | 48 | 42 | 41 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 10 | 4 | 6 | 6 | 3 | 3 | 4 | 3 | 3 | – | 1 | – | – | – | – | – |
| Apoplexy | 10 | 10 | 14 | 17 | 35 | 40 | 58 | 67 | 62 | 65 | 56 | 13 | 1 | – | – | 3 |
| Paralysis | 9 | 12 | 12 | 30 | 33 | 50 | 98 | 113 | 142 | 148 | 97 | 33 | 13 | 3 | – | – |
| Delirium Tremens | – | 3 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 11 | 8 | 6 | 9 | 5 | 5 | 8 | 8 | 5 | 2 | 2 | 1 | – | – | – | 1 |
| Tetanus | 1 | 1 | – | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Insanity | 1 | 1 | 4 | – | 4 | 2 | 4 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 10 | 17 | 14 | 22 | 17 | 25 | 30 | 28 | 19 | 13 | 12 | 2 | – | – | – | 1 |
| Pericarditis | – | 3 | 7 | 2 | 2 | 1 | 3 | 6 | 4 | 4 | 3 | – | – | – | – | – |
| Aneurism | 1 | 1 | 2 | 2 | 3 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| Heart Disease | 32 | 45 | 50 | 63 | 64 | 93 | 154 | 155 | 147 | 137 | 67 | 24 | 5 | – | 1 | 5 |
| Laryngitis | 1 | 3 | 2 | 1 | 1 | 4 | 4 | 2 | 2 | – | – | – | – | – | – | – |
| Bronchitis | 22 | 29 | 25 | 38 | 34 | 67 | 90 | 116 | 146 | 140 | 111 | 41 | 14 | 1 | – | – |
| Pleurisy | 7 | 7 | 10 | 7 | 8 | 7 | 9 | 11 | 9 | 8 | 6 | 2 | 1 | – | – | – |
| Pneumonia | 24 | 22 | 31 | 26 | 34 | 42 | 50 | 40 | 47 | 30 | 23 | 7 | 1 | – | – | – |
| Asthma | 8 | 9 | 16 | 17 | 23 | 20 | 44 | 50 | 47 | 29 | 20 | 6 | – | – | – | – |
| Lung Disease | 6 | 8 | 11 | 5 | 11 | 9 | 9 | 13 | 6 | 4 | 4 | 2 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 3 | 1 | – | – | – | 3 | – | 3 | 3 | – | – | 1 | – | – | – | – |
| Gastritis | 2 | 4 | 2 | 5 | – | 13 | 8 | 8 | 2 | 2 | 6 | 1 | – | – | – | – |
| Enteritis | 8 | 9 | 14 | 9 | 21 | 11 | 17 | 11 | 16 | 12 | 5 | 2 | – | – | – | – |
| Peritonitis | 11 | 10 | 5 | 9 | 3 | 9 | 8 | 8 | 4 | 9 | 2 | 5 | – | – | – | – |
| Ascites | 3 | 3 | 1 | – | 7 | 3 | 1 | 6 | 1 | 4 | 1 | – | – | – | – | – |
| Ulceration of Intestines | 2 | 11 | 9 | 3 | 8 | 9 | 10 | 7 | 6 | 9 | 2 | – | – | – | – | – |
| Hernia | – | – | 4 | 4 | 6 | 5 | 1 | 7 | 5 | 6 | 3 | 3 | – | – | – | – |
| Ileus | 5 | 12 | 9 | 9 | 10 | 15 | 18 | 12 | 12 | 13 | 7 | 6 | 1 | – | – | – |
| Intussusception | 1 | – | 1 | 2 | 2 | – | – | 1 | 4 | – | 2 | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | 2 | 1 | 1 | 2 | 1 | 1 | – | 2 | 2 | 1 | – | – | – | – |
| Stomach Disease | 18 | 21 | 11 | 26 | 20 | 40 | 53 | 51 | 40 | 23 | 13 | 7 | 1 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | 4 | 7 | 8 | 5 | 12 | 14 | 5 | 12 | 3 | 3 | 2 | 1 | – | – | – |
| Jaundice | 1 | 1 | 3 | 5 | 5 | 2 | 5 | 11 | 12 | 8 | 1 | 5 | – | – | – | – |
| Liver Disease | 6 | 20 | 18 | 23 | 32 | 29 | 34 | 32 | 39 | 15 | 7 | 1 | – | – | – | – |
| Spleen Disease | – | – | 1 | 1 | 2 | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| Nephritis | – | – | 1 | 1 | 4 | 1 | 1 | 5 | 2 | 4 | 2 | – | – | – | – | – |
| Nephria | 6 | 7 | 4 | 1 | 2 | 3 | 4 | 5 | 2 | 2 | – | – | 1 | – | – | – |
| Ischuria | – | – | – | – | 2 | – | 2 | 2 | 2 | 4 | 2 | 2 | 1 | – | – | – |
| Diabetes | 2 | 3 | 3 | 2 | 5 | 4 | 4 | 3 | 3 | – | – | – | – | – | – | – |
| Stone | 1 | – | 2 | – | – | – | 8 | 8 | 8 | 11 | 9 | 4 | – | – | – | – |
| Cystitis | 1 | 2 | 1 | 1 | – | 1 | 3 | 5 | 6 | 5 | 2 | 2 | – | – | – | – |
| Stricture of Urethra | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – |
| Kidney Disease | 4 | 6 | 6 | 12 | 6 | 16 | 17 | 23 | 26 | 28 | 18 | 7 | – | – | – | 1 |
| Paramenia | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 4 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 4 | – | 3 | – | – | – | – | 1 |
| Childbirth | 39 | 32 | 11 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 9 | 8 | 7 | 3 | 3 | 3 | 3 | 4 | 1 | 1 | 1 | – | – | – | – |
| Arthritis | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | 3 | 3 | 3 | 7 | 5 | 7 | 14 | 9 | 15 | 10 | 5 | 1 | – | – | – | 1 |
| Joint Disease | 4 | 6 | 3 | 4 | 1 | 5 | 4 | 5 | 2 | 3 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 2 | 1 | – | – | – | – | 1 | 3 | 1 | – | – | – | – |
| Phlegmon | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 5 | 5 | 4 | 5 | 1 | 1 | 5 | 1 | 2 | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 3 | – | 3 | 1 | 4 | 1 | 2 | 2 | – | – | – | 1 | – | – | 1 |
| Poison | – | – | 3 | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | 1 | 5 | 1 | 3 | 3 | 3 | 1 | 1 | 3 | 5 | 4 | 2 | 1 | – | – | – |
| Hanging, etc. | – | 2 | 1 | 2 | 6 | 4 | 2 | – | – | – | 1 | – | – | – | – | – |
| Suffocation | 1 | 1 | – | 2 | 1 | 1 | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – |
| Drowning | 16 | 20 | 14 | 10 | 15 | 8 | 13 | 7 | 4 | 2 | 1 | 1 | – | – | – | 25 |
| Fracture and Contusion | 25 | 18 | 19 | 26 | 23 | 13 | 15 | 15 | 19 | 14 | 12 | 6 | 6 | – | – | 6 |
| Wounds | 7 | 3 | 2 | 7 | 1 | 6 | 1 | 3 | 1 | – | – | 1 | – | – | – | 1 |
| Other Violent Causes | 5 | 1 | – | 4 | 6 | 5 | 6 | – | 1 | 2 | – | – | – | – | – | 2 |
| Not Specified | 44 | 46 | 49 | 50 | 57 | 78 | 93 | – | 2 | – | – | – | – | – | – | 11 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 15329 | 1648 | 481 | 874 | 1072 | 592 | 364 | 266 | 810 | 451 | 590 | 676 | 521 |
| SPECIFIED CAUSES | 14363 | 1327 | 390 | 808 | 985 | 548 | 338 | 253 | 764 | 427 | 570 | 654 | 498 |
| I. Zymotic Class | 2761 | 139 | 98 | 244 | 396 | 275 | 218 | 145 | 371 | 141 | 100 | 84 | 52 |
| II. Diseases of Uncertain Seat | 516 | 12 | 4 | 7 | 16 | 2 | 3 | 6 | 18 | 5 | 6 | 9 | 13 |
| III. Tubercular Class | 2425 | 40 | 51 | 144 | 169 | 93 | 31 | 44 | 170 | 124 | 261 | 340 | 245 |
| IV. Brain and Nervous System | 1243 | 102 | 30 | 37 | 39 | 19 | 11 | 14 | 44 | 26 | 37 | 35 | 24 |
| V. Organs of Circulation | 659 | 2 | 4 | 3 | 2 | 4 | 1 | 1 | 13 | 10 | 15 | 13 | 20 |
| VI. Respiratory Organs | 1809 | 165 | 99 | 190 | 150 | 72 | 35 | 15 | 52 | 27 | 25 | 43 | 39 |
| VII. Organs of Digestion | 1312 | 152 | 55 | 133 | 149 | 37 | 11 | 6 | 25 | 19 | 29 | 31 | 25 |
| VIII. Urinary Organs | 331 | – | – | 2 | 1 | 3 | 2 | 5 | 4 | 7 | 10 | 12 | 14 |
| IX. Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 118 | 2 | – | – | 2 | 1 | 3 | 2 | 9 | 15 | 12 | 10 | 8 |
| XI. Skin, etc. | 15 | 4 | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| XII. Malformation | 49 | 41 | 3 | – | 2 | 1 | – | – | 2 | – | – | – | – |
| XIII. Premature Debility | 707 | 643 | 28 | 36 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 93 | – | – | – | 26 | 12 | 4 | 5 | 9 | 4 | 4 | 1 | – |
| XV. Age | 1444 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 21 | 4 | 4 | 1 | 2 | – | – | – | – | – | – | 1 | 1 |
| XVII. Violent Deaths | 859 | 21 | 12 | 11 | 31 | 29 | 19 | 10 | 47 | 49 | 71 | 74 | 56 |
| I. Small Pox | 150 | 18 | 10 | 20 | 15 | 7 | 7 | 5 | 10 | 3 | 8 | 7 | 7 |
| Measles | 183 | 6 | 5 | 24 | 58 | 40 | 17 | 9 | 18 | 3 | 1 | 2 | – |
| Scarlatina | 526 | 3 | 11 | 34 | 79 | 81 | 72 | 55 | 132 | 36 | 8 | 3 | 3 |
| Diphtheria | 214 | 4 | 2 | 14 | 20 | 26 | 24 | 19 | 55 | 24 | 9 | 4 | 6 |
| Hooping Cough | 278 | 26 | 19 | 75 | 81 | 39 | 20 | 7 | 11 | – | – | – | – |
| Croup | 239 | 10 | 13 | 25 | 56 | 43 | 32 | 25 | 33 | 2 | – | – | – |
| Thrush | 10 | 7 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 226 | 34 | 10 | 31 | 46 | 8 | 6 | 4 | 2 | – | 4 | 1 | 2 |
| Dysentery | 63 | 1 | 3 | 2 | 7 | 2 | 1 | – | 3 | 1 | 1 | 3 | – |
| Cholera | 19 | – | 3 | 3 | 2 | – | 2 | – | 2 | – | – | 1 | – |
| Influenza | 57 | 1 | 6 | – | – | 2 | 1 | – | – | – | 2 | 1 | 1 |
| Purpura | 12 | – | 1 | – | – | 1 | – | – | 1 | 1 | – | 1 | 2 |
| Ague | 4 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Worms | 6 | – | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – |
| Infantile Fever | 14 | 3 | 2 | 4 | 3 | – | 1 | 1 | – | – | – | – | – |
| Typhus | 636 | 4 | 7 | 6 | 26 | 22 | 31 | 19 | 92 | 62 | 61 | 53 | 30 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 33 | – | – | – | – | – | – | – | 6 | 3 | 3 | 5 | 1 |
| Erysipelas | 71 | 16 | 1 | 1 | 1 | 3 | 2 | – | 4 | 5 | 1 | 3 | – |
| Syphilis | 16 | 6 | 4 | 3 | 1 | – | – | – | – | – | 1 | – | – |
| Noma | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 21 | 3 | – | 2 | – | – | – | – | 1 | – | 1 | 1 | 4 |
| Dropsy | 173 | 3 | – | – | 6 | 1 | 1 | 3 | 10 | 1 | 1 | 3 | 3 |
| Abscess | 36 | 5 | – | 1 | 4 | – | 1 | 1 | 1 | 4 | 1 | 2 | 1 |
| Ulcer | 10 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Fistula | 7 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Mortification | 38 | – | 2 | 3 | 4 | – | – | – | 4 | – | – | 1 | 1 |
| Cancer | 222 | – | 1 | – | – | 1 | – | 2 | 1 | – | 3 | 2 | 4 |
| Gout | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 214 | 5 | 5 | 9 | 10 | 2 | 6 | 4 | 24 | 26 | 28 | 33 | 18 |
| Tabes Mesenterica | 183 | 15 | 8 | 22 | 44 | 23 | 4 | 6 | 29 | 9 | 6 | 7 | 1 |
| Phthisis | 1657 | 6 | 7 | 22 | 32 | 23 | 8 | 12 | 62 | 75 | 227 | 299 | 226 |
| Hydrocephalus | 371 | 14 | 31 | 91 | 83 | 45 | 13 | 22 | 55 | 14 | – | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 384 | 410 | 374 | 444 | 481 | 530 | 710 | 733 | 804 | 853 | 697 | 328 | 140 | 28 | 15 | 53 |
| SPECIFIED CAUSES | 365 | 394 | 352 | 423 | 454 | 501 | 670 | 733 | 802 | 853 | 697 | 328 | 140 | 28 | 15 | 46 |
| Zymotic Class | 35 | 46 | 40 | 40 | 43 | 37 | 65 | 51 | 56 | 40 | 30 | 11 | 3 | – | – | 1 |
| Uncertain Seat | 5 | 8 | 16 | 28 | 36 | 38 | 59 | 59 | 78 | 55 | 24 | 7 | 1 | – | – | 1 |
| Tubercular Class | 151 | 132 | 82 | 88 | 86 | 49 | 57 | 38 | 21 | 6 | – | 1 | – | – | – | 2 |
| Brain, etc. | 29 | 34 | 34 | 46 | 53 | 71 | 111 | 115 | 101 | 109 | 93 | 20 | 6 | 1 | – | 2 |
| Heart, etc. | 10 | 22 | 27 | 35 | 37 | 58 | 82 | 89 | 86 | 81 | 29 | 11 | – | – | 1 | 3 |
| Respiratory Organs | 38 | 42 | 52 | 55 | 67 | 96 | 100 | 112 | 125 | 99 | 77 | 27 | 6 | 1 | – | – |
| Digestive Organs | 25 | 45 | 42 | 57 | 63 | 80 | 76 | 82 | 73 | 51 | 34 | 11 | 1 | – | – | – |
| Urinary Organs | 7 | 8 | 10 | 11 | 12 | 18 | 32 | 41 | 38 | 48 | 30 | 14 | 1 | – | – | 1 |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Locomotive Organs | 7 | 6 | 3 | 5 | 2 | 6 | 7 | 5 | 4 | 7 | 1 | – | – | – | – | 1 |
| Skin | – | – | – | – | 1 | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 3 | 3 | 3 | 6 | 5 | 8 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 39 | 116 | 201 | 341 | 365 | 223 | 118 | 26 | 14 | 1 |
| Sudden Deaths | 1 | – | 2 | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Violent Deaths | 54 | 48 | 41 | 52 | 49 | 38 | 41 | 22 | 18 | 14 | 11 | 3 | 4 | – | – | 34 |
| Small Pox | 8 | 4 | 3 | 6 | 1 | 3 | 6 | 1 | – | – | – | – | – | – | – | 1 |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 3 | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | 2 | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 6 | 3 | 4 | 6 | 8 | 6 | 8 | 9 | 9 | 12 | 5 | 1 | – | – | – |
| Dysentery | – | 1 | 3 | 1 | 2 | 2 | 5 | 6 | 10 | 4 | – | 3 | 2 | – | – | – |
| Cholera | 1 | – | – | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Influenza | 1 | 1 | – | – | – | 3 | 6 | 9 | 5 | 9 | 7 | 2 | – | – | – | – |
| Purpura | 2 | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 16 | 28 | 20 | 25 | 28 | 13 | 26 | 21 | 26 | 13 | 6 | 1 | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | 4 | 3 | – | 1 | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 3 | 2 | 3 | 4 | 6 | 5 | 3 | 4 | 2 | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | 1 | 1 | 2 | 1 | 1 | – | 2 | – | – | – | – | – |
| Dropsy | 1 | 4 | 6 | 7 | 8 | 11 | 21 | 13 | 32 | 20 | 14 | 2 | 1 | – | – | 1 |
| Abscess | – | – | – | – | 4 | – | 2 | 3 | 4 | 1 | – | 1 | – | – | – | – |
| Ulcer | – | – | – | – | 1 | – | – | – | 2 | 2 | – | – | – | – | – | – |
| Fistula | – | – | – | 1 | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Mortification | – | 1 | – | 1 | 1 | – | 1 | 4 | 1 | 9 | 3 | 2 | – | – | – | – |
| Cancer | 4 | 3 | 8 | 19 | 21 | 24 | 32 | 33 | 36 | 21 | 5 | 2 | – | – | – | – |
| Gout | – | – | 1 | – | – | 2 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| Scrofula | 6 | 9 | 10 | 6 | 5 | 2 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 4 | – | – | – | – | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Phthisis | 140 | 123 | 72 | 81 | 81 | 44 | 54 | 35 | 19 | 6 | – | 1 | – | – | – | 2 |
| Hydrocephalus | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 107 | 3 | 5 | 5 | 10 | 2 | 1 | 4 | 16 | 8 | 13 | 5 | 10 |
| Apoplexy | 271 | 7 | – | 2 | 3 | 2 | 2 | 2 | 3 | 3 | – | 2 | 4 |
| Paralysis | 382 | – | – | – | – | – | – | – | – | – | 2 | 4 | – |
| Delirium Tremens | 10 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Epilepsy | 58 | – | – | – | 1 | – | – | – | – | 3 | 6 | 7 | 4 |
| Tetanus | 15 | 4 | – | 1 | – | – | 1 | – | 1 | 3 | – | – | – |
| Insanity | 12 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Convulsions | 166 | 86 | 24 | 21 | 13 | 9 | 6 | 1 | 5 | – | – | 1 | – |
| Brain Disease | 219 | 2 | 1 | 8 | 11 | 6 | 1 | 7 | 19 | 9 | 16 | 14 | 4 |
| V. Pericarditis | 30 | – | – | – | – | – | – | 1 | 1 | 2 | – | 2 | – |
| Aneurism | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 621 | 2 | 4 | 3 | 2 | 4 | 1 | – | 12 | 8 | 15 | 11 | 20 |
| VI. Laryngitis | 45 | 1 | 1 | 5 | 4 | 4 | 2 | 1 | 8 | – | 2 | 1 | 4 |
| Bronchitis | 955 | 110 | 62 | 133 | 106 | 46 | 25 | 9 | 24 | 6 | 5 | 14 | 11 |
| Pleurisy | 90 | 1 | 1 | 1 | 2 | 3 | 1 | 2 | 3 | 5 | 3 | 6 | 5 |
| Pneumonia | 478 | 50 | 32 | 46 | 37 | 19 | 6 | 3 | 15 | 11 | 10 | 19 | 12 |
| Asthma | 164 | – | – | 1 | – | – | – | – | – | 2 | – | – | 3 |
| Lung Disease | 77 | 3 | 3 | 4 | 1 | – | 1 | – | 2 | 3 | 5 | 3 | 4 |
| VII. Teething | 211 | 1 | 7 | 82 | 107 | 12 | 1 | 1 | – | – | – | – | – |
| Quinsey | 29 | 1 | 2 | 2 | 4 | 2 | – | 2 | 2 | 2 | 2 | 1 | 1 |
| Gastritis | 57 | 9 | 1 | 2 | 2 | 1 | – | 1 | 1 | 1 | 1 | 3 | – |
| Enteritis | 290 | 81 | 28 | 33 | 26 | 13 | 6 | – | 11 | 7 | 3 | 4 | 4 |
| Peritonitis | 65 | 4 | 5 | 4 | – | 1 | 1 | – | – | 2 | 8 | 5 | 2 |
| Ascites | 9 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Ulceration of Intestines | 54 | 6 | – | 1 | 1 | – | – | – | – | 1 | 1 | 2 | 5 |
| Hernia | 24 | 1 | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| Ileus | 99 | 8 | – | 1 | 1 | – | – | – | 5 | 3 | 4 | 8 | 2 |
| Intussusception | 6 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 200 | 18 | 7 | 5 | 6 | 2 | – | 1 | 2 | – | 5 | 3 | 3 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 42 | – | – | – | 1 | 1 | – | – | 1 | – | 4 | 1 | 1 |
| Jaundice | 57 | 20 | 2 | – | – | 3 | 2 | 1 | – | – | 1 | – | – |
| Liver Disease | 154 | 3 | 3 | 1 | – | 1 | 1 | – | 2 | 3 | – | 3 | 7 |
| Spleen Disease | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 15 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| Nephria | 42 | – | – | – | – | 2 | 1 | 3 | 2 | 4 | 4 | 3 | 3 |
| Ischuria | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 32 | – | – | – | – | 1 | – | 1 | – | – | 5 | 2 | 3 |
| Stone | 52 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Cystitis | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 147 | – | – | 1 | – | – | 1 | – | 1 | 3 | 1 | 5 | 6 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 7 | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | – |
| Rheumatism | 39 | – | – | – | – | – | – | – | 3 | 1 | 2 | 1 | 1 |
| Joint and Bone Disease | 72 | 2 | – | – | 2 | 1 | 3 | 2 | 5 | 12 | 9 | 7 | 7 |
| XI. Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 10 | 4 | 2 | – | – | – | – | – | – | – | – | 1 | 1 |
| XII. Cyanosis | 21 | 19 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Spina Bifida | 10 | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 18 | 14 | 2 | – | – | 1 | – | – | 1 | – | – | – | – |
| XVII. Intemperance | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 8 | 3 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 18 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Poison | 10 | 1 | – | 2 | – | – | – | – | – | – | – | 1 | 1 |
| Burns and Scalds | 78 | 1 | 1 | 2 | 16 | 14 | 10 | 4 | 9 | 3 | 3 | 2 | 1 |
| Hanging, etc. | 17 | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| Suffocation | 40 | 10 | 8 | 3 | 2 | 1 | 1 | – | 2 | 2 | 2 | 1 | 1 |
| Drowning | 241 | – | 1 | – | 10 | 7 | 4 | 2 | 11 | 13 | 28 | 22 | 19 |
| Fracture and Contusion | 330 | – | – | 1 | 3 | 6 | 4 | 2 | 23 | 26 | 27 | 37 | 26 |
| Wounds | 44 | – | – | – | – | – | – | 1 | – | 2 | 6 | 5 | 4 |
| Other Violent Causes | 49 | 6 | – | – | – | 1 | – | 1 | 1 | 3 | 2 | 5 | 1 |
| Not Specified | 966 | 321 | 91 | 66 | 87 | 44 | 26 | 13 | 46 | 24 | 20 | 22 | 23 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 5 | 4 | – | 5 | 2 | 3 | 3 | 3 | – | – | – | – | – | – | – | – |
| Apoplexy | 6 | 5 | 12 | 9 | 16 | 25 | 28 | 36 | 33 | 31 | 31 | 7 | 1 | – | – | 1 |
| Paralysis | 5 | 7 | 5 | 13 | 20 | 22 | 54 | 57 | 57 | 67 | 50 | 13 | 5 | 1 | – | – |
| Delirium Tremens | – | 2 | – | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Epilepsy | 7 | 4 | 4 | 2 | 1 | 4 | 7 | 2 | 2 | 1 | 2 | – | – | – | – | 1 |
| Tetanus | – | 1 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Insanity | – | – | 3 | – | – | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | 11 | 10 | 13 | 11 | 13 | 16 | 16 | 8 | 8 | 9 | – | – | – | – | – |
| Pericarditis | – | 2 | 4 | 2 | – | 1 | 2 | 3 | 4 | 4 | 2 | – | – | – | – | – |
| Aneurism | 1 | 1 | 2 | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Heart Disease | 9 | 19 | 21 | 33 | 35 | 57 | 79 | 86 | 81 | 77 | 27 | 11 | – | – | 1 | 3 |
| Laryngitis | 1 | 2 | 1 | – | – | 3 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Bronchitis | 8 | 10 | 12 | 22 | 21 | 37 | 39 | 44 | 67 | 63 | 55 | 20 | 5 | 1 | – | – |
| Pleurisy | 6 | 3 | 5 | 4 | 7 | 4 | 6 | 6 | 5 | 6 | 4 | – | 1 | – | – | – |
| Pneumonia | 14 | 17 | 18 | 16 | 23 | 30 | 24 | 27 | 22 | 14 | 10 | 3 | – | – | – | – |
| Asthma | 5 | 6 | 9 | 9 | 11 | 16 | 25 | 26 | 27 | 15 | 5 | 4 | – | – | – | – |
| Lung Disease | 4 | 4 | 7 | 4 | 5 | 6 | 4 | 8 | 2 | 1 | 3 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | 3 | – | 2 | 1 | – | – | – | – | – | – | – |
| Gastritis | 1 | 3 | 2 | 2 | – | 9 | 4 | 5 | 1 | 1 | 6 | 1 | – | – | – | – |
| Enteritis | 3 | 3 | 7 | 4 | 13 | 5 | 11 | 9 | 9 | 8 | 2 | – | – | – | – | – |
| Peritonitis | 4 | 3 | 2 | 4 | 3 | 3 | 2 | 4 | – | 4 | 2 | 2 | – | – | – | – |
| Ascites | 1 | – | 1 | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | 5 | 3 | 3 | 4 | 7 | 5 | 3 | 4 | 2 | – | – | – | – | – | – |
| Hernia | – | – | 2 | 3 | 2 | 2 | – | 5 | – | 3 | 3 | – | – | – | – | – |
| Ileus | 1 | 8 | 4 | 4 | 7 | 8 | 9 | 7 | 7 | 4 | 4 | 3 | 1 | – | – | – |
| Intussusception | – | – | – | 1 | – | – | – | – | 3 | – | 1 | – | – | – | – | – |
| Stricture of Intestines | 1 | 1 | – | – | – | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – |
| Stomach Disease | 6 | 7 | 9 | 16 | 9 | 17 | 22 | 20 | 20 | 12 | 8 | 2 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 3 | 3 | 3 | 2 | 7 | 4 | 3 | 3 | 2 | 1 | 1 | – | – | – | – |
| Jaundice | 1 | 1 | 1 | 2 | 2 | 1 | 2 | 3 | 7 | 6 | 1 | 1 | – | – | – | – |
| Liver Disease | 3 | 11 | 8 | 14 | 20 | 14 | 15 | 16 | 17 | 8 | 4 | – | – | – | – | – |
| Spleen Disease | – | – | – | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Nephritis | – | – | 1 | – | 3 | – | – | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Nephria | 2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 1 | 2 | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | 2 | 2 | 2 | 4 | 2 | 2 | – | – | – | – |
| Diabetes | 2 | 1 | 2 | 1 | 2 | 3 | 4 | 3 | 2 | – | – | – | – | – | – | – |
| Stone | 1 | – | 2 | – | – | – | 8 | 7 | 6 | 11 | 9 | 4 | – | – | – | – |
| Cystitis | – | 2 | 1 | 1 | – | – | 2 | 5 | 6 | 4 | 2 | 2 | – | – | – | – |
| Stricture of Urethra | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – |
| Kidney Disease | 2 | 3 | 3 | 7 | 5 | 12 | 13 | 17 | 19 | 25 | 16 | 6 | – | – | – | 1 |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Arthritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | 3 | 1 | 3 | 1 | 2 | 4 | 3 | 4 | 5 | 1 | – | – | – | – | 1 |
| Joint Disease | 4 | 3 | 2 | 2 | – | 4 | 3 | 2 | – | 2 | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 3 | 4 | 4 | 3 | 1 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 3 | – | 2 | 1 | 4 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| Poison | – | – | 2 | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Burns and Scalds | – | 2 | 1 | – | 1 | 1 | – | 1 | 1 | 2 | 2 | – | 1 | – | – | – |
| Hanging, etc. | – | – | – | 1 | 5 | 4 | 2 | – | – | – | 1 | – | – | – | – | – |
| Suffocation | 1 | – | – | 2 | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Drowning | 14 | 20 | 13 | 9 | 14 | 5 | 12 | 4 | 4 | 2 | 1 | 1 | – | – | – | 25 |
| Fracture and Contusion | 23 | 17 | 19 | 25 | 22 | 11 | 14 | 12 | 8 | 7 | 7 | 1 | 3 | – | – | 6 |
| Wounds | 7 | 1 | 2 | 6 | – | 5 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Other Violent Causes | 5 | 1 | – | 4 | 5 | 4 | 6 | – | 1 | 1 | – | – | – | – | – | 2 |
| Not Specified | 19 | 16 | 22 | 21 | 27 | 29 | 40 | – | 2 | – | – | – | – | – | – | 7 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 15485 | 1166 | 384 | 745 | 1040 | 548 | 363 | 245 | 754 | 434 | 584 | 613 | 545 |
| SPECIFIED CAUSES | 14554 | 923 | 309 | 658 | 941 | 520 | 342 | 233 | 729 | 409 | 556 | 593 | 524 |
| I. Zymotic Class | 3059 | 116 | 73 | 230 | 422 | 300 | 195 | 131 | 416 | 159 | 149 | 119 | 105 |
| II. Diseases of Uncertain Seat | 779 | 3 | 1 | 2 | 4 | 6 | – | 3 | 5 | 9 | 9 | 9 | 9 |
| III. Tubercular Class | 2428 | 27 | 43 | 102 | 146 | 66 | 45 | 51 | 132 | 134 | 270 | 286 | 257 |
| IV. Brain and Nervous System | 1130 | 51 | 17 | 28 | 37 | 15 | 21 | 10 | 51 | 29 | 26 | 28 | 29 |
| V. Organs of Circulation | 608 | – | 3 | 2 | 3 | 2 | 1 | 3 | 6 | 14 | 9 | 23 | 22 |
| VI. Respiratory Organs | 1593 | 112 | 85 | 126 | 147 | 76 | 48 | 15 | 42 | 18 | 24 | 35 | 22 |
| VII. Organs of Digestion | 1279 | 103 | 47 | 133 | 137 | 24 | 8 | 10 | 29 | 20 | 20 | 34 | 31 |
| VIII. Urinary Organs | 119 | – | – | – | – | 1 | 1 | 1 | 3 | 6 | 2 | 12 | 6 |
| IX. Organs of Generation | 262 | – | – | – | – | 1 | – | – | – | – | 21 | 37 | 30 |
| X. Organs of Locomotion | 103 | – | – | 1 | – | 1 | 1 | – | 9 | 9 | 6 | 2 | 6 |
| XI. Skin, etc. | 22 | 2 | 6 | 2 | 2 | 1 | – | – | – | – | – | 1 | – |
| XII. Malformation | 28 | 22 | 2 | 3 | 1 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 508 | 462 | 25 | 21 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 118 | – | – | – | 32 | 8 | 5 | 1 | 10 | 5 | 8 | 2 | 2 |
| XV. Age | 2242 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 28 | 2 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| XVII. Violent Deaths | 248 | 23 | 4 | 7 | 9 | 19 | 17 | 8 | 25 | 6 | 12 | 5 | 5 |
| I. Small Pox | 118 | 10 | 8 | 17 | 15 | 12 | 5 | 6 | 7 | 7 | 6 | 6 | 2 |
| Measles | 187 | 4 | 2 | 19 | 76 | 31 | 14 | 7 | 27 | 2 | 1 | 1 | – |
| Scarlatina | 515 | – | 3 | 27 | 76 | 91 | 60 | 45 | 122 | 34 | 18 | 6 | 12 |
| Diphtheria | 257 | 5 | 2 | 12 | 20 | 30 | 22 | 25 | 84 | 20 | 15 | 8 | 3 |
| Hooping Cough | 347 | 26 | 32 | 74 | 101 | 46 | 32 | 11 | 23 | 2 | – | – | – |
| Croup | 193 | 12 | 2 | 20 | 45 | 40 | 29 | 16 | 28 | 1 | – | – | – |
| Thrush | 4 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 270 | 29 | 13 | 26 | 39 | 10 | 4 | 2 | 5 | 2 | 3 | 8 | 2 |
| Dysentery | 100 | 4 | 4 | 4 | 8 | 3 | – | – | 1 | 1 | 1 | 3 | 1 |
| Cholera | 9 | – | 2 | 2 | 1 | – | – | – | 1 | – | – | 2 | 1 |
| Influenza | 75 | 4 | 1 | 2 | – | 1 | – | – | 1 | 1 | 3 | 3 | – |
| Purpura | 15 | – | – | 2 | 1 | – | – | – | – | – | 2 | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 14 | – | – | 1 | 2 | 2 | 2 | 1 | 5 | – | 1 | – | – |
| Infantile Fever | 15 | 5 | – | 2 | 4 | 1 | 2 | – | 1 | – | – | – | – |
| Typhus | 734 | 2 | – | 15 | 30 | 31 | 22 | 18 | 102 | 82 | 92 | 57 | 46 |
| Metria | 102 | – | – | – | – | – | – | – | – | – | 2 | 22 | 32 |
| Rheumatic Fever | 38 | – | – | – | – | – | – | – | 6 | 5 | 4 | 3 | 4 |
| Erysipelas | 53 | 12 | 2 | 3 | 1 | 1 | 3 | – | 2 | 2 | 1 | – | 1 |
| Syphilis | 10 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | 1 |
| Noma | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hydrophobia | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| II. Hæmorrhage | 14 | – | – | – | – | 2 | – | – | – | 2 | – | – | – |
| Dropsy | 262 | – | 1 | – | 2 | 1 | | – | 4 | 4 | 4 | 5 | 5 |
| Abscess | 21 | 2 | – | – | – | 1 | | 1 | 1 | 1 | 2 | 1 | 2 |
| Ulcer | 10 | – | – | – | – | – | | – | – | – | – | 1 | – |
| Fistula | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Mortification | 27 | 1 | – | 2 | 1 | – | – | – | – | 1 | – | – | – |
| Cancer | 440 | – | – | – | 1 | 2 | – | 2 | – | – | 3 | 2 | 2 |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 153 | 3 | 2 | 8 | 9 | – | 2 | 4 | 9 | 10 | 25 | 13 | 13 |
| Tabes Mesenterica | 171 | 8 | 8 | 25 | 49 | 12 | 11 | 5 | 16 | 6 | 5 | 7 | 3 |
| Phthisis | 1824 | 4 | 10 | 13 | 36 | 23 | 11 | 23 | 63 | 103 | 235 | 265 | 240 |
| Hydrocephalus | 280 | 12 | 23 | 56 | 52 | 31 | 21 | 19 | 44 | 15 | 5 | 1 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 478 | 520 | 436 | 441 | 447 | 492 | 728 | 783 | 979 | 978 | 977 | 507 | 220 | 52 | 11 | 15 |
| SPECIFIED CAUSES | 453 | 490 | 409 | 412 | 417 | 443 | 675 | 783 | 979 | 978 | 977 | 507 | 220 | 52 | 11 | 11 |
| Zymotic Class | 76 | 65 | 44 | 52 | 47 | 38 | 64 | 58 | 78 | 52 | 38 | 17 | 14 | – | – | 1 |
| Uncertain Seat | 13 | 31 | 55 | 56 | 61 | 81 | 99 | 82 | 100 | 76 | 42 | 15 | 7 | 1 | – | – |
| Tubercular Class | 184 | 181 | 126 | 85 | 90 | 56 | 58 | 46 | 26 | 7 | 6 | 2 | 1 | – | – | 1 |
| Brain, etc. | 23 | 22 | 23 | 45 | 47 | 56 | 93 | 106 | 133 | 121 | 77 | 29 | 8 | 2 | – | 3 |
| Heart, etc. | 23 | 27 | 32 | 32 | 32 | 37 | 77 | 72 | 66 | 60 | 42 | 13 | 5 | – | – | 2 |
| Respiratory Organs | 30 | 36 | 43 | 39 | 44 | 53 | 106 | 120 | 132 | 112 | 87 | 31 | 10 | – | – | – |
| Digestive Organs | 39 | 52 | 45 | 48 | 59 | 74 | 97 | 83 | 84 | 55 | 21 | 23 | 2 | – | – | 1 |
| Urinary Organs | 7 | 10 | 7 | 7 | 7 | 8 | 7 | 10 | 12 | 6 | 3 | 1 | 2 | – | – | – |
| Generative Organs | 48 | 44 | 24 | 18 | 8 | 6 | 5 | 6 | 8 | 1 | 3 | 1 | – | – | – | 1 |
| Locomotive Organs | – | 3 | 3 | 6 | 5 | 6 | 11 | 9 | 14 | 6 | 4 | 1 | – | – | – | – |
| Skin | – | 1 | – | 2 | – | – | – | – | 1 | – | 2 | 2 | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 2 | 5 | 1 | 10 | 8 | 18 | – | – | – | – | – | – | – | – | – | 1 |
| Age | – | – | – | – | – | – | 54 | 181 | 305 | 468 | 643 | 364 | 167 | 49 | 11 | – |
| Sudden Deaths | 1 | 3 | 3 | 1 | 1 | 1 | – | 2 | 4 | 3 | 1 | – | – | – | – | – |
| Violent Deaths | 7 | 10 | 3 | 11 | 8 | 9 | 4 | 8 | 16 | 11 | 8 | 8 | 4 | – | – | 1 |
| Small Pox | 5 | 1 | 1 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Measles | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | 7 | 9 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 6 | 4 | 10 | 4 | 6 | 16 | 14 | 19 | 16 | 13 | 9 | 6 | – | – | – |
| Dysentery | 1 | 3 | 3 | 7 | 6 | 5 | 6 | 12 | 9 | 9 | 4 | 3 | 2 | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | 1 | 3 | 2 | 3 | 6 | 5 | 15 | 8 | 10 | – | 5 | – | – | – |
| Purpura | 1 | 1 | 2 | – | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 25 | 23 | 22 | 23 | 28 | 17 | 26 | 21 | 28 | 14 | 8 | 2 | – | – | – | – |
| Metria | 24 | 17 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | 2 | 2 | 2 | – | 3 | 1 | 2 | – | 1 | – | – | – | – | 1 |
| Erysipelas | 3 | 2 | 1 | – | – | 1 | 3 | 4 | 4 | 2 | 2 | 2 | 1 | – | – | – |
| Syphilis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | 2 | 2 | 2 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Dropsy | 4 | 12 | 14 | 9 | 16 | 22 | 28 | 32 | 41 | 31 | 19 | 4 | 4 | – | – | – |
| Abscess | 1 | – | 2 | – | – | 3 | 4 | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | 1 | – | 1 | 1 | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | 1 | – | 2 | 2 | 4 | 4 | 4 | 2 | 2 | – | – | – |
| Cancer | 4 | 16 | 37 | 46 | 42 | 54 | 64 | 46 | 52 | 38 | 18 | 9 | 1 | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| Scrofula | 10 | 7 | 8 | 5 | 6 | 3 | 4 | 4 | 3 | 2 | 1 | 2 | – | – | – | – |
| Tabes Mesenterica | 7 | 2 | 1 | – | – | 2 | – | 1 | 1 | – | – | – | 1 | – | – | 1 |
| Phthisis | 167 | 172 | 117 | 80 | 84 | 51 | 54 | 41 | 22 | 5 | 5 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 82 | – | 2 | 4 | 8 | 1 | 5 | 1 | 12 | 11 | 9 | 9 | 2 |
| Apoplexy | 237 | 1 | 1 | 2 | 2 | 3 | – | 2 | 6 | 2 | 2 | – | 6 |
| Paralysis | 424 | – | – | – | 2 | – | 1 | – | – | 2 | – | 2 | – |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | 6 | – | – | – | 1 | – | – | – | 2 | – | 1 | – | 2 |
| Epilepsy | 57 | – | – | – | – | 1 | 1 | – | 1 | 2 | 5 | 6 | 7 |
| Tetanus | 12 | 3 | – | – | – | – | – | – | 4 | – | 1 | 1 | – |
| Insanity | 16 | – | – | – | – | – | – | – | 1 | – | – | 2 | – |
| Convulsions | 110 | 44 | 9 | 19 | 17 | 7 | 8 | 3 | 3 | – | – | – | – |
| Brain Disease | 181 | 3 | 5 | 3 | 7 | 3 | 6 | 4 | 22 | 12 | 8 | 8 | 11 |
| V. Pericarditis | 16 | – | 1 | – | – | – | – | 1 | – | – | – | 2 | 1 |
| Aneurism | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Heart Disease | 585 | – | 2 | 2 | 3 | 2 | 1 | 2 | 6 | 13 | 9 | 21 | 21 |
| VI. Laryngitis | 30 | 1 | 2 | 1 | 3 | 4 | 1 | – | 6 | 3 | – | – | 1 |
| Bronchitis | 928 | 76 | 59 | 92 | 93 | 42 | 29 | 10 | 18 | 4 | 14 | 10 | 11 |
| Pleurisy | 49 | 1 | – | – | 3 | – | 2 | – | 1 | 2 | – | 2 | 3 |
| Pneumonia | 378 | 31 | 22 | 31 | 44 | 30 | 16 | 5 | 11 | 4 | 5 | 16 | 4 |
| Asthma | 132 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Lung Disease | 76 | 3 | 2 | 2 | 4 | – | – | – | 6 | 5 | 5 | 6 | 3 |
| VII. Teething | 212 | 1 | 9 | 93 | 101 | 8 | – | – | – | – | – | – | – |
| Quinsey | 25 | – | 3 | 1 | 2 | 1 | 1 | 3 | 5 | 1 | 1 | 1 | – |
| Gastritis | 25 | – | 1 | 1 | 1 | – | – | – | 1 | – | – | 1 | 2 |
| Enteritis | 227 | 62 | 19 | 24 | 23 | 5 | 4 | 1 | 9 | 3 | 4 | 7 | 5 |
| Peritonitis | 91 | 3 | 4 | 3 | 1 | 2 | 1 | 1 | 5 | 4 | 6 | 7 | 4 |
| Ascites | 26 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Ulceration of Intestines | 55 | 3 | 1 | 1 | – | 1 | – | – | 1 | 1 | – | 3 | 5 |
| Hernia | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 71 | 2 | 1 | 2 | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Intussusception | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Stricture of Intestines | 9 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Stomach Disease | 244 | 16 | 7 | 7 | 6 | 7 | 2 | – | 5 | 1 | 6 | 6 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 57 | 2 | 1 | – | – | – | – | 2 | – | 2 | – | 1 | 3 |
| Jaundice | 50 | 13 | 1 | – | 1 | – | – | 2 | 1 | – | – | – | 1 |
| Liver Disease | 145 | 1 | – | 1 | 2 | – | – | – | 1 | 4 | 2 | 5 | 3 |
| Spleen Disease | 9 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| VIII. Nephritis | 16 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 2 | – |
| Nephria | 26 | – | – | – | – | – | – | – | 1 | – | 1 | 3 | 4 |
| Ischuria | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | 17 | – | – | – | – | – | – | – | – | 3 | – | 3 | 2 |
| Stone | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cystitis | 6 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 46 | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 | – |
| IX. Paramenia | 20 | – | – | – | – | – | – | – | – | – | 11 | 3 | 2 |
| Ovarian Dropsy | 44 | – | – | – | – | – | – | – | – | – | 2 | 3 | 4 |
| Childbirth | 146 | – | – | – | – | – | – | – | – | – | 6 | 29 | 23 |
| Organs of Generation | 52 | – | – | – | – | 1 | – | – | – | – | 2 | 2 | 1 |
| X. Arthritis | 4 | – | – | – | – | – | – | – | 1 | 2 | – | – | – |
| Rheumatism | 59 | – | – | – | – | – | – | – | 2 | 1 | 1 | 1 | 2 |
| Joint and Bone Disease | 40 | – | – | 1 | – | 1 | 1 | – | 6 | 6 | 5 | 1 | 4 |
| XI. Carbuncle | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 13 | 1 | 5 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| XII. Cyanosis | 15 | 13 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Spina Bifida | 8 | 5 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Other Malformations | 5 | 4 | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 6 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 9 | 2 | 1 | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Poison | 6 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Burns and Scalds | 77 | – | – | 6 | 7 | 7 | 11 | 7 | 15 | 1 | 2 | – | – |
| Hanging, etc. | 7 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Suffocation | 15 | 8 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Drowning | 35 | – | 1 | – | 1 | 6 | 1 | 1 | 4 | – | 3 | 4 | 2 |
| Fracture and Contusion | 62 | 1 | 1 | – | – | 5 | 3 | – | 3 | 2 | 4 | 1 | – |
| Wounds | 9 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Other Violent Causes | 14 | 7 | – | – | – | – | – | – | 1 | 2 | 1 | – | – |
| Not Specified | 931 | 243 | 75 | 87 | 99 | 28 | 21 | 12 | 25 | 25 | 28 | 20 | 21 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 5 | – | 6 | 1 | 1 | – | 1 | – | 3 | – | 1 | – | – | – | – | – |
| Apoplexy | 4 | 5 | 2 | 8 | 19 | 15 | 30 | 31 | 29 | 34 | 25 | 6 | – | – | – | 2 |
| Paralysis | 4 | 5 | 7 | 17 | 13 | 28 | 44 | 56 | 85 | 81 | 47 | 20 | 8 | 2 | – | – |
| Delirium Tremens | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 4 | 2 | 7 | 4 | 1 | 1 | 6 | 3 | 1 | – | 1 | – | – | – | – |
| Tetanus | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | 1 | 1 | – | 4 | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | 6 | 4 | 9 | 6 | 12 | 14 | 12 | 11 | 5 | 3 | 2 | – | – | – | 1 |
| Pericarditis | – | 1 | 3 | – | 2 | – | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Aneurism | – | – | – | 2 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Heart Disease | 23 | 26 | 29 | 30 | 29 | 36 | 75 | 69 | 66 | 60 | 40 | 13 | 5 | – | – | 2 |
| Laryngitis | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Bronchitis | 14 | 19 | 13 | 16 | 13 | 30 | 51 | 72 | 79 | 77 | 56 | 21 | 9 | – | – | – |
| Pleurisy | 1 | 4 | 5 | 3 | 1 | 3 | 3 | 5 | 4 | 2 | 2 | 2 | – | – | – | – |
| Pneumonia | 10 | 5 | 13 | 10 | 11 | 12 | 26 | 13 | 25 | 16 | 13 | 4 | 1 | – | – | – |
| Asthma | 3 | 3 | 7 | 8 | 12 | 4 | 19 | 24 | 20 | 14 | 15 | 2 | – | – | – | – |
| Lung Disease | 2 | 4 | 4 | 1 | 6 | 3 | 5 | 5 | 4 | 3 | 1 | 2 | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – |
| Gastritis | 1 | 1 | – | 3 | – | 4 | 4 | 3 | 1 | 1 | – | – | – | – | – | – |
| Enteritis | 5 | 6 | 7 | 5 | 8 | 6 | 6 | 2 | 7 | 4 | 3 | 2 | – | – | – | – |
| Peritonitis | 7 | 7 | 3 | 5 | – | 6 | 6 | 4 | 4 | 5 | – | 3 | – | – | – | – |
| Ascites | 2 | 3 | – | – | 6 | 1 | 1 | 4 | 1 | 4 | 1 | – | – | – | – | – |
| Ulceration of Intestines | 1 | 6 | 6 | – | 4 | 2 | 5 | 4 | 2 | 7 | 2 | – | – | – | – | – |
| Hernia | – | – | 2 | 1 | 4 | 3 | 1 | 2 | 5 | 3 | – | 3 | – | – | – | – |
| Ileus | 4 | 4 | 5 | 5 | 3 | 7 | 9 | 5 | 5 | 9 | 3 | 3 | – | – | – | – |
| Intussusception | 1 | – | 1 | 1 | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Stricture of Intestines | – | – | 2 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Stomach Disease | 12 | 14 | 2 | 10 | 11 | 23 | 31 | 31 | 20 | 11 | 5 | 5 | 1 | – | – | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | 1 | 4 | 5 | 3 | 5 | 10 | 2 | 9 | 1 | 2 | 1 | 1 | – | – | – |
| Jaundice | – | – | 2 | 3 | 3 | 1 | 3 | 8 | 5 | 2 | – | 4 | – | – | – | – |
| Liver Disease | 3 | 9 | 10 | 9 | 12 | 15 | 19 | 16 | 22 | 7 | 3 | 1 | – | – | – | – |
| Spleen Disease | – | – | 1 | – | 2 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| Nephritis | – | – | – | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Nephria | 4 | 5 | 3 | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – |
| Ischuria | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes | – | 2 | 1 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | 3 | 3 | 5 | 1 | 4 | 4 | 6 | 7 | 3 | 2 | 1 | – | – | – | – |
| Paramenia | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 4 | 2 | 4 | 4 | 5 | 3 | 2 | 3 | 4 | – | 3 | – | – | – | – | 1 |
| Childbirth | 39 | 32 | 11 | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 9 | 8 | 7 | 3 | 3 | 3 | 3 | 4 | 1 | – | 1 | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Rheumatism | – | – | 2 | 4 | 4 | 5 | 10 | 6 | 11 | 5 | 4 | 1 | – | – | – | – |
| Joint Disease | – | 3 | 1 | 2 | 1 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | 2 | – | – | – | – | – | – | 2 | 1 | – | – | – | – |
| Phlegmon | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 2 | 1 | – | 2 | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| Poison | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 3 | – | 3 | 2 | 2 | 1 | – | 2 | 3 | 2 | 2 | – | – | – | – |
| Hanging, etc. | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | 1 | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Drowning | 2 | – | 1 | 1 | 1 | 3 | 1 | 3 | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 2 | 1 | – | 1 | 1 | 2 | 1 | 3 | 11 | 7 | 5 | 5 | 3 | – | – | – |
| Wounds | – | 2 | – | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | 1 |
| Other Violent Causes | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Not Specified | 25 | 30 | 27 | 29 | 30 | 49 | 53 | – | – | – | – | – | – | – | – | 4 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 28965 | 2955 | 1044 | 2241 | 3283 | 1523 | 958 | 662 | 1357 | 658 | 923 | 1148 | 1054 |
| Specified Causes | 28322 | 2749 | 983 | 2180 | 3225 | 1483 | 951 | 652 | 1333 | 644 | 913 | 1137 | 1043 |
| I. Zymotic Class | 6109 | 297 | 244 | 719 | 1256 | 732 | 529 | 343 | 557 | 131 | 139 | 164 | 143 |
| II. Diseases of Uncertain Seat | 924 | 16 | 4 | 8 | 9 | 11 | 11 | 14 | 30 | 18 | 16 | 17 | 25 |
| III. Tubercular Class | 5388 | 73 | 123 | 325 | 552 | 260 | 160 | 113 | 381 | 263 | 491 | 593 | 462 |
| IV. Brain and Nervous System | 2329 | 223 | 52 | 105 | 108 | 55 | 39 | 35 | 89 | 41 | 54 | 62 | 60 |
| V. Organs of Circulation | 1168 | 1 | 2 | 3 | 5 | 1 | 2 | 6 | 18 | 24 | 33 | 34 | 57 |
| VI. Respiratory Organs | 4794 | 357 | 314 | 588 | 696 | 279 | 138 | 93 | 117 | 34 | 46 | 76 | 98 |
| VII. Organs of Digestion | 2306 | 205 | 103 | 329 | 468 | 82 | 26 | 19 | 41 | 40 | 42 | 55 | 46 |
| VIII. Urinary Organs | 374 | 4 | – | 1 | – | 4 | 2 | 5 | 12 | 9 | 17 | 19 | 24 |
| IX. Organs of Generation | 220 | – | – | – | – | – | – | – | – | 1 | 8 | 33 | 47 |
| X. Organs of Locomotion | 180 | – | 1 | 1 | – | 3 | 2 | 1 | 14 | 28 | 17 | 14 | 10 |
| XI. Skin, etc. | 33 | 2 | 2 | 6 | 1 | – | 2 | – | 2 | – | – | 4 | – |
| XII. Malformation | 74 | 65 | 2 | – | 4 | – | 1 | – | – | – | 1 | – | 1 |
| XIII. Premature Debility | 1617 | 1433 | 114 | 70 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 271 | – | – | – | 93 | 31 | 14 | 6 | 23 | 9 | 6 | 2 | 2 |
| XV. Age | 1587 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 49 | 14 | 3 | 7 | 1 | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 899 | 59 | 19 | 18 | 32 | 25 | 25 | 17 | 49 | 46 | 43 | 63 | 68 |
| I. Small Pox | 492 | 32 | 32 | 81 | 96 | 61 | 46 | 31 | 46 | 13 | 11 | 12 | 11 |
| Measles | 559 | 3 | 11 | 82 | 227 | 106 | 49 | 35 | 39 | 2 | 2 | – | – |
| Scarlatina | 652 | 3 | 7 | 45 | 116 | 107 | 105 | 74 | 141 | 20 | 9 | 10 | 4 |
| Diphtheria | 196 | 5 | 6 | 12 | 28 | 35 | 28 | 22 | 33 | 7 | 3 | 7 | – |
| Hooping Cough | 1439 | 66 | 92 | 300 | 478 | 210 | 144 | 73 | 75 | 1 | – | – | – |
| Croup | 417 | 12 | 9 | 41 | 121 | 93 | 56 | 49 | 35 | 1 | – | – | – |
| Thrush | 11 | 8 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 528 | 81 | 49 | 96 | 87 | 31 | 14 | 4 | 8 | 9 | 2 | 5 | 5 |
| Dysentery | 188 | 6 | 5 | 13 | 17 | 9 | 4 | 2 | 5 | 1 | 2 | 1 | 7 |
| Cholera | 36 | 1 | 1 | 5 | 7 | 3 | 2 | – | 1 | – | – | – | 2 |
| Influenza | 68 | 3 | 1 | 4 | 6 | 4 | 3 | 1 | 3 | – | – | 1 | 1 |
| Purpura | 20 | 1 | – | 3 | 3 | 1 | 1 | – | 3 | 1 | – | 1 | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 9 | – | – | – | – | 3 | 3 | 1 | 2 | – | – | – | – |
| Infantile Fever | 15 | 1 | 2 | 1 | 6 | 2 | 2 | 1 | – | – | – | – | – |
| Typhus | 1132 | 4 | 10 | 15 | 57 | 65 | 70 | 48 | 158 | 73 | 96 | 91 | 69 |
| Metria | 94 | – | – | – | – | – | – | – | – | – | 4 | 22 | 29 |
| Rheumatic Fever | 31 | – | – | – | – | – | – | 2 | 4 | 1 | 4 | 4 | 3 |
| Erysipelas | 121 | 38 | 4 | 7 | 2 | 1 | 1 | – | 3 | 1 | 4 | 5 | 7 |
| Syphilis | 94 | 33 | 14 | 13 | 4 | – | 1 | – | – | 1 | 1 | 5 | 5 |
| Noma | 5 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 26 | 5 | – | 1 | 1 | – | – | – | 1 | – | – | 1 | – |
| Dropsy | 296 | 2 | 1 | 4 | 4 | 8 | 8 | 13 | 20 | 14 | 5 | 6 | 6 |
| Abscess | 66 | 5 | 2 | 1 | 1 | 1 | 1 | 1 | 6 | 2 | 4 | 4 | 8 |
| Ulcer | 13 | 1 | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| Fistula | 9 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Mortification | 47 | 3 | 1 | 1 | 2 | 1 | 1 | – | 1 | 1 | 1 | 1 | 1 |
| Cancer | 465 | – | – | 1 | – | 1 | – | – | 2 | – | 6 | 4 | 9 |
| Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 309 | 6 | 6 | 16 | 31 | 25 | 13 | 12 | 38 | 39 | 41 | 18 | 19 |
| Tabes Mesenterica | 416 | 33 | 20 | 48 | 120 | 57 | 25 | 20 | 46 | 24 | 8 | 1 | – |
| Phthisis | 3807 | 7 | 36 | 60 | 151 | 84 | 50 | 38 | 212 | 184 | 439 | 572 | 442 |
| Hydrocephalus | 856 | 27 | 61 | 201 | 250 | 94 | 72 | 43 | 85 | 16 | 3 | 2 | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 970 | 979 | 985 | 965 | 1040 | 964 | 1203 | 1042 | 1078 | 877 | 621 | 290 | 93 | 28 | 8 | 16 |
| Specified Causes | 947 | 960 | 970 | 953 | 1015 | 945 | 1191 | 1042 | 1078 | 876 | 621 | 290 | 93 | 28 | 8 | 12 |
| Zymotic Class | 105 | 96 | 92 | 88 | 78 | 67 | 98 | 70 | 67 | 52 | 31 | 6 | 5 | – | – | – |
| Uncertain Seat | 26 | 51 | 77 | 75 | 87 | 88 | 103 | 96 | 60 | 47 | 28 | 6 | 1 | – | – | – |
| Tubercular Class | 387 | 309 | 264 | 206 | 146 | 103 | 89 | 55 | 22 | 6 | 3 | – | 1 | – | 1 | – |
| Brain, etc. | 76 | 86 | 98 | 106 | 138 | 154 | 185 | 180 | 178 | 121 | 54 | 26 | 3 | – | – | 1 |
| Heart, etc. | 59 | 77 | 68 | 97 | 120 | 98 | 153 | 111 | 100 | 67 | 24 | 8 | – | – | – | – |
| Respiratory Organs | 98 | 132 | 151 | 170 | 210 | 222 | 293 | 242 | 201 | 125 | 68 | 36 | 8 | 2 | – | – |
| Digestive Organs | 54 | 68 | 75 | 96 | 115 | 107 | 113 | 72 | 75 | 55 | 15 | 5 | – | – | – | – |
| Urinary Organs | 31 | 23 | 34 | 19 | 24 | 23 | 31 | 28 | 27 | 12 | 20 | 4 | 1 | – | – | – |
| Generative Organs | 32 | 40 | 25 | 12 | 7 | 5 | 3 | 4 | 2 | 1 | – | – | – | – | – | – |
| Locomotive Organs | 6 | 8 | 15 | 11 | 11 | 8 | 12 | 8 | 6 | 4 | – | – | – | – | – | – |
| Skin | – | 2 | 3 | 2 | 3 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 7 | 12 | 8 | 8 | 19 | 31 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 74 | 156 | 323 | 370 | 365 | 193 | 73 | 26 | 7 | – |
| Sudden Deaths | 3 | 4 | 3 | 2 | 3 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Violent Deaths | 63 | 52 | 57 | 61 | 54 | 35 | 34 | 18 | 16 | 15 | 12 | 6 | 1 | – | – | 11 |
| Small Pox | 9 | 5 | 2 | – | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Measles | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | 4 | 2 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 3 | – | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 5 | 5 | 8 | 10 | 14 | 25 | 12 | 23 | 15 | 11 | 4 | 1 | – | – | – |
| Dysentery | 4 | 6 | 2 | 12 | 13 | 12 | 17 | 18 | 9 | 10 | 10 | – | 3 | – | – | – |
| Cholera | – | 3 | 3 | 3 | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – |
| Influenza | – | 2 | 5 | 2 | 7 | 1 | 4 | 11 | 6 | 1 | 2 | – | – | – | – | – |
| Purpura | – | 1 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 47 | 48 | 54 | 50 | 38 | 29 | 37 | 24 | 25 | 17 | 5 | 2 | – | – | – | – |
| Metria | 19 | 14 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 2 | – | 3 | 3 | – | 2 | 1 | – | – | 2 | – | – | – | – | – | – |
| Erysipelas | 5 | 7 | 5 | 5 | 4 | 4 | 8 | 1 | 2 | 4 | 3 | – | – | – | – | – |
| Syphilis | 7 | 3 | 3 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 2 | 3 | 1 | 2 | 1 | 3 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| Dropsy | 10 | 16 | 18 | 17 | 16 | 16 | 29 | 31 | 23 | 15 | 12 | 2 | – | – | – | – |
| Abscess | 5 | 3 | 3 | 3 | 5 | 3 | 5 | 3 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 2 | 2 | – | 4 | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | 1 | 2 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Mortification | 1 | – | 1 | 2 | 1 | 2 | 3 | 4 | 7 | 5 | 4 | 2 | 1 | – | – | – |
| Cancer | 10 | 30 | 50 | 50 | 59 | 64 | 62 | 53 | 27 | 24 | 11 | 2 | – | – | – | – |
| Gout | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Scrofula | 9 | 4 | 7 | 8 | 7 | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 3 | 1 | 1 | 5 | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Phthisis | 375 | 304 | 256 | 193 | 136 | 100 | 87 | 52 | 21 | 4 | 3 | – | – | – | 1 | – |
| Hydrocephalus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 156 | 3 | 7 | 19 | 8 | 11 | 9 | 11 | 21 | 9 | 12 | 14 | 6 |
| Apoplexy | 479 | 7 | 7 | 5 | 7 | 8 | 4 | 2 | 5 | 3 | 4 | 7 | 8 |
| Paralysis | 610 | – | – | – | 1 | 1 | – | – | 1 | 4 | 5 | 5 | 10 |
| Delirium Tremens | 39 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Chorea | 4 | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – |
| Epilepsy | 87 | – | – | – | – | 1 | 1 | – | 3 | 2 | 8 | 15 | 8 |
| Tetanus | 10 | 6 | – | – | – | 1 | – | – | – | – | 1 | – | 1 |
| Insanity | 59 | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 | 6 |
| Convulsions | 403 | 198 | 28 | 60 | 66 | 19 | 11 | 6 | 15 | – | – | – | – |
| Brain Disease | 482 | 9 | 10 | 21 | 26 | 14 | 12 | 15 | 43 | 22 | 22 | 19 | 18 |
| V. Pericarditis | 24 | – | – | – | – | – | – | – | 2 | 2 | 1 | 2 | 2 |
| Aneurism | 54 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| Heart Disease | 1090 | 1 | 2 | 3 | 5 | 1 | 2 | 6 | 16 | 22 | 31 | 32 | 50 |
| VI. Laryngitis | 85 | 1 | 8 | 7 | 11 | 6 | 8 | 6 | 11 | 1 | 1 | 6 | 5 |
| Bronchitis | 3063 | 275 | 234 | 444 | 504 | 175 | 84 | 52 | 49 | 14 | 19 | 24 | 37 |
| Pleurisy | 92 | 2 | 1 | – | 1 | 8 | 2 | 2 | 4 | 4 | 1 | 5 | 7 |
| Pneumonia | 1076 | 73 | 66 | 129 | 167 | 85 | 38 | 31 | 49 | 11 | 16 | 34 | 37 |
| Asthma | 323 | 1 | 1 | 1 | 1 | – | – | – | – | – | 2 | 2 | 3 |
| Lung Disease | 155 | 5 | 4 | 7 | 12 | 5 | 6 | 2 | 4 | 4 | 7 | 5 | 9 |
| VII. Teething | 703 | 1 | 27 | 252 | 375 | 43 | 3 | 2 | – | – | – | – | – |
| Quinsey | 30 | 1 | 2 | 5 | 4 | 4 | 3 | 4 | – | 2 | – | 1 | – |
| Gastritis | 63 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 4 | 3 | 1 | 3 | 2 |
| Enteritis | 414 | 111 | 49 | 40 | 54 | 21 | 7 | 6 | 11 | 10 | 8 | 9 | 8 |
| Peritonitis | 138 | 13 | 3 | 2 | 7 | 1 | 1 | 1 | 4 | 5 | 16 | 14 | 12 |
| Ascites | 25 | 1 | – | – | – | – | – | 1 | 3 | 2 | 1 | – | 1 |
| Ulceration of Intestines | 67 | 2 | 3 | 1 | 2 | 1 | 1 | 1 | 2 | – | – | 5 | 7 |
| Hernia | 60 | 2 | 3 | 3 | – | 1 | – | – | 1 | – | – | 1 | – |
| Ileus | 103 | 14 | 6 | 1 | 3 | – | – | – | 1 | 1 | 5 | 5 | 2 |
| Intussusception | 15 | – | 2 | 2 | – | – | – | – | 2 | – | 1 | 2 | – |
| Stricture of Intestines | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 292 | 30 | 6 | 16 | 14 | 7 | 5 | 3 | 4 | 7 | 4 | 6 | 7 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 58 | – | – | 2 | 2 | – | – | – | 1 | 2 | 1 | 3 | 1 |
| Jaundice | 67 | 26 | 1 | – | 2 | 1 | 3 | – | 2 | – | 2 | – | – |
| Liver Disease | 260 | 3 | – | 3 | 2 | 2 | 2 | – | 6 | 8 | 3 | 4 | 6 |
| Spleen Disease | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| VIII. Nephritis | 27 | – | – | – | – | 1 | 2 | 2 | 5 | 1 | – | 2 | – |
| Nephria | 94 | – | – | – | – | 1 | – | 1 | 1 | 4 | 5 | 6 | 11 |
| Ischuria | 17 | 3 | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Diabetes | 34 | – | – | 1 | – | – | – | – | – | 2 | 3 | 2 | 2 |
| Stone | 21 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Cystitis | 20 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Urethra | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 149 | 1 | – | – | – | 1 | – | 2 | 5 | 1 | 7 | 7 | 9 |
| IX. Paramenia | 8 | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 1 |
| Ovarian Dropsy | 36 | – | – | – | – | – | – | – | – | – | – | 6 | 2 |
| Childbirth | 143 | – | – | – | – | – | – | – | – | – | 5 | 22 | 38 |
| Organs of Generation | 33 | – | – | – | – | – | – | – | – | – | – | 3 | 6 |
| X. Arthritis | 8 | – | – | 1 | – | – | – | – | 1 | 2 | – | 1 | – |
| Rheumatism | 63 | – | – | – | – | – | 1 | – | – | 4 | 5 | 5 | 4 |
| Joint and Bone Disease | 109 | – | 1 | – | – | 3 | 1 | 1 | 13 | 22 | 12 | 8 | 6 |
| XI. Carbuncle | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | 7 | – | – | – | – | – | – | – | – | – | – | 3 | – |
| Skin Disease | 16 | 2 | 2 | 6 | 1 | | 2 | – | 2 | – | – | – | – |
| XII. Cyanosis | 20 | 20 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 14 | 13 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 40 | 32 | 2 | – | 3 | – | 1 | – | – | – | 1 | – | 1 |
| XVII. Intemperance | 45 | – | – | – | – | – | – | – | – | – | – | – | 7 |
| Privation | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 55 | 33 | 13 | 7 | 2 | – | – | – | – | – | – | – | – |
| Neglect | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 27 | 1 | 1 | – | 1 | 1 | 2 | – | 1 | 1 | – | – | 4 |
| Burns and Scalds | 125 | 1 | – | 5 | 18 | 18 | 14 | 9 | 16 | 5 | 3 | 3 | 2 |
| Hanging, etc. | 23 | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| Suffocation | 46 | 14 | 3 | 2 | 4 | 1 | 1 | – | – | – | 6 | 2 | 5 |
| Drowning | 143 | – | – | – | 3 | 2 | 3 | – | 12 | 12 | 8 | 13 | 16 |
| Fracture and Contusion | 328 | – | 2 | 3 | 3 | 2 | 5 | 7 | 16 | 20 | 21 | 35 | 22 |
| Wounds | 36 | – | – | – | 1 | 1 | – | – | 1 | 2 | 2 | 3 | 4 |
| Other Violent Causes | 57 | 6 | – | – | – | – | – | 1 | 3 | 6 | 2 | 7 | 6 |
| Not Specified | 643 | 206 | 61 | 61 | 58 | 40 | 7 | 10 | 24 | 14 | 10 | 11 | 11 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 7 | 5 | 3 | 3 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Apoplexy | 11 | 16 | 28 | 29 | 48 | 46 | 65 | 55 | 52 | 37 | 14 | 11 | – | – | – | – |
| Paralysis | 15 | 22 | 29 | 34 | 40 | 55 | 83 | 87 | 100 | 67 | 34 | 14 | 2 | – | – | 1 |
| Delirium Tremens | 4 | 8 | 4 | 9 | 5 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 10 | 10 | 6 | – | 7 | 6 | 4 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 6 | 3 | 5 | 5 | 7 | 6 | 3 | 7 | 2 | 4 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 23 | 22 | 23 | 25 | 29 | 36 | 25 | 28 | 22 | 11 | 5 | 1 | 1 | – | – | – |
| Pericarditis | 2 | 1 | 1 | 1 | 3 | 1 | 3 | – | 1 | 1 | – | 1 | – | – | – | – |
| Aneurism | 3 | 4 | 6 | 10 | 8 | 8 | 4 | 2 | 1 | 2 | – | – | – | – | – | – |
| Heart Disease | 54 | 72 | 61 | 86 | 109 | 89 | 146 | 109 | 98 | 64 | 24 | 7 | – | – | – | – |
| Laryngitis | 1 | 2 | 4 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 47 | 65 | 72 | 89 | 129 | 115 | 168 | 169 | 131 | 74 | 56 | 28 | 7 | 2 | – | – |
| Pleurisy | 5 | 5 | 1 | 8 | 3 | 9 | 7 | 5 | 6 | 3 | 2 | 1 | – | – | – | – |
| Pneumonia | 29 | 37 | 45 | 39 | 37 | 36 | 44 | 24 | 20 | 25 | 4 | – | – | – | – | – |
| Asthma | 8 | 15 | 19 | 19 | 29 | 47 | 63 | 40 | 39 | 20 | 5 | 7 | 1 | – | – | – |
| Lung Disease | 8 | 8 | 10 | 13 | 9 | 14 | 10 | 4 | 5 | 3 | 1 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 3 | 6 | 4 | 5 | 3 | 5 | 5 | 2 | – | 4 | 2 | 1 | – | – | – | – |
| Enteritis | 7 | 8 | 4 | 7 | 14 | 12 | 8 | 4 | 9 | 6 | 1 | – | – | – | – | – |
| Peritonitis | 7 | 11 | 6 | 11 | 7 | 5 | 4 | 2 | 5 | 1 | – | – | – | – | – | – |
| Ascites | 1 | 2 | – | 3 | 4 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestines | 5 | 1 | 7 | 7 | 5 | 6 | 5 | 3 | 1 | 2 | – | – | – | – | – | – |
| Hernia | 1 | 3 | 2 | 9 | 3 | 6 | 10 | 4 | 4 | 6 | – | 1 | – | – | – | – |
| Ileus | 2 | 2 | 2 | 4 | 5 | 9 | 5 | 7 | 13 | 11 | 4 | 1 | – | – | – | – |
| Intussusception | – | – | 1 | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 9 | 20 | 17 | 25 | 24 | 23 | 20 | 25 | 10 | 4 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | 6 | 7 | 3 | 3 | 7 | 4 | 8 | 3 | 3 | 2 | – | – | – | – | – | – |
| Jaundice | – | 3 | 3 | 1 | 4 | 6 | 4 | 5 | 1 | 1 | 2 | – | – | – | – | – |
| Liver Disease | 16 | 14 | 23 | 25 | 36 | 26 | 34 | 19 | 13 | 11 | 2 | 2 | – | – | – | – |
| Spleen Disease | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 2 | 3 | 1 | 1 | – | 4 | – | – | 3 | – | – | – | – | – | – |
| Nephria | 11 | 10 | 11 | 9 | 4 | 6 | 5 | 1 | 5 | – | 3 | – | – | – | – | – |
| Ischuria | 2 | – | – | – | – | 1 | – | 4 | 2 | – | 1 | – | – | – | – | – |
| Diabetes | 6 | 1 | 3 | 4 | 2 | 2 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | 1 | 2 | 1 | 1 | 5 | 2 | 2 | 2 | 1 | – | – | – |
| Cystitis | 1 | – | 3 | – | 2 | 3 | 3 | – | 2 | 2 | 3 | – | – | – | – | – |
| Stricture of Urethra | 2 | 1 | – | – | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Kidney Disease | 9 | 9 | 14 | 4 | 12 | 8 | 15 | 17 | 10 | 5 | 11 | 2 | – | – | – | – |
| Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | 3 | 8 | 2 | 6 | 3 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Childbirth | 26 | 34 | 14 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 3 | 3 | 6 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | 3 | 3 | 6 | 4 | 5 | 7 | 6 | 4 | 3 | – | – | – | – | – | – |
| Joint Disease | 3 | 5 | 11 | 4 | 6 | 3 | 5 | 2 | 2 | 1 | – | – | – | – | – | – |
| Carbuncle | – | 2 | 1 | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Phlegmon | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 4 | 4 | 2 | 10 | 11 | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Privation | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Poison | 3 | 3 | – | 2 | 3 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | 2 | 8 | 5 | 1 | 1 | 4 | – | 1 | 5 | 2 | – | – | – | – | – |
| Hanging, etc. | 2 | 1 | 2 | 4 | 2 | 3 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | 2 |
| Drowning | 12 | 11 | 12 | 13 | 9 | 8 | 2 | 3 | 3 | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 33 | 20 | 27 | 22 | 23 | 14 | 11 | 10 | 10 | 7 | 8 | 6 | 1 | – | – | – |
| Wounds | 3 | 6 | 2 | 2 | 2 | 3 | – | 1 | – | 1 | 1 | – | – | – | – | 1 |
| Other Violent Causes | 2 | 4 | 2 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | – | – | – | – | – | 7 |
| Not Specified | 23 | 19 | 15 | 12 | 25 | 19 | 12 | – | – | 1 | – | – | – | – | – | 4 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 14326 | 1658 | 595 | 1212 | 1713 | 761 | 480 | 327 | 695 | 334 | 449 | 555 | 447 |
| SPECIFIED CAUSES | 13983 | 1547 | 566 | 1182 | 1678 | 744 | 474 | 323 | 683 | 328 | 445 | 550 | 438 |
| I. Zymotic Class | 2947 | 162 | 129 | 343 | 634 | 357 | 270 | 162 | 266 | 57 | 70 | 75 | 54 |
| II. Diseases of Uncertain Seat | 335 | 8 | 2 | 4 | 6 | 6 | 5 | 10 | 15 | 9 | 6 | 8 | 7 |
| III. Tubercular Class | 2593 | 41 | 69 | 180 | 312 | 138 | 82 | 56 | 201 | 128 | 219 | 281 | 182 |
| IV. Brain and Nervous System | 1238 | 126 | 35 | 65 | 57 | 30 | 18 | 17 | 47 | 21 | 29 | 31 | 35 |
| V. Organs of Circulation | 593 | – | 2 | – | 2 | – | 2 | 4 | 8 | 6 | 19 | 15 | 27 |
| VI. Respiratory Organs | 2518 | 220 | 190 | 347 | 363 | 143 | 64 | 50 | 59 | 14 | 27 | 43 | 43 |
| VII. Organs of Digestion | 1146 | 130 | 62 | 182 | 247 | 37 | 10 | 7 | 25 | 26 | 18 | 18 | 14 |
| VIII. Urinary Organs | 250 | 4 | – | 1 | – | 2 | 1 | 3 | 9 | 4 | 7 | 11 | 11 |
| IX. Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 88 | – | – | 1 | – | 1 | – | 1 | 8 | 19 | 9 | 8 | 6 |
| XI. Skin, etc. | 17 | 2 | 1 | 2 | 1 | – | 2 | – | – | – | – | 1 | – |
| XII. Malformation | 40 | 37 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| XIII. Premature Debility | 888 | 780 | 65 | 43 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 124 | – | – | – | 40 | 19 | 7 | 4 | 13 | 6 | 1 | 1 | – |
| XV. Age | 555 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 26 | 4 | 1 | 6 | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 624 | 33 | 8 | 8 | 16 | 11 | 13 | 9 | 32 | 38 | 40 | 57 | 58 |
| I. Small Pox | 260 | 22 | 16 | 41 | 48 | 35 | 28 | 14 | 26 | 4 | 6 | 5 | 4 |
| Measles | 287 | 1 | 6 | 43 | 116 | 53 | 26 | 20 | 21 | – | 1 | – | – |
| Scarlatina | 328 | 2 | 5 | 23 | 65 | 46 | 56 | 39 | 70 | 10 | 2 | 3 | – |
| Diphtheria | 91 | 2 | 3 | 8 | 14 | 18 | 13 | 8 | 13 | 2 | 2 | 4 | – |
| Hooping Cough | 638 | 30 | 45 | 112 | 221 | 102 | 68 | 29 | 31 | – | – | – | – |
| Croup | 214 | 7 | 6 | 23 | 66 | 45 | 28 | 24 | 14 | 1 | – | – | – |
| Thrush | 6 | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 280 | 45 | 26 | 59 | 52 | 14 | 9 | 1 | 4 | 5 | 1 | 2 | 3 |
| Dysentery | 80 | 3 | 1 | 7 | 10 | 7 | 3 | – | 2 | 1 | 2 | 1 | 6 |
| Cholera | 22 | 1 | – | 3 | 4 | 2 | 1 | – | – | – | – | – | 2 |
| Influenza | 35 | 1 | – | 3 | 4 | 2 | 2 | 1 | 2 | – | – | 1 | – |
| Purpura | 11 | – | – | 1 | 3 | 1 | 1 | – | 3 | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 5 | – | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – |
| Infantile Fever | 6 | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Typhus | 559 | 3 | 5 | 10 | 27 | 28 | 33 | 23 | 76 | 32 | 51 | 52 | 32 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 16 | – | – | – | – | – | – | 2 | 2 | 1 | 3 | 3 | – |
| Erysipelas | 54 | 19 | 3 | 2 | – | 1 | – | – | 1 | – | 1 | 1 | 4 |
| Syphilis | 53 | 22 | 12 | 6 | 1 | – | – | – | – | 1 | – | 3 | 3 |
| Noma | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 15 | 4 | – | – | – | – | – | – | – | – | – | 1 | – |
| Dropsy | 116 | 1 | – | 1 | 3 | 5 | 3 | 9 | 9 | 7 | 1 | 1 | 2 |
| Abscess | 36 | 1 | 2 | 1 | 1 | – | – | 1 | 3 | 2 | 2 | 3 | 3 |
| Ulcer | 6 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | 26 | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| Cancer | 130 | – | – | 1 | – | – | – | – | 2 | – | 3 | 3 | 2 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 161 | 2 | 3 | 5 | 13 | 12 | 9 | 5 | 25 | 25 | 22 | 10 | 9 |
| Tabes Mesenterica | 237 | 20 | 12 | 29 | 70 | 33 | 13 | 9 | 27 | 9 | 7 | 1 | – |
| Phthisis | 1720 | 5 | 18 | 34 | 84 | 44 | 26 | 17 | 105 | 82 | 188 | 268 | 173 |
| Hydrocephalus | 475 | 14 | 36 | 112 | 145 | 49 | 34 | 25 | 44 | 12 | 2 | 2 | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 430 | 447 | 463 | 483 | 523 | 477 | 583 | 465 | 457 | 371 | 259 | 93 | 32 | 6 | 4 | 7 |
| SPECIFIED CAUSES | 418 | 439 | 454 | 476 | 507 | 463 | 579 | 465 | 457 | 370 | 259 | 93 | 32 | 6 | 4 | 3 |
| Zymotic Class | 39 | 37 | 47 | 39 | 36 | 34 | 41 | 36 | 26 | 17 | 14 | 2 | – | – | – | – |
| Uncertain Seat | 12 | 19 | 26 | 17 | 26 | 35 | 37 | 36 | 16 | 13 | 11 | 1 | – | – | – | – |
| Tubercular Class | 151 | 135 | 109 | 95 | 74 | 46 | 44 | 32 | 15 | 2 | 1 | – | – | – | – | – |
| Brain, etc. | 42 | 51 | 51 | 66 | 79 | 84 | 100 | 81 | 79 | 63 | 23 | 7 | 1 | – | – | – |
| Heart, etc. | 30 | 37 | 29 | 56 | 62 | 48 | 83 | 54 | 52 | 37 | 16 | 4 | – | – | – | – |
| Respiratory Organs | 46 | 67 | 80 | 91 | 111 | 112 | 141 | 101 | 94 | 66 | 32 | 11 | 3 | – | – | – |
| Digestive Organs | 22 | 29 | 35 | 45 | 52 | 46 | 54 | 31 | 35 | 15 | 6 | – | – | – | – | – |
| Urinary Organs | 14 | 12 | 19 | 15 | 13 | 18 | 24 | 24 | 25 | 12 | 17 | 3 | 1 | – | – | – |
| Generative Organs | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 3 | 3 | 7 | 6 | 2 | 2 | 6 | 4 | 1 | 1 | – | – | – | – | – | – |
| Skin | – | 1 | – | 1 | 2 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 2 | 5 | 3 | 4 | 7 | 12 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 24 | 51 | 108 | 138 | 134 | 64 | 26 | 6 | 4 | – |
| Sudden Deaths | 2 | 4 | 1 | 2 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 55 | 39 | 47 | 39 | 41 | 23 | 22 | 15 | 5 | 6 | 4 | 1 | 1 | – | – | 3 |
| Small Pox | 6 | 2 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 2 | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 2 | 4 | 3 | 5 | 6 | 12 | 6 | 11 | 3 | 4 | 2 | – | – | – | – |
| Dysentery | 1 | 1 | 1 | 5 | 5 | 4 | 3 | 5 | 4 | 3 | 5 | – | – | – | – | – |
| Cholera | – | 2 | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | – | 2 | 1 | 4 | 1 | 1 | 8 | 2 | – | – | 1 | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 26 | 24 | 32 | 21 | 19 | 17 | 17 | 13 | 8 | 7 | 3 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 1 | 4 | 2 | 3 | – | 2 | 4 | 1 | 1 | 2 | 2 | – | – | – | – | – |
| Syphilis | – | 1 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Dropsy | 4 | 6 | 9 | 5 | 5 | 4 | 11 | 17 | 6 | 2 | 4 | 1 | – | – | – | – |
| Abscess | 3 | 2 | 2 | 1 | 3 | 2 | 3 | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | 1 | 2 | – | 2 | 2 | 2 | 3 | 4 | 3 | – | – | – | – | – |
| Cancer | 4 | 10 | 11 | 7 | 14 | 25 | 19 | 13 | 5 | 7 | 4 | – | – | – | – | – |
| Gout | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 4 | 2 | 2 | 4 | 4 | 3 | – | 1 | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 2 | – | 1 | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Phthisis | 145 | 133 | 106 | 89 | 69 | 43 | 44 | 31 | 15 | – | 1 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 76 | 1 | 2 | 12 | 4 | 6 | 1 | 4 | 11 | 4 | 3 | 8 | 3 |
| Apoplexy | 260 | 3 | 5 | 2 | 6 | 4 | 2 | 1 | 5 | 2 | 3 | 4 | 6 |
| Paralysis | 300 | – | – | – | – | – | – | – | – | 2 | 2 | 1 | 8 |
| Delirium Tremens | 33 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Chorea | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Epilepsy | 49 | – | – | – | – | – | – | – | 2 | 2 | 6 | 9 | 4 |
| Tetanus | 6 | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Insanity | 24 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 3 |
| Convulsions | 234 | 111 | 20 | 39 | 38 | 11 | 6 | 4 | 5 | – | – | – | – |
| Brain Disease | 254 | 7 | 8 | 12 | 9 | 9 | 7 | 7 | 24 | 11 | 13 | 8 | 9 |
| V. Pericarditis | 12 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Aneurism | 36 | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| Heart Disease | 545 | – | 2 | – | 2 | – | 2 | 4 | 8 | 5 | 17 | 14 | 21 |
| VI. Laryngitis | 45 | 1 | 4 | 7 | 6 | 3 | 1 | 4 | 3 | 1 | 1 | 4 | 2 |
| Bronchitis | 1550 | 162 | 135 | 247 | 252 | 96 | 41 | 28 | 24 | 4 | 10 | 14 | 19 |
| Pleurisy | 45 | – | – | – | – | 1 | 1 | 1 | 4 | 2 | – | 1 | 3 |
| Pneumonia | 635 | 52 | 47 | 88 | 99 | 39 | 19 | 15 | 24 | 6 | 13 | 20 | 14 |
| Asthma | 154 | – | 1 | 1 | – | – | – | – | – | – | – | 2 | 1 |
| Lung Disease | 89 | 5 | 3 | 4 | 6 | 4 | 2 | 2 | 4 | 1 | 3 | 2 | 4 |
| VII. Teething | 377 | – | 16 | 141 | 197 | 21 | 1 | 1 | – | – | – | – | – |
| Quinsey | 15 | – | 2 | 3 | 2 | 2 | 2 | 1 | – | 1 | – | – | – |
| Gastritis | 22 | 1 | 1 | 1 | – | – | – | 1 | – | 1 | – | 1 | 1 |
| Enteritis | 234 | 72 | 26 | 25 | 31 | 8 | 3 | 2 | 9 | 7 | 4 | 4 | 3 |
| Peritonitis | 52 | 7 | 2 | 2 | 4 | – | – | – | 3 | 4 | 5 | 3 | 2 |
| Ascites | 12 | 1 | – | – | – | – | – | – | 3 | 1 | 1 | – | – |
| Ulceration of Intestines | 33 | 1 | 3 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | 1 | 1 |
| Hernia | 28 | 1 | 3 | 3 | – | 1 | – | – | 1 | – | – | 1 | – |
| Ileus | 55 | 11 | 4 | – | 1 | – | – | – | – | – | 2 | 2 | 2 |
| Intussusception | 9 | – | 1 | 1 | – | – | – | – | 1 | – | 1 | 1 | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 119 | 18 | 3 | 3 | 6 | 3 | 2 | 1 | 3 | 5 | 2 | 2 | 3 |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 30 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – |
| Jaundice | 39 | 17 | 1 | – | 2 | – | 1 | – | 1 | – | 1 | – | – |
| Liver Disease | 118 | 1 | – | 1 | 1 | 1 | – | – | 2 | 6 | 2 | 3 | 2 |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 16 | – | – | – | – | – | 1 | 1 | 4 | – | – | 2 | – |
| Nephria | 50 | – | – | – | – | 1 | – | 1 | – | 3 | 2 | 3 | 3 |
| Ischuria | 9 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 20 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 |
| Stone | 20 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – |
| Cystitis | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 107 | 1 | – | – | – | – | – | 1 | 4 | – | 3 | 6 | 6 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 4 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – |
| Rheumatism | 27 | – | – | – | – | – | – | – | – | 3 | 1 | 3 | 3 |
| Joint and Bone Disease | 57 | – | – | – | – | 1 | – | 1 | 7 | 15 | 8 | 4 | 3 |
| XI. Carbuncle | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 8 | 2 | 1 | 2 | 1 | – | 2 | – | – | – | – | – | – |
| XII. Cyanosis | 12 | 12 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 6 | 6 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 22 | 19 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| XVII. Intemperance | 23 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 30 | 20 | 5 | 3 | 2 | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 52 | – | – | 2 | 7 | 9 | 8 | 4 | 4 | 2 | 2 | 2 | 2 |
| Hanging, etc. | 18 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suffocation | 31 | 6 | 1 | 2 | 4 | – | – | – | – | – | 6 | 2 | 5 |
| Drowning | 118 | – | – | – | 2 | – | 3 | – | 10 | 11 | 8 | 9 | 15 |
| Fracture and Contusion | 263 | – | 1 | 1 | 1 | 2 | 2 | 4 | 14 | 18 | 19 | 34 | 20 |
| Wounds | 32 | – | – | – | – | – | – | – | 1 | 2 | 2 | 3 | 4 |
| Other Violent Causes | 44 | 5 | – | – | – | – | – | 1 | 3 | 5 | 2 | 7 | 6 |
| Not Specified | 343 | 111 | 29 | 30 | 35 | 17 | 6 | 4 | 12 | 6 | 4 | 5 | 9 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 3 | 3 | 3 | 2 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 7 | 10 | 18 | 16 | 24 | 24 | 38 | 27 | 22 | 22 | 5 | 4 | – | – | – | – |
| Paralysis | 9 | 16 | 15 | 22 | 23 | 25 | 45 | 38 | 42 | 35 | 14 | 3 | – | – | – | – |
| Delirium Tremens | 4 | 7 | 2 | 8 | 5 | 4 | 2 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | 4 | 2 | – | 5 | 5 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | 2 | 3 | 4 | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 11 | 11 | 9 | 15 | 16 | 24 | 10 | 13 | 13 | 3 | 4 | – | 1 | – | – | – |
| Pericarditis | 2 | – | – | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – | – | – |
| Aneurism | 3 | 3 | 4 | 6 | 8 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – |
| Heart Disease | 25 | 34 | 25 | 49 | 52 | 46 | 79 | 53 | 52 | 35 | 16 | 4 | – | – | – | – |
| Laryngitis | 1 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 15 | 26 | 39 | 43 | 64 | 51 | 85 | 64 | 56 | 38 | 26 | 8 | 3 | – | – | – |
| Pleurisy | 4 | 5 | – | 4 | 1 | 5 | 4 | 1 | 4 | 2 | 2 | – | – | – | – | – |
| Pneumonia | 16 | 23 | 27 | 23 | 23 | 22 | 22 | 18 | 13 | 12 | – | – | – | – | – | – |
| Asthma | 5 | 8 | 7 | 12 | 16 | 23 | 27 | 15 | 18 | 12 | 3 | 3 | – | – | – | – |
| Lung Disease | 5 | 4 | 5 | 8 | 5 | 10 | 3 | 3 | 3 | 2 | 1 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | 2 | 2 | 3 | – | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Enteritis | 3 | 4 | 1 | 4 | 4 | 6 | 6 | 2 | 7 | 3 | – | – | – | – | – | – |
| Peritonitis | 1 | 4 | 2 | 3 | 6 | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Ascites | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | 3 | 4 | 3 | 3 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| Hernia | – | 1 | 1 | 4 | 1 | 1 | 4 | 2 | 1 | 3 | – | – | – | – | – | – |
| Ileus | 2 | 1 | 2 | 2 | 3 | 4 | 1 | 3 | 9 | 3 | 3 | – | – | – | – | – |
| Intussusception | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | 3 | 10 | 6 | 11 | 9 | 10 | 6 | 10 | 1 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 3 | 2 | 3 | 3 | 1 | 7 | 3 | 3 | – | – | – | – | – | – | – |
| Jaundice | – | 2 | 1 | – | 1 | 4 | 2 | 4 | – | – | 2 | – | – | – | – | – |
| Liver Disease | 8 | 9 | 10 | 13 | 18 | 12 | 15 | 8 | 4 | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | 1 | 1 | 1 | 1 | – | – | 3 | – | – | – | – | – | – |
| Nephria | 5 | 4 | 7 | 7 | 2 | 3 | 3 | 1 | 4 | – | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 4 | 1 | – | 1 | – | – | – | – | – |
| Diabetes | 3 | 1 | 1 | 4 | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | 1 | 1 | 1 | 1 | 5 | 2 | 2 | 2 | 1 | – | – | – |
| Cystitis | – | – | 2 | – | 1 | 3 | 3 | – | 2 | 2 | 3 | – | – | – | – | – |
| Stricture of Urethra | 2 | 1 | – | – | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Kidney Disease | 4 | 5 | 9 | 2 | 5 | 7 | 13 | 15 | 10 | 5 | 10 | 1 | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 2 | 2 | 4 | 1 | 1 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Joint Disease | 2 | 1 | 5 | 2 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Carbuncle | – | 1 | – | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Phlegmon | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 2 | 2 | 1 | 4 | 7 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Privation | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | 5 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 2 | 1 | 2 | 3 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | 1 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Drowning | 11 | 8 | 10 | 8 | 9 | 7 | 2 | 3 | 1 | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 32 | 17 | 25 | 19 | 18 | 8 | 8 | 8 | 3 | 5 | 2 | 1 | 1 | – | – | – |
| Wounds | 3 | 6 | 1 | 2 | 2 | 3 | – | – | – | 1 | 1 | – | – | – | – | 1 |
| Other Violent Causes | 2 | 3 | 2 | – | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – | 1 |
| Not Specified | 12 | 8 | 9 | 7 | 16 | 14 | 4 | – | – | 1 | – | – | – | – | – | 4 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 14639 | 1297 | 449 | 1029 | 1570 | 762 | 478 | 335 | 662 | 324 | 474 | 593 | 607 |
| SPECIFIED CAUSES | 14339 | 1202 | 417 | 998 | 1547 | 739 | 477 | 329 | 650 | 316 | 468 | 587 | 605 |
| I. Zymotic Class | 3162 | 135 | 115 | 376 | 622 | 375 | 259 | 181 | 291 | 74 | 69 | 89 | 89 |
| II. Diseases of Uncertain Seat | 589 | 8 | 2 | 4 | 3 | 5 | 6 | 4 | 15 | 9 | 10 | 9 | 18 |
| III. Tubercular Class | 2795 | 32 | 54 | 145 | 240 | 122 | 78 | 57 | 180 | 135 | 272 | 312 | 280 |
| IV. Brain and Nervous System | 1091 | 97 | 17 | 40 | 51 | 25 | 21 | 18 | 42 | 20 | 25 | 31 | 25 |
| V. Organs of Circulation | 575 | 1 | – | 3 | 3 | 1 | – | 2 | 10 | 18 | 14 | 19 | 30 |
| VI. Respiratory Organs | 2276 | 137 | 124 | 241 | 333 | 136 | 74 | 43 | 58 | 20 | 19 | 33 | 55 |
| VII. Organs of Digestion | 1160 | 75 | 41 | 147 | 221 | 45 | 16 | 12 | 16 | 14 | 24 | 37 | 32 |
| VIII. Urinary Organs | 124 | – | – | – | – | 2 | 1 | 2 | 3 | 5 | 10 | 8 | 13 |
| IX. Organs of Generation | 219 | – | – | – | – | – | – | – | – | 1 | 8 | 33 | 47 |
| X. Organs of Locomotion | 92 | – | 1 | – | – | 2 | 2 | – | 6 | 9 | 8 | 6 | 4 |
| XI. Skin, etc. | 16 | – | 1 | 4 | – | – | – | – | 2 | – | – | 3 | – |
| XII. Malformation | 34 | 28 | – | – | 4 | – | 1 | – | – | – | 1 | – | – |
| XIII. Premature Debility | 729 | 653 | 49 | 27 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 147 | – | – | – | 53 | 12 | 7 | 2 | 10 | 3 | 5 | 1 | 2 |
| XV. Age | 1032 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 23 | 10 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 275 | 26 | 11 | 10 | 16 | 14 | 12 | 8 | 17 | 8 | 3 | 6 | 10 |
| I. Small Pox | 232 | 10 | 16 | 40 | 48 | 26 | 18 | 17 | 20 | 9 | 5 | 7 | 7 |
| Measles | 272 | 2 | 5 | 39 | 111 | 53 | 23 | 15 | 18 | 2 | 1 | – | – |
| Scarlatina | 324 | 1 | 2 | 22 | 51 | 61 | 49 | 35 | 71 | 10 | 7 | 7 | 4 |
| Diphtheria | 105 | 3 | 3 | 4 | 14 | 17 | 15 | 14 | 20 | 5 | 1 | 3 | – |
| Hooping Cough | 801 | 36 | 47 | 188 | 257 | 108 | 76 | 44 | 44 | 1 | – | – | – |
| Croup | 203 | 5 | 3 | 18 | 55 | 48 | 28 | 25 | 21 | – | – | – | – |
| Thrush | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 248 | 36 | 23 | 37 | 35 | 17 | 5 | 3 | 4 | 4 | 1 | 3 | 2 |
| Dysentery | 108 | 3 | 4 | 6 | 7 | 2 | 1 | 2 | 3 | – | – | – | 1 |
| Cholera | 14 | – | 1 | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – |
| Influenza | 33 | 2 | 1 | 1 | 2 | 2 | 1 | – | 1 | – | – | – | 1 |
| Purpura | 9 | 1 | – | 2 | – | – | – | – | – | 1 | – | 1 | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 4 | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – |
| Infantile Fever | 9 | 1 | 1 | – | 4 | 1 | 1 | 1 | – | – | – | – | – |
| Typhus | 573 | 1 | 5 | 5 | 30 | 37 | 37 | 25 | 82 | 41 | 45 | 39 | 37 |
| Metria | 94 | – | – | – | – | – | – | – | – | – | 4 | 22 | 29 |
| Rheumatic Fever | 15 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 3 |
| Erysipelas | 67 | 19 | 1 | 5 | 2 | – | 1 | – | 2 | 1 | 3 | 4 | 3 |
| Syphilis | 41 | 11 | 2 | 7 | 3 | – | 1 | – | – | – | 1 | 2 | 2 |
| Noma | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 11 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Dropsy | 180 | 1 | 1 | 3 | 1 | 3 | 5 | 4 | 11 | 7 | 4 | 5 | 4 |
| Abscess | 30 | 4 | – | – | – | 1 | 1 | – | 3 | – | 2 | 1 | 5 |
| Ulcer | 7 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| Fistula | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Mortification | 21 | 2 | 1 | – | 1 | – | – | – | – | 1 | 1 | 1 | 1 |
| Cancer | 335 | – | – | – | – | 1 | – | – | – | – | 3 | 1 | 7 |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 148 | 4 | 3 | 11 | 18 | 13 | 4 | 7 | 13 | 14 | 19 | 8 | 10 |
| Tabes Mesenterica | 179 | 13 | 8 | 19 | 50 | 24 | 12 | 11 | 19 | 15 | 1 | – | – |
| Phthisis | 2087 | 2 | 18 | 26 | 67 | 40 | 24 | 21 | 107 | 102 | 251 | 304 | 269 |
| Hydrocephalus | 381 | 13 | 25 | 89 | 105 | 45 | 38 | 18 | 41 | 4 | 1 | – | 1 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 540 | 532 | 522 | 482 | 517 | 487 | 620 | 577 | 621 | 506 | 362 | 197 | 61 | 22 | 4 | 9 |
| SPECIFIED CAUSES | 529 | 521 | 516 | 477 | 508 | 482 | 612 | 577 | 621 | 506 | 362 | 197 | 61 | 22 | 4 | 9 |
| Zymotic Class | 66 | 59 | 45 | 49 | 42 | 33 | 57 | 34 | 41 | 35 | 17 | 4 | 5 | – | – | – |
| Uncertain Seat | 14 | 32 | 51 | 58 | 61 | 53 | 66 | 60 | 44 | 34 | 17 | 5 | 1 | – | – | – |
| Tubercular Class | 236 | 174 | 155 | 111 | 72 | 57 | 45 | 23 | 7 | 4 | 2 | – | 1 | – | 1 | – |
| Brain, etc. | 34 | 35 | 47 | 40 | 59 | 70 | 85 | 99 | 99 | 58 | 31 | 19 | 2 | – | – | 1 |
| Heart, etc. | 29 | 40 | 39 | 41 | 58 | 50 | 70 | 57 | 48 | 30 | 8 | 4 | – | – | – | – |
| Respiratory Organs | 52 | 65 | 71 | 79 | 99 | 110 | 152 | 141 | 107 | 59 | 36 | 25 | 5 | 2 | – | – |
| Digestive Organs | 32 | 39 | 40 | 51 | 63 | 61 | 59 | 41 | 40 | 40 | 9 | 5 | – | – | – | – |
| Urinary Organs | 17 | 11 | 15 | 4 | 11 | 5 | 7 | 4 | 2 | – | 3 | 1 | – | – | – | – |
| Generative Organs | 32 | 40 | 25 | 12 | 7 | 5 | 2 | 4 | 2 | 1 | – | – | – | – | – | – |
| Locomotive Organs | 3 | 5 | 8 | 5 | 9 | 6 | 6 | 4 | 5 | 3 | – | – | – | – | – | – |
| Skin | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 5 | 7 | 5 | 4 | 12 | 19 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 50 | 105 | 215 | 232 | 231 | 129 | 47 | 20 | 3 | – |
| Sudden Deaths | 1 | – | 2 | – | 1 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Violent Deaths | 8 | 13 | 10 | 22 | 13 | 12 | 12 | 3 | 11 | 9 | 8 | 5 | – | – | – | 8 |
| Small Pox | 3 | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 2 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 3 | 3 | 1 | 5 | 5 | 8 | 13 | 6 | 12 | 12 | 7 | 2 | 1 | – | – | – |
| Dysentery | 3 | 5 | 1 | 7 | 8 | 8 | 14 | 13 | 5 | 7 | 5 | – | 3 | – | – | – |
| Cholera | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Influenza | – | 2 | 3 | 1 | 3 | – | 3 | 3 | 4 | 1 | 2 | – | – | – | – | – |
| Purpura | – | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 21 | 24 | 22 | 29 | 19 | 12 | 20 | 11 | 17 | 10 | 2 | 2 | – | – | – | – |
| Metria | 19 | 14 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | 3 | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 4 | 3 | 3 | 2 | 4 | 2 | 4 | – | 1 | 2 | 1 | – | – | – | – | – |
| Syphilis | 7 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | – | 1 | – | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Dropsy | 6 | 10 | 9 | 12 | 11 | 12 | 18 | 14 | 17 | 13 | 8 | 1 | – | – | – | – |
| Abscess | 2 | 1 | 1 | 2 | 2 | 1 | 2 | 2 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| Fistula | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | 1 | 2 | 4 | 1 | 1 | 2 | 1 | – | – | – |
| Cancer | 6 | 20 | 39 | 43 | 45 | 39 | 43 | 40 | 22 | 17 | 7 | 2 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Scrofula | 5 | 2 | 5 | 4 | 3 | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | 1 | – | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Phthisis | 230 | 171 | 150 | 104 | 67 | 57 | 43 | 21 | 6 | 4 | 2 | – | – | – | 1 | – |
| Hydrocephalus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 80 | 2 | 5 | 7 | 4 | 5 | 8 | 7 | 10 | 5 | 9 | 6 | 3 |
| Apoplexy | 219 | 4 | 2 | 3 | 1 | 4 | 2 | 1 | – | 1 | 1 | 3 | 2 |
| Paralysis | 310 | – | – | – | 1 | 1 | – | – | 1 | 2 | 3 | 4 | 2 |
| Delirium Tremens | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Epilepsy | 38 | – | – | – | – | 1 | 1 | – | 1 | – | 2 | 6 | 4 |
| Tetanus | 4 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 35 | – | – | – | – | – | – | – | – | 1 | – | 1 | 3 |
| Convulsions | 169 | 87 | 8 | 21 | 28 | 8 | 5 | 2 | 10 | – | – | – | – |
| Brain Disease | 228 | 2 | 2 | 9 | 17 | 5 | 5 | 8 | 19 | 11 | 9 | 11 | 9 |
| V. Pericarditis | 12 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | 1 |
| Aneurism | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 545 | 1 | – | 3 | 3 | 1 | – | 2 | 8 | 17 | 14 | 18 | 29 |
| VI. Laryngitis | 40 | – | 4 | – | 5 | 3 | 7 | 2 | 8 | – | – | 2 | 3 |
| Bronchitis | 1513 | 113 | 99 | 197 | 252 | 79 | 43 | 24 | 25 | 10 | 9 | 10 | 18 |
| Pleurisy | 47 | 2 | 1 | – | 1 | 7 | 1 | 1 | – | 2 | 1 | 4 | 4 |
| Pneumonia | 441 | 21 | 19 | 41 | 68 | 46 | 19 | 16 | 25 | 5 | 3 | 14 | 23 |
| Asthma | 169 | 1 | – | – | 1 | – | – | – | – | – | 2 | – | 2 |
| Lung Disease | 66 | – | 1 | 3 | 6 | 1 | 4 | – | – | | 4 | 3 | 5 |
| VII. Teething | 326 | 1 | 11 | 111 | 178 | 22 | 2 | 1 | – | – | – | – | – |
| Quinsey | 15 | 1 | – | 2 | 2 | 2 | 1 | 3 | – | 1 | – | 1 | – |
| Gastritis | 41 | – | – | 1 | 3 | 1 | 1 | – | 4 | 2 | 1 | 2 | 1 |
| Enteritis | 180 | 39 | 23 | 15 | 23 | 13 | 4 | 4 | 2 | 3 | 4 | 5 | 5 |
| Peritonitis | 86 | 6 | 1 | – | 3 | 1 | 1 | 1 | 1 | 1 | 11 | 11 | 10 |
| Ascites | 13 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Ulceration of Intestines | 34 | 1 | – | – | – | – | – | – | 1 | – | – | 4 | 6 |
| Hernia | 32 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 48 | 3 | 2 | 1 | 2 | – | – | – | 1 | 1 | 3 | 3 | – |
| Intussusception | 6 | – | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Stricture of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 173 | 12 | 3 | 13 | 8 | 4 | 3 | 2 | 1 | 2 | 2 | 4 | 4 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 28 | – | – | 1 | 1 | – | – | – | – | 1 | 1 | 3 | 1 |
| Jaundice | 28 | 9 | – | – | – | 1 | 2 | – | 1 | – | 1 | – | – |
| Liver Disease | 142 | 2 | – | 2 | 1 | 1 | 2 | – | 4 | 2 | 1 | 1 | 4 |
| Spleen Disease | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| VIII. Nephritis | 11 | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – |
| Nephria | 44 | – | – | – | – | – | – | – | 1 | 1 | 3 | 3 | 8 |
| Ischuria | 8 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| Diabetes | 14 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 42 | – | – | – | – | 1 | – | 1 | 1 | 1 | 4 | 1 | 3 |
| IX. Paramenia | 8 | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 1 |
| Ovarian Dropsy | 36 | – | – | – | – | – | – | – | – | – | – | 6 | 2 |
| Childbirth | 143 | – | – | – | – | – | – | – | – | – | 5 | 22 | 38 |
| Organs of Generation | 32 | – | – | – | – | – | – | – | – | – | – | 3 | 6 |
| X. Arthritis | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 36 | – | – | – | – | – | 1 | – | – | 1 | 4 | 2 | 1 |
| Joint and Bone Disease | 52 | – | 1 | – | – | 2 | 1 | – | 6 | 7 | 4 | 4 | 3 |
| XI. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 6 | – | – | – | – | – | – | – | – | – | – | 3 | – |
| Skin Disease | 8 | – | 1 | 4 | – | – | – | – | 2 | – | – | – | – |
| XII. Cyanosis | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 8 | 7 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 18 | 13 | – | – | 3 | – | 1 | – | – | – | 1 | – | – |
| XVII. Intemperance | 22 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 25 | 13 | 8 | 4 | – | – | – | – | – | – | – | – | – |
| Neglect | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 19 | – | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | 3 |
| Burns and Scalds | 73 | 1 | – | 3 | 11 | 9 | 6 | 5 | 12 | 3 | 1 | 1 | – |
| Hanging, etc. | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 15 | 8 | 2 | – | – | 1 | 1 | – | – | – | – | – | – |
| Drowning | 25 | – | – | – | 1 | 2 | – | – | 2 | 1 | – | 4 | 1 |
| Fracture and Contusion | 65 | – | 1 | 2 | 2 | – | 3 | 3 | 2 | 2 | 2 | 1 | 2 |
| Wounds | 4 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Other Violent Causes | 13 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Not Specified | 300 | 95 | 32 | 31 | 23 | 23 | 1 | 6 | 12 | 8 | 6 | 6 | 2 |

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 4 | 2 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 4 | 6 | 10 | 13 | 24 | 22 | 27 | 28 | 30 | 15 | 9 | 7 | – | – | – | – |
| Paralysis | 6 | 6 | 14 | 12 | 17 | 30 | 38 | 49 | 58 | 32 | 20 | 11 | 2 | – | – | 1 |
| Delirium Tremens | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | 6 | 4 | – | 2 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 4 | 3 | 3 | 2 | 3 | 5 | 2 | 5 | 1 | 2 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 12 | 11 | 14 | 10 | 13 | 12 | 15 | 15 | 9 | 8 | 1 | 1 | – | – | – | – |
| Pericarditis | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Aneurism | – | 1 | 2 | 4 | – | 6 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Heart Disease | 29 | 38 | 36 | 37 | 57 | 43 | 67 | 56 | 46 | 29 | 8 | 3 | – | – | – | – |
| Laryngitis | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 32 | 39 | 33 | 46 | 65 | 64 | 83 | 105 | 75 | 36 | 30 | 20 | 4 | 2 | – | – |
| Pleurisy | 1 | – | 1 | 4 | 2 | 4 | 3 | 4 | 2 | 1 | – | 1 | – | – | – | – |
| Pneumonia | 13 | 14 | 18 | 16 | 14 | 14 | 22 | 6 | 7 | 13 | 4 | – | – | – | – | – |
| Asthma | 3 | 7 | 12 | 7 | 13 | 24 | 36 | 25 | 21 | 8 | 2 | 4 | 1 | – | – | – |
| Lung Disease | 3 | 4 | 5 | 5 | 4 | 4 | 7 | 1 | 2 | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 4 | 2 | 2 | 3 | 3 | 4 | 1 | – | 3 | 1 | 1 | – | – | – | – |
| Enteritis | 4 | 4 | 3 | 3 | 10 | 6 | 2 | 2 | 2 | 3 | 1 | – | – | – | – | – |
| Peritonitis | 6 | 7 | 4 | 8 | 1 | 5 | 2 | 2 | 4 | – | – | – | – | – | – | – |
| Ascites | – | 2 | – | 2 | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Ulceration of Intestines | 3 | 1 | 4 | 3 | 2 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Hernia | 1 | 2 | 1 | 5 | 2 | 5 | 6 | 2 | 3 | 3 | – | 1 | – | – | – | – |
| Ileus | – | 1 | – | 2 | 2 | 5 | 4 | 4 | 4 | 8 | 1 | 1 | – | – | – | – |
| Intussusception | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | 6 | 10 | 11 | 14 | 15 | 13 | 14 | 15 | 9 | 4 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 5 | 4 | 1 | – | 4 | 3 | 1 | – | – | 2 | – | – | – | – | – | – |
| Jaundice | – | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Liver Disease | 8 | 5 | 13 | 12 | 18 | 14 | 19 | 11 | 9 | 9 | 2 | 2 | – | – | – | – |
| Spleen Disease | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | 6 | 6 | 4 | 2 | 2 | 1 | 4 | – | 1 | – | 2 | – | – | – | – | – |
| Ischuria | 2 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | 3 | – | 2 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 5 | 4 | 5 | 2 | 7 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | – | – |
| Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | 3 | 8 | 2 | 6 | 3 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| Childbirth | 26 | 34 | 14 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 4 | 3 | 3 | 6 | 1 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 | 4 | 2 | – | – | – | – | – | – |
| Joint Disease | 1 | 4 | 6 | 2 | 5 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Carbuncle | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 2 | 2 | 1 | 6 | 4 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Privation | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Poison | 2 | 3 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | 1 | 3 | 4 | 1 | 1 | 2 | – | 1 | 5 | 2 | – | – | – | – | – |
| Hanging, etc. | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 2 |
| Drowning | 1 | 3 | 2 | 5 | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | 3 | 2 | 3 | 5 | 6 | 3 | 2 | 7 | 2 | 6 | 5 | – | – | – | – |
| Wounds | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 6 |
| Not Specified | 11 | 11 | 6 | 5 | 9 | 5 | 8 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 10936 | 1133 | 423 | 988 | 1565 | 666 | 388 | 267 | 503 | 253 | 357 | 419 | 419 |
| Specified Causes | 10725 | 1067 | 406 | 966 | 1541 | 655 | 386 | 263 | 496 | 248 | 356 | 416 | 414 |
| I. Zymotic Class | 2266 | 112 | 90 | 303 | 533 | 268 | 183 | 123 | 170 | 42 | 58 | 54 | 55 |
| II. Diseases of Uncertain Seat | 291 | 7 | 2 | 5 | 4 | 5 | 3 | 7 | 14 | 10 | 5 | 6 | 9 |
| III. Tubercular Class | 2216 | 28 | 44 | 145 | 260 | 127 | 83 | 56 | 162 | 108 | 208 | 217 | 181 |
| IV. Brain and Nervous System | 734 | 80 | 20 | 54 | 52 | 22 | 11 | 11 | 39 | 11 | 12 | 24 | 16 |
| V. Organs of Circulation | 356 | – | 1 | 1 | 4 | – | 1 | – | 4 | 11 | 15 | 12 | 23 |
| VI. Respiratory Organs | 2240 | 149 | 150 | 289 | 420 | 166 | 79 | 50 | 56 | 18 | 15 | 37 | 50 |
| VII. Organs of Digestion | 838 | 71 | 40 | 122 | 218 | 45 | 10 | 6 | 16 | 16 | 10 | 24 | 17 |
| VIII. Urinary Organs | 110 | 2 | – | 1 | – | – | 1 | 2 | 4 | 3 | 9 | 5 | 10 |
| IX. Organs of Generation | 72 | – | – | – | – | – | – | – | – | – | 3 | 7 | 18 |
| X. Organs of Locomotion | 48 | – | – | 1 | – | 1 | 1 | – | 4 | 8 | 4 | 4 | 5 |
| XI. Skin, etc. | 8 | 1 | – | – | – | – | 1 | – | 1 | – | – | 1 | – |
| XII. Malformation | 28 | 23 | 1 | – | 3 | – | 1 | – | – | – | – | – | – |
| XIII. Premature Debility | 643 | 562 | 48 | 33 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 106 | – | – | – | 34 | 12 | 7 | 2 | 8 | 3 | 3 | 1 | 2 |
| XV. Age | 415 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 16 | 2 | – | 4 | 1 | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 338 | 30 | 10 | 8 | 12 | 9 | 5 | 6 | 18 | 18 | 14 | 23 | 28 |
| I. Small Pox | 131 | 9 | 14 | 23 | 32 | 13 | 5 | 10 | 7 | 3 | 2 | 6 | 1 |
| Measles | 150 | 1 | 2 | 21 | 69 | 27 | 10 | 10 | 9 | – | 1 | – | – |
| Scarlatina | 102 | – | 1 | 10 | 25 | 20 | 14 | 7 | 18 | 3 | 1 | 1 | – |
| Diphtheria | 34 | – | – | 1 | 5 | 5 | 2 | 7 | 6 | 2 | – | 3 | – |
| Hooping Cough | 842 | 35 | 42 | 173 | 291 | 120 | 87 | 50 | 43 | 1 | – | – | – |
| Croup | 136 | 6 | 3 | 14 | 33 | 33 | 22 | 14 | 10 | 1 | – | – | – |
| Thrush | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 182 | 35 | 18 | 36 | 33 | 10 | 4 | 1 | 4 | 2 | 2 | – | 2 |
| Dysentery | 38 | – | – | 5 | 3 | 2 | 1 | – | 1 | – | – | – | 2 |
| Cholera | 13 | 1 | – | 1 | 3 | 1 | 1 | – | 1 | – | – | – | – |
| Influenza | 27 | 1 | – | 3 | 3 | 1 | 2 | 1 | – | – | – | 1 | – |
| Purpura | 6 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Ague | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 8 | – | – | – | – | 2 | 3 | 1 | 2 | – | – | – | – |
| Infantile Fever | 11 | – | 1 | 1 | 5 | 1 | 2 | 1 | – | – | – | – | – |
| Typhus | 475 | 1 | 3 | 6 | 26 | 31 | 29 | 20 | 67 | 30 | 45 | 33 | 33 |
| Metria | 29 | – | – | – | – | – | – | – | – | – | 1 | 6 | 12 |
| Rheumatic Fever | 8 | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 1 |
| Erysipelas | 39 | 13 | 2 | 1 | 1 | 1 | – | – | 1 | – | 3 | – | 3 |
| Syphilis | 28 | 7 | 3 | 6 | 2 | – | 1 | – | – | – | – | 3 | 1 |
| Noma | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 8 | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – |
| Dropsy | 99 | – | – | 2 | 2 | 4 | 1 | 7 | 7 | 8 | 1 | 1 | 1 |
| Abscess | 28 | 2 | 2 | 1 | – | – | – | – | 4 | 2 | 2 | 3 | 3 |
| Ulcer | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | 4 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Mortification | 13 | 3 | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Cancer | 136 | – | – | 1 | – | 1 | – | – | 1 | – | 2 | 1 | 4 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 104 | 4 | 2 | 8 | 10 | 9 | 3 | 4 | 13 | 13 | 16 | 3 | 7 |
| Tabes Mesenterica | 187 | 10 | 6 | 18 | 59 | 31 | 15 | 13 | 21 | 11 | 2 | – | – |
| Phthisis | 1586 | 4 | 13 | 29 | 84 | 56 | 29 | 24 | 106 | 81 | 188 | 214 | 174 |
| Hydrocephalus | 339 | 10 | 23 | 90 | 107 | 31 | 36 | 15 | 22 | 3 | 2 | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 375 | 385 | 375 | 338 | 391 | 296 | 407 | 303 | 285 | 202 | 123 | 54 | 8 | 3 | – | 10 |
| Specified Causes | 366 | 379 | 370 | 332 | 382 | 292 | 405 | 303 | 285 | 202 | 123 | 54 | 8 | 3 | – | 7 |
| Zymotic Class | 39 | 34 | 37 | 28 | 30 | 23 | 33 | 17 | 19 | 10 | 4 | 1 | – | – | – | – |
| Uncertain Seat | 10 | 23 | 32 | 28 | 25 | 26 | 25 | 21 | 11 | 9 | 4 | – | – | – | – | – |
| Tubercular Class | 158 | 124 | 101 | 67 | 53 | 27 | 34 | 20 | 9 | 2 | 2 | – | – | – | – | – |
| Brain, etc. | 19 | 30 | 28 | 38 | 45 | 34 | 53 | 42 | 46 | 31 | 10 | 5 | 1 | – | – | – |
| Heart, etc. | 25 | 25 | 22 | 33 | 39 | 27 | 55 | 28 | 16 | 11 | 3 | – | – | – | – | – |
| Respiratory Organs | 44 | 69 | 67 | 69 | 111 | 89 | 115 | 82 | 62 | 31 | 11 | 8 | 2 | 1 | – | – |
| Digestive Organs | 20 | 29 | 22 | 33 | 32 | 31 | 30 | 23 | 11 | 9 | 2 | 1 | – | – | – | – |
| Urinary Organs | 11 | 5 | 13 | 4 | 12 | 9 | 5 | 8 | 3 | 1 | 2 | – | – | – | – | – |
| Generative Organs | 12 | 12 | 10 | 5 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | 1 | 6 | 2 | 2 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Skin | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 3 | 6 | 5 | 3 | 8 | 9 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 38 | 52 | 103 | 95 | 83 | 37 | 5 | 2 | – | – |
| Sudden Deaths | – | 1 | 1 | 2 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 24 | 20 | 25 | 19 | 21 | 12 | 13 | 6 | 3 | 3 | 2 | 2 | – | – | – | 7 |
| Small Pox | 4 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 2 | 1 | 2 | 2 | 4 | 5 | 5 | 7 | 2 | 3 | 1 | – | – | – | – |
| Dysentery | 1 | 2 | – | 3 | 3 | 3 | 5 | 3 | 1 | 2 | 1 | – | – | – | – | – |
| Cholera | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 3 | 2 | 3 | – | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 23 | 21 | 25 | 17 | 17 | 13 | 16 | 6 | 8 | 5 | – | – | – | – | – | – |
| Metria | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | 4 | 1 | 2 | – | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Syphilis | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | 9 | 7 | 6 | 9 | 7 | 9 | 6 | 5 | 3 | 1 | – | – | – | – | – |
| Abscess | 3 | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | 1 | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Cancer | 4 | 11 | 22 | 20 | 13 | 16 | 13 | 14 | 4 | 6 | 3 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | 1 | 3 | 2 | 3 | – | – | 2 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 157 | 123 | 98 | 64 | 50 | 27 | 34 | 18 | 9 | 2 | 2 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 48 | 2 | 2 | 9 | 2 | 4 | 3 | 3 | 5 | 2 | 2 | 5 | 1 |
| Apoplexy | 162 | 5 | 4 | 1 | 3 | 4 | 2 | 1 | – | – | 1 | 5 | 3 |
| Paralysis | 155 | – | – | – | 1 | 1 | – | – | 1 | 2 | 2 | 3 | 2 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 3 | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| Epilepsy | 32 | – | – | – | – | – | – | – | 1 | – | 2 | 6 | 4 |
| Tetanus | 5 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 162 | 66 | 12 | 33 | 30 | 10 | 2 | 1 | 8 | – | – | – | – |
| Brain Disease | 159 | 3 | 2 | 11 | 16 | 3 | 3 | 5 | 23 | 7 | 5 | 5 | 5 |
| V. Pericarditis | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 |
| Aneurism | 15 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Heart Disease | 336 | – | 1 | 1 | 4 | – | 1 | – | 3 | 10 | 15 | 12 | 19 |
| VI. Laryngitis | 35 | – | 4 | 4 | 7 | 3 | 5 | 4 | 4 | – | – | 2 | – |
| Bronchitis | 1451 | 109 | 117 | 210 | 296 | 100 | 48 | 29 | 30 | 7 | 4 | 12 | 21 |
| Pleurisy | 24 | 1 | – | – | – | 3 | 2 | – | 1 | – | 1 | 3 | 1 |
| Pneumonia | 547 | 38 | 27 | 71 | 110 | 58 | 21 | 15 | 19 | 7 | 6 | 17 | 21 |
| Asthma | 109 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Lung Disease | 74 | 1 | 2 | 4 | 7 | 2 | 3 | 2 | 2 | 4 | 4 | 1 | 6 |
| VII. Teething | 292 | – | 5 | 87 | 173 | 26 | 1 | – | – | – | – | – | – |
| Quinsey | 7 | – | – | 2 | – | 1 | – | – | – | 1 | – | – | – |
| Gastritis | 20 | – | – | – | 1 | 1 | – | – | 2 | 1 | – | 2 | – |
| Enteritis | 200 | 54 | 26 | 21 | 31 | 8 | 5 | 4 | 5 | 5 | 3 | 6 | 4 |
| Peritonitis | 30 | 1 | 1 | 1 | – | 1 | – | 1 | – | 1 | 3 | 6 | 1 |
| Ascites | 12 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| Ulceration of Intestines | 16 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | 1 | 4 |
| Hernia | 19 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ileus | 18 | 3 | 1 | – | 2 | – | – | – | – | – | 2 | – | 1 |
| Intussusception | 10 | – | 2 | 2 | – | – | – | – | 1 | – | – | 1 | – |
| Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 72 | 5 | 3 | 5 | 6 | 5 | 1 | – | – | 1 | – | 3 | 5 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 24 | – | – | 2 | 2 | – | – | – | 1 | 2 | – | 1 | – |
| Jaundice | 19 | 4 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Liver Disease | 95 | 2 | – | 1 | 1 | 2 | 2 | – | 3 | 5 | 2 | 2 | 2 |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| VIII. Nephritis | 6 | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – |
| Nephria | 28 | – | – | – | – | – | – | – | 1 | – | 2 | 3 | 6 |
| Ischuria | 6 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes | 10 | – | – | 1 | – | – | – | – | – | 2 | 2 | – | – |
| Stone | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Cystitis | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 42 | 1 | – | – | – | – | – | 1 | – | – | 4 | 2 | 3 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Ovarian Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Childbirth | 49 | – | – | – | – | – | – | – | – | – | 2 | 6 | 13 |
| Organs of Generation | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| X. Arthritis | 3 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 18 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 2 |
| Joint and Bone Disease | 27 | – | – | – | – | 1 | 1 | – | 4 | 6 | 2 | 2 | 3 |
| XI. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 3 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| XII. Cyanosis | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 5 | 4 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 15 | 11 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| XVII. Intemperance | 16 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 27 | 17 | 6 | 2 | 2 | – | – | – | – | – | – | – | – |
| Neglect | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 10 | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Burns and Scalds | 43 | 1 | – | 2 | 3 | 6 | 4 | 3 | 7 | 3 | 2 | 3 | 1 |
| Hanging, etc. | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suffocation | 16 | 6 | 3 | 1 | 3 | 1 | – | – | – | – | – | – | 1 |
| Drowning | 48 | – | – | – | 1 | 1 | – | – | 3 | 3 | – | 6 | 7 |
| Fracture and Contusion | 118 | – | – | 2 | 1 | 1 | 1 | 3 | 6 | 6 | 9 | 7 | 10 |
| Wounds | 13 | – | – | – | 1 | – | – | – | – | 1 | 2 | 1 | 1 |
| Other Violent Causes | 34 | 2 | – | – | – | – | – | – | 1 | 5 | – | 6 | 3 |
| Not Specified | 211 | 66 | 17 | 22 | 24 | 11 | 2 | 4 | 7 | 5 | 1 | 3 | 5 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 2 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 6 | 7 | 11 | 13 | 17 | 13 | 19 | 14 | 18 | 11 | 2 | 2 | – | – | – | – |
| Paralysis | 1 | 7 | 9 | 13 | 15 | 12 | 21 | 18 | 21 | 18 | 5 | 2 | 1 | – | – | – |
| Delirium Tremens | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 6 | 1 | – | 4 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | 7 | 6 | 10 | 7 | 6 | 9 | 9 | 5 | 2 | 3 | 1 | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Aneurism | 2 | 1 | 3 | 3 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 22 | 24 | 19 | 30 | 38 | 25 | 55 | 28 | 16 | 10 | 3 | – | – | – | – | – |
| Laryngitis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 22 | 37 | 31 | 41 | 77 | 51 | 65 | 60 | 46 | 19 | 10 | 6 | 2 | 1 | – | – |
| Pleurisy | 2 | 2 | – | 2 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 13 | 18 | 23 | 14 | 18 | 13 | 18 | 8 | 5 | 6 | 1 | – | – | – | – | – |
| Asthma | 4 | 5 | 7 | 7 | 12 | 18 | 26 | 11 | 9 | 5 | – | 2 | – | – | – | – |
| Lung Disease | 3 | 7 | 5 | 5 | 2 | 6 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 2 | 2 | 1 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 5 | 3 | 1 | 5 | 5 | 4 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Peritonitis | 2 | 4 | – | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Ascites | – | 2 | – | 2 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | 2 | – | 5 | – | 2 | 2 | 2 | 1 | – | – | 1 | – | – | – | – |
| Ileus | – | 1 | 1 | – | 1 | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Intussusception | – | – | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | 4 | 5 | 5 | 3 | 3 | 3 | 7 | 3 | 3 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 2 | 2 | – | 3 | 1 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| Jaundice | – | 1 | 1 | 1 | – | 4 | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Liver Disease | 8 | 8 | 9 | 7 | 13 | 8 | 10 | 6 | 2 | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | 3 | 3 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – |
| Diabetes | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | 2 | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Stricture of Urethra | 2 | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 3 | 2 | 8 | – | 6 | 2 | 3 | 5 | 1 | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 9 | 11 | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 3 | – | – | 3 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | 3 | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | – | 3 | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 1 | 1 | 3 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Privation | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 3 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | 7 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 10 | 6 | 13 | 11 | 10 | 6 | 5 | 3 | 2 | 2 | 2 | 2 | – | – | – | – |
| Wounds | 1 | 3 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | 2 | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | 6 |
| Not Specified | 9 | 6 | 5 | 6 | 9 | 4 | 2 | – | – | – | – | – | – | – | – | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 5453 | 629 | 250 | 546 | 832 | 326 | 196 | 128 | 249 | 122 | 170 | 183 | 181 |
| SPECIFIED CAUSES | 5332 | 591 | 240 | 534 | 815 | 320 | 194 | 126 | 247 | 121 | 170 | 182 | 178 |
| I. Zymotic Class | 1099 | 53 | 43 | 151 | 276 | 127 | 87 | 53 | 75 | 18 | 31 | 26 | 25 |
| II. Diseases of Uncertain Seat | 114 | 4 | 2 | 4 | 3 | 2 | 3 | 4 | 7 | 6 | 2 | 4 | 2 |
| III. Tubercular Class | 1072 | 17 | 25 | 86 | 146 | 66 | 45 | 29 | 90 | 53 | 92 | 85 | 66 |
| IV. Brain and Nervous System | 388 | 49 | 15 | 37 | 23 | 12 | 5 | 7 | 16 | 5 | 4 | 9 | 7 |
| V. Organs of Circulation | 183 | – | 1 | – | 2 | – | 1 | – | 2 | 3 | 7 | 4 | 12 |
| VI. Respiratory Organs | 1162 | 85 | 92 | 165 | 223 | 84 | 41 | 25 | 28 | 6 | 8 | 23 | 23 |
| VII. Organs of Digestion | 418 | 45 | 25 | 62 | 118 | 19 | 3 | 2 | 11 | 9 | 6 | 5 | 8 |
| VIII. Urinary Organs | 71 | 2 | – | 1 | – | – | – | 2 | 2 | 1 | 4 | 2 | 6 |
| IX. Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 24 | – | – | 1 | – | – | – | – | 2 | 4 | 2 | 2 | 4 |
| XI. Skin, etc. | 5 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Malformation | 14 | 13 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 355 | 307 | 29 | 19 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 52 | – | – | – | 17 | 8 | 3 | 1 | 4 | 3 | 1 | 1 | – |
| XV. Age | 132 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 11 | 1 | – | 4 | – | – | – | – | – | – | – | 1 | – |
| XVII. Violent Deaths | 231 | 14 | 7 | 4 | 7 | 2 | 5 | 3 | 10 | 13 | 13 | 20 | 25 |
| I. Small Pox | 77 | 7 | 6 | 15 | 21 | 7 | 3 | 4 | 4 | 2 | 1 | 2 | 1 |
| Measles | 83 | 1 | 1 | 14 | 36 | 13 | 8 | 6 | 4 | – | – | – | – |
| Scarlatina | 45 | – | – | 6 | 18 | 7 | 9 | 2 | 3 | – | – | – | – |
| Diphtheria | 19 | – | – | 1 | 4 | 1 | 1 | 3 | 5 | 1 | – | 1 | – |
| Hooping Cough | 374 | 14 | 19 | 71 | 134 | 62 | 38 | 17 | 19 | – | – | – | – |
| Croup | 70 | 3 | 2 | 8 | 21 | 14 | 11 | 6 | 4 | 1 | – | – | – |
| Thrush | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 91 | 18 | 8 | 20 | 19 | 3 | 1 | 1 | 2 | – | 1 | – | 1 |
| Dysentery | 20 | – | – | 3 | 2 | 2 | 1 | – | – | – | – | – | 2 |
| Cholera | 9 | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Influenza | 16 | – | – | 3 | 2 | 1 | 1 | 1 | – | – | – | 1 | – |
| Purpura | 3 | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 4 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – |
| Infantile Fever | 4 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Typhus | 247 | 1 | 2 | 3 | 12 | 13 | 12 | 11 | 32 | 14 | 26 | 20 | 18 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 4 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| Erysipelas | 15 | 4 | 2 | 1 | – | 1 | – | – | – | – | 1 | – | 2 |
| Syphilis | 14 | 3 | 3 | 4 | 1 | – | – | – | – | – | – | 2 | 1 |
| Noma | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Dropsy | 41 | – | – | 1 | 2 | 2 | 1 | 4 | 4 | 4 | – | – | – |
| Abscess | 18 | 1 | 2 | 1 | – | – | – | – | 1 | 2 | 1 | 3 | 1 |
| Ulcer | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Fistula | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Mortification | 10 | 1 | – | 1 | – | – | 1 | – | 1 | – | – | – | – |
| Cancer | 35 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 63 | 2 | 1 | 3 | 4 | 4 | 3 | 1 | 10 | 11 | 10 | 3 | 4 |
| Tabes Mesenterica | 107 | 5 | 4 | 14 | 35 | 15 | 10 | 5 | 11 | 6 | 1 | – | – |
| Phthisis | 707 | 4 | 6 | 17 | 43 | 30 | 14 | 13 | 58 | 34 | 80 | 82 | 62 |
| Hydrocephalus | 195 | 6 | 14 | 52 | 64 | 17 | 18 | 10 | 11 | 2 | 1 | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 164 | 195 | 184 | 176 | 205 | 137 | 204 | 128 | 105 | 76 | 49 | 12 | 2 | – | – | 4 |
| SPECIFIED CAUSES | 159 | 191 | 181 | 173 | 200 | 134 | 203 | 128 | 105 | 76 | 49 | 12 | 2 | – | – | 1 |
| Zymotic Class | 20 | 15 | 23 | 15 | 13 | 11 | 16 | 11 | 5 | 2 | 3 | – | – | – | – | – |
| Uncertain Seat | 5 | 7 | 11 | 6 | 7 | 10 | 11 | 8 | 1 | 4 | 1 | – | – | – | – | – |
| Tubercular Class | 55 | 62 | 44 | 35 | 30 | 10 | 21 | 10 | 5 | – | – | – | – | – | – | – |
| Brain, etc. | 9 | 17 | 17 | 24 | 30 | 18 | 27 | 16 | 23 | 14 | 4 | – | – | – | – | – |
| Heart, etc. | 11 | 15 | 10 | 20 | 20 | 13 | 32 | 14 | 7 | 7 | 2 | – | – | – | – | – |
| Respiratory Organs | 20 | 37 | 34 | 35 | 59 | 40 | 56 | 33 | 23 | 16 | 4 | 2 | – | – | – | – |
| Digestive Organs | 9 | 15 | 8 | 15 | 13 | 15 | 16 | 9 | 3 | 1 | 1 | – | – | – | – | – |
| Urinary Organs | 7 | 2 | 9 | 2 | 6 | 7 | 5 | 7 | 3 | 1 | 2 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | 1 | 4 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Skin | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 3 | 1 | 2 | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 11 | 14 | 34 | 30 | 31 | 10 | 2 | – | – | – |
| Sudden Deaths | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Violent Deaths | 21 | 16 | 20 | 15 | 16 | 6 | 7 | 4 | – | 1 | 1 | – | – | – | – | 1 |
| Small Pox | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 1 | 1 | 2 | 2 | 2 | 4 | 3 | – | 2 | – | – | – | – | – |
| Dysentery | – | 1 | – | 2 | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| Cholera | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 2 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 15 | 13 | 18 | 8 | 8 | 5 | 10 | 4 | 1 | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 3 | 3 | 2 | 2 | 3 | 5 | 4 | – | – | – | – | – | – | – | – |
| Abscess | 2 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | 1 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| Cancer | 2 | 2 | 6 | 2 | 3 | 4 | 4 | 3 | – | 4 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | 1 | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 54 | 61 | 43 | 33 | 28 | 10 | 21 | 9 | 5 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 28 | 1 | – | 7 | 1 | 3 | – | 3 | 3 | 1 | – | 2 | 1 |
| Apoplexy | 89 | 2 | 4 | 1 | 3 | 2 | – | 1 | – | – | – | 3 | 2 |
| Paralysis | 71 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 2 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Epilepsy | 16 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| Tetanus | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 100 | 41 | 9 | 23 | 15 | 6 | 2 | 1 | 3 | – | – | – | – |
| Brain Disease | 72 | 2 | 2 | 6 | 4 | 1 | 2 | 1 | 10 | 3 | 3 | 1 | 1 |
| V. Pericarditis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Aneurism | 12 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Heart Disease | 168 | – | 1 | – | 2 | – | 1 | – | 2 | 3 | 7 | 4 | 8 |
| VI. Laryngitis | 19 | – | 2 | 4 | 4 | 2 | 1 | 2 | 1 | – | – | 2 | – |
| Bronchitis | 717 | 60 | 67 | 112 | 152 | 50 | 26 | 13 | 15 | 3 | 1 | 8 | 12 |
| Pleurisy | 13 | – | – | – | – | 1 | 1 | – | 1 | – | – | 1 | 1 |
| Pneumonia | 326 | 24 | 21 | 47 | 64 | 30 | 12 | 8 | 9 | 2 | 5 | 10 | 7 |
| Asthma | 49 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Lung Disease | 38 | 1 | 2 | 2 | 3 | 1 | 1 | 2 | 2 | 1 | 2 | – | 2 |
| VII. Teething | 151 | – | 4 | 42 | 94 | 11 | – | – | – | – | – | – | – |
| Quinsey | 5 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Gastritis | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 116 | 34 | 15 | 13 | 16 | 3 | 2 | 1 | 5 | 4 | 2 | 3 | 3 |
| Peritonitis | 9 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| Ascites | 4 | – | – | – | – | – | – | – | 3 | – | – | – | – |
| Ulceration of Intestines | 6 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| Hernia | 8 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Ileus | 12 | 2 | 1 | – | 1 | – | – | – | – | – | 1 | – | 1 |
| Intussusception | 6 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 32 | 3 | 2 | – | 4 | 2 | 1 | – | – | 1 | – | – | 3 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 15 | – | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – |
| Jaundice | 10 | 4 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Liver Disease | 37 | 1 | – | 1 | – | 1 | – | – | – | 3 | 2 | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Nephria | 14 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 |
| Ischuria | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 5 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Stone | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Cystitis | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Kidney Disease | 29 | 1 | – | – | – | – | – | 1 | – | – | 2 | 1 | 2 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Joint and Bone Disease | 13 | – | – | – | – | – | – | – | 2 | 2 | 1 | 1 | 2 |
| XI. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Cyanosis | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 17 | 9 | 5 | 1 | 2 | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 18 | – | – | 1 | 1 | 1 | 4 | 1 | 2 | – | 1 | 2 | 1 |
| Hanging, etc. | 6 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Suffocation | 8 | 2 | 1 | 1 | 3 | – | – | – | – | – | – | – | 1 |
| Drowning | 39 | – | – | – | 1 | – | – | – | 2 | 3 | – | 4 | 7 |
| Fracture and Contusion | 93 | – | – | 1 | – | 1 | 1 | 2 | 5 | 5 | 9 | 7 | 9 |
| Wounds | 10 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| Other Violent Causes | 26 | 2 | – | – | – | – | – | – | 1 | 4 | – | 6 | 3 |
| Not Specified | 121 | 38 | 10 | 12 | 17 | 6 | 2 | 2 | 2 | 1 | – | 1 | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Apoplexy | 3 | 5 | 6 | 8 | 8 | 7 | 12 | 6 | 8 | 8 | – | – | – | – | – | – |
| Paralysis | – | 3 | 6 | 9 | 11 | 5 | 9 | 7 | 10 | 6 | 2 | – | – | – | – | – |
| Delirium Tremens | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 2 | 1 | – | 4 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | 5 | 3 | 6 | 5 | 3 | 3 | 2 | 3 | – | 2 | – | – | – | – | – |
| Pericarditis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Aneurism | 2 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 8 | 14 | 8 | 18 | 19 | 12 | 32 | 14 | 7 | 6 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 6 | 16 | 12 | 20 | 39 | 19 | 35 | 23 | 13 | 10 | 4 | 1 | – | – | – | – |
| Pleurisy | 2 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 7 | 12 | 17 | 8 | 12 | 9 | 7 | 7 | 4 | 4 | – | – | – | – | – | – |
| Asthma | 3 | 4 | 2 | 4 | 5 | 7 | 12 | 2 | 5 | 1 | – | 1 | – | – | – | – |
| Lung Disease | 2 | 3 | 3 | 2 | 1 | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 1 | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | 2 | – | 3 | 3 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| Peritonitis | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ileus | – | 1 | 1 | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | 2 | 3 | 2 | 1 | 1 | 2 | 4 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | 2 | – | 2 | – | 4 | 1 | 1 | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Liver Disease | 3 | 5 | 2 | 3 | 5 | 3 | 5 | 2 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | 1 | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Stricture of Urethra | 2 | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 2 | 1 | 6 | – | 2 | 2 | 3 | 4 | 1 | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | 2 | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Privation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | 5 | 3 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 9 | 5 | 11 | 10 | 9 | 2 | 3 | 2 | – | 1 | 1 | – | – | – | – | – |
| Wounds | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | 2 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Not Specified | 5 | 4 | 3 | 3 | 5 | 3 | 1 | – | – | – | – | – | – | – | – | 3 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 5483 | 504 | 173 | 442 | 733 | 340 | 192 | 139 | 254 | 131 | 187 | 236 | 238 |
| SPECIFIED CAUSES | 5393 | 476 | 166 | 432 | 726 | 335 | 192 | 137 | 249 | 127 | 186 | 234 | 236 |
| I. Zymotic Class | 1167 | 59 | 47 | 152 | 257 | 141 | 96 | 70 | 95 | 24 | 27 | 28 | 30 |
| II. Diseases of Uncertain Seat | 177 | 3 | – | 1 | 1 | 3 | – | 3 | 7 | 4 | 3 | 2 | 7 |
| III. Tubercular Class | 1144 | 11 | 19 | 59 | 114 | 61 | 38 | 27 | 72 | 55 | 116 | 132 | 115 |
| IV. Brain and Nervous System | 346 | 31 | 5 | 17 | 29 | 10 | 6 | 4 | 23 | 6 | 8 | 15 | 9 |
| V. Organs of Circulation | 173 | – | – | 1 | 2 | – | – | – | 2 | 8 | 8 | 8 | 11 |
| VI. Respiratory Organs | 1078 | 64 | 58 | 124 | 197 | 82 | 38 | 25 | 28 | 12 | 7 | 14 | 27 |
| VII. Organs of Digestion | 420 | 26 | 15 | 60 | 100 | 26 | 7 | 4 | 5 | 7 | 4 | 19 | 9 |
| VIII. Urinary Organs | 39 | – | – | – | – | – | 1 | – | 2 | 2 | 5 | 3 | 4 |
| IX. Organs of Generation | 71 | – | – | – | – | – | – | – | – | – | 3 | 7 | 18 |
| X. Organs of Locomotion | 24 | – | – | – | – | 1 | 1 | – | 2 | 4 | 2 | 2 | 1 |
| XI. Skin, etc. | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| XII. Malformation | 14 | 10 | – | – | 3 | – | 1 | – | – | – | – | – | – |
| XIII. Premature Debility | 288 | 255 | 19 | 14 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 54 | – | – | – | 17 | 4 | 4 | 1 | 4 | – | 2 | – | 2 |
| XV. Age | 283 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 5 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 107 | 16 | 3 | 4 | 5 | 7 | – | 3 | 8 | 5 | 1 | 3 | 3 |
| I. Small Pox | 54 | 2 | 8 | 8 | 11 | 6 | 2 | 6 | 3 | 1 | 1 | 4 | – |
| Measles | 67 | – | 1 | 7 | 33 | 14 | 2 | 4 | 5 | – | 1 | – | – |
| Scarlatina | 57 | – | 1 | 4 | 7 | 13 | 5 | 5 | 15 | 3 | 1 | 1 | – |
| Diphtheria | 15 | – | – | – | 1 | 4 | 1 | 4 | 1 | 1 | – | 2 | – |
| Hooping Cough | 468 | 21 | 23 | 102 | 157 | 58 | 49 | 33 | 24 | 1 | – | – | – |
| Croup | 66 | 3 | 1 | 6 | 12 | 19 | 11 | 8 | 6 | – | – | – | – |
| Thrush | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 91 | 17 | 10 | 16 | 14 | 7 | 3 | – | 2 | 2 | 1 | – | 1 |
| Dysentery | 18 | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| Cholera | 4 | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| Influenza | 11 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Purpura | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 4 | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – |
| Infantile Fever | 7 | – | 1 | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Typhus | 228 | – | 1 | 3 | 14 | 18 | 17 | 9 | 35 | 16 | 19 | 13 | 15 |
| Metria | 29 | – | – | – | – | – | – | – | – | – | 1 | 6 | 12 |
| Rheumatic Fever | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Erysipelas | 24 | 9 | – | – | 1 | – | – | – | 1 | – | 2 | – | 1 |
| Syphilis | 14 | 4 | – | 2 | 1 | – | 1 | – | – | – | – | 1 | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Dropsy | 58 | – | – | 1 | – | 2 | – | 3 | 3 | 4 | 1 | 1 | 1 |
| Abscess | 10 | 1 | – | – | – | – | – | – | 3 | – | 1 | – | 2 |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Mortification | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 101 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 3 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 41 | 2 | 1 | 5 | 6 | 5 | – | 3 | 3 | 2 | 6 | – | 3 |
| Tabes Mesenterica | 80 | 5 | 2 | 4 | 24 | 16 | 5 | 8 | 10 | 5 | 1 | – | – |
| Phthisis | 879 | – | 7 | 12 | 41 | 26 | 15 | 11 | 48 | 47 | 108 | 132 | 112 |
| Hydrocephalus | 144 | 4 | 9 | 38 | 43 | 14 | 18 | 5 | 11 | 1 | 1 | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 211 | 190 | 191 | 162 | 186 | 159 | 203 | 175 | 180 | 126 | 74 | 42 | 6 | 3 | – | 6 |
| SPECIFIED CAUSES | 207 | 188 | 189 | 159 | 182 | 158 | 202 | 175 | 180 | 126 | 74 | 42 | 6 | 3 | – | 6 |
| Zymotic Class | 19 | 19 | 14 | 13 | 17 | 12 | 17 | 6 | 14 | 8 | 1 | 1 | – | – | – | – |
| Uncertain Seat | 5 | 16 | 21 | 22 | 18 | 16 | 14 | 13 | 10 | 5 | 3 | – | – | – | – | – |
| Tubercular Class | 103 | 62 | 57 | 32 | 23 | 17 | 13 | 10 | 4 | 2 | 2 | – | – | – | – | – |
| Brain, etc. | 10 | 13 | 11 | 14 | 15 | 16 | 26 | 26 | 23 | 17 | 6 | 5 | 1 | – | – | – |
| Heart, etc. | 14 | 10 | 12 | 13 | 19 | 14 | 23 | 14 | 9 | 4 | 1 | – | – | – | – | – |
| Respiratory Organs | 24 | 32 | 33 | 34 | 52 | 49 | 59 | 49 | 39 | 15 | 7 | 6 | 2 | 1 | – | – |
| Digestive Organs | 11 | 14 | 14 | 18 | 19 | 16 | 14 | 14 | 8 | 8 | 1 | 1 | – | – | – | – |
| Urinary Organs | 4 | 3 | 4 | 2 | 6 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Generative Organs | 12 | 12 | 10 | 5 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | 2 | 1 | 2 | 2 | 3 | – | 1 | – | – | – | – | – | – | – |
| Skin | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 2 | 3 | 4 | 1 | 4 | 6 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 27 | 38 | 69 | 65 | 52 | 27 | 3 | 2 | – | – |
| Sudden Deaths | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 4 | 5 | 4 | 5 | 6 | 6 | 2 | 3 | 2 | 1 | 2 | – | – | – | 6 |
| Small Pox | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | 2 | – | 1 | – | 2 | 3 | 1 | 4 | 2 | 1 | 1 | – | – | – | – |
| Dysentery | 1 | 1 | – | 1 | 2 | 1 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | 1 | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 8 | 8 | 7 | 9 | 9 | 8 | 6 | 2 | 7 | 4 | – | – | – | – | – | – |
| Metria | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | 3 | – | 2 | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Syphilis | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 6 | 4 | 4 | 7 | 4 | 4 | 2 | 5 | 3 | 1 | – | – | – | – | – |
| Abscess | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 2 | 9 | 16 | 18 | 10 | 12 | 9 | 11 | 4 | 2 | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 103 | 62 | 55 | 31 | 22 | 17 | 13 | 9 | 4 | 2 | 2 | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 20 | 1 | 2 | 2 | 1 | 1 | 3 | – | 2 | 1 | 2 | 3 | – |
| Apoplexy | 73 | 3 | – | – | – | 2 | 2 | – | – | – | 1 | 2 | 1 |
| Paralysis | 84 | – | – | – | 1 | 1 | – | – | 1 | 1 | 2 | 2 | 1 |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Epilepsy | 16 | – | – | – | – | – | – | – | 1 | – | 1 | 4 | 2 |
| Tetanus | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Convulsions | 62 | 25 | 3 | 10 | 15 | 4 | – | – | 5 | – | – | – | – |
| Brain Disease | 87 | 1 | – | 5 | 12 | 2 | 1 | 4 | 13 | 4 | 2 | 4 | 4 |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 168 | – | – | 1 | 2 | – | – | – | 1 | 7 | 8 | 8 | 11 |
| VI. Laryngitis | 16 | – | 2 | – | 3 | 1 | 4 | 2 | 3 | – | – | – | – |
| Bronchitis | 734 | 49 | 50 | 98 | 144 | 50 | 22 | 16 | 15 | 4 | 3 | 4 | 9 |
| Pleurisy | 11 | 1 | – | – | – | 2 | 1 | – | – | – | 1 | 2 | – |
| Pneumonia | 221 | 14 | 6 | 24 | 46 | 28 | 9 | 7 | 10 | 5 | 1 | 7 | 14 |
| Asthma | 60 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 36 | – | – | 2 | 4 | 1 | 2 | – | – | 3 | 2 | 1 | 4 |
| VII. Teething | 141 | – | 1 | 45 | 79 | 15 | 1 | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Gastritis | 14 | – | – | – | 1 | 1 | – | – | 2 | 1 | – | 2 | – |
| Enteritis | 84 | 20 | 11 | 8 | 15 | 5 | 3 | 3 | – | 1 | 1 | 3 | 1 |
| Peritonitis | 21 | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | 5 | – |
| Ascites | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 10 | 1 | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Hernia | 11 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 6 | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Intussusception | 4 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 40 | 2 | 1 | 5 | 2 | 3 | – | – | – | – | – | 3 | 2 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 9 | – | – | 1 | 1 | – | – | – | – | 1 | – | 1 | – |
| Jaundice | 9 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | 58 | 1 | – | – | 1 | 1 | 2 | – | 3 | 2 | – | 1 | 2 |
| Spleen Disease | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| VIII. Nephritis | 4 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Nephria | 14 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 3 |
| Ischuria | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Diabetes | 5 | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 13 | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Ovarian Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Childbirth | 49 | – | – | – | – | – | – | – | – | – | 2 | 6 | 13 |
| Organs of Generation | 12 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 9 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Joint and Bone Disease | 14 | – | – | – | – | 1 | 1 | – | 2 | 4 | 1 | 1 | 1 |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XII. Cyanosis | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Malformations | 8 | 5 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| XVII. Intemperance | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 10 | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 6 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| Burns and Scalds | 25 | 1 | – | 1 | 2 | 5 | – | 2 | 5 | 3 | 1 | 1 | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 8 | 4 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Drowning | 9 | – | – | – | – | 1 | – | – | 1 | – | – | 2 | – |
| Fracture and Contusion | 25 | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – | 1 |
| Wounds | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | 8 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Not Specified | 90 | 28 | 7 | 10 | 7 | 5 | – | 2 | 5 | 4 | 1 | 2 | 2 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 3 | 2 | 5 | 5 | 9 | 6 | 7 | 8 | 10 | 3 | 2 | 2 | – | – | – | – |
| Paralysis | 1 | 4 | 3 | 4 | 4 | 7 | 12 | 11 | 11 | 12 | 3 | 2 | 1 | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | 2 | 3 | 4 | 2 | 3 | 6 | 7 | 2 | 2 | 1 | 1 | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 14 | 10 | 11 | 12 | 19 | 13 | 23 | 14 | 9 | 4 | 1 | – | – | – | – | – |
| Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 16 | 21 | 19 | 21 | 38 | 32 | 30 | 37 | 33 | 9 | 6 | 5 | 2 | 1 | – | – |
| Pleurisy | – | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | 6 | 6 | 6 | 6 | 6 | 4 | 11 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Asthma | 1 | 1 | 5 | 3 | 7 | 11 | 14 | 9 | 4 | 4 | – | 1 | – | – | – | – |
| Lung Disease | 1 | 4 | 2 | 3 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 1 | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 1 | 1 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | 2 | – | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Ascites | – | 2 | – | 2 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | 2 | – | 2 | – | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – |
| Ileus | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 2 | 2 | 3 | 2 | 2 | 1 | 3 | 3 | 3 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 1 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | 1 | 1 | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Liver Disease | 5 | 3 | 7 | 4 | 8 | 5 | 5 | 4 | 2 | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 2 | – | 4 | – | – | 1 | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 9 | 11 | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 3 | – | – | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | 1 | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Joint Disease | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Privation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 1 | 1 | 2 | 1 | 1 | 4 | 2 | 1 | 2 | 1 | 1 | 2 | – | – | – | – |
| Wounds | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | 5 |
| Not Specified | 4 | 2 | 2 | 3 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 1367 | 148 | 56 | 133 | 149 | 67 | 41 | 28 | 67 | 37 | 54 | 58 | 43 |
| Specified Causes | 1278 | 130 | 50 | 123 | 139 | 57 | 40 | 27 | 62 | 33 | 53 | 56 | 41 |
| I. Zymotic Class | 264 | 18 | 13 | 43 | 54 | 25 | 20 | 11 | 28 | 4 | 5 | 9 | 3 |
| II. Diseases of Uncertain Seat | 49 | 1 | – | – | – | 1 | – | 1 | – | 1 | 1 | – | 3 |
| III. Tubercular Class | 228 | – | 6 | 13 | 21 | 8 | 9 | 6 | 16 | 16 | 27 | 24 | 16 |
| IV. Brain and Nervous System | 107 | 6 | 1 | 4 | 5 | 3 | 1 | 2 | 1 | 1 | 4 | 3 | 4 |
| V. Organs of Circulation | 43 | – | – | – | – | – | – | – | 2 | 2 | 2 | 3 | 1 |
| VI. Respiratory Organs | 234 | 20 | 14 | 37 | 35 | 12 | 7 | 5 | 7 | 1 | 3 | 7 | 2 |
| VII. Organs of Digestion | 90 | 10 | 6 | 21 | 13 | 6 | – | 1 | 2 | 2 | 2 | 2 | 3 |
| VIII. Urinary Organs | 12 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| IX. Organs of Generation | 16 | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 |
| X. Organs of Locomotion | 8 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – |
| XI. Skin, etc. | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 82 | 72 | 9 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 19 | – | – | – | 8 | 1 | – | 1 | – | – | 1 | – | – |
| XV. Age | 68 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 52 | 1 | – | 3 | 2 | 1 | 3 | – | 4 | 4 | 4 | 6 | 5 |
| I. Small Pox | 9 | 1 | – | 1 | – | 2 | 1 | 1 | 3 | – | – | – | – |
| Measles | 23 | 1 | 1 | 4 | 6 | 4 | 2 | 1 | 4 | – | – | – | – |
| Scarlatina | 6 | 1 | – | – | 2 | 1 | – | 1 | 1 | – | – | – | – |
| Diphtheria | 11 | 1 | – | 1 | 2 | 1 | 2 | 1 | 1 | 2 | – | – | – |
| Hooping Cough | 72 | 5 | 5 | 18 | 21 | 6 | 9 | 1 | 7 | – | – | – | – |
| Croup | 25 | – | 2 | 3 | 10 | 4 | 2 | 4 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 45 | 5 | 4 | 13 | 8 | 2 | 1 | – | 1 | 1 | – | 1 | – |
| Dysentery | 11 | 1 | – | 2 | 2 | 2 | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 50 | 1 | – | – | 3 | 2 | 3 | 2 | 11 | 1 | 5 | 8 | 2 |
| Metria | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 17 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Abscess | 7 | 1 | – | – | – | 1 | – | – | – | – | – | – | 2 |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cancer | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 17 | – | 1 | – | 3 | – | 4 | 1 | 2 | 4 | – | 1 | – |
| Tabes Mesenterica | 18 | – | 2 | 4 | 4 | 3 | 1 | – | 2 | 1 | – | – | – |
| Phthisis | 160 | – | 1 | 1 | 3 | 2 | 3 | 3 | 6 | 11 | 27 | 23 | 16 |
| Hydrocephalus | 33 | – | 2 | 8 | 11 | 3 | 1 | 2 | 6 | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 45 | 37 | 39 | 48 | 52 | 47 | 59 | 42 | 42 | 26 | 27 | 16 | 3 | 1 | – | 2 |
| Specified Causes | 42 | 34 | 37 | 46 | 45 | 45 | 59 | 42 | 42 | 26 | 27 | 16 | 3 | 1 | – | 2 |
| Zymotic Class | 3 | 4 | 4 | 2 | 4 | 2 | 4 | – | 4 | – | 3 | 1 | – | – | – | – |
| Uncertain Seat | – | – | 3 | 6 | 9 | 7 | 6 | 2 | 4 | 2 | 1 | – | 1 | – | – | – |
| Tubercular Class | 19 | 11 | 6 | 8 | 8 | 6 | 5 | 3 | – | – | – | – | – | – | – | – |
| Brain, etc. | 7 | 4 | 5 | 9 | 5 | 12 | 13 | 5 | 9 | 2 | – | 1 | – | – | – | – |
| Heart, etc. | 2 | 2 | 3 | 3 | 2 | 2 | 9 | 4 | 4 | – | 1 | 1 | – | – | – | – |
| Respiratory Organs | 3 | 3 | 7 | 7 | 10 | 9 | 12 | 14 | 7 | 5 | 7 | – | – | – | – | – |
| Digestive Organs | 2 | 2 | 2 | 7 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Urinary Organs | 1 | – | 3 | – | – | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Generative Organs | 2 | 3 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 3 | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 11 | 11 | 15 | 13 | 13 | 1 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | 2 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 2 | – | – | – | 1 | – | 3 | – | 1 | – | 2 | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 2 | 2 | 2 | 2 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Metria | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | – | – | 1 | 2 | – | 3 | 2 | 2 | 2 | 2 | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Cancer | – | – | 1 | 2 | 8 | 3 | 3 | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 18 | 11 | 5 | 8 | 8 | 6 | 5 | 3 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 12 | – | 1 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | 1 |
| Apoplexy | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 33 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 14 | 6 | – | 2 | 4 | 2 | – | – | – | – | – | – | – |
| Brain Disease | 19 | – | – | – | – | – | 1 | 1 | 1 | – | 4 | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 40 | – | – | – | – | – | – | – | 2 | 2 | 1 | 3 | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 150 | 15 | 11 | 26 | 27 | 9 | 5 | 2 | 1 | 1 | 3 | 3 | – |
| Pleurisy | 5 | 1 | – | – | – | – | – | – | 2 | – | – | – | – |
| Pneumonia | 63 | 4 | 2 | 11 | 8 | 3 | 2 | 3 | 4 | – | – | 3 | 2 |
| Asthma | 13 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 32 | – | 2 | 17 | 11 | 2 | – | – | – | – | – | – | – |
| Quinsey | 4 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Gastritis | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 12 | 2 | 2 | – | – | 2 | – | – | 1 | 1 | – | – | 1 |
| Peritonitis | 8 | 1 | – | – | 1 | – | – | – | – | – | 2 | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 6 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 8 | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Liver Disease | 7 | – | – | 1 | – | – | – | – | – | 1 | – | – | 1 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ovarian Dropsy | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 6 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 20 | – | – | – | 1 | – | 1 | – | 1 | 2 | 2 | 3 | 2 |
| Fracture and Contusion | 23 | – | – | 1 | 1 | – | 1 | – | 3 | 1 | 2 | 3 | 2 |
| Wounds | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 89 | 18 | 6 | 10 | 10 | 10 | 1 | 1 | 5 | 4 | 1 | 2 | 2 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 5 | 1 | 1 | 3 | 4 | 1 | 1 | – | – | – | – | – | – |
| Paralysis | 1 | 1 | 1 | 3 | 2 | 4 | 7 | 1 | 7 | 1 | – | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | 2 | – | – | 4 | 2 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 2 | 3 | 3 | 2 | 1 | 8 | 4 | 4 | – | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | – | 4 | 4 | 4 | 4 | 5 | 8 | 6 | 3 | 7 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 3 | 1 | 2 | 3 | 4 | 3 | 2 | – | 2 | – | – | – | – | – | – |
| Asthma | – | – | 2 | 1 | 2 | – | 2 | 4 | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | 1 | 1 | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 3 | 3 | 2 | 2 | 7 | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 687 | 89 | 33 | 75 | 81 | 31 | 17 | 13 | 26 | 15 | 29 | 26 | 19 |
| SPECIFIED CAUSES | 641 | 79 | 30 | 71 | 75 | 25 | 17 | 13 | 26 | 14 | 28 | 24 | 17 |
| I. Zymotic Class | 129 | 12 | 7 | 26 | 32 | 10 | 10 | 6 | 9 | 2 | – | 4 | 1 |
| II. Diseases of Uncertain Seat | 17 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| III. Tubercular Class | 108 | – | 6 | 8 | 13 | 3 | 4 | 2 | 8 | 7 | 14 | 10 | 5 |
| IV. Brain and Nervous System | 62 | 3 | 1 | 1 | 2 | 1 | – | 1 | – | 1 | 3 | 1 | 3 |
| V. Organs of Circulation | 23 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – |
| VI. Respiratory Organs | 131 | 14 | 8 | 26 | 12 | 5 | 2 | 1 | 5 | – | 2 | 4 | – |
| VII. Organs of Digestion | 45 | 6 | 5 | 8 | 10 | 4 | – | 1 | 1 | 1 | – | – | 1 |
| VIII. Urinary Organs | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 4 | – | – | – | – | – | – | – | – | 1 | 3 | – | – |
| XI. Skin, etc. | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 43 | 41 | 2 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 9 | – | – | – | 4 | 1 | – | 1 | – | – | – | – | – |
| XV. Age | 24 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 34 | 1 | – | 1 | 1 | 1 | 1 | – | 2 | 2 | 4 | 4 | 5 |
| I. Small Pox | 4 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Measles | 12 | – | – | 3 | 4 | 2 | – | 1 | 2 | – | – | – | – |
| Scarlatina | 5 | 1 | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – |
| Diphtheria | 7 | 1 | – | 1 | 2 | – | 1 | 1 | – | 1 | – | – | – |
| Hooping Cough | 42 | 5 | 4 | 7 | 16 | 2 | 5 | 1 | 2 | – | – | – | – |
| Croup | 11 | – | 1 | 2 | 3 | 2 | 1 | 2 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 23 | 2 | 2 | 10 | 4 | – | 1 | – | – | 1 | – | – | – |
| Dysentery | 3 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 17 | – | – | – | 1 | – | 2 | – | 3 | – | – | 4 | 1 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 8 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | 1 | – | 1 | – | 2 | – | – | 2 | – | 1 | – |
| Tabes Mesenterica | 12 | – | 2 | 3 | 3 | 2 | – | – | 1 | – | – | – | – |
| Phthisis | 68 | – | 1 | – | 3 | – | 2 | – | 3 | 5 | 14 | 9 | 5 |
| Hydrocephalus | 20 | – | 2 | 5 | 6 | 1 | – | 2 | 4 | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 23 | 15 | 16 | 23 | 26 | 22 | 33 | 23 | 18 | 12 | 10 | 8 | 2 | 1 | – | 1 |
| SPECIFIED CAUSES | 23 | 13 | 15 | 21 | 22 | 20 | 33 | 23 | 18 | 12 | 10 | 8 | 2 | 1 | – | 1 |
| Zymotic Class | 1 | 1 | 2 | 1 | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| Uncertain Seat | – | – | 2 | 2 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Tubercular Class | 10 | 5 | 1 | 3 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Brain, etc. | 4 | 2 | 2 | 7 | 5 | 7 | 8 | 2 | 5 | 2 | – | 1 | – | – | – | – |
| Heart, etc. | 2 | 2 | – | 1 | 2 | – | 5 | 3 | 2 | – | 1 | 1 | – | – | – | – |
| Respiratory Organs | 2 | 1 | 6 | 3 | 7 | 5 | 8 | 11 | 3 | 2 | 4 | – | – | – | – | – |
| Digestive Organs | 1 | 1 | – | 4 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Urinary Organs | – | – | – | – | – | 1 | 4 | – | – | 1 | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 2 | 4 | 6 | 3 | 6 | 1 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 1 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 2 | 1 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | – | – | 1 | 1 | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 5 | – | 3 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 5 | – | 1 | 1 | – | – | – | – | – | 1 | – | – | – |
| Apoplexy | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 24 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 3 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Brain Disease | 11 | – | – | – | – | – | – | 1 | – | – | 3 | – | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Heart Disease | 21 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 78 | 11 | 5 | 18 | 8 | 5 | 1 | 1 | – | – | 2 | 1 | – |
| Pleurisy | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| Pneumonia | 38 | 3 | 2 | 8 | 4 | – | 1 | – | 3 | – | – | 2 | – |
| Asthma | 9 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| VII. Teething | 20 | – | 2 | 7 | 9 | 2 | – | – | – | – | – | – | – |
| Quinsey | 4 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 4 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Peritonitis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 4 | – | – | – | – | – | – | – | – | 1 | 3 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | – | – | – | 1 | – | 1 | – | – | 1 | 2 | 1 | 2 |
| Fracture and Contusion | 17 | – | – | – | – | – | – | – | 2 | 1 | 2 | 3 | 2 |
| Wounds | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 46 | 10 | 3 | 4 | 6 | 6 | – | – | – | 1 | 1 | 2 | 2 |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 3 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Paralysis | 1 | – | 1 | 3 | 2 | 2 | 6 | 1 | 3 | 1 | – | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | – | 4 | 1 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 2 | – | 1 | 2 | – | 4 | 3 | 2 | – | 1 | 1 | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | – | 4 | – | 1 | 2 | 3 | 6 | 3 | 1 | 4 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | 1 | 1 | 2 | 3 | 3 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | 1 | 1 | 2 | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | 2 | 1 | 2 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 680 | 59 | 23 | 58 | 68 | 36 | 24 | 15 | 41 | 22 | 25 | 32 | 24 |
| SPECIFIED CAUSES | 637 | 51 | 20 | 52 | 64 | 32 | 23 | 14 | 36 | 19 | 25 | 32 | 24 |
| I. Zymotic Class | 135 | 6 | 6 | 17 | 22 | 15 | 10 | 5 | 19 | 2 | 5 | 5 | 2 |
| II. Diseases of Uncertain Seat | 32 | 1 | – | – | – | 1 | – | – | – | 1 | 1 | – | 2 |
| III. Tubercular Class | 120 | – | – | 5 | 8 | 5 | 5 | 4 | 8 | 9 | 13 | 14 | 11 |
| IV. Brain and Nervous System | 45 | 3 | – | 3 | 3 | 2 | 1 | 1 | 1 | – | 1 | 2 | 1 |
| V. Organs of Circulation | 20 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 |
| VI. Respiratory Organs | 103 | 6 | 6 | 11 | 23 | 7 | 5 | 4 | 2 | 1 | 1 | 3 | 2 |
| VII. Organs of Digestion | 45 | 4 | 1 | 13 | 3 | 2 | – | – | 1 | 1 | 2 | 2 | 2 |
| VIII. Urinary Organs | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| IX. Organs of Generation | 16 | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 |
| X. Organs of Locomotion | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 39 | 31 | 7 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 4 | – | – | – | – | – | 1 | – | – |
| XV. Age | 44 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 18 | – | – | 2 | 1 | – | 2 | – | 2 | 2 | – | 2 | – |
| I. Small Pox | 5 | – | – | – | – | 1 | 1 | 1 | 2 | – | – | – | – |
| Measles | 11 | 1 | 1 | 1 | 2 | 2 | 2 | – | 2 | – | – | – | – |
| Scarlatina | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diphtheria | 4 | – | – | – | – | 1 | 1 | – | 1 | 1 | – | – | – |
| Hooping Cough | 30 | – | 1 | 11 | 5 | 4 | 4 | – | 5 | – | – | – | – |
| Croup | 14 | – | 1 | 1 | 7 | 2 | 1 | 2 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 22 | 3 | 2 | 3 | 4 | 2 | – | – | 1 | – | – | 1 | – |
| Dysentery | 8 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 33 | 1 | – | – | 2 | 2 | 1 | 2 | 8 | 1 | 5 | 4 | 1 |
| Metria | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Abscess | 6 | 1 | – | – | – | 1 | – | – | – | – | – | – | 2 |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 9 | – | – | – | 2 | – | 2 | 1 | 2 | 2 | – | – | – |
| Tabes Mesenterica | 6 | – | – | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – |
| Phthisis | 92 | – | – | 1 | – | 2 | 1 | 3 | 3 | 6 | 13 | 14 | 11 |
| Hydrocephalus | 13 | – | – | 3 | 5 | 2 | 1 | – | 2 | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 22 | 22 | 23 | 25 | 26 | 25 | 26 | 19 | 24 | 14 | 17 | 8 | 1 | – | – | 1 |
| SPECIFIED CAUSES | 19 | 21 | 22 | 25 | 23 | 25 | 26 | 19 | 24 | 14 | 17 | 8 | 1 | – | – | 1 |
| Zymotic Class | 2 | 3 | 2 | 1 | 2 | 2 | 2 | – | 3 | – | 3 | 1 | – | – | – | – |
| Uncertain Seat | – | – | 1 | 4 | 8 | 6 | 4 | – | 1 | 1 | – | – | 1 | – | – | – |
| Tubercular Class | 9 | 6 | 5 | 5 | 6 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 3 | 2 | 3 | 2 | – | 5 | 5 | 3 | 4 | – | – | – | – | – | – | – |
| Heart, etc. | – | – | 3 | 2 | – | 2 | 4 | 1 | 2 | – | – | – | – | – | – | – |
| Respiratory Organs | 1 | 2 | 1 | 4 | 3 | 4 | 4 | 3 | 4 | 3 | 3 | – | – | – | – | – |
| Digestive Organs | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | 2 | 3 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 9 | 7 | 9 | 10 | 7 | – | – | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | 1 | – | 2 | – | – | – | – | 2 | – | 1 | – | – | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | – | – | – | 1 | – | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 2 | – | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Metria | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | 1 | – | 3 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Abscess | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | 2 | 7 | 3 | 2 | – | – | – | – | – | 1 | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 9 | 6 | 5 | 5 | 6 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 7 | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | 1 |
| Apoplexy | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 8 | 3 | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Brain Disease | 8 | – | – | – | – | – | 1 | – | 1 | – | 1 | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 19 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 72 | 4 | 6 | 8 | 19 | 4 | 4 | 1 | 1 | 1 | 1 | 2 | – |
| Pleurisy | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 25 | 1 | – | 3 | 4 | 3 | 1 | 3 | 1 | – | – | 1 | 2 |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 12 | – | – | 10 | 2 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Enteritis | 8 | 1 | 1 | – | – | 2 | – | – | – | 1 | – | – | 1 |
| Peritonitis | 5 | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Jaundice | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Liver Disease | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ovarian Dropsy | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 8 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – |
| Fracture and Contusion | 6 | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 43 | 8 | 3 | 6 | 4 | 4 | 1 | 1 | 5 | 3 | – | – | – |

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 2 | – | – | 3 | 3 | – | – | – | – | – | – | – | – |
| Paralysis | – | 1 | – | – | – | 2 | 1 | – | 4 | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | 3 | 2 | – | 1 | 4 | 1 | 2 | – | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 4 | 3 | 2 | 2 | 2 | 3 | 2 | 3 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | 2 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 3 | 1 | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| All Causes | 4168 | 386 | 122 | 265 | 366 | 208 | 132 | 96 | 168 | 62 | 103 | 176 | 177 |
| Specified Causes | 4138 | 382 | 120 | 263 | 364 | 205 | 131 | 96 | 168 | 61 | 102 | 175 | 177 |
| I. Zymotic Class | 801 | 33 | 32 | 85 | 152 | 102 | 77 | 55 | 83 | 18 | 16 | 27 | 22 |
| II. Diseases of Uncertain Seat | 165 | 1 | – | 2 | – | 3 | 3 | – | 4 | – | 1 | 5 | 4 |
| III. Tubercular Class | 759 | 20 | 12 | 53 | 81 | 39 | 18 | 8 | 40 | 16 | 45 | 85 | 81 |
| IV. Brain and Nervous System | 433 | 38 | 8 | 11 | 13 | 12 | 8 | 7 | 13 | 6 | 6 | 5 | 20 |
| V. Organs of Circulation | 235 | – | – | – | – | 1 | – | 2 | 3 | 3 | 7 | 5 | 8 |
| VI. Respiratory Organs | 624 | 54 | 24 | 75 | 65 | 26 | 17 | 12 | 11 | 4 | 7 | 14 | 13 |
| VII. Organs of Digestion | 301 | 31 | 13 | 20 | 31 | 7 | 3 | 3 | 7 | 7 | 7 | 7 | 6 |
| VIII. Urinary Organs | 92 | 1 | – | – | – | 1 | – | 2 | 2 | 1 | 2 | 6 | 6 |
| IX. Organs of Generation | 41 | – | – | – | – | – | – | – | – | – | 1 | 9 | 9 |
| X. Organs of Locomotion | 28 | – | – | – | – | 1 | – | 1 | 1 | 3 | 3 | 3 | – |
| XI. Skin, etc. | 3 | 1 | – | – | – | – | – | – | – | – | – | 2 | – |
| XII. Malformation | 11 | 10 | – | – | 1 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 224 | 138 | 27 | 14 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 40 | – | – | – | 16 | 6 | 2 | 2 | 3 | – | 1 | – | – |
| XV. Age | 254 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 126 | 10 | 4 | 3 | 5 | 7 | 3 | 4 | 1 | 3 | 6 | 7 | 8 |
| I. Small Pox | 46 | 4 | 3 | 8 | 11 | 3 | 3 | 4 | 3 | – | – | 1 | 4 |
| Measles | 115 | – | 2 | 16 | 50 | 19 | 12 | 9 | 4 | – | 1 | – | – |
| Scarlatina | 193 | – | 3 | 11 | 29 | 33 | 31 | 28 | 40 | 7 | 3 | 3 | 1 |
| Diphtheria | 11 | 1 | – | 1 | 1 | – | 2 | – | 2 | 2 | – | – | – |
| Hooping Cough | 154 | 8 | 14 | 35 | 43 | 22 | 18 | 4 | 10 | – | – | – | – |
| Croup | 23 | – | – | 3 | 7 | 5 | 1 | 3 | 4 | – | – | – | – |
| Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 52 | 6 | 5 | 5 | 4 | 7 | 2 | – | – | – | – | 2 | 1 |
| Dysentery | 17 | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Cholera | 9 | – | 1 | 3 | – | 2 | 1 | – | – | – | – | – | – |
| Influenza | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 4 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 111 | 1 | 1 | – | 4 | 10 | 6 | 6 | 17 | 7 | 10 | 13 | 10 |
| Metria | 16 | – | – | – | – | – | – | – | – | – | 2 | 6 | 3 |
| Rheumatic Fever | 10 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | 2 |
| Erysipelas | 19 | 5 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Syphilis | 14 | 5 | 2 | 2 | – | – | – | – | – | – | – | 1 | 1 |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 26 | – | – | 1 | – | 2 | 2 | – | 3 | – | – | 1 | – |
| Abscess | 9 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | 3 |
| Ulcer | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 10 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 |
| Cancer | 110 | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 59 | 1 | 2 | 4 | 10 | 8 | 3 | 1 | 7 | 3 | 4 | 5 | 2 |
| Tabes Mesenterica | 77 | 14 | 3 | 9 | 20 | 9 | 4 | 1 | 6 | 5 | 2 | 1 | – |
| Phthisis | 483 | 1 | – | 3 | 11 | 3 | 2 | 2 | 11 | 7 | 39 | 77 | 78 |
| Hydrocephalus | 140 | 4 | 7 | 37 | 40 | 19 | 9 | 4 | 16 | 1 | – | 2 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 168 | 165 | 155 | 163 | 147 | 171 | 199 | 183 | 206 | 164 | 112 | 48 | 19 | 5 | 2 | – |
| Specified Causes | 165 | 163 | 153 | 162 | 145 | 170 | 197 | 183 | 206 | 164 | 112 | 48 | 19 | 5 | 2 | – |
| Zymotic Class | 13 | 9 | 9 | 12 | 7 | 9 | 14 | 9 | 9 | 5 | 3 | – | – | – | – | – |
| Uncertain Seat | 6 | 8 | 18 | 13 | 18 | 21 | 17 | 22 | 8 | 5 | 4 | 2 | – | – | – | – |
| Tubercular Class | 66 | 60 | 42 | 32 | 19 | 16 | 13 | 6 | 5 | 1 | – | – | – | – | 1 | – |
| Brain, etc. | 19 | 13 | 24 | 18 | 23 | 34 | 33 | 33 | 37 | 33 | 13 | 6 | – | – | – | – |
| Heart, etc. | 13 | 22 | 16 | 21 | 24 | 19 | 19 | 21 | 23 | 20 | 5 | 3 | – | – | – | – |
| Respiratory Organs | 16 | 11 | 15 | 25 | 21 | 36 | 51 | 44 | 42 | 18 | 14 | 7 | 2 | – | – | – |
| Digestive Organs | 5 | 8 | 12 | 22 | 18 | 22 | 21 | 14 | 22 | 13 | 1 | 1 | – | – | – | – |
| Urinary Organs | 12 | 8 | 5 | 4 | 4 | 3 | 11 | 10 | 7 | 1 | 5 | 1 | – | – | – | – |
| Generative Organs | 5 | 10 | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 2 | – | 4 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | 1 | 5 | 3 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 9 | 18 | 48 | 64 | 65 | 27 | 17 | 5 | 1 | – |
| Sudden Deaths | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 7 | 14 | 4 | 11 | 5 | 4 | 7 | 3 | 4 | 3 | 2 | 1 | – | – | – | – |
| Small Pox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | – | – | 2 | 2 | 4 | 4 | 3 | 2 | 2 | – | – | – | – | – | – |
| Dysentery | 1 | 1 | 1 | – | 1 | 2 | 5 | 2 | – | – | – | – | – | – | – | – |
| Cholera | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 2 | 3 | 3 | 2 | 2 | 1 | 3 | 5 | 1 | 2 | – | – | – | – | – |
| Metria | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | 1 | – | 1 | 1 | 1 | 2 | – | – | 1 | 1 | – | – | – | – | – |
| Syphilis | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | – | 3 | – | 3 | 2 | – | 4 | 1 | – | 3 | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 2 | 3 | 1 | – | 1 | – | – | – | – |
| Cancer | 4 | 7 | 13 | 13 | 14 | 18 | 14 | 14 | 4 | 4 | 1 | 1 | – | – | – | – |
| Gout | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 3 | 2 | – | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 62 | 58 | 42 | 29 | 18 | 15 | 13 | 6 | 4 | 1 | – | – | – | – | 1 | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 25 | 1 | 2 | 2 | 2 | 2 | 2 | 1 | 3 | 1 | 2 | 1 | 2 |
| Apoplexy | 82 | – | 1 | – | – | 2 | – | – | 2 | 1 | – | – | 2 |
| Paralysis | 121 | – | – | – | – | – | – | – | – | – | – | – | 4 |
| Delirium Tremens | 6 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 14 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 2 |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 21 | – | – | – | – | – | – | – | – | – | – | 2 | 4 |
| Convulsions | 61 | 34 | 3 | 6 | 8 | 3 | 4 | 2 | 1 | – | – | – | – |
| Brain Disease | 102 | 2 | 2 | 3 | 3 | 5 | 2 | 4 | 7 | 3 | 3 | 1 | 4 |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 17 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 216 | – | – | – | – | 1 | – | 2 | 3 | 3 | 7 | 5 | 7 |
| VI. Laryngitis | 12 | – | 1 | – | 3 | – | – | 1 | 3 | – | – | 1 | – |
| Bronchitis | 411 | 45 | 15 | 62 | 51 | 15 | 12 | 9 | 4 | 3 | 2 | 5 | 5 |
| Pleurisy | 23 | – | – | – | – | 2 | – | 1 | – | 1 | – | 1 | 3 |
| Pneumonia | 105 | 7 | 6 | 12 | 11 | 6 | 4 | 1 | 4 | – | 3 | 5 | 3 |
| Asthma | 38 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Lung Disease | 35 | 2 | 2 | 1 | – | 3 | 1 | – | – | – | 1 | 2 | 2 |
| VII. Teething | 41 | – | 4 | 13 | 22 | 2 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Gastritis | 5 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Enteritis | 47 | 6 | 6 | 3 | 4 | 4 | 1 | 2 | 2 | 1 | 1 | – | – |
| Peritonitis | 27 | 6 | 2 | – | 2 | – | 1 | – | 1 | 1 | 3 | 2 | 2 |
| Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 17 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Hernia | 10 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Ileus | 14 | 2 | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| Intussusception | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 69 | 13 | – | 1 | 2 | – | – | 1 | 1 | 4 | 1 | 2 | – |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 8 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 48 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | 1 |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 5 | – | – | – | – | – | – | – | 2 | – | – | 1 | – |
| Nephria | 36 | – | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 | 3 |
| Ischuria | 3 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 9 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 34 | – | – | – | – | – | – | 1 | – | – | – | 3 | 3 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ovarian Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Childbirth | 24 | – | – | – | – | – | – | – | – | – | 1 | 6 | 6 |
| Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| X. Arthritis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | 7 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Joint and Bone Disease | 19 | – | – | – | – | 1 | – | 1 | 1 | 2 | 2 | 2 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 8 | 7 | – | – | 1 | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 11 | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Burns and Scalds | 16 | – | – | 1 | 4 | 5 | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 7 | 3 | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – |
| Drowning | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fracture and Contusion | 48 | – | – | – | – | 1 | – | 2 | 1 | 3 | 4 | 5 | 2 |
| Wounds | 12 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 |
| Other Violent Causes | 8 | 1 | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Not Specified | 30 | 4 | 2 | 2 | 2 | 3 | 1 | – | – | 1 | 1 | 1 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 2 | 4 | 6 | 5 | 7 | 10 | 14 | 8 | 9 | 3 | 4 | 2 | – | – | – | – |
| Paralysis | 4 | 1 | 6 | 8 | 6 | 12 | 13 | 12 | 23 | 21 | 7 | 4 | – | – | – | – |
| Delirium Tremens | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | 1 | 1 | – | – | 2 | – | – | – | 2 | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | 2 | 1 | 1 | 1 | 1 | 1 | 3 | – | 2 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | 3 | 7 | 3 | 9 | 9 | 5 | 10 | 5 | 5 | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | 2 | 2 | 3 | 4 | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| Heart Disease | 12 | 20 | 14 | 17 | 19 | 18 | 19 | 20 | 23 | 18 | 5 | 3 | – | – | – | – |
| Laryngitis | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 5 | 4 | 8 | 11 | 13 | 21 | 32 | 32 | 28 | 12 | 9 | 6 | 2 | – | – | – |
| Pleurisy | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 3 | – | – | 1 | – | – | – | – |
| Pneumonia | 5 | 2 | 4 | 9 | 1 | 5 | 4 | 2 | 4 | 4 | 3 | – | – | – | – | – |
| Asthma | – | 3 | – | 1 | 1 | 6 | 9 | 6 | 7 | 2 | 2 | – | – | – | – | – |
| Lung Disease | 4 | – | 2 | 2 | 4 | 3 | 4 | 2 | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Enteritis | – | 2 | – | – | 2 | 2 | 3 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Peritonitis | 1 | 1 | – | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | 1 | 2 | 2 | 2 | 3 | – | 3 | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | 1 | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – |
| Ileus | – | – | – | 2 | – | – | – | 1 | 4 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | 5 | 5 | 5 | 5 | 6 | 2 | 11 | 4 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Liver Disease | 2 | – | 4 | 7 | 6 | 7 | 8 | 4 | 3 | 2 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Nephria | 6 | 5 | 3 | 2 | 2 | 1 | 4 | – | 4 | – | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | 1 | 1 | – | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cystitis | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 4 | 1 | – | – | 1 | 2 | 6 | 8 | – | – | 4 | 1 | – | – | – | – |
| Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Joint Disease | 2 | – | 3 | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 3 | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 4 | 6 | 2 | 4 | 2 | 1 | – | 2 | 3 | 3 | 2 | 1 | – | – | – | – |
| Wounds | 1 | 3 | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | 2 | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 2060 | 205 | 64 | 139 | 174 | 110 | 65 | 54 | 90 | 35 | 53 | 102 | 72 |
| SPECIFIED CAUSES | 2046 | 204 | 62 | 139 | 173 | 110 | 64 | 54 | 90 | 34 | 53 | 101 | 72 |
| I. Zymotic Class | 361 | 20 | 20 | 29 | 63 | 45 | 38 | 29 | 41 | 10 | 7 | 15 | 5 |
| II. Diseases of Uncertain Seat | 61 | – | – | – | – | 3 | – | – | 1 | – | – | 2 | 2 |
| III. Tubercular Class | 412 | 14 | 5 | 32 | 50 | 23 | 9 | 5 | 26 | 9 | 22 | 50 | 36 |
| IV. Brain and Nervous System | 229 | 20 | 2 | 9 | 6 | 8 | 3 | 4 | 9 | 5 | 5 | 4 | 13 |
| V. Organs of Circulation | 112 | – | – | – | – | – | – | – | – | – | 3 | 3 | 4 |
| VI. Respiratory Organs | 322 | 33 | 15 | 46 | 30 | 18 | 8 | 8 | 4 | – | 4 | 6 | 3 |
| VII. Organs of Digestion | 153 | 19 | 6 | 12 | 18 | 2 | 2 | 2 | 4 | 5 | 4 | 5 | 2 |
| VIII. Urinary Organs | 63 | 1 | – | – | – | 1 | – | 1 | 2 | 1 | 1 | 5 | 2 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 15 | – | – | – | – | 1 | – | 1 | – | 2 | 1 | 3 | – |
| XI. Skin, etc. | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| XII. Malformation | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 104 | 81 | 14 | 9 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 15 | – | – | – | 3 | 4 | 2 | 2 | 2 | – | – | – | – |
| XV. Age | 108 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 82 | 8 | – | 2 | 3 | 5 | 2 | 2 | 1 | 2 | 6 | 7 | 5 |
| I. Small Pox | 24 | 2 | 2 | 4 | 6 | 3 | 2 | 1 | 1 | – | – | 1 | 1 |
| Measles | 43 | – | 1 | 5 | 20 | 6 | 4 | 4 | 2 | – | 1 | – | – |
| Scarlatina | 96 | – | 3 | 6 | 13 | 14 | 15 | 14 | 20 | 5 | – | 2 | – |
| Diphtheria | 4 | – | – | – | – | – | 2 | – | 1 | – | – | – | – |
| Hooping Cough | 61 | 2 | 9 | 8 | 16 | 9 | 9 | 2 | 6 | – | – | – | – |
| Croup | 12 | – | – | 1 | 2 | 3 | 1 | 3 | 2 | – | – | – | – |
| Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 26 | 4 | 1 | 3 | 3 | 4 | 2 | – | – | – | – | 1 | 1 |
| Dysentery | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cholera | 5 | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 56 | 1 | 1 | – | 1 | 5 | 1 | 4 | 7 | 4 | 6 | 10 | 3 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 5 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Erysipelas | 12 | 4 | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Syphilis | 9 | 5 | 2 | – | – | – | – | – | – | – | – | 1 | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 8 | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Abscess | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 2 |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cancer | 39 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 33 | – | 1 | 1 | 5 | 4 | 3 | – | 5 | 3 | 4 | 2 | 1 |
| Tabes Mesenterica | 45 | 10 | 2 | 4 | 12 | 7 | – | 1 | 4 | 1 | 2 | 1 | – |
| Phthisis | 246 | 1 | – | 2 | 5 | 2 | 2 | 1 | 7 | 4 | 16 | 45 | 35 |
| Hydrocephalus | 88 | 3 | 2 | 25 | 28 | 10 | 4 | 3 | 10 | 1 | – | 2 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 75 | 76 | 78 | 84 | 63 | 80 | 99 | 91 | 92 | 74 | 59 | 18 | 5 | 2 | 1 | – |
| SPECIFIED CAUSES | 72 | 76 | 78 | 83 | 61 | 79 | 99 | 91 | 92 | 74 | 59 | 18 | 5 | 2 | 1 | – |
| Zymotic Class | 5 | 3 | 2 | 6 | 4 | 5 | 3 | 2 | 5 | 1 | 3 | – | – | – | – | – |
| Uncertain Seat | 2 | 5 | 6 | 3 | 7 | 7 | 8 | 6 | 4 | 3 | 2 | – | – | – | – | – |
| Tubercular Class | 31 | 33 | 23 | 17 | 8 | 5 | 6 | 5 | 3 | – | – | – | – | – | – | – |
| Brain, etc. | 7 | 6 | 9 | 10 | 7 | 18 | 23 | 18 | 17 | 18 | 5 | 3 | – | – | – | – |
| Heart, etc. | 5 | 7 | 9 | 14 | 12 | 8 | 9 | 14 | 11 | 9 | 3 | 1 | – | – | – | – |
| Respiratory Organs | 7 | 4 | 10 | 13 | 12 | 22 | 21 | 20 | 18 | 11 | 7 | 2 | – | – | – | – |
| Digestive Organs | 3 | 4 | 9 | 8 | 6 | 7 | 12 | 7 | 11 | 5 | – | – | – | – | – | – |
| Urinary Organs | 5 | 6 | 3 | 4 | 2 | 3 | 8 | 8 | 5 | 1 | 4 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | 3 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 8 | 18 | 24 | 35 | 12 | 5 | 2 | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 6 | 8 | 4 | 7 | 2 | 2 | 5 | 3 | – | 2 | – | – | – | – | – | – |
| Small Pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | – | 1 | – | 1 | 2 | – | 2 | 3 | – | 2 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Syphilis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | – | 2 | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| Cancer | 1 | 4 | 2 | 3 | 6 | 7 | 6 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Gout | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 29 | 32 | 23 | 16 | 8 | 4 | 6 | 5 | 3 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 12 | – | – | 2 | 1 | 2 | – | – | 1 | 1 | 1 | 1 | 1 |
| Apoplexy | 43 | – | 1 | – | – | 1 | – | – | 2 | – | – | – | 2 |
| Paralysis | 62 | – | – | – | – | – | – | – | – | – | – | – | 3 |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 9 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 7 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Convulsions | 30 | 18 | – | 5 | 4 | 1 | 1 | 1 | – | – | – | – | – |
| Brain Disease | 63 | 2 | 1 | 2 | 1 | 4 | 2 | 3 | 6 | 3 | 3 | 1 | 4 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 98 | – | – | – | – | – | – | – | – | – | 3 | 3 | 3 |
| VI. Laryngitis | 6 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Bronchitis | 216 | 26 | 9 | 38 | 25 | 12 | 6 | 6 | 2 | – | 2 | 2 | – |
| Pleurisy | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia | 54 | 5 | 4 | 7 | 4 | 3 | 1 | – | 1 | – | 1 | 4 | 2 |
| Asthma | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 23 | 2 | 1 | 1 | – | 3 | 1 | – | – | – | 1 | – | 1 |
| VII. Teething | 26 | – | 2 | 10 | 13 | 1 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Enteritis | 23 | 5 | 1 | – | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – |
| Peritonitis | 11 | 2 | 2 | – | 1 | – | – | – | 1 | 1 | 1 | 1 | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 10 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Hernia | 4 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Ileus | 11 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 26 | 9 | – | – | – | – | – | 1 | – | 2 | 1 | 1 | – |
| Pancreas Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 29 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 5 | – | – | – | – | – | – | – | 2 | – | – | 1 | – |
| Nephria | 21 | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – |
| Ischuria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Stone | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 26 | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 12 | – | – | – | – | 1 | – | 1 | – | 2 | 1 | 2 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 4 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 10 | – | – | 1 | 2 | 4 | 1 | – | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 5 | 2 | – | 1 | 1 | – | – | – | – | – | 1 | – | – |
| Drowning | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Fracture and Contusion | 32 | – | – | – | – | 1 | – | 1 | 1 | 2 | 4 | 5 | 1 |
| Wounds | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Other Violent Causes | 8 | 1 | – | – | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Not Specified | 14 | 1 | 2 | – | 1 | – | 1 | – | – | 1 | – | 1 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 1 | 3 | 1 | 1 | 6 | 13 | 4 | 3 | 2 | 1 | 1 | – | – | – | – |
| Paralysis | 2 | 1 | 3 | 6 | 3 | 4 | 7 | 6 | 10 | 12 | 3 | 2 | – | – | – | – |
| Delirium Tremens | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | 1 | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | 2 | – | 2 | 2 | 6 | 3 | 7 | 4 | 2 | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | 2 | 2 | 1 | 4 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Heart Disease | 4 | 5 | 7 | 12 | 8 | 8 | 9 | 13 | 11 | 8 | 3 | 1 | – | – | – | – |
| Laryngitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 6 | 4 | 8 | 11 | 13 | 15 | 13 | 9 | 6 | 2 | – | – | – | – |
| Pleurisy | – | 1 | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| Pneumonia | 2 | 1 | 3 | 6 | – | 4 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| Asthma | – | 1 | – | 1 | 1 | 4 | 4 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| Lung Disease | 3 | – | 1 | 1 | 3 | 3 | – | 2 | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | 1 | – | – | – | – | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | – | – | – | 4 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 3 | 1 | – | 1 | 2 | – | 5 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 4 | 2 | 3 | 4 | 6 | 3 | – | 1 | – | – | – | – | – | – |
| Spleen Disease | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Nephria | 3 | 3 | 2 | 2 | 1 | 1 | 1 | – | 3 | – | 1 | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | 1 | – | 2 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | 1 | – | – | – | 2 | 6 | 7 | – | – | 3 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | 1 | – | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 4 | 4 | 2 | 3 | – | – | – | 2 | – | 2 | – | – | – | – | – | – |
| Wounds | 1 | 3 | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| ALL CAUSES | 2108 | 181 | 58 | 126 | 192 | 98 | 67 | 42 | 78 | 27 | 50 | 74 | 105 |
| SPECIFIED CAUSES | 2092 | 178 | 58 | 124 | 191 | 95 | 67 | 42 | 78 | 27 | 49 | 74 | 105 |
| I. Zymotic Class | 440 | 13 | 12 | 56 | 89 | 57 | 39 | 26 | 42 | 8 | 9 | 12 | 17 |
| II. Diseases of Uncertain Seat | 104 | 1 | – | 2 | – | – | 3 | – | 3 | – | 1 | 3 | 2 |
| III. Tubercular Class | 347 | 6 | 7 | 21 | 31 | 16 | 9 | 3 | 14 | 7 | 23 | 35 | 45 |
| IV. Brain and Nervous System | 204 | 18 | 6 | 2 | 7 | 4 | 5 | 3 | 4 | 1 | 1 | 1 | 7 |
| V. Organs of Circulation | 123 | – | – | – | – | 1 | – | 2 | 3 | 3 | 4 | 2 | 4 |
| VI. Respiratory Organs | 302 | 21 | 9 | 29 | 35 | 8 | 9 | 4 | 7 | 4 | 3 | 8 | 10 |
| VII. Organs of Digestion | 148 | 12 | 7 | 8 | 13 | 5 | 1 | 1 | 3 | 2 | 3 | 2 | 4 |
| VIII. Urinary Organs | 29 | – | – | – | – | – | – | 1 | – | – | 1 | 1 | 4 |
| IX. Organs of Generation | 41 | – | – | – | – | – | – | – | – | – | 1 | 9 | 9 |
| X. Organs of Locomotion | 13 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XII. Malformation | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 120 | 102 | 13 | 5 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 25 | – | – | – | 13 | 2 | – | – | 1 | – | 1 | – | – |
| XV. Age | 146 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 44 | 2 | 4 | 1 | 2 | 2 | 1 | 2 | – | 1 | – | – | 3 |
| I. Small Pox | 22 | 2 | 1 | 4 | 5 | – | 1 | 3 | 2 | – | – | – | 3 |
| Measles | 72 | – | 1 | 11 | 30 | 13 | 8 | 5 | 2 | – | – | – | – |
| Scarlatina | 97 | – | – | 5 | 16 | 19 | 16 | 14 | 20 | 2 | 3 | 1 | 1 |
| Diphtheria | 7 | 1 | – | 1 | 1 | – | – | – | 1 | 2 | – | – | – |
| Hooping Cough | 93 | 6 | 5 | 27 | 27 | 13 | 9 | 2 | 4 | – | – | – | – |
| Croup | 11 | – | – | 2 | 5 | 2 | – | – | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 26 | 2 | 4 | 2 | 1 | 3 | – | – | – | – | – | 1 | – |
| Dysentery | 14 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Cholera | 4 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Influenza | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 55 | – | – | – | 3 | 5 | 5 | 2 | 10 | 3 | 4 | 3 | 7 |
| Metria | 16 | – | – | – | – | – | – | – | – | – | 2 | 6 | 3 |
| Rheumatic Fever | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 2 |
| Erysipelas | 7 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Syphilis | 5 | – | – | 2 | – | – | – | – | – | – | – | – | 1 |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 18 | – | – | 1 | – | – | 2 | – | 3 | – | – | 1 | – |
| Abscess | 4 | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| Ulcer | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Cancer | 71 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 26 | 1 | 1 | 3 | 5 | 4 | – | 1 | 2 | – | – | 3 | 1 |
| Tabes Mesenterica | 32 | 4 | 1 | 5 | 8 | 2 | 4 | – | 2 | 4 | – | – | – |
| Phthisis | 237 | – | – | 1 | 6 | 1 | – | 1 | 4 | 3 | 23 | 32 | 43 |
| Hydrocephalus | 52 | 1 | 5 | 12 | 12 | 9 | 5 | 1 | 6 | – | – | – | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 93 | 89 | 77 | 79 | 84 | 91 | 100 | 92 | 114 | 90 | 53 | 30 | 14 | 3 | 1 | – |
| SPECIFIED CAUSES | 93 | 87 | 75 | 79 | 84 | 91 | 98 | 92 | 114 | 90 | 53 | 30 | 14 | 3 | 1 | – |
| Zymotic Class | 8 | 6 | 7 | 6 | 3 | 4 | 11 | 7 | 4 | 4 | – | – | – | – | – | – |
| Uncertain Seat | 4 | 3 | 12 | 10 | 11 | 14 | 9 | 16 | 4 | 2 | 2 | 2 | – | – | – | – |
| Tubercular Class | 35 | 27 | 19 | 15 | 11 | 11 | 7 | 1 | 2 | 1 | – | – | – | – | 1 | – |
| Brain, etc. | 12 | 7 | 15 | 8 | 16 | 16 | 10 | 15 | 20 | 15 | 8 | 3 | – | – | – | – |
| Heart, etc. | 8 | 15 | 7 | 7 | 12 | 11 | 10 | 7 | 12 | 11 | 2 | 2 | – | – | – | – |
| Respiratory Organs | 9 | 7 | 5 | 12 | 9 | 14 | 30 | 24 | 24 | 7 | 7 | 5 | 2 | – | – | – |
| Digestive Organs | 2 | 4 | 3 | 14 | 12 | 15 | 9 | 7 | 11 | 8 | 1 | 1 | – | – | – | – |
| Urinary Organs | 7 | 2 | 2 | – | 2 | – | 3 | 2 | 2 | – | 1 | 1 | – | – | – | – |
| Generative Organs | 5 | 10 | 4 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | 1 | 1 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | – | – | 1 | 4 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 6 | 10 | 30 | 40 | 30 | 15 | 12 | 3 | – | – |
| Sudden Deaths | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 6 | – | 4 | 3 | 2 | 2 | – | 4 | 1 | 2 | 1 | – | – | – | – |
| Small Pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 1 | – | – | 1 | – | 3 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| Dysentery | 1 | 1 | 1 | – | 1 | 1 | 5 | 2 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | 2 | 2 | 3 | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Metria | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | 1 | – | 3 | 2 | – | 2 | 1 | – | 2 | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – |
| Cancer | 3 | 3 | 11 | 10 | 8 | 11 | 8 | 11 | 2 | 2 | – | 1 | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 2 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 33 | 26 | 19 | 13 | 10 | 11 | 7 | 1 | 1 | 1 | – | – | – | – | 1 | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 13 | 1 | 2 | – | 1 | – | 2 | 1 | 2 | – | 1 | – | 1 |
| Apoplexy | 39 | – | – | – | – | 1 | – | – | – | 1 | – | – | – |
| Paralysis | 59 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tetanus | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Convulsions | 31 | 16 | 3 | 1 | 4 | 2 | 3 | 1 | 1 | – | – | – | – |
| Brain Disease | 39 | – | 1 | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 118 | – | – | – | – | 1 | – | 2 | 3 | 3 | 4 | 2 | 4 |
| VI. Laryngitis | 6 | – | – | – | 2 | – | – | – | 2 | – | – | 1 | – |
| Bronchitis | 195 | 19 | 6 | 24 | 26 | 3 | 6 | 3 | 2 | 3 | – | 3 | 5 |
| Pleurisy | 17 | – | – | – | – | 2 | – | – | – | 1 | – | 1 | 3 |
| Pneumonia | 51 | 2 | 2 | 5 | 7 | 3 | 3 | 1 | 3 | – | 2 | 1 | 1 |
| Asthma | 21 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Lung Disease | 12 | – | 1 | – | – | – | – | – | – | – | – | 2 | 1 |
| VII. Teething | 15 | – | 2 | 3 | 9 | 1 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Enteritis | 24 | 1 | 5 | 3 | 1 | 3 | – | 1 | 1 | – | 1 | – | – |
| Peritonitis | 16 | 4 | – | – | 1 | – | 1 | – | – | – | 2 | 1 | 2 |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 43 | 4 | – | 1 | 2 | – | – | – | 1 | 2 | – | 1 | 1 |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 15 | – | – | – | – | – | – | – | – | – | 1 | – | 3 |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 8 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| IX. Paramenia | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ovarian Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| Childbirth | 24 | – | – | – | – | – | – | – | – | – | 1 | 6 | 6 |
| Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Joint and Bone Disease | 7 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 4 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 6 | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 6 | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Suffocation | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 16 | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 |
| Wounds | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 16 | 3 | – | 2 | 1 | 3 | – | – | – | – | 1 | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | 3 | 3 | 4 | 6 | 4 | 1 | 4 | 6 | 1 | 3 | 1 | – | – | – | – |
| Paralysis | 2 | – | 3 | 2 | 3 | 8 | 6 | 6 | 13 | 9 | 4 | 2 | – | – | – | – |
| Delirium Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | 2 | 1 | 1 | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | 1 | 7 | 1 | 7 | 3 | 2 | 3 | 1 | 3 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| Heart Disease | 8 | 15 | 7 | 5 | 11 | 10 | 10 | 7 | 12 | 10 | 2 | 2 | – | – | – | – |
| Laryngitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 4 | 4 | 2 | 7 | 5 | 10 | 19 | 17 | 15 | 3 | 3 | 4 | 2 | – | – | – |
| Pleurisy | 1 | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| Pneumonia | 3 | 1 | 1 | 3 | 1 | 1 | 1 | – | 3 | 4 | 3 | – | – | – | – | – |
| Asthma | – | 2 | – | – | – | 2 | 5 | 5 | 5 | – | 1 | – | – | – | – | – |
| Lung Disease | 1 | – | 1 | 1 | 1 | – | 4 | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| Enteritis | – | 1 | – | – | 2 | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Peritonitis | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | 1 | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | 1 | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | 1 | 2 | 4 | 5 | 4 | 4 | 2 | 6 | 4 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | – | – | – | 5 | 3 | 3 | 2 | 1 | 3 | 1 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | 2 | 1 | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| Joint Disease | 1 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | 2 | – | 1 | 2 | 1 | – | – | 3 | 1 | 2 | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | 2 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 2499 | 313 | 100 | 211 | 243 | 152 | 110 | 65 | 143 | 53 | 75 | 74 | 63 |
| Specified Causes | 2435 | 289 | 94 | 208 | 239 | 151 | 109 | 65 | 139 | 53 | 72 | 73 | 62 |
| I. Zymotic Class | 651 | 29 | 29 | 68 | 107 | 98 | 71 | 39 | 77 | 17 | 11 | 7 | 12 |
| II. Diseases of Uncertain Seat | 76 | 1 | 2 | – | 2 | 1 | 3 | 3 | 5 | 1 | 2 | – | 3 |
| III. Tubercular Class | 391 | 4 | 13 | 22 | 37 | 26 | 13 | 11 | 24 | 14 | 37 | 43 | 19 |
| IV. Brain and Nervous System | 178 | 31 | 5 | 7 | 6 | 3 | 5 | 1 | 9 | 5 | 7 | 3 | 2 |
| V. Organs of Circulation | 108 | – | 1 | – | 1 | – | 1 | – | 1 | 1 | 4 | 2 | 5 |
| VI. Respiratory Organs | 368 | 27 | 25 | 54 | 40 | 17 | 9 | 7 | 11 | 4 | 2 | 4 | 8 |
| VII. Organs of Digestion | 211 | 19 | 10 | 54 | 36 | 4 | 4 | 2 | 4 | 3 | 2 | 4 | 2 |
| VIII. Urinary Organs | 29 | 1 | – | – | – | 1 | – | 1 | 2 | 2 | 4 | – | 3 |
| IX. Organs of Generation | 17 | – | – | – | – | – | – | – | – | – | – | 4 | 5 |
| X. Organs of Locomotion | 13 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | – |
| XI. Skin, etc. | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 176 | 168 | 6 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 5 | – | – | – | – | 1 | – | – | – |
| XV. Age | 133 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 10 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 60 | 4 | 1 | – | 5 | 1 | 3 | 1 | 6 | 3 | 2 | 4 | 3 |
| I. Small Pox | 148 | 7 | 6 | 24 | 30 | 25 | 24 | 7 | 14 | 3 | 3 | 1 | 2 |
| Measles | 33 | – | 1 | 7 | 7 | 9 | 4 | 2 | 2 | 1 | – | – | – |
| Scarlatina | 121 | 1 | 2 | 5 | 22 | 19 | 13 | 16 | 34 | 3 | 1 | 1 | 1 |
| Diphtheria | 35 | – | 1 | 2 | 6 | 14 | 3 | 2 | 6 | – | – | – | – |
| Hooping Cough | 17 | 1 | 3 | 4 | 2 | 3 | 2 | – | 2 | – | – | – | – |
| Croup | 98 | 4 | 3 | 12 | 22 | 22 | 18 | 10 | 7 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 40 | 6 | 4 | 9 | 7 | 1 | 1 | – | 1 | 2 | – | – | – |
| Dysentery | 24 | 2 | 4 | 2 | 3 | – | 1 | – | 2 | – | – | – | – |
| Cholera | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 10 | – | – | – | 1 | 1 | 1 | – | 2 | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | 85 | – | 1 | – | 5 | 3 | 4 | 2 | 7 | 8 | 7 | 3 | 6 |
| Metria | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 9 | 2 | – | 2 | – | – | – | – | – | – | – | 1 | 1 |
| Syphilis | 14 | 5 | 3 | 1 | 1 | – | – | – | – | – | – | – | – |
| Noma | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 50 | 1 | 1 | – | 1 | 1 | 3 | 3 | 5 | 1 | 1 | – | – |
| Abscess | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 14 | – | – | – | 1 | – | 1 | 1 | 4 | 1 | 3 | 3 | – |
| Tabes Mesenterica | 15 | – | – | 2 | 6 | 3 | – | 1 | 1 | 1 | 1 | – | – |
| Phthisis | 282 | – | 5 | 6 | 13 | 6 | 6 | 3 | 13 | 11 | 33 | 40 | 19 |
| Hydrocephalus | 80 | 4 | 8 | 14 | 17 | 17 | 6 | 6 | 6 | 1 | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 82 | 85 | 88 | 84 | 92 | 85 | 93 | 78 | 90 | 57 | 36 | 16 | 7 | 3 | 1 | – |
| Specified Causes | 78 | 82 | 85 | 84 | 90 | 82 | 92 | 78 | 90 | 57 | 36 | 16 | 7 | 3 | 1 | – |
| Zymotic Class | 16 | 12 | 11 | 10 | 6 | 7 | 6 | 10 | 3 | 3 | 1 | 1 | – | – | – | – |
| Uncertain Seat | 2 | 4 | 5 | 3 | 6 | 4 | 9 | 7 | 5 | 5 | 3 | – | – | – | – | – |
| Tubercular Class | 25 | 21 | 21 | 16 | 13 | 11 | 13 | 7 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 4 | 6 | 9 | 9 | 9 | 8 | 17 | 12 | 11 | 7 | 2 | – | – | – | – | – |
| Heart, etc. | 4 | 9 | 7 | 8 | 15 | 9 | 9 | 11 | 14 | 5 | 1 | – | – | – | – | – |
| Respiratory Organs | 10 | 13 | 16 | 23 | 17 | 27 | 24 | 10 | 10 | 5 | 5 | – | – | – | – | – |
| Digestive Organs | 6 | 6 | 11 | 1 | 13 | 11 | 6 | 4 | 6 | 3 | – | – | – | – | – | – |
| Urinary Organs | 1 | 1 | 1 | 3 | 2 | 1 | 1 | – | 3 | 1 | 1 | – | – | – | – | – |
| Generative Organs | 3 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | 1 | – | 2 | 3 | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 16 | 37 | 28 | 23 | 15 | 7 | 3 | 1 | – |
| Sudden Deaths | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 5 | 5 | 3 | 5 | 4 | 2 | 3 | – | – | – | – | – | – | – | – | – |
| Small Pox | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | 1 | 2 | 1 | 2 | – | – | 1 | 1 | – | – | – | – |
| Dysentery | 1 | 1 | 1 | 1 | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Cholera | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 8 | 5 | 7 | 7 | 2 | 4 | 2 | 3 | – | 1 | – | – | – | – | – | – |
| Metria | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Syphilis | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 2 | 3 | 2 | – | – | 5 | 5 | 5 | 4 | 3 | – | – | – | – | – |
| Abscess | – | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 25 | 21 | 21 | 16 | 12 | 11 | 13 | 7 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 9 | – | – | – | – | – | 2 | – | 1 | – | 2 | 1 | – |
| Apoplexy | 31 | – | – | – | – | 1 | – | – | 2 | – | – | – | – |
| Paralysis | 43 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 7 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 55 | 31 | 5 | 7 | 6 | 1 | 2 | 1 | 2 | – | – | – | – |
| Brain Disease | 30 | – | – | – | – | 1 | 1 | – | 2 | 4 | 1 | 2 | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 107 | – | 1 | – | 1 | – | 1 | – | 1 | 1 | 4 | 2 | 5 |
| VI. Laryngitis | 13 | – | 1 | 1 | – | 1 | 2 | – | 3 | 1 | – | 1 | 1 |
| Bronchitis | 205 | 20 | 17 | 44 | 28 | 9 | 4 | 2 | 3 | 1 | 2 | – | – |
| Pleurisy | 11 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Pneumonia | 88 | 6 | 6 | 8 | 12 | 6 | 2 | 4 | 5 | 2 | – | 3 | 5 |
| Asthma | 43 | – | – | 1 | – | – | – | – | – | – | – | – | 2 |
| Lung Disease | 8 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| VII. Teething | 87 | – | 5 | 45 | 33 | 2 | 1 | 1 | – | – | – | – | – |
| Quinsey | 5 | – | – | 1 | 2 | – | 1 | – | – | 1 | – | – | – |
| Gastritis | 5 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Enteritis | 19 | 5 | 3 | 3 | – | 1 | – | – | 1 | 1 | – | 1 | 2 |
| Peritonitis | 12 | 1 | – | – | 1 | – | – | – | 1 | – | 1 | 2 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 11 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 27 | 3 | 1 | 3 | – | 1 | 1 | – | 1 | – | 1 | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 14 | 9 | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | 23 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Nephria | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Ischuria | 3 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 15 | – | – | – | – | 1 | – | – | 2 | – | 3 | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 13 | – | – | – | – | – | – | – | – | – | – | 2 | 5 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 8 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 5 | – | – | – | – | – | – | – | – | 2 | – | 2 | – |
| XI. Carbuncle | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 13 | – | – | – | 3 | 1 | 3 | 1 | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | – | – | – | 1 | – | – | – | 3 | 1 | 1 | – | 1 |
| Fracture and Contusion | 20 | – | 1 | – | 1 | – | – | – | 1 | 2 | – | 4 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Not Specified | 64 | 24 | 6 | 3 | 4 | 1 | 1 | – | 4 | – | 3 | 1 | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | 3 | 1 | 7 | 2 | 3 | 4 | 3 | 4 | – | – | | – | – | – |
| Paralysis | 4 | 2 | 3 | 2 | 1 | 2 | 12 | 5 | 6 | 3 | 1 | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 2 | 3 | 4 | – | 2 | 1 | 3 | 2 | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 4 | 9 | 7 | 8 | 15 | 9 | 9 | 11 | 13 | 5 | 1 | – | – | – | – | – |
| Laryngitis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 5 | 6 | 6 | 8 | 8 | 11 | 11 | 6 | 7 | 2 | 5 | – | – | – | – | – |
| Pleurisy | – | 1 | – | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 2 | 4 | 6 | 4 | 2 | 5 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Asthma | 2 | 2 | 2 | 6 | 5 | 8 | 10 | 2 | 2 | 1 | – | – | – | – | – | – |
| Lung Disease | 1 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 3 | 1 | – | 4 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | 1 | 2 | – | 3 | 4 | 4 | 3 | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | 1 | 3 | – | 6 | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| Spleen Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | 1 | 2 | 1 | – | – | 3 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | – | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | 2 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | 4 | 3 | 3 | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1240 | 176 | 62 | 130 | 121 | 73 | 59 | 37 | 85 | 24 | 38 | 31 | 19 |
| SPECIFIED CAUSES | 1197 | 160 | 59 | 128 | 119 | 73 | 58 | 37 | 82 | 24 | 36 | 31 | 18 |
| I. Zymotic Class | 330 | 16 | 18 | 36 | 53 | 50 | 38 | 21 | 46 | 7 | 6 | 2 | 3 |
| II. Diseases of Uncertain Seat | 26 | – | – | – | 1 | – | 1 | 3 | 2 | 1 | 2 | – | 1 |
| III. Tubercular Class | 185 | 2 | 8 | 15 | 22 | 11 | 8 | 5 | 12 | 3 | 16 | 18 | 5 |
| IV. Brain and Nervous System | 105 | 21 | 5 | 4 | 3 | 3 | 3 | 1 | 8 | 4 | 4 | 2 | 2 |
| V. Organs of Circulation | 53 | – | 1 | – | – | – | 1 | – | 1 | – | 3 | 1 | 3 |
| VI. Respiratory Organs | 179 | 18 | 15 | 34 | 20 | 7 | 4 | 4 | 4 | 3 | 1 | 1 | 2 |
| VII. Organs of Digestion | 106 | 10 | 5 | 38 | 16 | 2 | 2 | 2 | 3 | 1 | 1 | 2 | – |
| VIII. Urinary Organs | 12 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 6 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| XI. Skin, etc. | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 95 | 89 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 4 | – | – | – | 2 | – | – | – | – | 1 | – | – | – |
| XV. Age | 48 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 43 | 3 | 1 | – | 2 | – | 1 | 1 | 5 | 3 | 2 | 4 | 2 |
| I. Small Pox | 75 | 5 | 3 | 11 | 12 | 13 | 15 | 4 | 10 | – | 2 | – | – |
| Measles | 18 | – | 1 | 4 | 3 | 5 | 3 | 1 | 1 | – | – | – | – |
| Scarlatina | 65 | – | 1 | 2 | 14 | 6 | 6 | 10 | 21 | 2 | – | 1 | – |
| Diphtheria | 16 | – | 1 | 1 | 2 | 7 | 2 | – | 3 | – | – | – | – |
| Hooping Cough | 5 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Croup | 50 | 2 | 3 | 7 | 10 | 15 | 7 | 4 | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 26 | 4 | 3 | 6 | 5 | 1 | 1 | – | 1 | 1 | – | – | – |
| Dysentery | 10 | 1 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | – | – |
| Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | 4 | – | – | – | – | – | 1 | – | 2 | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Typhus | 44 | – | 1 | – | 3 | 2 | 2 | 2 | 5 | 4 | 4 | – | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 5 | – | – | 1 | – | – | – | – | – | – | – | 1 | 1 |
| Syphilis | 10 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 18 | – | – | – | 1 | – | 1 | 3 | 2 | 1 | 1 | – | 1 |
| Abscess | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | – | – | – | – | 1 | 3 | – | 2 | 2 | – |
| Tabes Mesenterica | 7 | – | – | 2 | 3 | 1 | – | – | – | – | 1 | – | – |
| Phthisis | 124 | – | 2 | 4 | 8 | 2 | 4 | 1 | 6 | 3 | 13 | 16 | 5 |
| Hydrocephalus | 46 | 2 | 6 | 9 | 11 | 8 | 4 | 3 | 3 | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 34 | 29 | 34 | 35 | 41 | 45 | 48 | 38 | 38 | 23 | 12 | 3 | 4 | – | 1 | – |
| SPECIFIED CAUSES | 31 | 28 | 31 | 35 | 39 | 42 | 47 | 38 | 38 | 23 | 12 | 3 | 4 | – | 1 | – |
| Zymotic Class | 3 | 5 | 5 | 3 | 3 | 4 | 3 | 6 | 1 | 1 | – | – | – | – | – | – |
| Uncertain Seat | – | – | 1 | – | 1 | 3 | 5 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Tubercular Class | 11 | 9 | 7 | 8 | 5 | 7 | 6 | 6 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 3 | 2 | 6 | 4 | 6 | 4 | 6 | 8 | 2 | 3 | 1 | – | – | – | – | – |
| Heart, etc. | 2 | 3 | 1 | 4 | 6 | 6 | 5 | 3 | 10 | 3 | – | – | – | – | – | – |
| Respiratory Organs | 5 | 3 | 6 | 9 | 5 | 11 | 15 | 4 | 4 | 3 | 1 | – | – | – | – | – |
| Digestive Organs | 3 | – | 4 | – | 6 | 4 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| Urinary Organs | – | 1 | – | 2 | 1 | – | – | – | 3 | 1 | 1 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – |
| Skin | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 7 | 13 | 11 | 8 | 3 | 4 | – | 1 | – |
| Sudden Deaths | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 4 | 4 | 1 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| Dysentery | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 3 | 3 | 3 | 1 | 3 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Syphilis | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | 5 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Abscess | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 11 | 9 | 7 | 8 | 5 | 7 | 6 | 6 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – |
| Apoplexy | 18 | – | – | – | – | 1 | – | – | 2 | – | – | – | – |
| Paralysis | 21 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 6 | – | – | – | – | – | – | – | 2 | 1 | 3 | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 37 | 21 | 5 | 4 | 3 | 1 | 1 | 1 | 1 | – | – | – | – |
| Brain Disease | 17 | – | – | – | – | 1 | 1 | – | 2 | 3 | – | 1 | 1 |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 53 | – | 1 | – | – | – | 1 | – | 1 | – | 3 | 1 | 3 |
| VI. Laryngitis | 4 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – |
| Bronchitis | 97 | 12 | 10 | 24 | 11 | 4 | 2 | 1 | 1 | – | 1 | – | – |
| Pleurisy | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 51 | 5 | 5 | 8 | 9 | 3 | 2 | 3 | 2 | 2 | – | – | 2 |
| Asthma | 20 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 55 | – | 3 | 34 | 15 | 2 | – | 1 | – | – | – | – | – |
| Quinsey | 3 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Enteritis | 6 | 2 | – | 2 | – | – | – | – | 1 | – | – | – | – |
| Peritonitis | 5 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 7 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 8 | 6 | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 7 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| XI. Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 11 | – | – | – | – | – | – | – | 3 | 1 | 1 | – | 1 |
| Fracture and Contusion | 20 | – | 1 | – | 1 | – | – | – | 1 | 2 | – | 4 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Not Specified | 43 | 16 | 3 | 2 | 2 | – | 1 | – | 3 | – | 2 | – | 1 |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 3 | 1 | 5 | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Paralysis | 3 | 1 | 2 | 1 | – | 1 | 4 | 4 | 1 | 2 | – | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | 2 | – | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 3 | 1 | 4 | 6 | 6 | 5 | 3 | 10 | 3 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 1 | 3 | 4 | 1 | 6 | 6 | 2 | 3 | 2 | 1 | – | – | – | – | – |
| Pleurisy | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Pneumonia | 2 | 1 | 1 | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Asthma | 1 | – | 2 | 3 | 2 | 3 | 7 | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | 2 | – | 1 | – | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | – | 1 | – | – | – | 3 | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 3 | 2 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | 1 | 3 | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 1259 | 137 | 38 | 81 | 122 | 79 | 51 | 28 | 58 | 29 | 37 | 43 | 44 |
| SPECIFIED CAUSES | 1238 | 129 | 35 | 80 | 120 | 78 | 51 | 28 | 57 | 29 | 36 | 42 | 44 |
| I. Zymotic Class | 321 | 13 | 11 | 32 | 54 | 48 | 33 | 18 | 31 | 10 | 5 | 5 | 9 |
| II. Diseases of Uncertain Seat | 50 | 1 | 2 | – | 1 | 1 | 2 | – | 3 | – | – | – | 2 |
| III. Tubercular Class | 206 | 2 | 5 | 7 | 15 | 15 | 5 | 6 | 12 | 11 | 21 | 25 | 14 |
| IV. Brain and Nervous System | 73 | 10 | – | 3 | 3 | – | 2 | – | 1 | 1 | 3 | 1 | – |
| V. Organs of Circulation | 55 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 2 |
| VI. Respiratory Organs | 189 | 9 | 10 | 20 | 20 | 10 | 5 | 3 | 7 | 1 | 1 | 3 | 6 |
| VII. Organs of Digestion | 105 | 9 | 5 | 16 | 20 | 2 | 2 | – | 1 | 2 | 1 | 2 | 2 |
| VIII. Urinary Organs | 17 | – | – | – | – | 1 | – | 1 | 1 | 2 | 3 | – | 3 |
| IX. Organs of Generation | 17 | – | – | – | – | – | – | – | – | – | – | 4 | 5 |
| X. Organs of Locomotion | 7 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 81 | 79 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 6 | – | – | – | 3 | – | – | – | – | – | – | – | – |
| XV. Age | 85 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 8 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 17 | 1 | – | – | 3 | 1 | 2 | – | 1 | – | – | – | 1 |
| I. Small Pox | 73 | 2 | 3 | 13 | 18 | 12 | 9 | 3 | 4 | 3 | 1 | 1 | 2 |
| Measles | 15 | – | – | 3 | 4 | 4 | 1 | 1 | 1 | 1 | – | – | – |
| Scarlatina | 56 | 1 | 1 | 3 | 8 | 13 | 7 | 6 | 13 | 1 | 1 | – | 1 |
| Diphtheria | 19 | – | – | 1 | 4 | 7 | 1 | 2 | 3 | – | – | – | – |
| Hooping Cough | 12 | 1 | 2 | 2 | 1 | 2 | 2 | – | 2 | – | – | – | – |
| Croup | 48 | 2 | – | 5 | 12 | 7 | 11 | 6 | 5 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 14 | 2 | 1 | 3 | 2 | – | – | – | – | 1 | – | – | – |
| Dysentery | 14 | 1 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Cholera | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 6 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 41 | – | – | – | 2 | 1 | 2 | – | 2 | 4 | 3 | 3 | 4 |
| Metria | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Rheumatic Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Noma | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 32 | 1 | 1 | – | – | 1 | 2 | – | 3 | – | – | – | 2 |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | – | – | 1 | – | 1 | – | 1 | 1 | 1 | 1 | – |
| Tabes Mesenterica | 8 | – | – | – | 3 | 2 | – | 1 | 1 | 1 | – | – | – |
| Phthisis | 158 | – | 3 | 2 | 5 | 4 | 2 | 2 | 7 | 8 | 20 | 24 | 14 |
| Hydrocephalus | 34 | 2 | 2 | 5 | 6 | 9 | 2 | 3 | 3 | 1 | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 48 | 56 | 54 | 49 | 51 | 40 | 45 | 40 | 52 | 34 | 24 | 13 | 3 | 3 | – | – |
| SPECIFIED CAUSES | 47 | 54 | 54 | 49 | 51 | 40 | 45 | 40 | 52 | 34 | 24 | 13 | 3 | 3 | – | – |
| Zymotic Class | 13 | 7 | 6 | 7 | 3 | 3 | 3 | 4 | 2 | 2 | 1 | 1 | – | – | – | – |
| Uncertain Seat | 2 | 4 | 4 | 3 | 5 | 1 | 4 | 5 | 4 | 4 | 2 | – | – | – | – | – |
| Tubercular Class | 14 | 12 | 14 | 8 | 8 | 4 | 7 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 1 | 4 | 3 | 5 | 3 | 4 | 11 | 4 | 9 | 4 | 1 | – | – | – | – | – |
| Heart, etc. | 2 | 6 | 6 | 4 | 9 | 3 | 4 | 8 | 4 | 2 | 1 | – | – | – | – | – |
| Respiratory Organs | 5 | 10 | 10 | 14 | 12 | 16 | 9 | 6 | 6 | 2 | 4 | – | – | – | – | – |
| Digestive Organs | 3 | 6 | 7 | 1 | 7 | 7 | 3 | 3 | 3 | 3 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Generative Organs | 3 | 3 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 9 | 24 | 17 | 15 | 12 | 3 | 3 | – | – |
| Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Small Pox | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | 1 | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| Dysentery | 1 | 1 | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Cholera | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Purpura | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 6 | 2 | 4 | 4 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Metria | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 2 | 3 | 2 | – | – | 2 | 3 | 4 | 3 | 2 | – | – | – | – | – |
| Abscess | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 14 | 12 | 14 | 8 | 7 | 4 | 7 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 5 | – | – | – | – | – | 1 | – | – | – | 2 | – | – |
| Apoplexy | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 18 | 10 | – | 3 | 3 | – | 1 | – | 1 | – | – | – | – |
| Brain Disease | 13 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 54 | – | – | – | 1 | – | – | – | – | 1 | 1 | 1 | 2 |
| VI. Laryngitis | 9 | – | 1 | – | – | 1 | 2 | – | 2 | – | – | – | 1 |
| Bronchitis | 108 | 8 | 7 | 20 | 17 | 5 | 2 | 1 | 2 | 1 | 1 | – | – |
| Pleurisy | 6 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – |
| Pneumonia | 37 | 1 | 1 | – | 3 | 3 | – | 1 | 3 | – | – | 3 | 3 |
| Asthma | 23 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Lung Disease | 6 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| VII. Teething | 32 | – | 2 | 11 | 18 | – | 1 | – | – | – | – | – | – |
| Quinsey | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteritis | 13 | 3 | 3 | 1 | – | 1 | – | – | – | 1 | – | 1 | 2 |
| Peritonitis | 7 | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 20 | 3 | – | 2 | – | 1 | 1 | – | – | – | 1 | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 12 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Spleen Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| Nephria | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 8 | – | – | – | – | 1 | – | – | 1 | – | 2 | – | 1 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Childbirth | 13 | – | – | – | – | – | – | – | – | – | – | 2 | 5 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Burns and Scalds | 10 | – | – | – | 2 | 1 | 2 | – | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 21 | 8 | 3 | 1 | 2 | 1 | – | – | 1 | – | 1 | 1 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | – | 2 | 2 | 2 | 1 | 2 | 3 | – | – | – | – | – | – |
| Paralysis | 1 | 1 | 1 | 1 | 1 | 1 | 8 | 1 | 5 | 1 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 2 | 2 | 2 | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 6 | 6 | 4 | 9 | 3 | 4 | 8 | 3 | 2 | 1 | – | – | – | – | – |
| Laryngitis | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 5 | 3 | 4 | 7 | 5 | 5 | 4 | 4 | – | 4 | – | – | – | – | – |
| Pleurisy | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | 3 | 5 | 4 | – | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Asthma | 1 | 2 | – | 3 | 3 | 5 | 3 | 1 | 2 | 1 | – | – | – | – | – | – |
| Lung Disease | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 3 | 1 | – | 2 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | 1 | 2 | – | 1 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 2 | 1 | 2 | – | 3 | – | – | – | – | 2 | – | – | – | – | – | – |
| Spleen Disease | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 1780 | 152 | 52 | 92 | 125 | 74 | 72 | 35 | 105 | 49 | 76 | 92 | 79 |
| Specified Causes | 1770 | 151 | 52 | 92 | 124 | 74 | 71 | 35 | 104 | 49 | 76 | 91 | 79 |
| I. Zymotic Class | 419 | 18 | 21 | 31 | 52 | 49 | 51 | 14 | 52 | 12 | 16 | 19 | 11 |
| II. Diseases of Uncertain Seat | 72 | – | – | – | – | – | 1 | 3 | 1 | 2 | – | 3 | 2 |
| III. Tubercular Class | 335 | 1 | 7 | 13 | 23 | 9 | 7 | 7 | 29 | 19 | 38 | 43 | 42 |
| IV. Brain and Nervous System | 166 | 25 | 6 | 6 | 2 | 4 | 3 | 3 | 7 | 4 | 6 | 3 | 5 |
| V. Organs of Circulation | 70 | – | – | – | – | – | – | 1 | 1 | – | – | 6 | 3 |
| VI. Respiratory Organs | 218 | 21 | 11 | 17 | 13 | 8 | 2 | 2 | 6 | – | 3 | 2 | 3 |
| VII. Organs of Digestion | 151 | 5 | 2 | 21 | 31 | 3 | 3 | 4 | 1 | 3 | 5 | 4 | 6 |
| VIII. Urinary Organs | 43 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 |
| IX. Organs of Generation | 10 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| X. Organs of Locomotion | 30 | – | – | – | – | – | – | – | 2 | 5 | 3 | 3 | 1 |
| XI. Skin, etc. | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| XII. Malformation | 4 | 3 | – | – | – | – | – | – | – | – | 1 | – | – |
| XIII. Premature Debility | 76 | 70 | 3 | 3 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 9 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – |
| XV. Age | 107 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 55 | 7 | 1 | 1 | 1 | 1 | 3 | 1 | 2 | 4 | 3 | 5 | 2 |
| I. Small Pox | 27 | 2 | 4 | 2 | 4 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 |
| Measles | 7 | – | – | 2 | 1 | 2 | 2 | – | – | – | – | – | – |
| Scarlatina | 109 | 1 | – | 8 | 21 | 13 | 22 | 7 | 21 | 5 | 3 | 5 | 1 |
| Diphtheria | 54 | 2 | 2 | 3 | 6 | 8 | 12 | 3 | 10 | 1 | 3 | 4 | – |
| Hooping Cough | 46 | 1 | 9 | 7 | 10 | 12 | 2 | 2 | 3 | – | – | – | – |
| Croup | 18 | – | – | 1 | 4 | 6 | 4 | 1 | 2 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 31 | 2 | 3 | 5 | 2 | 1 | 1 | – | – | – | – | – | 1 |
| Dysentery | 7 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 12 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Purpura | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Typhus | 60 | 1 | 1 | 1 | 2 | 2 | 7 | – | 10 | 4 | 5 | 5 | 2 |
| Metria | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Rheumatic Fever | 6 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| Erysipelas | 9 | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Syphilis | 15 | 6 | 2 | 1 | 1 | – | – | – | – | 1 | – | 1 | 2 |
| Noma | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 19 | – | – | – | – | – | 1 | 2 | – | 2 | – | 1 | – |
| Abscess | 4 | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 45 | – | – | – | – | – | – | – | 1 | – | – | 1 | 2 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 27 | – | – | 1 | – | 1 | – | 2 | 3 | 5 | 7 | – | 3 |
| Tabes Mesenterica | 11 | – | – | 1 | 4 | – | – | – | 4 | – | 1 | – | – |
| Phthisis | 236 | – | 2 | 1 | 3 | 1 | 1 | – | 13 | 12 | 30 | 43 | 39 |
| Hydrocephalus | 61 | 1 | 5 | 10 | 16 | 7 | 6 | 5 | 9 | 2 | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 53 | 52 | 56 | 55 | 63 | 61 | 72 | 81 | 88 | 85 | 66 | 29 | 10 | 5 | 1 | – |
| Specified Causes | 52 | 51 | 56 | 54 | 63 | 60 | 71 | 81 | 88 | 85 | 66 | 29 | 10 | 5 | 1 | – |
| Zymotic Class | 11 | 7 | 11 | 1 | 5 | 2 | 3 | 12 | 8 | 7 | 5 | 1 | – | – | – | – |
| Uncertain Seat | – | 1 | 2 | 6 | 7 | 3 | 11 | 7 | 7 | 9 | 7 | – | – | – | – | – |
| Tubercular Class | 21 | 17 | 19 | 11 | 10 | 9 | 5 | 1 | 3 | 1 | – | – | – | – | – | – |
| Brain, etc. | 3 | 4 | 5 | 6 | 10 | 12 | 7 | 17 | 8 | 9 | 8 | 3 | – | – | – | – |
| Heart, etc. | 3 | 7 | 2 | 9 | 8 | 4 | 7 | 9 | 6 | 3 | 1 | – | – | – | – | – |
| Respiratory Organs | 5 | 7 | 5 | 7 | 7 | 12 | 16 | 16 | 16 | 20 | 9 | 8 | 2 | – | – | – |
| Digestive Organs | 4 | 1 | 5 | 5 | 8 | 4 | 14 | 7 | 9 | 4 | 2 | – | – | – | – | – |
| Urinary Organs | 1 | 2 | 3 | 2 | 4 | 4 | 3 | 4 | 7 | 4 | 4 | – | – | – | – | – |
| Generative Organs | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Locomotive Organs | – | 2 | 1 | 2 | 2 | 1 | 4 | 1 | 2 | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | 1 | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 3 | 21 | 25 | 28 | 15 | 8 | 5 | 1 | – |
| Sudden Deaths | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 1 | 2 | 3 | 2 | 5 | – | 2 | – | 2 | 2 | 2 | – | – | – | – |
| Small Pox | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | 2 | – | 1 | – | – | 1 | 4 | 3 | 3 | 1 | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Cholera | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | – | 1 | – | – | 4 | 1 | – | 1 | – | – | – | – | – |
| Purpura | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 1 | 4 | – | 2 | – | – | 5 | 3 | 2 | 1 | – | – | – | – | – |
| Metria | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | 3 | – | 1 | 1 | 2 | 1 | 2 | 3 | – | – | – | – | – |
| Abscess | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Cancer | – | 1 | 2 | 2 | 6 | 2 | 10 | 4 | 6 | 6 | 2 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 20 | 17 | 17 | 10 | 9 | 9 | 5 | 1 | 3 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 10 | – | – | 1 | – | 1 | – | 1 | 3 | – | – | – | 2 |
| Apoplexy | 33 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Paralysis | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 4 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| Tetanus | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 36 | 23 | 3 | 3 | 2 | 2 | 2 | – | 1 | – | – | – | – |
| Brain Disease | 34 | – | 3 | 2 | – | – | 1 | 2 | 3 | 3 | 4 | 1 | 2 |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Aneurism | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 61 | – | – | – | – | – | – | 1 | 1 | – | – | 4 | 2 |
| VI. Laryngitis | 10 | 1 | 1 | – | 1 | 2 | – | – | 1 | – | 1 | – | – |
| Bronchitis | 146 | 12 | 8 | 14 | 8 | 5 | 1 | 2 | 4 | – | 2 | 1 | 1 |
| Pleurisy | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pneumonia | 35 | 8 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | 1 | – |
| Asthma | 17 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | 6 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| VII. Teething | 53 | – | 2 | 20 | 27 | 2 | 1 | 1 | – | – | – | – | – |
| Quinsey | 5 | – | – | – | 1 | – | 2 | 2 | – | – | – | – | – |
| Gastritis | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 8 | 1 | – | – | 2 | – | – | – | – | – | – | 1 | – |
| Peritonitis | 18 | 1 | – | 1 | 1 | – | – | – | – | 1 | 2 | 1 | 4 |
| Ascites | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| Ulceration of Intestines | 9 | – | – | – | – | 1 | – | – | 1 | – | – | 2 | 1 |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 18 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 5 | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| Liver Disease | 10 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 25 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ovarian Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 10 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Joint and Bone Disease | 19 | – | – | – | – | – | – | – | 2 | 4 | 3 | 1 | 1 |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 7 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | – | – | – | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 15 | – | – | – | – | – | – | – | – | 3 | 3 | 3 | 1 |
| Fracture and Contusion | 17 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Violent Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 10 | 1 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | 2 | 4 | 4 | 3 | 5 | 4 | 5 | 1 | – | – | – | – | – |
| Paralysis | – | – | 2 | 1 | 4 | 3 | 3 | 8 | 3 | 4 | 7 | 3 | – | – | – | – |
| Delirium Tremens | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | 1 | 1 | – | 5 | 1 | 3 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Heart Disease | 3 | 7 | 1 | 7 | 7 | 3 | 7 | 9 | 5 | 3 | 1 | – | – | – | – | – |
| Laryngitis | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 3 | 4 | 1 | 4 | 6 | 14 | 13 | 12 | 13 | 8 | 8 | 2 | – | – | – |
| Pleurisy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 3 | 3 | – | 3 | 2 | 1 | 1 | 1 | – | 4 | – | – | – | – | – | – |
| Asthma | 1 | – | 1 | 1 | – | 3 | 1 | 2 | 4 | 3 | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | 1 | 3 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | 1 | – | 3 | 4 | 2 | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | 1 | – | – | 2 | 1 | 6 | 1 | 2 | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 2 | – | – | – | 4 | – | 2 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | 1 | – | 1 | 4 | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 3 | – | 3 | 2 | 1 | – | 2 | 4 | 3 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Childbirth | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | 1 | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Joint Disease | – | 2 | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Drowning | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | 1 | 2 | 2 | – | 2 | – | 1 | – | – | 1 | 2 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 853 | 84 | 25 | 49 | 67 | 39 | 38 | 16 | 52 | 25 | 39 | 48 | 32 |
| SPECIFIED CAUSES | 850 | 84 | 25 | 49 | 67 | 39 | 37 | 16 | 51 | 25 | 39 | 48 | 32 |
| I. Zymotic Class | 207 | 12 | 12 | 16 | 26 | 24 | 28 | 9 | 24 | 4 | 8 | 8 | 4 |
| II. Diseases of Uncertain Seat | 23 | – | – | – | – | – | – | 2 | 1 | 1 | – | 2 | 1 |
| III. Tubercular Class | 139 | – | 3 | 7 | 11 | 5 | 2 | 2 | 14 | 9 | 17 | 21 | 15 |
| IV. Brain and Nervous System | 84 | 8 | 3 | 4 | 1 | 3 | 1 | – | 4 | 1 | 5 | 2 | 3 |
| V. Organs of Circulation | 35 | – | – | – | – | – | – | 1 | – | – | – | 2 | 2 |
| VI. Respiratory Organs | 111 | 15 | 4 | 8 | 8 | 4 | 1 | 1 | 3 | – | 2 | 2 | 3 |
| VII. Organs of Digestion | 77 | 3 | – | 11 | 19 | 2 | 2 | – | 1 | 2 | 2 | 2 | 1 |
| VIII. Urinary Organs | 37 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 15 | – | – | – | – | – | – | – | 2 | 4 | 2 | 2 | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 45 | 40 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 5 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| XV. Age | 31 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 39 | 5 | – | 1 | – | 1 | 2 | 1 | 1 | 4 | 3 | 5 | 1 |
| I. Small Pox | 15 | 2 | 2 | 1 | 3 | 2 | 1 | – | 1 | – | – | – | 1 |
| Measles | 6 | – | – | 1 | 1 | 2 | 2 | – | – | – | – | – | – |
| Scarlatina | 54 | 1 | – | 3 | 11 | 6 | 14 | 5 | 10 | 2 | 1 | – | – |
| Diphtheria | 21 | 1 | – | 1 | 2 | 5 | 3 | 1 | 3 | – | 2 | 3 | – |
| Hooping Cough | 24 | 1 | 6 | 5 | 4 | 5 | 1 | 2 | – | – | – | – | – |
| Croup | 8 | – | – | – | 2 | 1 | 2 | 1 | 2 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 13 | – | 2 | 4 | 1 | – | 1 | – | – | – | – | – | 1 |
| Dysentery | 4 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Typhus | 33 | 1 | – | 1 | 1 | 1 | 4 | – | 6 | 1 | 3 | 3 | 1 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 4 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| Erysipelas | 7 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 7 | 3 | 2 | – | – | – | – | – | – | 1 | – | – | 1 |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 7 | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| Abscess | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 11 | – | – | – | – | 1 | – | – | 3 | 3 | 2 | – | 1 |
| Tabes Mesenterica | 5 | – | – | – | 1 | – | – | – | 3 | – | 1 | – | – |
| Phthisis | 96 | – | 2 | 1 | 2 | 1 | – | – | 5 | 4 | 14 | 21 | 14 |
| Hydrocephalus | 27 | – | 1 | 6 | 8 | 3 | 2 | 2 | 3 | 2 | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 21 | 20 | 23 | 30 | 33 | 35 | 32 | 30 | 38 | 35 | 25 | 9 | 6 | 2 | – | – |
| SPECIFIED CAUSES | 21 | 20 | 23 | 29 | 33 | 35 | 32 | 30 | 38 | 35 | 25 | 9 | 6 | 2 | – | – |
| Zymotic Class | 4 | 3 | 6 | 1 | 2 | 1 | 2 | 7 | 4 | 1 | – | 1 | – | – | – | – |
| Uncertain Seat | – | – | – | 3 | 1 | 1 | 2 | 2 | 1 | 1 | 5 | – | – | – | – | – |
| Tubercular Class | 4 | 6 | 4 | 4 | 6 | 5 | – | – | 3 | 1 | – | – | – | – | – | – |
| Brain, etc. | 3 | 3 | 3 | 6 | 4 | 7 | 4 | 5 | 5 | 5 | 4 | – | – | – | – | – |
| Heart, etc. | 2 | 3 | – | 4 | 4 | 3 | 6 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Respiratory Organs | 3 | 4 | 3 | 5 | 5 | 6 | 4 | 4 | 9 | 11 | 2 | 2 | 2 | – | – | – |
| Digestive Organs | 1 | – | 3 | 1 | 6 | 3 | 7 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Urinary Organs | – | – | 2 | 2 | 3 | 4 | 3 | 3 | 7 | 4 | 4 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 2 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | – | 3 | 8 | 7 | 6 | 4 | 2 | – | – |
| Sudden Deaths | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 3 | 1 | 2 | 1 | 2 | 3 | – | 2 | – | – | 1 | – | – | – | – | – |
| Small Pox | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 1 | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | 4 | 1 | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 1 | 4 | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | 1 | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | 1 | – | – | – | 1 | – | – | 2 | – | – | – | – | – |
| Abscess | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | 1 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Cancer | – | – | – | 1 | – | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 4 | 6 | 4 | 4 | 6 | 5 | – | – | 3 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 5 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | 1 |
| Apoplexy | 20 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Paralysis | 16 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | 2 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 13 | 7 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Brain Disease | 22 | – | 2 | 2 | – | – | – | – | 3 | 1 | 3 | – | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Heart Disease | 31 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| VI. Laryngitis | 7 | 1 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – |
| Bronchitis | 62 | 8 | 2 | 7 | 5 | 2 | – | 1 | 2 | – | 1 | 1 | 1 |
| Pleurisy | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Pneumonia | 23 | 6 | 1 | – | 2 | 1 | 1 | – | – | – | – | 1 | – |
| Asthma | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 4 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| VII. Teething | 28 | – | – | 10 | 16 | 1 | 1 | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 5 | – | – | – | 2 | – | – | – | – | – | – | 1 | – |
| Peritonitis | 8 | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – |
| Ascites | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ulceration of Intestines | 6 | – | – | – | – | 1 | – | – | 1 | – | – | 1 | 1 |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 21 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Joint and Bone Disease | 11 | – | – | – | – | – | – | – | 2 | 4 | 2 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 3 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 12 | – | – | – | – | – | – | – | – | 3 | 3 | 3 | – |
| Fracture and Contusion | 13 | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 1 |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Other Violent Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | 1 | – | – | 2 | 2 | 2 | 2 | 1 | 3 | 3 | 1 | – | – | – | – | – |
| Paralysis | – | – | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 2 | 3 | – | – | – | – | – |
| Delirium Tremens | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | 1 | 1 | – | 4 | – | 2 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | 3 | – | 3 | 3 | 3 | 6 | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 1 | 2 | 1 | 2 | 3 | 3 | 3 | 6 | 6 | 1 | 2 | 2 | – | – | – |
| Pleurisy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | 3 | – | 1 | 2 | – | – | – | – | 3 | – | – | – | – | – | – |
| Asthma | – | – | 1 | 1 | – | 2 | 1 | 1 | 3 | 2 | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Peritonitis | – | – | 1 | – | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 2 | 1 | 4 | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | 1 | – | 1 | – | 1 | 4 | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 2 | – | 2 | 2 | 1 | – | 2 | 4 | 3 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Drowning | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | 1 | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 927 | 68 | 27 | 43 | 58 | 35 | 34 | 19 | 53 | 24 | 37 | 44 | 47 |
| SPECIFIED CAUSES | 920 | 67 | 27 | 43 | 57 | 35 | 34 | 19 | 53 | 24 | 37 | 43 | 47 |
| I. Zymotic Class | 212 | 6 | 9 | 15 | 26 | 25 | 23 | 5 | 28 | 8 | 8 | 11 | 7 |
| II. Diseases of Uncertain Seat | 49 | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 | 1 |
| III. Tubercular Class | 196 | 1 | 4 | 6 | 12 | 4 | 5 | 5 | 15 | 10 | 21 | 22 | 27 |
| IV. Brain and Nervous System | 82 | 17 | 3 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 1 | 1 | 2 |
| V. Organs of Circulation | 35 | – | – | – | – | – | – | – | 1 | – | – | 4 | 1 |
| VI. Respiratory Organs | 107 | 6 | 7 | 9 | 5 | 4 | 1 | 1 | 3 | – | 1 | – | – |
| VII. Organs of Digestion | 74 | 2 | 2 | 10 | 12 | 1 | 1 | 4 | – | 1 | 3 | 2 | 5 |
| VIII. Urinary Organs | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 10 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| X. Organs of Locomotion | 15 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| XI. Skin, etc. | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| XII. Malformation | 3 | 2 | – | – | – | – | – | – | – | – | 1 | – | – |
| XIII. Premature Debility | 31 | 30 | – | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| XV. Age | 76 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 16 | 2 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | 1 |
| I. Small Pox | 12 | – | 2 | 1 | 1 | 1 | – | 1 | – | 1 | 2 | 1 | – |
| Measles | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Scarlatina | 55 | – | – | 5 | 10 | 7 | 8 | 2 | 11 | 3 | 2 | 5 | 1 |
| Diphtheria | 33 | 1 | 2 | 2 | 4 | 3 | 9 | 2 | 7 | 1 | 1 | 1 | – |
| Hooping Cough | 22 | – | 3 | 2 | 6 | 7 | 1 | – | 3 | – | – | – | – |
| Croup | 10 | – | – | 1 | 2 | 5 | 2 | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 18 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Dysentery | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 5 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 27 | – | 1 | – | 1 | 1 | 3 | – | 4 | 3 | 2 | 2 | 1 |
| Metria | 11 | – | – | – | – | – | – | – | – | – | – | 1 | 4 |
| Rheumatic Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Syphilis | 8 | 3 | – | 1 | 1 | – | – | – | – | – | – | 1 | 1 |
| Noma | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 12 | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 35 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 16 | – | – | 1 | – | – | – | 2 | – | 2 | 5 | – | 2 |
| Tabes Mesenterica | 6 | – | – | 1 | 3 | – | – | – | 1 | – | – | – | – |
| Phthisis | 140 | – | – | – | 1 | – | 1 | – | 8 | 8 | 16 | 22 | 25 |
| Hydrocephalus | 34 | 1 | 4 | 4 | 8 | 4 | 4 | 3 | 6 | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 32 | 32 | 33 | 25 | 30 | 26 | 40 | 51 | 50 | 50 | 41 | 20 | 4 | 3 | 1 | – |
| SPECIFIED CAUSES | 31 | 31 | 33 | 25 | 30 | 25 | 39 | 51 | 50 | 50 | 41 | 20 | 4 | 3 | 1 | – |
| Zymotic Class | 7 | 4 | 5 | – | 3 | 1 | 1 | 5 | 4 | 6 | 5 | – | – | – | – | – |
| Uncertain Seat | – | 1 | 2 | 3 | 6 | 2 | 9 | 5 | 6 | 8 | 2 | – | – | – | – | – |
| Tubercular Class | 17 | 11 | 15 | 7 | 4 | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 1 | 2 | – | 6 | 5 | 3 | 12 | 3 | 4 | 4 | 3 | – | – | – | – |
| Heart, etc. | 1 | 4 | 2 | 5 | 4 | 1 | 1 | 6 | 4 | 1 | – | – | – | – | – | – |
| Respiratory Organs | 2 | 3 | 2 | 2 | 2 | 6 | 12 | 12 | 7 | 9 | 7 | 6 | – | – | – | – |
| Digestive Organs | 3 | 1 | 2 | 4 | 2 | 1 | 7 | 3 | 5 | 2 | 1 | – | – | – | – | – |
| Urinary Organs | 1 | 2 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Generative Organs | – | 2 | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Locomotive Organs | – | 2 | 1 | – | 2 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | – | 3 | 18 | 17 | 21 | 9 | 4 | 3 | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | – | 2 | – | 2 | – | – | – | 2 | 1 | 2 | – | – | – | – |
| Small Pox | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | 1 | 1 | – | 1 | – | – | 1 | 2 | 3 | 3 | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Purpura | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | 1 | – | – | 3 | 2 | 2 | 1 | – | – | – | – | – |
| Metria | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | 2 | – | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 2 | 1 | 6 | 1 | 8 | 3 | 5 | 6 | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 16 | 11 | 13 | 6 | 3 | 4 | 5 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 5 | – | – | – | – | – | – | 1 | 2 | – | – | – | 1 |
| Apoplexy | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Convulsions | 23 | 16 | 2 | 2 | 1 | – | 1 | – | 1 | – | – | – | – |
| Brain Disease | 12 | – | 1 | – | – | – | 1 | 2 | – | 2 | 1 | 1 | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 30 | – | – | – | – | – | – | – | 1 | – | – | 3 | 1 |
| VI. Laryngitis | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| Bronchitis | 84 | 4 | 6 | 7 | 3 | 3 | 1 | 1 | 2 | – | 1 | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 12 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Asthma | 6 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| VII. Teething | 25 | – | 2 | 10 | 11 | 1 | – | 1 | – | – | – | – | – |
| Quinsey | 3 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Gastritis | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 10 | 1 | – | – | 1 | – | – | – | – | – | 1 | 1 | 4 |
| Ascites | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 9 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Liver Disease | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ovarian Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Organs of Generation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Rheumatism | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 8 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 7 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | 2 | 2 | 1 | 4 | 1 | 2 | – | – | – | – | – | – |
| Paralysis | – | – | 1 | – | 2 | 2 | 1 | 6 | 1 | 2 | 4 | 3 | – | – | – | – |
| Delirium Tremens | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Heart Disease | 1 | 4 | 1 | 4 | 4 | – | 1 | 6 | 3 | 1 | – | – | – | – | – | – |
| Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 2 | – | 2 | 3 | 11 | 10 | 6 | 7 | 7 | 6 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 1 | – | – | 2 | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Asthma | 1 | – | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | 1 | – | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| Childbirth | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Joint Disease | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | 1 | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 1207 | 121 | 47 | 97 | 137 | 62 | 33 | 20 | 57 | 36 | 53 | 63 | 35 |
| Specified Causes | 1179 | 101 | 46 | 96 | 134 | 62 | 33 | 20 | 57 | 36 | 53 | 63 | 35 |
| I. Zymotic Class | 270 | 13 | 13 | 39 | 57 | 36 | 19 | 10 | 18 | 10 | 6 | 7 | 7 |
| II. Diseases of Uncertain Seat | 47 | 2 | – | – | 2 | – | 1 | – | 2 | – | – | – | 1 |
| III. Tubercular Class | 229 | 2 | 8 | 17 | 17 | 7 | 2 | 3 | 21 | 17 | 34 | 35 | 16 |
| IV. Brain and Nervous System | 81 | 4 | 3 | 2 | 3 | 3 | 2 | 3 | 2 | 3 | 2 | 3 | – |
| V. Organs of Circulation | 27 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| VI. Respiratory Organs | 179 | 10 | 15 | 15 | 13 | 8 | 5 | 3 | 5 | 2 | 3 | 4 | 5 |
| VII. Organs of Digestion | 125 | 14 | 5 | 21 | 34 | 4 | 3 | 1 | 1 | 1 | 4 | 4 | 2 |
| VIII. Urinary Organs | 10 | – | – | – | – | 1 | – | – | – | – | – | 3 | – |
| IX. Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 8 | – | – | – | – | – | – | – | 3 | 2 | 2 | – | 1 |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 54 | 50 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 21 | – | – | – | 8 | 2 | 1 | – | 2 | 1 | – | 1 | – |
| XV. Age | 92 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 25 | 3 | – | – | – | 1 | – | – | 3 | – | 1 | 4 | 1 |
| I. Small Pox | 35 | – | 1 | 7 | 5 | 3 | 4 | 1 | 5 | 3 | 2 | 2 | 2 |
| Measles | 42 | 1 | – | 8 | 18 | 7 | 3 | 2 | 3 | – | – | – | – |
| Scarlatina | 19 | – | – | 2 | 2 | 4 | 2 | 3 | 5 | 1 | – | – | – |
| Diphtheria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | 70 | 7 | 6 | 13 | 18 | 15 | 6 | 3 | 2 | – | – | – | – |
| Croup | 15 | – | – | 2 | 8 | 3 | – | 1 | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 10 | 2 | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| Dysentery | 14 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | 2 |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 45 | – | 1 | 2 | 1 | 2 | 3 | – | 2 | 4 | 3 | 4 | 2 |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 8 | 2 | – | 2 | 1 | – | – | – | – | 1 | – | 1 | – |
| Syphilis | 5 | 1 | 3 | – | – | – | – | – | – | – | 1 | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 27 | 1 | – | – | 1 | – | 1 | – | 2 | – | – | – | – |
| Abscess | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 12 | – | – | 1 | – | 2 | – | – | 1 | 1 | 3 | – | 1 |
| Tabes Mesenterica | 20 | – | 2 | 5 | 4 | 2 | – | 1 | 2 | 2 | 1 | – | – |
| Phthisis | 171 | – | 2 | 3 | 8 | 2 | 1 | 1 | 16 | 13 | 29 | 35 | 15 |
| Hydrocephalus | 26 | 2 | 4 | 8 | 5 | 1 | 1 | 1 | 2 | 1 | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 34 | 27 | 27 | 34 | 37 | 39 | 51 | 54 | 50 | 39 | 37 | 6 | 7 | 3 | 1 | – |
| Specified Causes | 34 | 27 | 27 | 33 | 36 | 38 | 51 | 54 | 50 | 39 | 37 | 6 | 7 | 3 | 1 | – |
| Zymotic Class | 4 | 4 | 2 | 5 | 3 | 2 | 5 | 4 | 2 | 2 | 2 | – | – | – | – | – |
| Uncertain Seat | 2 | 3 | 2 | 4 | 2 | 3 | 9 | 5 | 6 | 1 | 2 | – | – | – | – | – |
| Tubercular Class | 10 | 6 | 6 | 7 | 8 | 7 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| Brain, etc. | 1 | 4 | 2 | – | 7 | 5 | 7 | 10 | 9 | 4 | 2 | – | – | – | – | – |
| Heart, etc. | 2 | 1 | 1 | – | 1 | 3 | 7 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| Respiratory Organs | 9 | 4 | 8 | 7 | 7 | 7 | 11 | 17 | 7 | 8 | 4 | 2 | – | – | – | – |
| Digestive Organs | 1 | 1 | 4 | 3 | 5 | 5 | 5 | 3 | 1 | 3 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Generative Organs | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 10 | 21 | 19 | 24 | 4 | 7 | 3 | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 1 | 1 | 5 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | 1 | 1 | – | 1 | 1 | – | – | 2 | – | 1 | 2 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 2 | 2 | 2 | 4 | 2 | 1 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| Metria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | 2 | 1 | 3 | 1 | 2 | 5 | 2 | 3 | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Cancer | – | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phthisis | 9 | 6 | 6 | 6 | 7 | 7 | 3 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 4 | – | – | – | – | 1 | – | 2 | – | 1 | – | – | – |
| Apoplexy | 23 | – | 2 | – | 2 | 1 | 1 | – | – | 1 | – | – | – |
| Paralysis | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 9 | 4 | 1 | 2 | – | – | – | 1 | 1 | – | – | – | – |
| Brain Disease | 16 | – | – | – | 1 | 1 | 1 | – | 1 | 1 | 1 | 2 | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 22 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| VI. Laryngitis | 2 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 132 | 10 | 13 | 11 | 10 | 5 | 2 | 3 | 2 | 1 | 2 | 2 | 3 |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia | 30 | – | 1 | 4 | 3 | 3 | 2 | – | 3 | 1 | 1 | 1 | 1 |
| Asthma | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| VII. Teething | 44 | – | 1 | 15 | 25 | 3 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | 3 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Enteritis | 38 | 12 | 4 | 5 | 7 | 1 | – | – | 1 | 1 | 2 | 1 | – |
| Peritonitis | 7 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 10 | 2 | – | – | 1 | – | 2 | – | – | – | 1 | 1 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stone | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Joint and Bone Disease | 6 | – | – | – | – | – | – | – | 3 | 1 | 2 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | – | – | – | – | – | – | – | 3 | – | – | – | 1 |
| Fracture and Contusion | 5 | – | – | – | – | – | – | – | – | – | 1 | 4 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 28 | 20 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 1 | – | 2 | 1 | 3 | 1 | 4 | 1 | 1 | – | – | – | – | – |
| Paralysis | – | 1 | – | – | 1 | 2 | 2 | 9 | 4 | 3 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | – | – | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | – | 1 | – | 1 | 1 | 6 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 5 | 3 | 6 | 5 | 5 | 6 | 10 | 13 | 4 | 5 | 4 | 2 | – | – | – | – |
| Pleurisy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 4 | 1 | – | – | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | 2 | – | – | 1 | – | 3 | 3 | 2 | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 589 | 66 | 34 | 51 | 71 | 30 | 16 | 13 | 31 | 20 | 17 | 32 | 14 |
| SPECIFIED CAUSES | 576 | 58 | 33 | 50 | 69 | 30 | 16 | 13 | 31 | 20 | 17 | 32 | 14 |
| I. Zymotic Class | 129 | 5 | 10 | 15 | 31 | 17 | 12 | 6 | 10 | 2 | 1 | 4 | 5 |
| II. Diseases of Uncertain Seat | 20 | 2 | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| III. Tubercular Class | 106 | 1 | 6 | 9 | 7 | 6 | – | 2 | 9 | 11 | 9 | 19 | 6 |
| IV. Brain and Nervous System | 43 | 4 | 1 | 1 | 2 | 1 | 2 | 2 | – | 2 | 1 | 1 | – |
| V. Organs of Circulation | 15 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Respiratory Organs | 98 | 7 | 12 | 9 | 9 | 2 | 1 | 3 | 4 | 1 | 2 | 1 | 2 |
| VII. Organs of Digestion | 60 | 11 | 3 | 14 | 15 | 2 | – | – | 1 | 1 | 2 | 1 | – |
| VIII. Urinary Organs | 6 | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 5 | – | – | – | – | – | – | – | 2 | 2 | 1 | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 31 | 28 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 9 | – | – | – | 4 | 1 | – | – | 1 | 1 | – | – | – |
| XV. Age | 38 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 16 | – | – | – | – | – | – | – | 3 | – | – | 4 | 1 |
| I. Small Pox | 15 | – | – | 2 | 1 | 2 | 2 | – | 4 | – | 1 | 2 | 1 |
| Measles | 23 | – | – | 3 | 11 | 4 | 1 | 2 | 2 | – | – | – | – |
| Scarlatina | 10 | – | – | 1 | 1 | 1 | 2 | 2 | 3 | – | – | – | – |
| Diphtheria | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | 38 | 3 | 4 | 6 | 11 | 7 | 5 | 1 | 1 | – | – | – | – |
| Croup | 8 | – | – | 1 | 5 | 1 | – | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 6 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Dysentery | 5 | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 17 | – | 1 | 1 | 1 | – | 2 | – | – | 1 | – | 2 | 2 |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 4 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 12 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Abscess | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | – | – | – | 2 | – | – | 1 | 1 | – | – | – |
| Tabes Mesenterica | 12 | – | 1 | 2 | 1 | 2 | – | 1 | 2 | 1 | 1 | – | – |
| Phthisis | 74 | – | 2 | 2 | 4 | 1 | – | 1 | 6 | 8 | 7 | 19 | 6 |
| Hydrocephalus | 14 | 1 | 3 | 5 | 2 | 1 | – | – | – | 1 | 1 | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 12 | 9 | 6 | 15 | 22 | 19 | 29 | 23 | 22 | 19 | 12 | 3 | 2 | – | 1 | – |
| SPECIFIED CAUSES | 12 | 9 | 6 | 15 | 21 | 19 | 29 | 23 | 22 | 19 | 12 | 3 | 2 | – | 1 | – |
| Zymotic Class | 2 | – | – | 1 | 3 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| Uncertain Seat | 1 | 1 | 1 | 1 | 1 | 2 | 4 | 2 | 2 | – | – | – | – | – | – | – |
| Tubercular Class | 3 | 1 | – | 3 | 4 | 5 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| Brain, etc. | 1 | 3 | 1 | – | 3 | 2 | 3 | 6 | 3 | 3 | 1 | – | – | – | – | – |
| Heart, etc. | – | – | – | – | 1 | 2 | 3 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| Respiratory Organs | 5 | 2 | 3 | 5 | 4 | 3 | 8 | 4 | 4 | 6 | – | 1 | – | – | – | – |
| Digestive Organs | – | – | 1 | 1 | 3 | – | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Urinary Organs | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 5 | 9 | 8 | 9 | 2 | 2 | – | 1 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | 1 | – | 3 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | – | 1 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | – | 1 | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Phthisis | 3 | 1 | – | 2 | 3 | 5 | 2 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Apoplexy | 12 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – |
| Paralysis | 14 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 7 | 4 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| Brain Disease | 7 | – | – | – | 1 | 1 | 1 | – | – | 1 | – | 1 | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 14 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 76 | 7 | 11 | 6 | 6 | 2 | 1 | 3 | 2 | – | 1 | 1 | 2 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 18 | – | 1 | 3 | 3 | – | – | – | 2 | 1 | 1 | – | – |
| Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 21 | – | 1 | 10 | 9 | 1 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Enteritis | 24 | 9 | 2 | 3 | 5 | 1 | – | – | 1 | 1 | 1 | – | – |
| Peritonitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Joint and Bone Disease | 4 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 7 | – | – | – | – | – | – | – | 3 | – | – | – | 1 |
| Fracture and Contusion | 4 | – | – | – | – | – | – | – | – | – | – | 4 | – |
| Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 13 | 8 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 2 | 1 | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Paralysis | – | 1 | – | – | – | 1 | 1 | 6 | 2 | 2 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | – | – | 1 | 1 | 3 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | 1 | 3 | 3 | 3 | 3 | 7 | 3 | 4 | 3 | – | 1 | – | – | – | – |
| Pleurisy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | 1 | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Ileus | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 618 | 55 | 13 | 46 | 66 | 32 | 17 | 7 | 26 | 16 | 36 | 31 | 21 |
| SPECIFIED CAUSES | 603 | 43 | 13 | 46 | 65 | 32 | 17 | 7 | 26 | 16 | 36 | 31 | 21 |
| I. Zymotic Class | 141 | 8 | 3 | 24 | 26 | 19 | 7 | 4 | 8 | 8 | 5 | 3 | 2 |
| II. Diseases of Uncertain Seat | 27 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| III. Tubercular Class | 123 | 1 | 2 | 8 | 10 | 1 | 2 | 1 | 12 | 6 | 25 | 16 | 10 |
| IV. Brain and Nervous System | 38 | – | 2 | 1 | 1 | 2 | – | 1 | 2 | 1 | 1 | 2 | – |
| V. Organs of Circulation | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Respiratory Organs | 81 | 3 | 3 | 6 | 4 | 6 | 4 | – | 1 | 1 | 1 | 3 | 3 |
| VII. Organs of Digestion | 65 | 3 | 2 | 7 | 19 | 2 | 3 | 1 | – | – | 2 | 3 | 2 |
| VIII. Urinary Organs | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| IX. Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 3 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 23 | 22 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 12 | – | – | – | 4 | 1 | 1 | – | 1 | – | – | 1 | – |
| XV. Age | 54 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 9 | 3 | – | – | – | 1 | – | – | – | – | 1 | – | – |
| I. Small Pox | 20 | – | 1 | 5 | 4 | 1 | 2 | 1 | 1 | 3 | 1 | – | 1 |
| Measles | 19 | 1 | – | 5 | 7 | 3 | 2 | – | 1 | – | – | – | – |
| Scarlatina | 9 | – | – | 1 | 1 | 3 | – | 1 | 2 | 1 | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | 32 | 4 | 2 | 7 | 7 | 8 | 1 | 2 | 1 | – | – | – | – |
| Croup | 7 | – | – | 1 | 3 | 2 | – | – | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | 1 | – | – | 3 | – | – | – | – | – | – | – | – |
| Dysentery | 9 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 28 | – | – | 1 | – | 2 | 1 | – | 2 | 3 | 3 | 2 | – |
| Metria | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 8 | 2 | – | 2 | 1 | – | – | – | – | 1 | – | 1 | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 15 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | – | 1 | – | – | – | – | – | – | 3 | – | 1 |
| Tabes Mesenterica | 8 | – | 1 | 3 | 3 | – | – | – | – | 1 | – | – | – |
| Phthisis | 97 | – | – | 1 | 4 | 1 | 1 | – | 10 | 5 | 22 | 16 | 9 |
| Hydrocephalus | 12 | 1 | 1 | 3 | 3 | – | 1 | 1 | 2 | – | – | – | – |

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 22 | 18 | 21 | 19 | 15 | 20 | 22 | 31 | 28 | 20 | 25 | 3 | 5 | 3 | – | – |
| SPECIFIED CAUSES | 22 | 18 | 21 | 18 | 15 | 19 | 22 | 31 | 28 | 20 | 25 | 3 | 5 | 3 | – | – |
| Zymotic Class | 2 | 4 | 2 | 4 | – | 1 | 2 | 3 | 2 | 2 | 2 | – | – | – | – | – |
| Uncertain Seat | 1 | 2 | 1 | 3 | 1 | 1 | 5 | 3 | 4 | 1 | 2 | – | – | – | – | – |
| Tubercular Class | 7 | 5 | 6 | 4 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 1 | 1 | – | 4 | 3 | 4 | 4 | 6 | 1 | 1 | – | – | – | – | – |
| Heart, etc. | 2 | 1 | 1 | – | – | 1 | 4 | 1 | 1 | – | – | – | – | – | – | – |
| Respiratory Organs | 4 | 2 | 5 | 2 | 3 | 4 | 3 | 13 | 3 | 2 | 4 | 1 | – | – | – | – |
| Digestive Organs | 1 | 1 | 3 | 2 | 2 | 5 | 2 | 2 | – | 3 | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Generative Organs | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 5 | 12 | 11 | 15 | 2 | 5 | 3 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | 1 | – | 1 | – | – | – | 2 | – | 1 | 2 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | 2 | 2 | 3 | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| Metria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 1 | 2 | – | 2 | – | 1 | 3 | 2 | 1 | – | 1 | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cancer | – | – | 1 | 1 | 1 | – | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 5 | 6 | 4 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 3 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – |
| Apoplexy | 11 | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – |
| Paralysis | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Brain Disease | 9 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | 2 | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 56 | 3 | 2 | 5 | 4 | 3 | 1 | – | – | 1 | 1 | 1 | 1 |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Pneumonia | 12 | – | – | 1 | – | 3 | 2 | – | 1 | – | – | 1 | 1 |
| Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| VII. Teething | 23 | – | – | 5 | 16 | 2 | – | – | – | – | – | – | – |
| Quinsey | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | 14 | 3 | 2 | 2 | 2 | – | – | – | – | – | 1 | 1 | – |
| Peritonitis | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 15 | 12 | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | 1 | – | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| Paralysis | – | – | – | – | 1 | 1 | 1 | 3 | 2 | 1 | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | – | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Heart Disease | 2 | – | 1 | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 2 | 3 | 2 | 2 | 3 | 3 | 10 | – | 2 | 4 | 1 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Asthma | – | – | 2 | – | – | 1 | – | 3 | 3 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 1113 | 108 | 49 | 88 | 135 | 58 | 27 | 36 | 48 | 38 | 31 | 41 | 40 |
| Specified Causes | 1054 | 92 | 41 | 81 | 127 | 52 | 26 | 34 | 46 | 36 | 31 | 40 | 38 |
| I. Zymotic Class | 234 | 20 | 4 | 28 | 51 | 24 | 20 | 18 | 15 | 5 | 3 | 6 | 2 |
| II. Diseases of Uncertain Seat | 25 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | 1 |
| III. Tubercular Class | 230 | 5 | 9 | 10 | 23 | 13 | 3 | 6 | 14 | 20 | 14 | 25 | 20 |
| IV. Brain and Nervous System | 107 | 3 | 3 | 6 | 6 | 2 | – | 3 | 5 | 3 | 6 | 2 | 3 |
| V. Organs of Circulation | 42 | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 |
| VI. Respiratory Organs | 131 | 9 | 13 | 16 | 19 | 3 | – | 5 | 5 | 1 | 3 | 2 | 3 |
| VII. Organs of Digestion | 85 | 8 | 4 | 15 | 20 | 5 | – | – | – | 1 | 2 | 1 | 2 |
| VIII. Urinary Organs | 9 | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – |
| IX. Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 5 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Skin, etc. | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 52 | 42 | 6 | 4 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 20 | – | – | – | 8 | 3 | – | 1 | 3 | 2 | 1 | – | – |
| XV. Age | 62 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 37 | – | 1 | – | – | 1 | 2 | 1 | 2 | 1 | 2 | 2 | 4 |
| I. Small Pox | 20 | 2 | – | 5 | 3 | 1 | 3 | 2 | 1 | 1 | – | – | – |
| Measles | 11 | – | – | 1 | 8 | 1 | – | – | 1 | – | – | – | – |
| Scarlatina | 6 | – | – | – | – | 1 | 2 | 2 | 1 | – | – | – | – |
| Diphtheria | 21 | 1 | – | 2 | 6 | 6 | 3 | 2 | 1 | – | – | – | – |
| Hooping Cough | 33 | 2 | 1 | 6 | 9 | 4 | 5 | 4 | 2 | – | – | – | – |
| Croup | 32 | – | – | 3 | 15 | 7 | 2 | 3 | 2 | – | – | – | – |
| Thrush | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 33 | 9 | 3 | 6 | 6 | 1 | – | 1 | – | – | – | – | – |
| Dysentery | 3 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Purpura | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 58 | – | – | 3 | 3 | 3 | 4 | 3 | 7 | 4 | 3 | 5 | 1 |
| Metria | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 6 | 3 | – | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 5 | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 |
| Abscess | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 17 | – | 1 | – | 1 | 3 | – | 1 | 3 | 2 | – | 2 | 1 |
| Tabes Mesenterica | 19 | 2 | 1 | 2 | 5 | 3 | 1 | 1 | – | 1 | – | – | – |
| Phthisis | 167 | 1 | 3 | 3 | 9 | 4 | 2 | 1 | 9 | 17 | 14 | 23 | 19 |
| Hydrocephalus | 27 | 2 | 4 | 5 | 8 | 3 | – | 3 | 2 | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 37 | 45 | 38 | 46 | 38 | 31 | 42 | 30 | 35 | 33 | 17 | 14 | 5 | 2 | – | 1 |
| Specified Causes | 36 | 44 | 38 | 46 | 37 | 31 | 41 | 30 | 35 | 33 | 17 | 14 | 5 | 2 | – | 1 |
| Zymotic Class | 5 | 5 | 6 | 4 | 3 | 2 | 5 | 1 | 3 | 4 | – | – | – | – | – | – |
| Uncertain Seat | 1 | 2 | 3 | 1 | 5 | 1 | 3 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Tubercular Class | 11 | 14 | 9 | 19 | 5 | 3 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 4 | 6 | 4 | 6 | 6 | 12 | 9 | 6 | 5 | 3 | 2 | 2 | – | – | – | – |
| Heart, etc. | 1 | 3 | – | 5 | 5 | 4 | 7 | 4 | 5 | 2 | 2 | – | – | – | – | – |
| Respiratory Organs | 4 | 7 | 5 | 6 | 3 | 3 | 6 | 8 | 3 | 5 | 1 | 1 | – | – | – | – |
| Digestive Organs | 2 | 2 | 6 | – | 4 | 3 | 5 | 1 | 4 | – | – | – | – | – | – | – |
| Urinary Organs | 1 | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Generative Organs | 2 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | – | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 5 | 12 | 15 | 11 | 11 | 5 | 2 | – | – |
| Sudden Deaths | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 5 | 2 | 3 | 2 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | 1 |
| Small Pox | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 3 | 2 | 5 | 3 | 1 | 1 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| Metria | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dropsy | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | – | 1 | 3 | 1 | 4 | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 11 | 13 | 9 | 15 | 4 | 3 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 10 | – | – | 2 | – | – | – | 1 | 3 | – | 3 | – | – |
| Apoplexy | 19 | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| Paralysis | 26 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| Tetanus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| Brain Disease | 37 | 2 | 2 | 2 | 3 | 1 | – | 2 | 2 | 2 | 1 | – | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 41 | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 |
| VI. Laryngitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 84 | 8 | 8 | 15 | 16 | – | – | 1 | 2 | – | – | 1 | 1 |
| Pleurisy | 5 | – | – | – | – | 2 | – | – | – | – | – | – | 1 |
| Pneumonia | 28 | 1 | 5 | 1 | 3 | 1 | – | 4 | 2 | 1 | 3 | – | – |
| Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| VII. Teething | 28 | 1 | 1 | 11 | 12 | 3 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteritis | 17 | 5 | 2 | 3 | 3 | 2 | – | – | – | – | 1 | – | – |
| Peritonitis | 7 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus | 4 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 3 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Liver Disease | 12 | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 8 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | 1 |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fracture and Contusion | 15 | – | – | – | – | – | 1 | – | – | 1 | 2 | 1 | 1 |
| Wounds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 59 | 16 | 8 | 7 | 8 | 6 | 1 | 2 | 2 | 2 | – | 1 | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | 1 | 2 | 3 | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – | – |
| Paralysis | – | 4 | – | 1 | 1 | 4 | 4 | 2 | 4 | 2 | 1 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 3 | – | 5 | 4 | 4 | 7 | 4 | 5 | 2 | 2 | – | – | – | – | – |
| Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 5 | 3 | 5 | 2 | 2 | 4 | 4 | 1 | 3 | 1 | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | 1 | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| Asthma | 1 | 2 | 1 | – | – | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 3 | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Childbirth | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 5 | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 546 | 59 | 27 | 42 | 69 | 31 | 13 | 14 | 23 | 19 | 19 | 20 | 15 |
| SPECIFIED CAUSES | 524 | 55 | 23 | 40 | 66 | 29 | 12 | 14 | 21 | 18 | 19 | 20 | 13 |
| I. Zymotic Class | 118 | 13 | 2 | 13 | 24 | 15 | 9 | 9 | 5 | 3 | 2 | 4 | – |
| II. Diseases of Uncertain Seat | 9 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| III. Tubercular Class | 93 | 2 | 5 | 5 | 10 | 7 | 1 | 1 | 6 | 8 | 7 | 10 | 6 |
| IV. Brain and Nervous System | 62 | 2 | 3 | 2 | 4 | – | – | 1 | 3 | 1 | 4 | – | 2 |
| V. Organs of Circulation | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| VI. Respiratory Organs | 70 | 6 | 8 | 8 | 11 | – | – | 3 | 2 | 1 | 3 | 2 | 2 |
| VII. Organs of Digestion | 46 | 3 | 2 | 8 | 13 | 4 | – | – | – | 1 | 1 | 1 | – |
| VIII. Urinary Organs | 7 | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 35 | 28 | 3 | 4 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 4 | 1 | – | – | 2 | 1 | – | – | – |
| XV. Age | 20 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 26 | – | – | – | – | 1 | 1 | – | 1 | 1 | 2 | 2 | 2 |
| I. Small Pox | 11 | 2 | – | 3 | 1 | – | 1 | 1 | – | 1 | – | – | – |
| Measles | 6 | – | – | 1 | 4 | 1 | – | – | – | – | – | – | – |
| Scarlatina | 3 | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| Diphtheria | 11 | – | – | 2 | 2 | 5 | 1 | 1 | – | – | – | – | – |
| Hooping Cough | 13 | – | – | 1 | 5 | 3 | 2 | 2 | – | – | – | – | – |
| Croup | 16 | – | – | 2 | 7 | 3 | 1 | 2 | 1 | – | – | – | – |
| Thrush | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Diarrhœa | 19 | 8 | 2 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 33 | – | – | 3 | 1 | 2 | 2 | 1 | 4 | 2 | 2 | 4 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 6 | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – | – |
| Tabes Mesenterica | 8 | 1 | – | 1 | 3 | 2 | – | – | – | – | – | – | – |
| Phthisis | 68 | – | 2 | 2 | 4 | 3 | 1 | – | 4 | 7 | 7 | 10 | 6 |
| Hydrocephalus | 11 | 1 | 3 | 2 | 2 | 2 | – | – | 1 | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 20 | 21 | 16 | 24 | 16 | 17 | 22 | 13 | 17 | 18 | 7 | 3 | – | 1 | – | – |
| SPECIFIED CAUSES | 19 | 21 | 16 | 24 | 16 | 17 | 22 | 13 | 17 | 18 | 7 | 3 | – | 1 | – | – |
| Zymotic Class | 3 | 3 | 1 | 2 | 1 | 1 | 4 | – | 2 | 2 | – | – | – | – | – | – |
| Uncertain Seat | 1 | 1 | 1 | – | 1 | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| Tubercular Class | 5 | 2 | 2 | 9 | 4 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 5 | 3 | 4 | 3 | 9 | 6 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| Heart, etc. | 1 | 3 | – | 3 | 2 | 3 | 3 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| Respiratory Organs | 2 | 3 | 2 | 4 | 1 | – | 3 | 4 | 1 | 4 | – | – | – | – | – | – |
| Digestive Organs | – | 2 | 3 | – | – | 1 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| Urinary Organs | – | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | – | 1 | 5 | 8 | 2 | 3 | – | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 5 | 1 | 2 | 1 | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Small Pox | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 3 | 2 | 1 | 2 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Dropsy | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 5 | 2 | 2 | 7 | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | – | – | – | – | 1 | – | 2 | – | – |
| Apoplexy | 11 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| Paralysis | 16 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| Delirium Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 6 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – |
| Brain Disease | 20 | 1 | 2 | – | 1 | – | – | 1 | 2 | – | – | – | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 23 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| VI. Laryngitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Bronchitis | 42 | 5 | 5 | 8 | 9 | – | – | 1 | – | – | – | 1 | 1 |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 17 | 1 | 3 | – | 2 | – | – | 2 | 1 | 1 | 3 | – | – |
| Asthma | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| VII. Teething | 16 | – | – | 5 | 9 | 2 | – | – | – | – | – | – | – |
| Quinsey | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Enteritis | 9 | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 3 | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Liver Disease | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | – | 1 | 1 | – | – | – | – | – | 1 |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Fracture and Contusion | 14 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 |
| Wounds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 22 | 4 | 4 | 2 | 3 | 2 | 1 | – | 2 | 1 | – | – | 2 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | 2 | – | 1 | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Paralysis | – | 4 | – | – | – | 3 | 3 | – | 2 | 1 | 1 | – | – | – | – | – |
| Delirium Tremens | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | 1 | 3 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 1 | 3 | – | 3 | 1 | 3 | 3 | 1 | 2 | 2 | 2 | – | – | – | – | – |
| Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 1 | 3 | 1 | – | 2 | 1 | – | 2 | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Asthma | 1 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | 1 | 2 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 5 | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 567 | 49 | 22 | 46 | 66 | 27 | 14 | 22 | 25 | 19 | 12 | 21 | 25 |
| SPECIFIED CAUSES | 530 | 37 | 18 | 41 | 61 | 23 | 14 | 20 | 25 | 18 | 12 | 20 | 25 |
| I. Zymotic Class | 116 | 7 | 2 | 15 | 27 | 9 | 11 | 9 | 10 | 2 | 1 | 2 | 2 |
| II. Diseases of Uncertain Seat | 16 | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 |
| III. Tubercular Class | 137 | 3 | 4 | 5 | 13 | 6 | 2 | 5 | 8 | 12 | 7 | 15 | 14 |
| IV. Brain and Nervous System | 45 | 1 | – | 4 | 2 | 2 | – | 2 | 2 | 2 | 2 | 2 | 1 |
| V. Organs of Circulation | 18 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Respiratory Organs | 61 | 3 | 5 | 8 | 8 | 3 | – | 2 | 3 | – | – | – | 1 |
| VII. Organs of Digestion | 39 | 5 | 2 | 7 | 7 | 1 | – | – | – | – | 1 | – | 2 |
| VIII. Urinary Organs | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| X. Organs of Locomotion | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 17 | 14 | 3 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 10 | – | – | – | 4 | 2 | – | 1 | 1 | 1 | 1 | – | – |
| XV. Age | 42 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 11 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | 2 |
| I. Small Pox | 9 | – | – | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| Measles | 5 | – | – | – | 4 | – | – | – | 1 | – | – | – | – |
| Scarlatina | 3 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – |
| Diphtheria | 10 | 1 | – | – | 4 | 1 | 2 | 1 | 1 | – | – | – | – |
| Hooping Cough | 20 | 2 | 1 | 5 | 4 | 1 | 3 | 2 | 2 | – | – | – | – |
| Croup | 16 | – | – | 1 | 8 | 4 | 1 | 1 | 1 | – | – | – | – |
| Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 14 | 1 | 1 | 5 | 3 | – | – | 1 | – | – | – | – | – |
| Dysentery | 3 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 25 | – | – | – | 2 | 1 | 2 | 2 | 3 | 2 | 1 | 1 | 1 |
| Metria | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 4 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| Abscess | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 13 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 11 | – | 1 | – | – | 3 | – | – | 2 | 1 | – | 2 | 1 |
| Tabes Mesenterica | 11 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | – | – | – |
| Phthisis | 99 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 5 | 10 | 7 | 13 | 13 |
| Hydrocephalus | 16 | 1 | 1 | 3 | 6 | 1 | – | 3 | 1 | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 17 | 24 | 22 | 22 | 22 | 14 | 20 | 17 | 18 | 15 | 10 | 11 | 5 | 1 | – | 1 |
| SPECIFIED CAUSES | 17 | 23 | 22 | 22 | 21 | 14 | 19 | 17 | 18 | 15 | 10 | 11 | 5 | 1 | – | 1 |
| Zymotic Class | 2 | 2 | 5 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| Uncertain Seat | – | 1 | 2 | 1 | 4 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Tubercular Class | 6 | 12 | 7 | 10 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 4 | 2 | 2 | – | 2 | – | – | – | – |
| Heart, etc. | – | – | – | 2 | 3 | 1 | 4 | 3 | 3 | – | – | – | – | – | – | – |
| Respiratory Organs | 2 | 4 | 3 | 2 | 2 | 3 | 3 | 4 | 2 | 1 | 1 | 1 | – | – | – | – |
| Digestive Organs | 2 | – | 3 | – | 4 | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| Urinary Organs | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | 2 | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Locomotive Organs | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 4 | 7 | 7 | 9 | 8 | 5 | 1 | – | – |
| Sudden Deaths | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 4 | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| Metria | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 2 | 1 | 4 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 11 | 7 | 8 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 6 | – | – | 2 | – | – | – | 1 | 2 | – | 1 | – | – |
| Apoplexy | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Paralysis | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tetanus | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 17 | 1 | – | 2 | 2 | 1 | – | 1 | – | 2 | 1 | – | – |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 18 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 42 | 3 | 3 | 7 | 7 | – | – | – | 2 | – | – | – | – |
| Pleurisy | 3 | – | – | – | – | 2 | – | – | – | – | – | – | 1 |
| Pneumonia | 11 | – | 2 | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – |
| Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 12 | 1 | 1 | 6 | 3 | 1 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 8 | 3 | 1 | 1 | 2 | – | – | – | – | – | 1 | – | – |
| Peritonitis | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 4 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 2 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 4 | – | – | – | – | – | – | 1 | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 37 | 12 | 4 | 5 | 5 | 4 | – | 2 | – | 1 | – | 1 | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | 1 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – |
| Paralysis | – | – | – | 1 | 1 | 1 | 1 | 2 | 2 | 1 | – | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 2 | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | – | 2 | 3 | 1 | 4 | 3 | 3 | – | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | 3 | 2 | 2 | 1 | 2 | 2 | 3 | 1 | 1 | 1 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Asthma | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Childbirth | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 766 | 83 | 19 | 59 | 87 | 38 | 26 | 20 | 29 | 16 | 14 | 22 | 19 |
| Specified Causes | 758 | 78 | 18 | 58 | 87 | 38 | 26 | 20 | 29 | 16 | 14 | 22 | 19 |
| I. Zymotic Class | 171 | 8 | 3 | 18 | 43 | 25 | 16 | 15 | 16 | 1 | 3 | 3 | 4 |
| II. Diseases of Uncertain Seat | 24 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| III. Tubercular Class | 125 | 3 | 1 | 14 | 18 | 3 | 3 | 3 | 6 | 7 | 7 | 10 | 7 |
| IV. Brain and Nervous System | 73 | 9 | 1 | 2 | 1 | 2 | 1 | – | 2 | 2 | 1 | 2 | – |
| V. Organs of Circulation | 47 | – | – | 1 | – | – | – | – | 1 | 4 | – | – | 3 |
| VI. Respiratory Organs | 127 | 17 | 8 | 17 | 19 | 7 | 4 | 2 | – | – | – | 2 | – |
| VII. Organs of Digestion | 48 | 5 | 1 | 3 | 3 | – | – | – | 1 | 1 | 2 | 2 | – |
| VIII. Urinary Organs | 9 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. Organs of Generation | | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Organs of Locomotion | 6 | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 34 | 30 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 4 | – | – | – | 3 | – | 1 | – | – | – | – | – | – |
| XV. Age | 47 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 31 | 2 | – | – | – | – | – | – | 3 | – | 1 | 2 | 3 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 47 | – | – | 7 | 21 | 8 | 4 | 3 | 3 | – | – | – | – |
| Scarlatina | 23 | – | – | 1 | 3 | 3 | 5 | 4 | 5 | 1 | – | – | 1 |
| Diphtheria | 6 | – | – | – | – | – | 2 | 2 | 2 | – | – | – | – |
| Hooping Cough | 36 | 1 | 2 | 7 | 9 | 8 | 3 | 3 | 3 | – | – | – | – |
| Croup | 9 | 1 | – | 1 | 3 | 2 | – | 2 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 14 | 1 | 1 | 2 | 4 | 1 | – | – | 1 | – | – | – | – |
| Dysentery | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 20 | – | – | – | 3 | 3 | 2 | 1 | 2 | – | 3 | 1 | 1 |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Erysipelas | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 18 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 7 | – | – | – | 2 | – | – | – | – | 1 | 3 | – | – |
| Tabes Mesenterica | 15 | 1 | 1 | 4 | 5 | – | – | 1 | 3 | – | – | – | – |
| Phthisis | 75 | – | – | 1 | 2 | 1 | – | – | 2 | 6 | 4 | 10 | 7 |
| Hydrocephalus | 28 | 2 | – | 9 | 9 | 2 | 3 | 2 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 16 | 20 | 35 | 30 | 31 | 30 | 37 | 33 | 32 | 29 | 28 | 9 | 3 | – | – | 1 |
| Specified Causes | 15 | 20 | 35 | 30 | 31 | 30 | 37 | 33 | 32 | 29 | 28 | 9 | 3 | – | – | 1 |
| Zymotic Class | 1 | – | 2 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| Uncertain Seat | – | 1 | 2 | 2 | 4 | 2 | 2 | 3 | 4 | 1 | – | 1 | – | – | – | – |
| Tubercular Class | 8 | 6 | 13 | 6 | 3 | 5 | 1 | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | 1 | 5 | 2 | 2 | 2 | 6 | 5 | 8 | 7 | 7 | 4 | 1 | – | – | – | – |
| Heart, etc. | – | 2 | 5 | 5 | 7 | 2 | 10 | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| Respiratory Organs | – | 3 | 6 | 6 | 1 | 8 | 6 | 9 | 4 | 4 | 3 | – | 1 | – | – | – |
| Digestive Organs | 3 | – | – | 3 | 6 | 2 | 6 | 3 | 2 | 2 | 3 | – | – | – | – | – |
| Urinary Organs | – | 1 | – | 1 | 1 | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Generative Organs | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 2 | 13 | 9 | 15 | 5 | 2 | – | – | – |
| Sudden Deaths | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 1 | 4 | 2 | 3 | – | 2 | 3 | – | 2 | – | 1 | – | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | 1 | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – |
| Abscess | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | 1 | 2 | 3 | 2 | 2 | 2 | 3 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 7 | 6 | 13 | 6 | 3 | 5 | 1 | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 8 | – | 1 | 1 | – | 1 | – | – | 1 | 2 | 1 | 1 | – |
| Apoplexy | 19 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 12 | 9 | – | 1 | 1 | – | – | – | 1 | – | – | – | – |
| Brain Disease | 8 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| V. Pericarditis | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 40 | – | – | 1 | – | – | – | – | 1 | 3 | – | – | 3 |
| VI. Laryngitis | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 81 | 15 | 4 | 11 | 15 | 5 | 2 | 1 | – | – | – | – | – |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 31 | 2 | 4 | 4 | 4 | 2 | 2 | 1 | – | – | – | 1 | – |
| Asthma | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| VII. Teething | 4 | – | – | 2 | 2 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 6 | 2 | 1 | – | 1 | – | – | – | – | 1 | – | – | – |
| Peritonitis | 5 | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 8 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Joint and Bone Disease | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 9 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Fracture and Contusion | 13 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 2 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 8 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | – | – | 5 | 3 | 5 | – | 3 | 1 | 1 | – | – | – | – |
| Paralysis | – | 1 | 1 | – | 1 | 1 | 2 | 2 | 7 | 3 | 3 | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | 1 | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| Aneurism | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | 4 | 5 | 5 | 2 | 9 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 3 | 4 | 1 | 3 | 1 | 5 | 3 | 3 | 2 | – | 1 | – | – | – |
| Pleurisy | – | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia | – | 1 | 2 | 1 | – | 2 | 4 | – | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 2 | 2 | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 1 | – | 3 | – | 1 | – | – | 2 | – | 1 | – | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 396 | 44 | 13 | 33 | 46 | 18 | 12 | 11 | 16 | 9 | 6 | 15 | 9 |
| SPECIFIED CAUSES | 392 | 41 | 13 | 32 | 46 | 18 | 12 | 11 | 16 | 9 | 6 | 15 | 9 |
| I. Zymotic Class | 93 | 7 | – | 10 | 21 | 13 | 7 | 9 | 8 | 1 | 3 | 2 | 1 |
| II. Diseases of Uncertain Seat | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Tubercular Class | 64 | 1 | 1 | 7 | 12 | 1 | 3 | 1 | 3 | 3 | 2 | 8 | 3 |
| IV. Brain and Nervous System | 33 | 2 | 1 | 2 | 1 | – | 1 | – | 1 | 1 | – | 1 | – |
| V. Organs of Circulation | 21 | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| VI. Respiratory Organs | 75 | 11 | 7 | 11 | 10 | 4 | 1 | 1 | – | – | – | 1 | – |
| VII. Organs of Digestion | 21 | 4 | 1 | 1 | 1 | – | – | – | 1 | 1 | – | 1 | – |
| VIII. Urinary Organs | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 15 | 13 | 2 | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| XV. Age | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 26 | 1 | – | – | – | – | – | – | 3 | – | 1 | 2 | 3 |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 25 | – | – | 5 | 9 | 5 | 2 | 2 | 2 | – | – | – | – |
| Scarlatina | 10 | – | – | 1 | – | 2 | 1 | 2 | 3 | 1 | – | – | – |
| Diphtheria | 3 | – | – | – | – | – | 2 | 1 | – | – | – | – | – |
| Hooping Cough | 16 | – | – | 3 | 4 | 4 | 1 | 3 | 1 | – | – | – | – |
| Croup | 6 | 1 | – | 1 | 3 | – | – | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 10 | 1 | – | – | 4 | 1 | – | – | 1 | – | – | – | – |
| Dysentery | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 11 | – | – | – | 1 | 1 | 1 | – | 1 | – | 3 | 1 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Erysipelas | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | 11 | 1 | 1 | 2 | 5 | – | – | – | 2 | – | – | – | – |
| Phthisis | 38 | – | – | 1 | 2 | 1 | – | – | – | 3 | 2 | 8 | 3 |
| Hydrocephalus | 13 | – | – | 4 | 4 | – | 3 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 7 | 10 | 24 | 16 | 16 | 14 | 14 | 16 | 15 | 14 | 11 | 4 | 2 | – | – | 1 |
| SPECIFIED CAUSES | 7 | 10 | 24 | 16 | 16 | 14 | 14 | 16 | 15 | 14 | 11 | 4 | 2 | – | – | 1 |
| Zymotic Class | – | – | 2 | 2 | 2 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| Uncertain Seat | – | – | 2 | 1 | 2 | 1 | – | 2 | 1 | 1 | – | 1 | – | – | – | – |
| Tubercular Class | 4 | 1 | 8 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | 1 | 3 | 2 | 1 | 1 | 3 | 1 | 3 | 3 | 3 | 1 | 1 | – | – | – | – |
| Heart, etc. | – | – | 3 | 2 | 4 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| Respiratory Organs | – | 3 | 3 | 3 | 1 | 5 | 2 | 4 | 2 | 2 | 3 | – | 1 | – | – | – |
| Digestive Organs | 1 | – | – | 2 | 2 | – | 2 | 1 | 2 | 1 | – | – | – | – | – | – |
| Urinary Organs | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | – | 1 | 5 | 4 | 5 | 1 | 1 | – | – | – |
| Sudden Deaths | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 1 | 4 | 1 | 2 | – | 2 | 2 | – | 1 | – | 1 | – | – | – | 1 |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| Dysentery | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| Abscess | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | 1 | 1 | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 3 | 1 | 8 | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | 1 | 1 | – | – | – | – | 1 | 1 | – | – | – |
| Apoplexy | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 4 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Brain Disease | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 17 | – | – | – | – | – | – | – | – | 1 | – | – | 2 |
| VI. Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | 47 | 10 | 3 | 7 | 9 | 3 | – | – | – | – | – | – | – |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 18 | 1 | 4 | 3 | 1 | 1 | 1 | 1 | – | – | – | 1 | – |
| Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – |
| Peritonitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hanging, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Drowning | 9 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| Fracture and Contusion | 11 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Not Specified | 4 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | 1 | – | – | – | 3 | 1 | 1 | – | 1 | – | 1 | – | – | – | – |
| Paralysis | – | 1 | 1 | – | – | – | – | 2 | 3 | 1 | 1 | – | – | – | – | – |
| Delirium Tremens | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | 3 | 2 | 2 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | 2 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | – | 1 | – | – | – |
| Pleurisy | – | – | – | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – |
| Pneumonia | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Fracture and Contusion | 1 | – | 3 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 370 | 39 | 6 | 26 | 41 | 20 | 14 | 9 | 13 | 7 | 8 | 7 | 10 |
| SPECIFIED CAUSES | 366 | 37 | 5 | 26 | 41 | 20 | 14 | 9 | 13 | 7 | 8 | 7 | 10 |
| I. Zymotic Class | 78 | 1 | 3 | 8 | 22 | 12 | 9 | 6 | 8 | – | – | 1 | 3 |
| II. Diseases of Uncertain Seat | 13 | – | – | 1 | – | – | – | – | – | – | – | – | 1 |
| III. Tubercular Class | 61 | 2 | – | 7 | 6 | 2 | – | 2 | 3 | 4 | 5 | 2 | 4 |
| IV. Brain and Nervous System | 40 | 7 | – | – | – | 2 | – | – | 1 | 1 | 1 | 1 | – |
| V. Organs of Circulation | 26 | – | – | 1 | – | – | – | – | 1 | 2 | – | – | 1 |
| VI. Respiratory Organs | 52 | 6 | 1 | 6 | 9 | 3 | 3 | 1 | – | – | – | 1 | – |
| VII. Organs of Digestion | 27 | 1 | – | 2 | 2 | – | – | – | – | – | 2 | 1 | – |
| VIII. Urinary Organs | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| IX. Organs of Generation | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Organs of Locomotion | 3 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| XI. Skin, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 19 | 17 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 3 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| XV. Age | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| I. Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | 22 | – | – | 2 | 12 | 3 | 2 | 1 | 1 | – | – | – | – |
| Scarlatina | 13 | – | – | – | 3 | 1 | 4 | 2 | 2 | – | – | – | 1 |
| Diphtheria | 3 | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| Hooping Cough | 20 | 1 | 2 | 4 | 5 | 4 | 2 | – | 2 | – | – | – | – |
| Croup | 3 | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 4 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 9 | – | – | – | 2 | 2 | 1 | 1 | 1 | – | | – | 1 |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 5 | – | – | – | 1 | – | – | – | – | 1 | 3 | – | – |
| Tabes Mesenterica | 4 | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – |
| Phthisis | 37 | – | – | – | – | – | – | – | 2 | 3 | 2 | 2 | 4 |
| Hydrocephalus | 15 | 2 | – | 5 | 5 | 2 | – | 1 | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 9 | 10 | 11 | 14 | 15 | 16 | 23 | 17 | 17 | 15 | 17 | 5 | 1 | – | – | – |
| SPECIFIED CAUSES | 8 | 10 | 11 | 14 | 15 | 16 | 23 | 17 | 17 | 15 | 17 | 5 | 1 | – | – | – |
| Zymotic Class | 1 | – | – | 1 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Uncertain Seat | – | 1 | – | 1 | 2 | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| Tubercular Class | 4 | 5 | 5 | 3 | 1 | 5 | – | 1 | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 2 | – | 1 | 1 | 3 | 4 | 5 | 4 | 4 | 3 | – | – | – | – | – |
| Heart, etc. | – | 2 | 2 | 3 | 3 | 1 | 7 | – | – | 1 | 1 | 1 | – | – | – | – |
| Respiratory Organs | – | – | 3 | 3 | – | 3 | 4 | 5 | 2 | 2 | – | – | – | – | – | – |
| Digestive Organs | 2 | – | – | 1 | 4 | 2 | 4 | 2 | – | 1 | 3 | – | – | – | – | – |
| Urinary Organs | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 1 | 8 | 5 | 10 | 4 | 1 | – | – | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Dysentery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | 1 | – | 1 | 1 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 4 | 5 | 5 | 3 | 1 | 5 | – | 1 | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| IV. Cephalitis | 4 | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – |
| Apoplexy | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 8 | 7 | – | – | – | – | – | – | 1 | – | – | – | – |
| Brain Disease | 4 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| V. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 23 | – | – | 1 | – | – | – | – | 1 | 2 | – | – | 1 |
| VI. Laryngitis | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Bronchitis | 34 | 5 | 1 | 4 | 6 | 2 | 2 | 1 | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 13 | 1 | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| VII. Teething | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Peritonitis | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Joint and Bone Disease | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | – | 2 | 2 | 4 | – | 2 | 1 | – | – | – | – | – |
| Paralysis | – | – | – | – | 1 | 1 | 2 | – | 4 | 2 | 2 | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pericarditis | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Aneurism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | 1 | 3 | 3 | 1 | 7 | – | – | 1 | 1 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Bronchitis | – | – | – | 3 | – | 2 | – | 4 | 2 | 2 | – | – | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | 2 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Enteritis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | 1 | 1 | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| All Causes | 665 | 44 | 13 | 31 | 62 | 31 | 17 | 13 | 33 | 11 | 16 | 22 | 23 |
| Specified Causes | 655 | 42 | 10 | 29 | 62 | 31 | 17 | 13 | 33 | 11 | 16 | 22 | 23 |
| I. Zymotic Class | 167 | 2 | 4 | 10 | 36 | 18 | 10 | 9 | 20 | 4 | 3 | 3 | 3 |
| II. Diseases of Uncertain Seat | 22 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| III. Tubercular Class | 91 | 2 | 1 | 6 | 6 | 5 | 1 | 3 | 6 | 2 | 9 | 10 | 10 |
| IV. Brain and Nervous System | 66 | 3 | – | – | – | – | – | – | – | 1 | 2 | 5 | 2 |
| V. Organs of Circulation | 37 | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 |
| VI. Respiratory Organs | 70 | 5 | 3 | 3 | 5 | 3 | 4 | – | 3 | – | – | – | 3 |
| VII. Organs of Digestion | 57 | 3 | 2 | 10 | 14 | 3 | 1 | – | – | – | – | – | 1 |
| VIII. Urinary Organs | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IX. Organs of Generation | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 3 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| XII. Malformation | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 22 | 22 | – | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 4 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – |
| XV. Age | 70 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 26 | 1 | – | – | – | 1 | – | – | 2 | 4 | – | 2 | 2 |
| I. Small Pox | 4 | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| Measles | 39 | – | 1 | 3 | 19 | 8 | 1 | 2 | 5 | – | – | – | – |
| Scarlatina | 17 | – | – | 1 | 2 | 2 | 5 | 1 | 6 | – | – | – | – |
| Diphtheria | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | 8 | – | – | 2 | 5 | 1 | – | – | – | – | – | – | – |
| Croup | 8 | – | – | 1 | 1 | 3 | – | 1 | 2 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 32 | 1 | 3 | 2 | 5 | 2 | 3 | 1 | 1 | 4 | – | – | 1 |
| Dysentery | 37 | – | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | 2 |
| Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 16 | – | – | – | 1 | 1 | – | 2 | 5 | – | 2 | 1 | – |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 14 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 8 | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | 1 |
| Tabes Mesenterica | 8 | 2 | – | 1 | – | 3 | – | – | 2 | – | – | – | – |
| Phthisis | 63 | – | 1 | 2 | 3 | – | – | – | 2 | 2 | 8 | 9 | 9 |
| Hydrocephalus | 12 | – | – | 2 | 3 | 2 | 1 | 2 | 2 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—Both Sexes.

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| All Causes | 19 | 21 | 17 | 32 | 22 | 26 | 37 | 46 | 37 | 35 | 37 | 14 | 4 | – | 2 | – |
| Specified Causes | 19 | 21 | 17 | 32 | 22 | 26 | 35 | 46 | 37 | 34 | 37 | 14 | 4 | – | 2 | – |
| Zymotic Class | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 5 | 3 | 6 | 4 | – | 2 | – | – | – |
| Uncertain Seat | 2 | 1 | 1 | – | – | 5 | 1 | 4 | 2 | – | 4 | – | – | – | – | – |
| Tubercular Class | 7 | 5 | 2 | 10 | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 2 | 3 | 5 | 4 | 4 | 6 | 8 | 9 | 5 | 3 | 2 | – | – | – | – |
| Heart, etc. | – | 1 | – | 2 | 3 | 3 | 6 | 7 | 5 | 2 | 5 | – | – | – | – | – |
| Respiratory Organs | 3 | 1 | 3 | 5 | 5 | 2 | 8 | 6 | 4 | 2 | 1 | 1 | – | – | – | – |
| Digestive Organs | – | 1 | 1 | 2 | 3 | 2 | 3 | 5 | 1 | 5 | – | – | – | – | – | – |
| Urinary Organs | – | 1 | 3 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 3 | 10 | 12 | 12 | 18 | 11 | 2 | – | 2 | – |
| Sudden Deaths | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 2 | 2 | 2 | 2 | 2 | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Small Pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 1 | – | 1 | – | 2 | – | – | 4 | 1 | – | – | – | – | – |
| Dysentery | – | 1 | – | 4 | 3 | 5 | 3 | 4 | 3 | 2 | 2 | – | 2 | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | – | 1 | 1 | – | – | 4 | – | 3 | 1 | – | 3 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 6 | 5 | 2 | 9 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 4 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | – |
| Apoplexy | 16 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| Paralysis | 22 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 16 | – | – | – | – | – | – | – | – | – | – | 3 | 1 |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 36 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| VI. Laryngitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 51 | 5 | 3 | 3 | 5 | 3 | 3 | – | 1 | – | – | – | 2 |
| Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia | 10 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VII. Teething | 29 | – | 2 | 10 | 14 | 3 | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 6 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 6 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – |
| Fracture and Contusion | 11 | – | – | – | – | – | – | – | – | 3 | – | 2 | 2 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 10 | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—Both Sexes. (*Continued.*)

| DISEASES. | BOTH SEXES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | – | 1 | 1 | 3 | 3 | 3 | 1 | 1 | – | – | – | – |
| Paralysis | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 5 | 2 | 2 | 2 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | 1 | – | 1 | 3 | 1 | 1 | – | 4 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | – | 2 | 3 | 3 | 6 | 7 | 5 | 2 | 5 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 3 | – | 3 | 3 | 2 | 1 | 4 | 4 | 3 | 1 | 1 | 1 | – | – | – | – |
| Pleurisy | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | 2 | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Asthma | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | 1 | 1 | – | 2 | 3 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 1 | 1 | – | 2 | – | 3 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 320 | 28 | 7 | 17 | 35 | 17 | 8 | 7 | 18 | 9 | 8 | 12 | 12 |
| SPECIFIED CAUSES | 313 | 27 | 5 | 15 | 35 | 17 | 8 | 7 | 18 | 9 | 8 | 12 | 12 |
| I. Zymotic Class | 75 | – | 3 | 6 | 20 | 10 | 6 | 4 | 9 | 3 | 3 | 1 | 1 |
| II. Diseases of Uncertain Seat | 7 | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| III. Tubercular Class | 43 | 1 | – | 2 | 4 | 3 | – | 2 | 2 | 2 | 3 | 6 | 5 |
| IV. Brain and Nervous System | 33 | 3 | – | – | – | – | – | – | – | – | – | 3 | – |
| V. Organs of Circulation | 17 | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| VI. Respiratory Organs | 39 | 3 | 1 | 3 | 3 | 3 | 1 | – | 3 | – | – | – | 3 |
| VII. Organs of Digestion | 24 | 2 | 1 | 4 | 7 | 1 | – | – | – | – | – | – | 1 |
| VIII. Urinary Organs | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Organs of Locomotion | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Malformation | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 15 | 15 | – | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 3 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| XV. Age | 30 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 17 | – | – | – | – | – | – | – | 2 | 4 | – | 2 | 2 |
| I. Small Pox | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Measles | 25 | – | 1 | 1 | 12 | 5 | 1 | 2 | 3 | – | – | – | – |
| Scarlatina | 9 | – | – | 1 | 1 | 2 | 3 | – | 2 | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | 4 | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| Croup | 4 | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 16 | – | 2 | 2 | 4 | – | 2 | – | – | 3 | – | – | – |
| Dysentery | 7 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 8 | – | – | – | – | – | – | 1 | 3 | – | 2 | 1 | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 4 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – |
| Tabes Mesenterica | 4 | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – |
| Phthisis | 29 | – | – | – | 2 | – | – | – | – | 2 | 2 | 6 | 5 |
| Hydrocephalus | 6 | – | – | 1 | 2 | 1 | – | 1 | 1 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—MALES.

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 7 | 6 | 8 | 16 | 10 | 14 | 13 | 20 | 16 | 9 | 18 | 4 | 1 | – | – | – |
| SPECIFIED CAUSES | 7 | 6 | 8 | 16 | 10 | 14 | 12 | 20 | 16 | 8 | 18 | 4 | 1 | – | – | – |
| Zymotic Class | – | – | 1 | 1 | 1 | 1 | – | 1 | – | 1 | 3 | – | – | – | – | – |
| Uncertain Seat | – | – | – | – | – | 3 | – | 1 | 1 | – | – | – | – | – | – | – |
| Tubercular Class | 3 | 1 | 1 | 4 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| Brain, etc. | 2 | 1 | 1 | 4 | 3 | 2 | 3 | 4 | 4 | 3 | – | – | – | – | – | – |
| Heart, etc. | – | – | – | – | 1 | 1 | 3 | 4 | 2 | 1 | 3 | – | – | – | – | – |
| Respiratory Organs | 1 | 1 | 2 | 4 | 3 | 1 | 3 | 1 | 2 | – | 1 | – | – | – | – | – |
| Digestive Organs | – | – | – | – | 1 | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| Urinary Organs | – | – | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| Generative Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Locomotive Organs | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 1 | 6 | 5 | 2 | 11 | 4 | 1 | – | – | – |
| Sudden Deaths | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Small Pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| Dysentery | – | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 3 | 1 | 1 | 4 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Apoplexy | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Paralysis | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 10 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| V. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 16 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| VI. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 29 | 3 | 1 | 3 | 3 | 3 | 1 | – | 1 | – | – | – | 2 |
| Pleurisy | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Pneumonia | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| VII. Teething | 13 | – | 1 | 4 | 7 | 1 | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| XII. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 5 | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| Fracture and Contusion | 10 | – | – | – | – | – | – | – | – | 3 | – | 2 | 2 |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 7 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—MALES. (*Continued.*)

| DISEASES. | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | 1 | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| Paralysis | 1 | 1 | 1 | – | – | 1 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 1 | – | – | 1 | 3 | 1 | – | – | 3 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | – | – | – | 1 | 1 | 3 | 4 | 2 | 1 | 3 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 1 | – | 2 | 2 | 2 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| Pleurisy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Asthma | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Nephria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| ALL CAUSES | 345 | 16 | 6 | 14 | 27 | 14 | 9 | 6 | 15 | 2 | 8 | 10 | 11 |
| SPECIFIED CAUSES | 342 | 15 | 5 | 14 | 27 | 14 | 9 | 6 | 15 | 2 | 8 | 10 | 11 |
| I. Zymotic Class | 92 | 2 | 1 | 4 | 16 | 8 | 4 | 5 | 11 | 1 | – | 2 | 2 |
| II. Diseases of Uncertain Seat | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Tubercular Class | 48 | 1 | 1 | 4 | 2 | 2 | 1 | 1 | 4 | – | 6 | 4 | 5 |
| IV. Brain and Nervous System | 33 | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 2 |
| V. Organs of Circulation | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Respiratory Organs | 31 | 2 | 2 | – | 2 | – | 3 | – | – | – | – | – | – |
| VII. Organs of Digestion | 33 | 1 | 1 | 6 | 7 | 2 | 1 | – | – | – | – | – | – |
| VIII. Urinary Organs | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| IX. Organs of Generation | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| X. Organs of Locomotion | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Skin, etc. | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| XII. Malformation | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| XIII. Premature Debility | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – |
| XIV. Atrophy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| XV. Age | 40 | – | – | – | – | – | – | – | – | – | – | – | – |
| XVI. Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Violent Deaths | 9 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| I. Small Pox | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| Measles | 14 | – | – | 2 | 7 | 3 | – | – | 2 | – | – | – | – |
| Scarlatina | 8 | – | – | – | 1 | – | 2 | 1 | 4 | – | – | – | – |
| Diphtheria | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Hooping Cough | 4 | – | – | 1 | 3 | – | – | – | – | – | – | – | – |
| Croup | 4 | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | 16 | 1 | 1 | – | 1 | 2 | 1 | 1 | 1 | 1 | – | – | 1 |
| Dysentery | 30 | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | 1 |
| Cholera | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 8 | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – |
| Metria | 2 | – | – | – | – | – | – | – | – | – | – | 2 | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| Abscess | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Cancer | 10 | – | – | – | – | – | – | – | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. Scrofula | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| Tabes Mesenterica | 4 | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| Phthisis | 34 | – | 1 | 2 | 1 | – | – | – | 2 | – | 6 | 3 | 4 |
| Hydrocephalus | 6 | – | – | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—FEMALES.

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| ALL CAUSES | 12 | 15 | 9 | 16 | 12 | 12 | 24 | 26 | 21 | 26 | 19 | 10 | 3 | – | 2 | – |
| SPECIFIED CAUSES | 12 | 15 | 9 | 16 | 12 | 12 | 23 | 26 | 21 | 26 | 19 | 10 | 3 | – | 2 | – |
| Zymotic Class | 2 | 2 | 1 | 3 | 3 | 4 | 6 | 4 | 3 | 5 | 1 | – | 2 | – | – | – |
| Uncertain Seat | 2 | 1 | 1 | – | – | 2 | 1 | 3 | 1 | – | 4 | – | – | – | – | – |
| Tubercular Class | 4 | 4 | 1 | 6 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Brain, etc. | – | 1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 2 | 3 | 2 | – | – | – | |
| Heart, etc. | – | 1 | – | 2 | 2 | 2 | 3 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| Respiratory Organs | 2 | – | 1 | 1 | 2 | 1 | 5 | 5 | 2 | 2 | – | 1 | – | – | – | – |
| Digestive Organs | – | 1 | 1 | 2 | 2 | 1 | 2 | 2 | – | 4 | – | – | – | – | – | – |
| Urinary Organs | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Generative Organs | – | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Locomotive Organs | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Malformation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Premature Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Atrophy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Age | – | – | – | – | – | – | 2 | 4 | 7 | 10 | 7 | 7 | 1 | – | 2 | – |
| Sudden Deaths | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Violent Deaths | 1 | – | – | 1 | 1 | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Small Pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hooping Cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diarrhœa | – | – | – | – | 1 | – | 2 | – | – | 3 | – | – | – | – | – | – |
| Dysentery | – | 1 | – | 3 | 2 | 4 | 3 | 4 | 3 | 2 | 1 | – | 2 | – | – | – |
| Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Purpura | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Worms | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Infantile Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Typhus | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Metria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatic Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Noma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hæmorrhage | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Dropsy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Abscess | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Mortification | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| Cancer | – | 1 | 1 | – | – | 1 | – | 3 | 1 | – | 3 | – | – | – | – | – |
| Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Scrofula | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phthisis | 3 | 4 | 1 | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | | | | | | | | | |
| | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| IV. Cephalitis | 3 | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| Apoplexy | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Paralysis | 12 | – | – | – | – | – | – | – | – | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | 6 | – | – | – | – | – | – | – | – | – | – | 2 | 1 |
| V. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | 20 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| VI. Laryngitis | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Bronchitis | 22 | 2 | 2 | – | 2 | – | 2 | – | – | – | – | – | – |
| Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pneumonia | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VII. Teething | 16 | – | 1 | 6 | 7 | 2 | – | – | – | – | – | – | – |
| Quinsey | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Liver Disease | 6 | – | – | – | – | – | – | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| VIII. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IX. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| Organs of Generation | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| X. Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint and Bone Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XI. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XII. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – |
| XVII. Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| Fracture and Contusion | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1861.—FEMALES. (*Continued.*)

| DISEASES. | FEMALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Apoplexy | – | – | – | – | – | 1 | 1 | 1 | 2 | 2 | 1 | 1 | – | – | – | – |
| Paralysis | – | – | 1 | 1 | 1 | 1 | – | 3 | 2 | – | 2 | 1 | – | – | – | – |
| Delirium Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Epilepsy | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| Tetanus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Brain Disease | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Heart Disease | – | 1 | – | 2 | 2 | 2 | 3 | 3 | 3 | 1 | 2 | – | – | – | – | – |
| Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Bronchitis | 2 | – | 1 | 1 | – | 1 | 2 | 3 | 2 | 1 | – | 1 | – | – | – | – |
| Pleurisy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Pneumonia | – | – | – | – | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| Asthma | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| Lung Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Quinsey | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Peritonitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ileus | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stomach Disease | – | – | 1 | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| Pancreas Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Liver Disease | – | – | – | – | 1 | 1 | – | 1 | – | 3 | – | – | – | – | – | – |
| Spleen Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Nephria | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stone | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Kidney Disease | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Childbirth | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Organs of Generation | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| Arthritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Rheumatism | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Joint Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Carbuncle | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Skin Disease | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Intemperance | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Neglect | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Cold | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Burns and Scalds | 1 | – | – | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – |
| Hanging, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Fracture and Contusion | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Other Violent Causes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| Not Specified | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1861.

| | | | DEATHS in 1861. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | YEAR. |
| | MEAN TEMPERATURE in 1861 | | 37°·3 | 40°·2 | 42°·3 | 45°·9 | 49°·8 | 58°·0 | 57°·8 | 58°·5 | 54°·5 | 49°·8 | 38°·9 | 38°·0 | 47°·6 |
| | | Population 1861. | | | | | | | | | | | | | |
| | SCOTLAND . . | 3,066,633 | 6995 | 5201 | 5724 | 5498 | 5644 | 4810 | 4931 | 4434 | 4042 | 4300 | 5172 | 5590 | 62,341 |
| | INSULAR DISTRICTS . | 160,589 | 269 | 212 | 282 | 257 | 240 | 180 | 170 | 187 | 161 | 165 | 202 | 237 | 2,562 |
| | MAINLAND DISTRICTS | 1,764,705 | 3241 | 2566 | 2928 | 2761 | 2865 | 2432 | 2431 | 2237 | 2029 | 2184 | 2515 | 2625 | 30,814 |
| | TOWN DISTRICTS . | 1,141,339 | 3485 | 2423 | 2514 | 2480 | 2539 | 2198 | 2330 | 2010 | 1852 | 1951 | 2455 | 2728 | 28,965 |
| | DIVISIONS. | | | | | | | | | | | | | | |
| 1 | Northern . . . | 130,506 | 195 | 173 | 213 | 177 | 180 | 152 | 133 | 154 | 120 | 123 | 143 | 173 | 1,936 |
| 2 | North-Western . | 167,119 | 295 | 201 | 285 | 273 | 219 | 180 | 193 | 178 | 175 | 181 | 205 | 219 | 2,604 |
| 3 | North-Eastern . . | 367,243 | 664 | 560 | 600 | 575 | 617 | 478 | 523 | 445 | 482 | 488 | 568 | 592 | 6,592 |
| 4 | East-Midland . . | 524,017 | 1137 | 922 | 941 | 907 | 849 | 803 | 810 | 751 | 639 | 753 | 809 | 920 | 10,241 |
| 5 | West-Midland . . | 242,533 | 491 | 386 | 384 | 389 | 415 | 336 | 338 | 354 | 293 | 303 | 345 | 401 | 4,435 |
| 6 | South-Western . | 1.011,435 | 2856 | 2006 | 2243 | 2148 | 2197 | 1894 | 1938 | 1630 | 1484 | 1598 | 1997 | 2143 | 24,134 |
| 7 | South-Eastern . . | 409,605 | 916 | 628 | 697 | 681 | 791 | 663 | 664 | 651 | 558 | 566 | 783 | 832 | 8,430 |
| 8 | Southern . . . | 214,175 | 441 | 325 | 361 | 348 | 376 | 304 | 332 | 271 | 291 | 288 | 322 | 310 | 3,969 |
| | COUNTIES. | | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | | |
| 1 | Shetland . . . | 31,685 | 53 | 44 | 60 | 46 | 48 | 41 | 33 | 33 | 26 | 30 | 33 | 41 | 488 |
| 2 | Orkney . . . | 32,418 | 49 | 46 | 54 | 49 | 43 | 39 | 29 | 38 | 38 | 31 | 42 | 52 | 510 |
| 3 | Caithness . . . | 42,259 | 64 | 49 | 55 | 49 | 49 | 46 | 46 | 53 | 43 | 35 | 44 | 55 | 588 |
| 4 | Sutherland . . | 24,144 | 29 | 34 | 44 | 33 | 40 | 26 | 25 | 30 | 13 | 27 | 24 | 25 | 350 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| 5 | Ross and Cromarty . | 82,394 | 136 | 99 | 134 | 116 | 103 | 89 | 87 | 93 | 85 | 92 | 96 | 101 | 1,231 |
| 6 | Inverness . . . | 84,725 | 159 | 102 | 151 | 157 | 116 | 91 | 106 | 85 | 90 | 89 | 109 | 118 | 1,373 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| 7 | Nairn . . . | 8,353 | 10 | 14 | 20 | 9 | 20 | 11 | 15 | 13 | 13 | 16 | 14 | 19 | 174 |
| 8 | Elgin (or Moray) . | 44,310 | 70 | 66 | 62 | 67 | 47 | 45 | 65 | 51 | 55 | 48 | 62 | 61 | 699 |
| 9 | Banff . . . | 56,137 | 98 | 76 | 100 | 84 | 97 | 66 | 49 | 51 | 65 | 47 | 73 | 83 | 889 |
| 10 | Aberdeen . . . | 223,591 | 447 | 360 | 377 | 362 | 397 | 309 | 346 | 298 | 305 | 345 | 381 | 374 | 4,301 |
| 11 | Kincardine . . | 34,852 | 39 | 44 | 41 | 53 | 56 | 47 | 48 | 32 | 44 | 32 | 38 | 55 | 529 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| 12 | Forfar . . . | 207,077 | 533 | 444 | 428 | 396 | 382 | 371 | 370 | 310 | 248 | 292 | 307 | 434 | 4,515 |
| 13 | Perth . . . | 133,094 | 239 | 208 | 237 | 221 | 211 | 179 | 187 | 208 | 184 | 212 | 217 | 203 | 2,506 |
| 14 | Fife . . . . | 155,051 | 301 | 217 | 232 | 237 | 215 | 213 | 200 | 193 | 184 | 209 | 246 | 238 | 2,685 |
| 15 | Kinross . . . | 8,709 | 26 | 16 | 12 | 19 | 9 | 11 | 13 | 8 | 4 | 13 | 14 | 12 | 157 |
| 16 | Clackmannan . . | 20,086 | 38 | 37 | 32 | 34 | 32 | 29 | 40 | 32 | 19 | 27 | 25 | 33 | 378 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| 17 | Stirling . . . | 88,246 | 174 | 147 | 142 | 140 | 162 | 118 | 133 | 127 | 90 | 107 | 113 | 166 | 1,619 |
| 18 | Dumbarton . . | 54,359 | 149 | 115 | 104 | 86 | 93 | 84 | 73 | 74 | 69 | 61 | 82 | 89 | 1,079 |
| 19 | Argyll . . . | 83,605 | 130 | 102 | 118 | 129 | 129 | 107 | 99 | 124 | 110 | 111 | 118 | 123 | 1,400 |
| 20 | Bute . . . . | 16,323 | 38 | 22 | 20 | 34 | 31 | 27 | 33 | 29 | 24 | 24 | 32 | 23 | 337 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| 21 | Renfrew . . . | 169,017 | 439 | 316 | 342 | 330 | 331 | 329 | 318 | 235 | 237 | 267 | 323 | 328 | 3,795 |
| 22 | Ayr . . . . | 199,291 | 495 | 372 | 463 | 439 | 431 | 329 | 332 | 289 | 234 | 271 | 316 | 333 | 4,304 |
| 23 | Lanark . . . | 643,127 | 1922 | 1318 | 1438 | 1379 | 1435 | 1236 | 1288 | 1106 | 1013 | 1060 | 1358 | 1482 | 16,035 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| 24 | Linlithgow . . | 39,256 | 73 | 50 | 68 | 51 | 60 | 69 | 62 | 62 | 46 | 57 | 62 | 78 | 738 |
| 25 | Edinburgh . . | 274,458 | 704 | 460 | 500 | 512 | 594 | 443 | 482 | 458 | 390 | 401 | 563 | 619 | 6,126 |
| 26 | Haddington . . | 37,658 | 61 | 50 | 59 | 46 | 55 | 54 | 55 | 47 | 58 | 41 | 68 | 51 | 645 |
| 27 | Berwick . . . | 36,495 | 50 | 49 | 46 | 44 | 50 | 60 | 36 | 41 | 41 | 40 | 49 | 58 | 564 |
| 28 | Peebles . . . | 11,312 | 22 | 10 | 18 | 18 | 14 | 20 | 6 | 16 | 11 | 12 | 19 | 13 | 179 |
| 29 | Selkirk . . . | 10,426 | 6 | 9 | 6 | 10 | 18 | 17 | 23 | 27 | 12 | 15 | 22 | 13 | 178 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | | |
| 30 | Roxburgh . . . | 53,784 | 108 | 78 | 85 | 103 | 93 | 79 | 89 | 79 | 68 | 74 | 83 | 89 | 1,028 |
| 31 | Dumfries . . | 75,848 | 166 | 113 | 146 | 116 | 129 | 108 | 120 | 96 | 116 | 97 | 113 | 97 | 1,417 |
| 32 | Kirkcudbright . | 42,479 | 78 | 70 | 53 | 54 | 81 | 59 | 62 | 48 | 42 | 61 | 74 | 63 | 745 |
| 33 | Wigtown . . . | 42,064 | 89 | 64 | 77 | 75 | 73 | 58 | 61 | 48 | 65 | 56 | 52 | 61 | 779 |

## CONSTITUTION OF THE COMPOUND DISTRICTS.

| No. | District. | Component Parts (Parishes). |
|---|---|---|
| 13 | Birsay . . . . | Part of Harray & Birsay. |
| 14 | Deerness . . . | Part of St Andrews. |
| 15 | Eday & Pharay . . | Part of Stronsay & Eday. |
| 22 | North Ronaldshay . | Part of Cross & Burness. |
| 26 | Sanday . . . | Lady, and part of Cross & Burness. |
| 86*b* | Carloway . . . | Parts of Lochs and Uig. |
| 87 | Lochs . . . . | Parts of Lochs and Uig. |
| 112 | Kilmuir . . . | (1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort. |
| 135 | Elgin . . . . | Elgin, and parts of New Spynie and St Andrews Lhanbryde. |
| 147 | Banff . . . . | (1) Burghal parts of Banff and Gamrie, (2) Rest of Banff. |
| 152 | Enzie . . . . | Parts of Bellie and Rathven. |
| 167 | Seafield . . . | Parts of Cullen and Rathven. |
| 222*b* | Millbrex . . . | Parts of Fyvie and Monquhitter. |
| 227*a* | New Machar . . | New Machar and part of Udny. |
| 227*b* | New Pitsligo . . | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237*b* | Savoch . . . | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 272 | Arbroath . . . | Arbroath, and part of St Vigeans. |
| 282 | Dundee . . . | (1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and Invergowrie, (3) Part of Liff, &c. |
| 312 | Montrose . . . | Montrose, and part of Dun. |
| 324 | Aberfeldy . . . | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 333 | Blackford . . . | Blackford, and part of Ardoch. |
| 344 | Dowally . . . | Part of Dunkeld & Dowally. |
| 348 | Dunblane . . . | Dunblane, and part of Ardoch. |
| 349 | Dunkeld . . . | Parts of Caputh and of Dunkeld & Dowally. |
| 355*a* | Fortingall . . . | Parts of Fortingall and Weem. |
| 355*b* | Foss . . . . | Part of Dull. |
| 360 | Kenmore . . . | Parts of Kenmore and Weem. |
| 361 | Killin . . . . | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch . | Parts of Fortingall and Logierait. |
| 375 | Logiealmond . . | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and [Redgorton. |
| 379 | Meigle . . . . | Meigle, and part of Coupar-Angus. |
| 386*a* | Muthill . . . | Muthill, and part of Ardoch. |
| 386*b* | Persie . . . . | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy [& Kinloch, and Rattray. |
| 387 | Perth . . . . | Perth, and parts of Kinnoull, Scone, and Tibbermore. |
| 394*b* | Strathfillan . . . | Part of Killin. |
| 394*c* | Tenandry . . . | Parts of Blair-Athol, Dull, and Moulin. |
| 423 | Dunbog . . . | Dunbog, and parts of Abdie and Flisk. |
| 442 | Kirkcaldy . . . | Kirkcaldy, and parts of Abbotshall and Kinghorn. |
| 490 | Stirling . . . | Stirling, and part of St Ninians. |
| 493 | Bonhill . . . | Bonhill, and part of Dumbarton. |
| 496 | Dumbarton . . . | Parts of Cardross and Dumbarton. |
| 506 | Ballachulish & Corran of Ardgour . . . | Part of Kilmalie. |
| 509 | Cumlodden . . . | Parts of Glassary and Inveraray. |
| 515 | Kilbrandon & Kilchattan | Kilbrandon & Kilchattan, and part of Jura. |
| 526 | Lochgilphead . . | Parts of Glassary and South Knapdale. |
| 535 | Tarbert . . . | Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South [Knapdale. |
| 536 | Bowmore (or Killarrow) | Part of Killarrow & Kilmeny. |
| 538 | Iona . . . | Part of Kilfinichen & Kilvickeon. |
| 542 | Kilfinichen & Kilvickeon | Parts of Kilfinichen & Kilvickeon, and of Torosay. |
| 543 | Kilmeny . . . | Part of Killarrow & Kilmeny. |
| 545 | Kinlochspelvie . . | Part of Torosay. |
| 546 | Oa . . . . | Part of Kildalton. |
| 547 | Portnahaven . . | Part of Kilchoman. |
| 548 | Salen . . . . | Parts of Kilninian & Kilmore, and of Torosay. |
| 549 | Tobermory . . . | Part of Kilninian & Kilmore. |
| 556 | Lochranza . . . | Parts of Kilbride and of Kilmory. |
| 557 | North Bute . . . | North Bute, and part of Rothesay. |
| 559 | Abbey . . . | (1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey. |
| 578 | Ayr . . . . | Ayr, and parts of Newton-upon-Ayr, and of St Quivox. |
| 595 | Irvine . . . . | Irvine, and part of Dundonald. |
| 612 | St Quivox, &c. . . | Parts of Newton-upon-Ayr, and St Quivox. |
| 626*b* | Calderhead . . . | Parts of Cambusnethan and Shotts. |
| 644 | Glasgow . . . | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 670 | Queensferry . . | Queensferry, and part of Dalmeny. |
| 684 | Portobello . . . | Parts of Duddingstone and South Leith. |
| 685 | Edinburgh . . . | City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith. |
| 690 | Kirknewton & East Calder | Kirknewton & East Calder, and part of Kirkliston. |
| 692 | Leith . . . . | (1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 787*b* | Edgerston . . . | Parts of Jedburgh, Oxnam, and Southdean. |
| 813*b* | Brydekirk . . . | Parts of Annan, Cummertrees, and Hoddam. |
| 853*b* | Wanlockhead . . | Part of Sanquhar. |
| 862 | Corsockbridge . . | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie . . . | Part of Urr. |
| 899 | Stranraer . . . | Stranraer, and parts of Inch and Leswalt. |

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from* 1 *to* 901.*


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnot, . 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie (or Inverbervie), 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore (or Kilarrow), 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberdeen), . 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsalmond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286


* The actual number of Districts is 1010—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . 135
Elie, . . 427
Ellon, . 192
Enzie, . 152
Errol, . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverury, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie and Insh, . . 102
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch, 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Meggat, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New, or East, Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincardine), . 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce (or Glenluce), 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, . 140
Raasay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Quivox and Newton-upon-Ayr, . 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart (or Strontian), 505
Swinton, . 755
Symington (Ayr), . 618
Syming on (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weesdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811